Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-3: Youngest Child

Age reference: 12 November 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,415	0.018 [0.032] N=1,687	0.017 [0.033] N=1,556	0.028 [0.036] N=1,402	0.009 [0.037] N=1,207	0.003 [0.042] N=992
Vegetables consumed daily or several times weekly	0.766 P=1,294	0.035 [0.044] N=1,687	0.026 [0.047] N=1,556	0.020 [0.049] N=1,402	-0.013 [0.053] N=1,207	-0.053 [0.059] N=992
Meat fish or poultry consumed daily or several times weekly	0.565 P=953	0.048 [0.053] N=1,687	0.046 [0.055] N=1,556	0.039 [0.058] N=1,402	0.044 [0.065] N=1,207	0.029 [0.073] N=992
Legumes consumed daily or several times weekly	0.554 P=930	0.029 [0.047] N=1,687	0.028 [0.049] N=1,556	0.042 [0.051] N=1,402	0.082 [0.056] N=1,207	0.068 [0.066] N=992
Animal products consumed daily or several times weekly	0.851 P=1,436	**0.071** [0.036] N=1,687**	**0.069* [0.037] N=1,556**	0.045 [0.038] N=1,402	0.053 [0.041] N=1,207	0.042 [0.045] N=992
Sweets consumed daily or several times weekly	0.461 P=784	-0.044 [0.046] N=1,687	-0.059 [0.047] N=1,556	-0.042 [0.049] N=1,402	-0.027 [0.050] N=1,207	-0.001 [0.058] N=992
Snack foods consumed daily or several times weekly	0.341 P=575	0.043 [0.042] N=1,687	0.020 [0.044] N=1,556	0.022 [0.047] N=1,402	0.064 [0.049] N=1,207	0.058 [0.054] N=992
Packaged soft drinks consumed daily or several times weekly	0.194 P=323	0.007 [0.042] N=1,687	0.008 [0.045] N=1,556	0.005 [0.048] N=1,402	0.009 [0.054] N=1,207	-0.011 [0.060] N=992
Grains consumed daily or several times weekly	0.794 P=1,340	0.032 [0.040] N=1,687	0.045 [0.041] N=1,556	0.031 [0.044] N=1,402	0.041 [0.048] N=1,207	0.019 [0.053] N=992

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.054 [0.045] N=1,429	0.066 [0.047] N=1,298	**0.100* [0.054] N=1,144**	0.077 [0.065] N=949	0.100 [0.088] N=734
Vegetables consumed daily or several times weekly	0.080 [0.060] N=1,429	0.079 [0.066] N=1,298	0.077 [0.072] N=1,144	0.007 [0.088] N=949	-0.097 [0.108] N=734
Meat fish or poultry consumed daily or several times weekly	0.023 [0.067] N=1,429	0.017 [0.070] N=1,298	-0.004 [0.076] N=1,144	-0.032 [0.091] N=949	-0.114 [0.115] N=734
Legumes consumed daily or several times weekly	0.018 [0.069] N=1,429	0.022 [0.076] N=1,298	0.045 [0.081] N=1,144	0.127 [0.099] N=949	0.093 [0.133] N=734
Animal products consumed daily or several times weekly	0.092 [0.056] N=1,429	0.094 [0.061] N=1,298	0.048 [0.068] N=1,144	0.067 [0.081] N=949	0.048 [0.101] N=734
Sweets consumed daily or several times weekly	-0.084 [0.066] N=1,429	-0.113 [0.070] N=1,298	-0.084 [0.078] N=1,144	-0.065 [0.084] N=949	-0.011 [0.114] N=734
Snack foods consumed daily or several times weekly	0.011 [0.062] N=1,429	-0.038 [0.065] N=1,298	-0.036 [0.075] N=1,144	0.036 [0.089] N=949	-0.019 [0.112] N=734
Packaged soft drinks consumed daily or several times weekly	0.011 [0.052] N=1,429	0.011 [0.057] N=1,298	0.013 [0.064] N=1,144	0.023 [0.077] N=949	-0.029 [0.098] N=734
Grains consumed daily or several times weekly	0.063 [0.064] N=1,429	0.095 [0.069] N=1,298	0.070 [0.079] N=1,144	0.108 [0.097] N=949	0.080 [0.137] N=734

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,415	0.018 [0.032] N=1,687	0.016 [0.033] N=1,556	0.028 [0.036] N=1,402	0.008 [0.038] N=1,207	0.002 [0.042] N=992
Vegetables consumed daily or several times weekly	0.766 P=1,294	0.035 [0.044] N=1,687	0.026 [0.047] N=1,556	0.020 [0.049] N=1,402	-0.014 [0.053] N=1,207	-0.054 [0.059] N=992
Meat fish or poultry consumed daily or several times weekly	0.565 P=953	0.048 [0.053] N=1,687	0.046 [0.055] N=1,556	0.038 [0.059] N=1,402	0.043 [0.066] N=1,207	0.028 [0.074] N=992
Legumes consumed daily or several times weekly	0.554 P=930	0.028 [0.047] N=1,687	0.027 [0.050] N=1,556	0.041 [0.051] N=1,402	0.081 [0.056] N=1,207	0.067 [0.066] N=992
Animal products consumed daily or several times weekly	0.851 P=1,436	**0.070** [0.035] N=1,687**	**0.067* [0.037] N=1,556**	0.045 [0.038] N=1,402	0.052 [0.041] N=1,207	0.040 [0.045] N=992
Sweets consumed daily or several times weekly	0.461 P=784	-0.044 [0.047] N=1,687	-0.060 [0.047] N=1,556	-0.043 [0.049] N=1,402	-0.027 [0.050] N=1,207	-0.001 [0.058] N=992
Snack foods consumed daily or several times weekly	0.341 P=575	0.043 [0.042] N=1,687	0.019 [0.044] N=1,556	0.022 [0.047] N=1,402	0.063 [0.049] N=1,207	0.057 [0.054] N=992
Packaged soft drinks consumed daily or several times weekly	0.194 P=323	0.007 [0.042] N=1,687	0.007 [0.045] N=1,556	0.005 [0.048] N=1,402	0.009 [0.054] N=1,207	-0.011 [0.060] N=992
Grains consumed daily or several times weekly	0.794 P=1,340	0.032 [0.040] N=1,687	0.045 [0.041] N=1,556	0.030 [0.044] N=1,402	0.040 [0.048] N=1,207	0.019 [0.053] N=992

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.055 [0.045] N=1,429	0.067 [0.047] N=1,298	**0.102* [0.055] N=1,144**	0.079 [0.065] N=949	0.103 [0.088] N=734
Vegetables consumed daily or several times weekly	0.080 [0.060] N=1,429	0.079 [0.066] N=1,298	0.078 [0.072] N=1,144	0.008 [0.088] N=949	-0.096 [0.108] N=734
Meat fish or poultry consumed daily or several times weekly	0.024 [0.067] N=1,429	0.018 [0.070] N=1,298	-0.002 [0.076] N=1,144	-0.031 [0.092] N=949	-0.112 [0.114] N=734
Legumes consumed daily or several times weekly	0.019 [0.069] N=1,429	0.023 [0.076] N=1,298	0.048 [0.081] N=1,144	0.128 [0.099] N=949	0.096 [0.132] N=734
Animal products consumed daily or several times weekly	**0.094* [0.056] N=1,429**	0.096 [0.061] N=1,298	0.052 [0.068] N=1,144	0.069 [0.081] N=949	0.052 [0.099] N=734
Sweets consumed daily or several times weekly	-0.084 [0.066] N=1,429	-0.112 [0.070] N=1,298	-0.083 [0.078] N=1,144	-0.065 [0.084] N=949	-0.012 [0.113] N=734
Snack foods consumed daily or several times weekly	0.012 [0.062] N=1,429	-0.037 [0.066] N=1,298	-0.034 [0.076] N=1,144	0.037 [0.089] N=949	-0.016 [0.112] N=734
Packaged soft drinks consumed daily or several times weekly	0.011 [0.052] N=1,429	0.011 [0.057] N=1,298	0.012 [0.064] N=1,144	0.023 [0.077] N=949	-0.029 [0.098] N=734
Grains consumed daily or several times weekly	0.063 [0.064] N=1,429	0.096 [0.069] N=1,298	0.071 [0.079] N=1,144	0.108 [0.097] N=949	0.079 [0.137] N=734

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,415	-0.007 [0.032] N=1,687	-0.010 [0.033] N=1,556	0.004 [0.035] N=1,402	-0.012 [0.037] N=1,207	-0.022 [0.041] N=992
Vegetables consumed daily or several times weekly	0.766 P=1,294	0.017 [0.045] N=1,687	0.006 [0.047] N=1,556	0.002 [0.049] N=1,402	-0.029 [0.054] N=1,207	-0.074 [0.059] N=992
Meat fish or poultry consumed daily or several times weekly	0.565 P=953	0.010 [0.052] N=1,687	0.005 [0.054] N=1,556	0.003 [0.057] N=1,402	0.014 [0.064] N=1,207	-0.005 [0.073] N=992
Legumes consumed daily or several times weekly	0.554 P=930	0.010 [0.048] N=1,687	0.008 [0.050] N=1,556	0.025 [0.051] N=1,402	0.068 [0.057] N=1,207	0.054 [0.067] N=992
Animal products consumed daily or several times weekly	0.851 P=1,436	0.055 [0.036] N=1,687	0.051 [0.037] N=1,556	0.030 [0.039] N=1,402	0.041 [0.041] N=1,207	0.027 [0.044] N=992
Sweets consumed daily or several times weekly	0.461 P=784	-0.050 [0.047] N=1,687	-0.068 [0.048] N=1,556	-0.050 [0.050] N=1,402	-0.030 [0.051] N=1,207	-0.005 [0.058] N=992
Snack foods consumed daily or several times weekly	0.341 P=575	0.046 [0.042] N=1,687	0.022 [0.044] N=1,556	0.022 [0.047] N=1,402	0.066 [0.049] N=1,207	0.063 [0.054] N=992
Packaged soft drinks consumed daily or several times weekly	0.194 P=323	0.015 [0.041] N=1,687	0.018 [0.043] N=1,556	0.012 [0.047] N=1,402	0.016 [0.052] N=1,207	-0.002 [0.058] N=992
Grains consumed daily or several times weekly	0.794 P=1,340	0.026 [0.040] N=1,687	0.041 [0.041] N=1,556	0.027 [0.044] N=1,402	0.038 [0.048] N=1,207	0.020 [0.053] N=992

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.031 [0.047] N=1,429	0.040 [0.049] N=1,298	0.080 [0.056] N=1,144	0.074 [0.071] N=949	0.092 [0.097] N=734
Vegetables consumed daily or several times weekly	0.063 [0.060] N=1,429	0.059 [0.066] N=1,298	0.064 [0.071] N=1,144	0.007 [0.089] N=949	-0.101 [0.109] N=734
Meat fish or poultry consumed daily or several times weekly	-0.011 [0.065] N=1,429	-0.025 [0.068] N=1,298	-0.033 [0.076] N=1,144	-0.042 [0.093] N=949	-0.136 [0.122] N=734
Legumes consumed daily or several times weekly	0.001 [0.070] N=1,429	0.003 [0.077] N=1,298	0.033 [0.081] N=1,144	0.122 [0.100] N=949	0.086 [0.134] N=734
Animal products consumed daily or several times weekly	0.079 [0.054] N=1,429	0.079 [0.059] N=1,298	0.039 [0.066] N=1,144	0.073 [0.080] N=949	0.063 [0.096] N=734
Sweets consumed daily or several times weekly	-0.090 [0.066] N=1,429	**-0.120* [0.070] N=1,298**	-0.090 [0.078] N=1,144	-0.067 [0.082] N=949	-0.016 [0.112] N=734
Snack foods consumed daily or several times weekly	0.013 [0.061] N=1,429	-0.034 [0.065] N=1,298	-0.035 [0.075] N=1,144	0.033 [0.088] N=949	-0.023 [0.111] N=734
Packaged soft drinks consumed daily or several times weekly	0.018 [0.051] N=1,429	0.021 [0.056] N=1,298	0.017 [0.063] N=1,144	0.025 [0.077] N=949	-0.029 [0.099] N=734
Grains consumed daily or several times weekly	0.056 [0.065] N=1,429	0.092 [0.069] N=1,298	0.068 [0.079] N=1,144	0.103 [0.098] N=949	0.075 [0.139] N=734

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,415	-0.008 [0.031] N=1,687	-0.011 [0.033] N=1,556	-0.001 [0.035] N=1,402	-0.018 [0.037] N=1,207	-0.029 [0.041] N=992
Vegetables consumed daily or several times weekly	0.766 P=1,294	0.019 [0.044] N=1,687	0.011 [0.047] N=1,556	0.004 [0.050] N=1,402	-0.029 [0.054] N=1,207	-0.071 [0.059] N=992
Meat fish or poultry consumed daily or several times weekly	0.565 P=953	0.011 [0.051] N=1,687	0.007 [0.053] N=1,556	0.000 [0.057] N=1,402	0.008 [0.063] N=1,207	-0.013 [0.072] N=992
Legumes consumed daily or several times weekly	0.554 P=930	0.015 [0.048] N=1,687	0.016 [0.050] N=1,556	0.030 [0.051] N=1,402	0.071 [0.056] N=1,207	0.056 [0.066] N=992
Animal products consumed daily or several times weekly	0.851 P=1,436	0.055 [0.036] N=1,687	0.052 [0.037] N=1,556	0.031 [0.039] N=1,402	0.039 [0.042] N=1,207	0.025 [0.045] N=992
Sweets consumed daily or several times weekly	0.461 P=784	-0.049 [0.047] N=1,687	-0.066 [0.048] N=1,556	-0.048 [0.050] N=1,402	-0.028 [0.051] N=1,207	-0.002 [0.059] N=992
Snack foods consumed daily or several times weekly	0.341 P=575	0.048 [0.042] N=1,687	0.025 [0.044] N=1,556	0.025 [0.047] N=1,402	0.069 [0.049] N=1,207	0.066 [0.053] N=992
Packaged soft drinks consumed daily or several times weekly	0.194 P=323	0.015 [0.040] N=1,687	0.017 [0.043] N=1,556	0.014 [0.046] N=1,402	0.019 [0.051] N=1,207	0.003 [0.056] N=992
Grains consumed daily or several times weekly	0.794 P=1,340	0.034 [0.040] N=1,687	0.049 [0.041] N=1,556	0.037 [0.044] N=1,402	0.046 [0.048] N=1,207	0.030 [0.053] N=992

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.033 [0.045] N=1,429	0.043 [0.048] N=1,298	0.081 [0.055] N=1,144	0.071 [0.067] N=949	0.080 [0.095] N=734
Vegetables consumed daily or several times weekly	0.064 [0.060] N=1,429	0.063 [0.067] N=1,298	0.063 [0.072] N=1,144	-0.002 [0.090] N=949	-0.127 [0.112] N=734
Meat fish or poultry consumed daily or several times weekly	-0.008 [0.066] N=1,429	-0.016 [0.068] N=1,298	-0.031 [0.075] N=1,144	-0.051 [0.093] N=949	-0.160 [0.123] N=734
Legumes consumed daily or several times weekly	0.005 [0.071] N=1,429	0.010 [0.077] N=1,298	0.037 [0.082] N=1,144	0.122 [0.102] N=949	0.075 [0.137] N=734
Animal products consumed daily or several times weekly	0.082 [0.055] N=1,429	0.084 [0.061] N=1,298	0.041 [0.068] N=1,144	0.063 [0.082] N=949	0.044 [0.101] N=734
Sweets consumed daily or several times weekly	-0.084 [0.066] N=1,429	**-0.115* [0.069] N=1,298**	-0.086 [0.078] N=1,144	-0.064 [0.083] N=949	-0.023 [0.113] N=734
Snack foods consumed daily or several times weekly	0.018 [0.061] N=1,429	-0.032 [0.066] N=1,298	-0.032 [0.076] N=1,144	0.037 [0.089] N=949	-0.019 [0.112] N=734
Packaged soft drinks consumed daily or several times weekly	0.021 [0.051] N=1,429	0.021 [0.056] N=1,298	0.019 [0.063] N=1,144	0.027 [0.077] N=949	-0.021 [0.097] N=734
Grains consumed daily or several times weekly	0.060 [0.064] N=1,429	0.095 [0.069] N=1,298	0.070 [0.079] N=1,144	0.099 [0.098] N=949	0.064 [0.139] N=734

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.838 P=1,308	0.005 [0.033] N=1,563	-0.002 [0.035] N=1,447	0.014 [0.038] N=1,302	-0.002 [0.039] N=1,125	-0.019 [0.043] N=926
Vegetables consumed daily or several times weekly	0.765 P=1,198	0.022 [0.047] N=1,563	0.012 [0.049] N=1,447	0.012 [0.052] N=1,302	-0.020 [0.055] N=1,125	-0.064 [0.060] N=926
Meat fish or poultry consumed daily or several times weekly	0.568 P=885	0.051 [0.051] N=1,563	0.048 [0.053] N=1,447	0.042 [0.056] N=1,302	0.029 [0.061] N=1,125	-0.002 [0.067] N=926
Legumes consumed daily or several times weekly	0.552 P=858	0.033 [0.047] N=1,563	0.024 [0.049] N=1,447	0.045 [0.050] N=1,302	0.078 [0.055] N=1,125	0.051 [0.063] N=926
Animal products consumed daily or several times weekly	0.856 P=1,338	**0.074** [0.037] N=1,563**	**0.070* [0.038] N=1,447**	0.046 [0.039] N=1,302	0.039 [0.042] N=1,125	0.017 [0.045] N=926
Sweets consumed daily or several times weekly	0.462 P=728	-0.036 [0.048] N=1,563	-0.053 [0.049] N=1,447	-0.030 [0.051] N=1,302	-0.017 [0.052] N=1,125	0.012 [0.059] N=926
Snack foods consumed daily or several times weekly	0.343 P=536	0.044 [0.045] N=1,563	0.029 [0.047] N=1,447	0.039 [0.050] N=1,302	0.072 [0.052] N=1,125	0.078 [0.057] N=926
Packaged soft drinks consumed daily or several times weekly	0.198 P=306	0.030 [0.041] N=1,563	0.032 [0.044] N=1,447	0.030 [0.048] N=1,302	0.024 [0.052] N=1,125	0.011 [0.058] N=926
Grains consumed daily or several times weekly	0.795 P=1,241	0.029 [0.042] N=1,563	0.038 [0.043] N=1,447	0.021 [0.046] N=1,302	0.027 [0.051] N=1,125	-0.002 [0.057] N=926

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.052 [0.047] N=1,322	0.055 [0.049] N=1,206	**0.096* [0.056] N=1,061**	0.080 [0.066] N=884	0.082 [0.087] N=685
Vegetables consumed daily or several times weekly	0.076 [0.064] N=1,322	0.075 [0.070] N=1,206	0.083 [0.074] N=1,061	0.019 [0.091] N=884	-0.095 [0.108] N=685
Meat fish or poultry consumed daily or several times weekly	0.050 [0.069] N=1,322	0.045 [0.073] N=1,206	0.037 [0.079] N=1,061	-0.020 [0.093] N=884	-0.132 [0.114] N=685
Legumes consumed daily or several times weekly	0.032 [0.073] N=1,322	0.022 [0.080] N=1,206	0.064 [0.085] N=1,061	0.141 [0.102] N=884	0.082 [0.132] N=685
Animal products consumed daily or several times weekly	**0.113* [0.059] N=1,322**	**0.115* [0.064] N=1,206**	0.074 [0.070] N=1,061	0.069 [0.082] N=884	0.040 [0.102] N=685
Sweets consumed daily or several times weekly	-0.085 [0.069] N=1,322	-0.113 [0.074] N=1,206	-0.083 [0.083] N=1,061	-0.073 [0.089] N=884	-0.039 [0.123] N=685
Snack foods consumed daily or several times weekly	0.005 [0.066] N=1,322	-0.025 [0.071] N=1,206	-0.013 [0.082] N=1,061	0.040 [0.094] N=884	-0.002 [0.122] N=685
Packaged soft drinks consumed daily or several times weekly	0.035 [0.053] N=1,322	0.040 [0.057] N=1,206	0.044 [0.065] N=1,061	0.037 [0.077] N=884	0.004 [0.099] N=685
Grains consumed daily or several times weekly	0.071 [0.066] N=1,322	0.099 [0.071] N=1,206	0.063 [0.081] N=1,061	0.093 [0.100] N=884	0.042 [0.140] N=685

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.838 P=1,308	0.003 [0.033] N=1,563	-0.003 [0.034] N=1,447	0.013 [0.038] N=1,302	-0.004 [0.039] N=1,125	-0.020 [0.042] N=926
Vegetables consumed daily or several times weekly	0.765 P=1,198	0.020 [0.046] N=1,563	0.010 [0.049] N=1,447	0.009 [0.051] N=1,302	-0.022 [0.055] N=1,125	-0.068 [0.060] N=926
Meat fish or poultry consumed daily or several times weekly	0.568 P=885	0.052 [0.052] N=1,563	0.050 [0.053] N=1,447	0.046 [0.056] N=1,302	0.034 [0.061] N=1,125	0.005 [0.068] N=926
Legumes consumed daily or several times weekly	0.552 P=858	0.029 [0.048] N=1,563	0.020 [0.050] N=1,447	0.043 [0.050] N=1,302	0.076 [0.055] N=1,125	0.052 [0.063] N=926
Animal products consumed daily or several times weekly	0.856 P=1,338	**0.073** [0.037] N=1,563**	**0.068* [0.038] N=1,447**	0.046 [0.039] N=1,302	0.040 [0.041] N=1,125	0.022 [0.045] N=926
Sweets consumed daily or several times weekly	0.462 P=728	-0.037 [0.048] N=1,563	-0.054 [0.049] N=1,447	-0.031 [0.051] N=1,302	-0.018 [0.051] N=1,125	0.008 [0.057] N=926
Snack foods consumed daily or several times weekly	0.343 P=536	0.040 [0.044] N=1,563	0.025 [0.046] N=1,447	0.035 [0.049] N=1,302	0.067 [0.051] N=1,125	0.068 [0.055] N=926
Packaged soft drinks consumed daily or several times weekly	0.198 P=306	0.025 [0.042] N=1,563	0.027 [0.045] N=1,447	0.026 [0.049] N=1,302	0.019 [0.053] N=1,125	0.003 [0.060] N=926
Grains consumed daily or several times weekly	0.795 P=1,241	0.028 [0.042] N=1,563	0.038 [0.043] N=1,447	0.020 [0.046] N=1,302	0.025 [0.051] N=1,125	-0.005 [0.057] N=926

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.048 [0.047] N=1,322	0.053 [0.050] N=1,206	**0.098* [0.057] N=1,061**	0.082 [0.067] N=884	0.088 [0.087] N=685
Vegetables consumed daily or several times weekly	0.072 [0.063] N=1,322	0.071 [0.069] N=1,206	0.083 [0.074] N=1,061	0.020 [0.091] N=884	-0.091 [0.108] N=685
Meat fish or poultry consumed daily or several times weekly	0.046 [0.069] N=1,322	0.041 [0.072] N=1,206	0.036 [0.078] N=1,061	-0.019 [0.092] N=884	-0.126 [0.113] N=685
Legumes consumed daily or several times weekly	0.028 [0.072] N=1,322	0.019 [0.079] N=1,206	0.064 [0.085] N=1,061	0.141 [0.101] N=884	0.086 [0.132] N=685
Animal products consumed daily or several times weekly	**0.109* [0.059] N=1,322**	**0.112* [0.063] N=1,206**	0.072 [0.069] N=1,061	0.066 [0.082] N=884	0.043 [0.102] N=685
Sweets consumed daily or several times weekly	-0.091 [0.069] N=1,322	**-0.123* [0.074] N=1,206**	-0.087 [0.084] N=1,061	-0.073 [0.088] N=884	-0.034 [0.121] N=685
Snack foods consumed daily or several times weekly	-0.001 [0.066] N=1,322	-0.033 [0.071] N=1,206	-0.016 [0.082] N=1,061	0.041 [0.095] N=884	0.000 [0.123] N=685
Packaged soft drinks consumed daily or several times weekly	0.031 [0.053] N=1,322	0.036 [0.057] N=1,206	0.042 [0.065] N=1,061	0.037 [0.078] N=884	0.002 [0.099] N=685
Grains consumed daily or several times weekly	0.068 [0.066] N=1,322	0.097 [0.071] N=1,206	0.066 [0.081] N=1,061	0.094 [0.100] N=884	0.045 [0.141] N=685

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,278	0.025 [0.042] N=1,507	0.031 [0.044] N=1,373	0.033 [0.048] N=1,201	0.008 [0.052] N=1,013	0.022 [0.059] N=818
Vegetables consumed daily or several times weekly	0.773 P=1,169	0.005 [0.055] N=1,507	0.021 [0.058] N=1,373	0.039 [0.064] N=1,201	0.015 [0.070] N=1,013	0.022 [0.077] N=818
Meat fish or poultry consumed daily or several times weekly	0.562 P=852	0.071 [0.054] N=1,507	0.078 [0.058] N=1,373	0.075 [0.062] N=1,201	0.096 [0.071] N=1,013	0.081 [0.080] N=818
Legumes consumed daily or several times weekly	0.556 P=839	0.021 [0.061] N=1,507	0.033 [0.063] N=1,373	0.019 [0.067] N=1,201	-0.016 [0.074] N=1,013	-0.012 [0.084] N=818
Animal products consumed daily or several times weekly	0.852 P=1,284	**0.059* [0.035] N=1,507**	**0.067* [0.037] N=1,373**	**0.067* [0.039] N=1,201**	0.064 [0.042] N=1,013	**0.083* [0.045] N=818**
Sweets consumed daily or several times weekly	0.477 P=727	-0.082 [0.054] N=1,507	-0.091 [0.055] N=1,373	-0.061 [0.061] N=1,201	-0.075 [0.066] N=1,013	-0.114 [0.073] N=818
Snack foods consumed daily or several times weekly	0.355 P=534	-0.016 [0.047] N=1,507	-0.025 [0.049] N=1,373	-0.026 [0.052] N=1,201	-0.010 [0.055] N=1,013	-0.081 [0.060] N=818
Packaged soft drinks consumed daily or several times weekly	0.194 P=290	0.033 [0.038] N=1,507	0.022 [0.039] N=1,373	0.047 [0.042] N=1,201	0.041 [0.047] N=1,013	-0.041 [0.050] N=818
Grains consumed daily or several times weekly	0.794 P=1,203	**0.106** [0.047] N=1,507**	**0.117** [0.049] N=1,373**	**0.120** [0.053] N=1,201**	**0.114* [0.059] N=1,013**	0.084 [0.065] N=818

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.016 [0.066] N=1,305	-0.014 [0.071] N=1,171	-0.021 [0.082] N=999	-0.060 [0.090] N=811	-0.034 [0.119] N=616
Vegetables consumed daily or several times weekly	-0.057 [0.080] N=1,305	-0.041 [0.089] N=1,171	-0.028 [0.104] N=999	-0.085 [0.117] N=811	-0.099 [0.155] N=616
Meat fish or poultry consumed daily or several times weekly	0.008 [0.065] N=1,305	0.009 [0.072] N=1,171	-0.013 [0.078] N=999	-0.015 [0.092] N=811	-0.080 [0.114] N=616
Legumes consumed daily or several times weekly	0.082 [0.077] N=1,305	0.100 [0.083] N=1,171	0.091 [0.091] N=999	0.061 [0.105] N=811	0.123 [0.132] N=616
Animal products consumed daily or several times weekly	0.025 [0.055] N=1,305	0.036 [0.061] N=1,171	0.030 [0.063] N=999	0.028 [0.070] N=811	0.067 [0.084] N=616
Sweets consumed daily or several times weekly	-0.026 [0.069] N=1,305	-0.037 [0.074] N=1,171	0.041 [0.083] N=999	0.035 [0.097] N=811	-0.014 [0.115] N=616
Snack foods consumed daily or several times weekly	0.046 [0.062] N=1,305	0.031 [0.069] N=1,171	0.042 [0.075] N=999	0.104 [0.087] N=811	-0.030 [0.108] N=616
Packaged soft drinks consumed daily or several times weekly	0.023 [0.055] N=1,305	0.007 [0.059] N=1,171	0.057 [0.066] N=999	0.051 [0.082] N=811	**-0.165* [0.097] N=616**
Grains consumed daily or several times weekly	0.063 [0.056] N=1,305	0.069 [0.061] N=1,171	0.060 [0.066] N=999	0.019 [0.077] N=811	-0.112 [0.087] N=616

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,278	0.025 [0.042] N=1,507	0.032 [0.044] N=1,373	0.033 [0.048] N=1,201	0.007 [0.052] N=1,013	0.020 [0.058] N=818
Vegetables consumed daily or several times weekly	0.773 P=1,169	0.006 [0.055] N=1,507	0.022 [0.058] N=1,373	0.039 [0.063] N=1,201	0.014 [0.069] N=1,013	0.019 [0.076] N=818
Meat fish or poultry consumed daily or several times weekly	0.562 P=852	0.072 [0.054] N=1,507	0.079 [0.058] N=1,373	0.076 [0.062] N=1,201	0.095 [0.070] N=1,013	0.078 [0.080] N=818
Legumes consumed daily or several times weekly	0.556 P=839	0.021 [0.061] N=1,507	0.034 [0.063] N=1,373	0.019 [0.067] N=1,201	-0.016 [0.074] N=1,013	-0.013 [0.084] N=818
Animal products consumed daily or several times weekly	0.852 P=1,284	**0.060* [0.034] N=1,507**	**0.068* [0.036] N=1,373**	**0.068* [0.038] N=1,201**	0.063 [0.041] N=1,013	**0.080* [0.044] N=818**
Sweets consumed daily or several times weekly	0.477 P=727	-0.081 [0.054] N=1,507	-0.090 [0.055] N=1,373	-0.060 [0.061] N=1,201	-0.075 [0.066] N=1,013	-0.117 [0.073] N=818
Snack foods consumed daily or several times weekly	0.355 P=534	-0.015 [0.047] N=1,507	-0.024 [0.049] N=1,373	-0.026 [0.052] N=1,201	-0.010 [0.055] N=1,013	-0.082 [0.060] N=818
Packaged soft drinks consumed daily or several times weekly	0.194 P=290	0.033 [0.037] N=1,507	0.023 [0.039] N=1,373	0.048 [0.041] N=1,201	0.040 [0.046] N=1,013	-0.043 [0.049] N=818
Grains consumed daily or several times weekly	0.794 P=1,203	**0.107** [0.047] N=1,507**	**0.117** [0.049] N=1,373**	**0.120** [0.053] N=1,201**	**0.115* [0.059] N=1,013**	0.085 [0.066] N=818

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.014 [0.065] N=1,305	-0.011 [0.070] N=1,171	-0.017 [0.081] N=999	-0.057 [0.089] N=811	-0.029 [0.119] N=616
Vegetables consumed daily or several times weekly	-0.054 [0.079] N=1,305	-0.038 [0.088] N=1,171	-0.023 [0.103] N=999	-0.079 [0.115] N=811	-0.089 [0.153] N=616
Meat fish or poultry consumed daily or several times weekly	0.013 [0.065] N=1,305	0.016 [0.072] N=1,171	-0.005 [0.078] N=999	-0.008 [0.092] N=811	-0.073 [0.114] N=616
Legumes consumed daily or several times weekly	0.084 [0.077] N=1,305	0.103 [0.083] N=1,171	0.095 [0.091] N=999	0.065 [0.105] N=811	0.125 [0.131] N=616
Animal products consumed daily or several times weekly	0.030 [0.054] N=1,305	0.043 [0.059] N=1,171	0.037 [0.062] N=999	0.035 [0.069] N=811	0.078 [0.080] N=616
Sweets consumed daily or several times weekly	-0.022 [0.070] N=1,305	-0.031 [0.074] N=1,171	0.047 [0.083] N=999	0.038 [0.098] N=811	-0.007 [0.116] N=616
Snack foods consumed daily or several times weekly	0.051 [0.062] N=1,305	0.037 [0.069] N=1,171	0.047 [0.074] N=999	0.105 [0.086] N=811	-0.026 [0.108] N=616
Packaged soft drinks consumed daily or several times weekly	0.025 [0.055] N=1,305	0.010 [0.059] N=1,171	0.061 [0.066] N=999	0.053 [0.082] N=811	-0.160 [0.096] N=616
Grains consumed daily or several times weekly	0.065 [0.056] N=1,305	0.070 [0.062] N=1,171	0.060 [0.066] N=999	0.015 [0.078] N=811	-0.116 [0.089] N=616

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,278	0.025 [0.040] N=1,507	0.031 [0.042] N=1,373	0.040 [0.045] N=1,201	0.014 [0.050] N=1,013	0.024 [0.056] N=818
Vegetables consumed daily or several times weekly	0.773 P=1,169	0.006 [0.054] N=1,507	0.022 [0.057] N=1,373	0.046 [0.062] N=1,201	0.020 [0.068] N=1,013	0.021 [0.075] N=818
Meat fish or poultry consumed daily or several times weekly	0.562 P=852	0.069 [0.051] N=1,507	0.076 [0.055] N=1,373	0.084 [0.059] N=1,201	0.103 [0.065] N=1,013	0.084 [0.074] N=818
Legumes consumed daily or several times weekly	0.556 P=839	0.019 [0.061] N=1,507	0.031 [0.064] N=1,373	0.023 [0.068] N=1,201	-0.012 [0.074] N=1,013	-0.009 [0.083] N=818
Animal products consumed daily or several times weekly	0.852 P=1,284	**0.058* [0.034] N=1,507**	**0.066* [0.036] N=1,373**	**0.070* [0.039] N=1,201**	0.067 [0.042] N=1,013	**0.083* [0.044] N=818**
Sweets consumed daily or several times weekly	0.477 P=727	-0.079 [0.054] N=1,507	-0.090 [0.055] N=1,373	-0.058 [0.061] N=1,201	-0.074 [0.066] N=1,013	-0.119 [0.073] N=818
Snack foods consumed daily or several times weekly	0.355 P=534	-0.011 [0.047] N=1,507	-0.023 [0.050] N=1,373	-0.026 [0.052] N=1,201	-0.011 [0.055] N=1,013	-0.085 [0.060] N=818
Packaged soft drinks consumed daily or several times weekly	0.194 P=290	0.034 [0.037] N=1,507	0.023 [0.039] N=1,373	0.045 [0.041] N=1,201	0.036 [0.046] N=1,013	-0.048 [0.049] N=818
Grains consumed daily or several times weekly	0.794 P=1,203	**0.106** [0.047] N=1,507**	**0.117** [0.049] N=1,373**	**0.122** [0.053] N=1,201**	**0.115* [0.060] N=1,013**	0.086 [0.066] N=818

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.012 [0.064] N=1,305	-0.009 [0.068] N=1,171	0.002 [0.078] N=999	-0.039 [0.088] N=811	-0.017 [0.117] N=616
Vegetables consumed daily or several times weekly	-0.052 [0.079] N=1,305	-0.034 [0.088] N=1,171	-0.004 [0.104] N=999	-0.061 [0.117] N=811	-0.078 [0.156] N=616
Meat fish or poultry consumed daily or several times weekly	0.015 [0.064] N=1,305	0.018 [0.071] N=1,171	0.020 [0.076] N=999	0.018 [0.092] N=811	-0.054 [0.106] N=616
Legumes consumed daily or several times weekly	0.081 [0.079] N=1,305	0.096 [0.085] N=1,171	0.100 [0.095] N=999	0.070 [0.109] N=811	0.129 [0.134] N=616
Animal products consumed daily or several times weekly	0.028 [0.053] N=1,305	0.039 [0.058] N=1,171	0.042 [0.062] N=999	0.041 [0.070] N=811	0.082 [0.080] N=616
Sweets consumed daily or several times weekly	-0.021 [0.070] N=1,305	-0.032 [0.074] N=1,171	0.048 [0.083] N=999	0.036 [0.098] N=811	-0.007 [0.114] N=616
Snack foods consumed daily or several times weekly	0.055 [0.061] N=1,305	0.037 [0.068] N=1,171	0.042 [0.073] N=999	0.096 [0.084] N=811	-0.033 [0.107] N=616
Packaged soft drinks consumed daily or several times weekly	0.024 [0.054] N=1,305	0.006 [0.057] N=1,171	0.050 [0.064] N=999	0.041 [0.079] N=811	**-0.167* [0.093] N=616**
Grains consumed daily or several times weekly	0.064 [0.056] N=1,305	0.067 [0.062] N=1,171	0.062 [0.068] N=999	0.010 [0.080] N=811	-0.123 [0.093] N=616

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,278	0.025 [0.041] N=1,507	0.033 [0.043] N=1,373	0.040 [0.047] N=1,201	0.007 [0.051] N=1,013	0.013 [0.056] N=818
Vegetables consumed daily or several times weekly	0.773 P=1,169	0.001 [0.055] N=1,507	0.018 [0.058] N=1,373	0.041 [0.063] N=1,201	0.009 [0.069] N=1,013	0.010 [0.075] N=818
Meat fish or poultry consumed daily or several times weekly	0.562 P=852	0.072 [0.050] N=1,507	0.083 [0.053] N=1,373	0.087 [0.057] N=1,201	0.098 [0.064] N=1,013	0.072 [0.072] N=818
Legumes consumed daily or several times weekly	0.556 P=839	0.020 [0.061] N=1,507	0.034 [0.064] N=1,373	0.023 [0.068] N=1,201	-0.014 [0.074] N=1,013	-0.009 [0.083] N=818
Animal products consumed daily or several times weekly	0.852 P=1,284	**0.063* [0.034] N=1,507**	**0.072** [0.036] N=1,373**	**0.075** [0.038] N=1,201**	0.068 [0.041] N=1,013	**0.082* [0.044] N=818**
Sweets consumed daily or several times weekly	0.477 P=727	-0.075 [0.054] N=1,507	-0.085 [0.056] N=1,373	-0.055 [0.061] N=1,201	-0.072 [0.066] N=1,013	-0.111 [0.073] N=818
Snack foods consumed daily or several times weekly	0.355 P=534	-0.008 [0.047] N=1,507	-0.018 [0.049] N=1,373	-0.022 [0.051] N=1,201	-0.005 [0.054] N=1,013	-0.074 [0.059] N=818
Packaged soft drinks consumed daily or several times weekly	0.194 P=290	0.041 [0.037] N=1,507	0.030 [0.038] N=1,373	0.050 [0.041] N=1,201	0.045 [0.046] N=1,013	-0.035 [0.050] N=818
Grains consumed daily or several times weekly	0.794 P=1,203	**0.105** [0.047] N=1,507**	**0.115** [0.050] N=1,373**	**0.117** [0.053] N=1,201**	**0.110* [0.060] N=1,013**	0.082 [0.066] N=818

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.006 [0.065] N=1,305	-0.002 [0.070] N=1,171	0.008 [0.083] N=999	-0.049 [0.095] N=811	-0.044 [0.125] N=616
Vegetables consumed daily or several times weekly	-0.055 [0.080] N=1,305	-0.035 [0.090] N=1,171	-0.008 [0.107] N=999	-0.081 [0.121] N=811	-0.107 [0.160] N=616
Meat fish or poultry consumed daily or several times weekly	0.025 [0.063] N=1,305	0.035 [0.070] N=1,171	0.035 [0.076] N=999	0.015 [0.094] N=811	-0.082 [0.107] N=616
Legumes consumed daily or several times weekly	0.085 [0.078] N=1,305	0.104 [0.085] N=1,171	0.105 [0.094] N=999	0.069 [0.108] N=811	0.120 [0.132] N=616
Animal products consumed daily or several times weekly	0.035 [0.052] N=1,305	0.047 [0.057] N=1,171	0.047 [0.060] N=999	0.039 [0.068] N=811	0.071 [0.080] N=616
Sweets consumed daily or several times weekly	-0.018 [0.070] N=1,305	-0.029 [0.075] N=1,171	0.050 [0.083] N=999	0.032 [0.098] N=811	-0.014 [0.113] N=616
Snack foods consumed daily or several times weekly	0.056 [0.062] N=1,305	0.041 [0.068] N=1,171	0.044 [0.072] N=999	0.100 [0.084] N=811	-0.029 [0.106] N=616
Packaged soft drinks consumed daily or several times weekly	0.029 [0.053] N=1,305	0.010 [0.057] N=1,171	0.052 [0.063] N=999	0.046 [0.078] N=811	**-0.159* [0.095] N=616**
Grains consumed daily or several times weekly	0.063 [0.056] N=1,305	0.063 [0.062] N=1,171	0.052 [0.068] N=999	-0.004 [0.080] N=811	-0.139 [0.094] N=616

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.846 P=1,182	0.023 [0.042] N=1,395	0.032 [0.044] N=1,269	0.047 [0.048] N=1,115	0.012 [0.053] N=940	0.020 [0.059] N=762
Vegetables consumed daily or several times weekly	0.774 P=1,084	-0.002 [0.055] N=1,395	0.014 [0.059] N=1,269	0.038 [0.064] N=1,115	-0.002 [0.070] N=940	-0.012 [0.079] N=762
Meat fish or poultry consumed daily or several times weekly	0.564 P=790	0.069 [0.057] N=1,395	0.074 [0.061] N=1,269	0.085 [0.065] N=1,115	0.083 [0.074] N=940	0.062 [0.086] N=762
Legumes consumed daily or several times weekly	0.557 P=777	0.018 [0.062] N=1,395	0.032 [0.064] N=1,269	0.013 [0.069] N=1,115	-0.042 [0.076] N=940	-0.051 [0.088] N=762
Animal products consumed daily or several times weekly	0.857 P=1,195	**0.062* [0.035] N=1,395**	**0.071* [0.037] N=1,269**	**0.078** [0.039] N=1,115**	0.064 [0.043] N=940	**0.087* [0.046] N=762**
Sweets consumed daily or several times weekly	0.482 P=680	**-0.096* [0.055] N=1,395**	**-0.107* [0.056] N=1,269**	-0.080 [0.062] N=1,115	-0.104 [0.068] N=940	**-0.143* [0.076] N=762**
Snack foods consumed daily or several times weekly	0.360 P=502	-0.032 [0.048] N=1,395	-0.047 [0.052] N=1,269	-0.053 [0.054] N=1,115	-0.035 [0.056] N=940	**-0.106* [0.061] N=762**
Packaged soft drinks consumed daily or several times weekly	0.200 P=278	0.016 [0.039] N=1,395	0.003 [0.041] N=1,269	0.024 [0.043] N=1,115	0.015 [0.049] N=940	-0.071 [0.053] N=762
Grains consumed daily or several times weekly	0.794 P=1,114	**0.117** [0.047] N=1,395**	**0.124** [0.049] N=1,269**	**0.128** [0.053] N=1,115**	**0.119* [0.060] N=940**	0.086 [0.068] N=762

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.017 [0.064] N=1,204	-0.009 [0.070] N=1,078	0.014 [0.080] N=924	-0.054 [0.089] N=749	-0.055 [0.116] N=571
Vegetables consumed daily or several times weekly	-0.059 [0.078] N=1,204	-0.039 [0.087] N=1,078	-0.018 [0.101] N=924	-0.112 [0.114] N=749	-0.180 [0.148] N=571
Meat fish or poultry consumed daily or several times weekly	0.013 [0.073] N=1,204	0.016 [0.081] N=1,078	0.024 [0.087] N=924	-0.030 [0.105] N=749	-0.129 [0.134] N=571
Legumes consumed daily or several times weekly	0.090 [0.081] N=1,204	0.116 [0.087] N=1,078	0.113 [0.096] N=924	0.060 [0.115] N=749	0.088 [0.145] N=571
Animal products consumed daily or several times weekly	0.031 [0.052] N=1,204	0.047 [0.058] N=1,078	0.056 [0.058] N=924	0.029 [0.067] N=749	0.073 [0.081] N=571
Sweets consumed daily or several times weekly	-0.032 [0.071] N=1,204	-0.043 [0.077] N=1,078	0.024 [0.083] N=924	-0.003 [0.101] N=749	-0.054 [0.123] N=571
Snack foods consumed daily or several times weekly	0.029 [0.066] N=1,204	0.006 [0.075] N=1,078	0.001 [0.082] N=924	0.058 [0.096] N=749	-0.071 [0.117] N=571
Packaged soft drinks consumed daily or several times weekly	-0.002 [0.058] N=1,204	-0.024 [0.062] N=1,078	0.019 [0.068] N=924	0.003 [0.087] N=749	**-0.237** [0.101] N=571**
Grains consumed daily or several times weekly	0.082 [0.055] N=1,204	0.082 [0.061] N=1,078	0.081 [0.067] N=924	0.026 [0.079] N=749	-0.117 [0.091] N=571

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.846 P=1,182	0.024 [0.042] N=1,395	0.033 [0.044] N=1,269	0.046 [0.048] N=1,115	0.010 [0.052] N=940	0.017 [0.059] N=762
Vegetables consumed daily or several times weekly	0.774 P=1,084	-0.000 [0.055] N=1,395	0.015 [0.059] N=1,269	0.040 [0.064] N=1,115	-0.001 [0.070] N=940	-0.012 [0.080] N=762
Meat fish or poultry consumed daily or several times weekly	0.564 P=790	0.069 [0.056] N=1,395	0.075 [0.061] N=1,269	0.085 [0.065] N=1,115	0.081 [0.074] N=940	0.059 [0.085] N=762
Legumes consumed daily or several times weekly	0.557 P=777	0.016 [0.062] N=1,395	0.032 [0.065] N=1,269	0.012 [0.069] N=1,115	-0.046 [0.077] N=940	-0.059 [0.089] N=762
Animal products consumed daily or several times weekly	0.857 P=1,195	**0.062* [0.035] N=1,395**	**0.071* [0.037] N=1,269**	**0.078** [0.039] N=1,115**	0.064 [0.042] N=940	**0.087* [0.046] N=762**
Sweets consumed daily or several times weekly	0.482 P=680	**-0.096* [0.055] N=1,395**	**-0.107* [0.057] N=1,269**	-0.081 [0.063] N=1,115	-0.106 [0.070] N=940	**-0.146* [0.079] N=762**
Snack foods consumed daily or several times weekly	0.360 P=502	-0.029 [0.048] N=1,395	-0.045 [0.051] N=1,269	-0.051 [0.054] N=1,115	-0.035 [0.057] N=940	**-0.107* [0.062] N=762**
Packaged soft drinks consumed daily or several times weekly	0.200 P=278	0.018 [0.039] N=1,395	0.004 [0.041] N=1,269	0.025 [0.043] N=1,115	0.014 [0.049] N=940	-0.074 [0.053] N=762
Grains consumed daily or several times weekly	0.794 P=1,114	**0.117** [0.047] N=1,395**	**0.124** [0.049] N=1,269**	**0.129** [0.053] N=1,115**	**0.120** [0.060] N=940**	0.087 [0.068] N=762

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.017 [0.064] N=1,204	-0.010 [0.070] N=1,078	0.010 [0.080] N=924	-0.061 [0.088] N=749	-0.057 [0.114] N=571
Vegetables consumed daily or several times weekly	-0.056 [0.077] N=1,204	-0.037 [0.087] N=1,078	-0.011 [0.101] N=924	-0.108 [0.114] N=749	-0.168 [0.149] N=571
Meat fish or poultry consumed daily or several times weekly	0.014 [0.072] N=1,204	0.018 [0.080] N=1,078	0.025 [0.086] N=924	-0.030 [0.102] N=749	-0.121 [0.130] N=571
Legumes consumed daily or several times weekly	0.095 [0.081] N=1,204	0.122 [0.088] N=1,078	0.120 [0.096] N=924	0.058 [0.114] N=749	0.095 [0.143] N=571
Animal products consumed daily or several times weekly	0.034 [0.052] N=1,204	0.049 [0.058] N=1,078	0.060 [0.058] N=924	0.035 [0.067] N=749	0.082 [0.079] N=571
Sweets consumed daily or several times weekly	-0.029 [0.071] N=1,204	-0.041 [0.077] N=1,078	0.028 [0.084] N=924	0.000 [0.101] N=749	-0.053 [0.123] N=571
Snack foods consumed daily or several times weekly	0.031 [0.066] N=1,204	0.004 [0.075] N=1,078	0.002 [0.081] N=924	0.062 [0.096] N=749	-0.079 [0.116] N=571
Packaged soft drinks consumed daily or several times weekly	0.001 [0.058] N=1,204	-0.023 [0.062] N=1,078	0.020 [0.069] N=924	0.004 [0.087] N=749	**-0.240** [0.104] N=571**
Grains consumed daily or several times weekly	0.082 [0.055] N=1,204	0.081 [0.061] N=1,078	0.082 [0.066] N=924	0.026 [0.079] N=749	-0.121 [0.088] N=571

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.