Table 9 Reduced Form Effects on Weekly Nutrition for Ages 0-3: Youngest Child

Age reference: 12 November 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-3 indicate at least weekly consumption. Ever breastfed uses recorded codes 1 and 2. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.933 P=1,573	-0.019 [0.022] N=1,687	-0.007 [0.021] N=1,556	-0.012 [0.023] N=1,402	-0.018 [0.025] N=1,207	-0.031 [0.029] N=992
Vegetables consumed at least weekly	0.895 P=1,508	0.011 [0.027] N=1,687	0.008 [0.028] N=1,556	-0.011 [0.028] N=1,402	-0.020 [0.029] N=1,207	-0.050 [0.033] N=992
Meat fish or poultry consumed at least weekly	0.772 P=1,310	0.076 [0.048] N=1,687	**0.087* [0.051] N=1,556**	0.078 [0.056] N=1,402	0.054 [0.063] N=1,207	0.041 [0.072] N=992
Legumes consumed at least weekly	0.770 P=1,306	-0.028 [0.041] N=1,687	-0.043 [0.043] N=1,556	-0.034 [0.044] N=1,402	-0.044 [0.048] N=1,207	-0.080 [0.057] N=992
Animal products consumed at least weekly	0.910 P=1,538	0.008 [0.030] N=1,687	0.008 [0.031] N=1,556	-0.007 [0.034] N=1,402	-0.006 [0.038] N=1,207	-0.013 [0.043] N=992
Sweets consumed at least weekly	0.614 P=1,040	-0.035 [0.038] N=1,687	-0.026 [0.040] N=1,556	-0.007 [0.043] N=1,402	-0.020 [0.045] N=1,207	0.005 [0.053] N=992
Snack foods consumed at least weekly	0.500 P=845	-0.034 [0.041] N=1,687	-0.027 [0.044] N=1,556	-0.022 [0.047] N=1,402	-0.031 [0.050] N=1,207	-0.046 [0.055] N=992
Packaged soft drinks consumed at least weekly	0.296 P=498	0.005 [0.047] N=1,687	0.009 [0.050] N=1,556	0.002 [0.053] N=1,402	0.013 [0.059] N=1,207	0.007 [0.069] N=992
Grains consumed at least weekly	0.883 P=1,495	0.020 [0.030] N=1,687	0.031 [0.032] N=1,556	0.015 [0.033] N=1,402	0.022 [0.036] N=1,207	0.004 [0.042] N=992
Child was ever breastfed	0.968 P=1,882	-0.003 [0.014] N=1,949	0.001 [0.015] N=1,803	0.001 [0.016] N=1,621	0.001 [0.017] N=1,383	-0.002 [0.016] N=1,139

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.015 [0.035] N=1,429	0.011 [0.034] N=1,298	0.002 [0.038] N=1,144	-0.009 [0.045] N=949	-0.046 [0.064] N=734
Vegetables consumed at least weekly	0.042 [0.043] N=1,429	0.045 [0.046] N=1,298	0.013 [0.049] N=1,144	-0.005 [0.058] N=949	-0.090 [0.076] N=734
Meat fish or poultry consumed at least weekly	0.067 [0.056] N=1,429	0.086 [0.058] N=1,298	0.069 [0.065] N=1,144	-0.013 [0.070] N=949	-0.085 [0.080] N=734
Legumes consumed at least weekly	0.029 [0.063] N=1,429	0.010 [0.068] N=1,298	0.051 [0.070] N=1,144	0.045 [0.083] N=949	-0.025 [0.114] N=734
Animal products consumed at least weekly	0.008 [0.039] N=1,429	0.009 [0.041] N=1,298	-0.023 [0.047] N=1,144	-0.025 [0.057] N=949	-0.053 [0.077] N=734
Sweets consumed at least weekly	-0.050 [0.055] N=1,429	-0.035 [0.059] N=1,298	-0.000 [0.067] N=1,144	-0.047 [0.074] N=949	0.020 [0.103] N=734
Snack foods consumed at least weekly	-0.025 [0.055] N=1,429	-0.014 [0.062] N=1,298	0.003 [0.072] N=1,144	-0.019 [0.084] N=949	-0.060 [0.105] N=734
Packaged soft drinks consumed at least weekly	-0.007 [0.057] N=1,429	-0.004 [0.063] N=1,298	-0.021 [0.068] N=1,144	-0.010 [0.081] N=949	-0.043 [0.108] N=734
Grains consumed at least weekly	0.054 [0.047] N=1,429	0.080 [0.052] N=1,298	0.056 [0.057] N=1,144	0.088 [0.069] N=949	0.070 [0.103] N=734
Child was ever breastfed	0.007 [0.023] N=1,653	0.017 [0.026] N=1,507	0.018 [0.030] N=1,325	0.018 [0.037] N=1,087	0.033 [0.045] N=843

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.933 P=1,573	-0.020 [0.022] N=1,687	-0.007 [0.021] N=1,556	-0.012 [0.023] N=1,402	-0.018 [0.025] N=1,207	-0.032 [0.029] N=992
Vegetables consumed at least weekly	0.895 P=1,508	0.011 [0.027] N=1,687	0.008 [0.027] N=1,556	-0.011 [0.028] N=1,402	-0.020 [0.029] N=1,207	-0.050 [0.032] N=992
Meat fish or poultry consumed at least weekly	0.772 P=1,310	0.075 [0.048] N=1,687	**0.087* [0.051] N=1,556**	0.078 [0.056] N=1,402	0.053 [0.064] N=1,207	0.039 [0.073] N=992
Legumes consumed at least weekly	0.770 P=1,306	-0.028 [0.041] N=1,687	-0.044 [0.043] N=1,556	-0.035 [0.044] N=1,402	-0.044 [0.048] N=1,207	-0.081 [0.057] N=992
Animal products consumed at least weekly	0.910 P=1,538	0.008 [0.030] N=1,687	0.007 [0.031] N=1,556	-0.007 [0.034] N=1,402	-0.007 [0.037] N=1,207	-0.014 [0.043] N=992
Sweets consumed at least weekly	0.614 P=1,040	-0.035 [0.038] N=1,687	-0.026 [0.040] N=1,556	-0.007 [0.043] N=1,402	-0.020 [0.045] N=1,207	0.005 [0.053] N=992
Snack foods consumed at least weekly	0.500 P=845	-0.034 [0.041] N=1,687	-0.028 [0.044] N=1,556	-0.022 [0.047] N=1,402	-0.032 [0.050] N=1,207	-0.046 [0.055] N=992
Packaged soft drinks consumed at least weekly	0.296 P=498	0.005 [0.047] N=1,687	0.009 [0.050] N=1,556	0.002 [0.053] N=1,402	0.013 [0.060] N=1,207	0.007 [0.069] N=992
Grains consumed at least weekly	0.883 P=1,495	0.020 [0.030] N=1,687	0.030 [0.032] N=1,556	0.015 [0.033] N=1,402	0.022 [0.036] N=1,207	0.004 [0.042] N=992
Child was ever breastfed	0.968 P=1,882	-0.003 [0.014] N=1,949	0.001 [0.015] N=1,803	0.001 [0.015] N=1,621	0.001 [0.016] N=1,383	-0.001 [0.016] N=1,139

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.014 [0.035] N=1,429	0.012 [0.034] N=1,298	0.003 [0.038] N=1,144	-0.008 [0.045] N=949	-0.044 [0.064] N=734
Vegetables consumed at least weekly	0.042 [0.044] N=1,429	0.045 [0.046] N=1,298	0.013 [0.049] N=1,144	-0.004 [0.057] N=949	-0.089 [0.076] N=734
Meat fish or poultry consumed at least weekly	0.067 [0.056] N=1,429	0.086 [0.058] N=1,298	0.071 [0.065] N=1,144	-0.012 [0.070] N=949	-0.080 [0.080] N=734
Legumes consumed at least weekly	0.030 [0.063] N=1,429	0.010 [0.068] N=1,298	0.053 [0.070] N=1,144	0.047 [0.083] N=949	-0.022 [0.115] N=734
Animal products consumed at least weekly	0.010 [0.039] N=1,429	0.011 [0.042] N=1,298	-0.020 [0.047] N=1,144	-0.023 [0.057] N=949	-0.049 [0.076] N=734
Sweets consumed at least weekly	-0.051 [0.054] N=1,429	-0.035 [0.059] N=1,298	-0.001 [0.067] N=1,144	-0.047 [0.074] N=949	0.020 [0.103] N=734
Snack foods consumed at least weekly	-0.024 [0.056] N=1,429	-0.013 [0.062] N=1,298	0.006 [0.072] N=1,144	-0.017 [0.084] N=949	-0.057 [0.105] N=734
Packaged soft drinks consumed at least weekly	-0.008 [0.057] N=1,429	-0.005 [0.063] N=1,298	-0.022 [0.068] N=1,144	-0.010 [0.081] N=949	-0.044 [0.108] N=734
Grains consumed at least weekly	0.054 [0.047] N=1,429	0.081 [0.052] N=1,298	0.057 [0.056] N=1,144	0.089 [0.069] N=949	0.070 [0.102] N=734
Child was ever breastfed	0.007 [0.023] N=1,653	0.017 [0.026] N=1,507	0.018 [0.030] N=1,325	0.017 [0.037] N=1,087	0.032 [0.045] N=843

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.933 P=1,573	-0.029 [0.022] N=1,687	-0.018 [0.021] N=1,556	-0.022 [0.023] N=1,402	-0.025 [0.026] N=1,207	-0.041 [0.030] N=992
Vegetables consumed at least weekly	0.895 P=1,508	0.004 [0.027] N=1,687	-0.001 [0.027] N=1,556	-0.019 [0.028] N=1,402	-0.027 [0.029] N=1,207	**-0.059* [0.032] N=992**
Meat fish or poultry consumed at least weekly	0.772 P=1,310	0.051 [0.046] N=1,687	0.058 [0.049] N=1,556	0.053 [0.054] N=1,402	0.033 [0.061] N=1,207	0.015 [0.069] N=992
Legumes consumed at least weekly	0.770 P=1,306	-0.035 [0.041] N=1,687	-0.052 [0.043] N=1,556	-0.041 [0.044] N=1,402	-0.048 [0.048] N=1,207	-0.083 [0.057] N=992
Animal products consumed at least weekly	0.910 P=1,538	0.002 [0.030] N=1,687	0.000 [0.032] N=1,556	-0.013 [0.034] N=1,402	-0.012 [0.038] N=1,207	-0.022 [0.044] N=992
Sweets consumed at least weekly	0.614 P=1,040	-0.037 [0.039] N=1,687	-0.029 [0.041] N=1,556	-0.011 [0.044] N=1,402	-0.022 [0.046] N=1,207	0.002 [0.053] N=992
Snack foods consumed at least weekly	0.500 P=845	-0.028 [0.041] N=1,687	-0.022 [0.043] N=1,556	-0.019 [0.046] N=1,402	-0.027 [0.049] N=1,207	-0.039 [0.054] N=992
Packaged soft drinks consumed at least weekly	0.296 P=498	0.019 [0.046] N=1,687	0.027 [0.049] N=1,556	0.017 [0.051] N=1,402	0.026 [0.058] N=1,207	0.022 [0.066] N=992
Grains consumed at least weekly	0.883 P=1,495	0.015 [0.030] N=1,687	0.027 [0.032] N=1,556	0.012 [0.033] N=1,402	0.019 [0.036] N=1,207	0.003 [0.042] N=992
Child was ever breastfed	0.968 P=1,882	-0.007 [0.014] N=1,949	-0.004 [0.015] N=1,803	-0.003 [0.016] N=1,621	-0.002 [0.017] N=1,383	-0.005 [0.017] N=1,139

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.022 [0.034] N=1,429	0.002 [0.033] N=1,298	-0.002 [0.037] N=1,144	-0.000 [0.044] N=949	-0.033 [0.061] N=734
Vegetables consumed at least weekly	0.038 [0.043] N=1,429	0.039 [0.045] N=1,298	0.010 [0.049] N=1,144	0.002 [0.057] N=949	-0.082 [0.075] N=734
Meat fish or poultry consumed at least weekly	0.046 [0.053] N=1,429	0.059 [0.055] N=1,298	0.052 [0.063] N=1,144	-0.015 [0.068] N=949	-0.085 [0.080] N=734
Legumes consumed at least weekly	0.023 [0.062] N=1,429	0.001 [0.068] N=1,298	0.049 [0.070] N=1,144	0.052 [0.084] N=949	-0.011 [0.116] N=734
Animal products consumed at least weekly	0.006 [0.039] N=1,429	0.005 [0.042] N=1,298	-0.022 [0.047] N=1,144	-0.017 [0.058] N=949	-0.038 [0.076] N=734
Sweets consumed at least weekly	-0.051 [0.055] N=1,429	-0.036 [0.060] N=1,298	-0.002 [0.067] N=1,144	-0.044 [0.073] N=949	0.028 [0.103] N=734
Snack foods consumed at least weekly	-0.018 [0.054] N=1,429	-0.007 [0.060] N=1,298	0.011 [0.070] N=1,144	-0.012 [0.080] N=949	-0.049 [0.100] N=734
Packaged soft drinks consumed at least weekly	0.006 [0.055] N=1,429	0.016 [0.061] N=1,298	-0.004 [0.067] N=1,144	0.000 [0.080] N=949	-0.032 [0.104] N=734
Grains consumed at least weekly	0.049 [0.047] N=1,429	0.077 [0.052] N=1,298	0.055 [0.056] N=1,144	0.089 [0.068] N=949	0.070 [0.101] N=734
Child was ever breastfed	0.004 [0.023] N=1,653	0.012 [0.027] N=1,507	0.014 [0.030] N=1,325	0.018 [0.037] N=1,087	0.029 [0.045] N=843

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.933 P=1,573	-0.031 [0.022] N=1,687	-0.019 [0.022] N=1,556	-0.026 [0.023] N=1,402	-0.030 [0.026] N=1,207	-0.046 [0.030] N=992
Vegetables consumed at least weekly	0.895 P=1,508	0.004 [0.028] N=1,687	0.000 [0.027] N=1,556	-0.019 [0.028] N=1,402	-0.028 [0.029] N=1,207	**-0.058* [0.033] N=992**
Meat fish or poultry consumed at least weekly	0.772 P=1,310	0.048 [0.046] N=1,687	0.056 [0.049] N=1,556	0.046 [0.054] N=1,402	0.024 [0.060] N=1,207	0.001 [0.069] N=992
Legumes consumed at least weekly	0.770 P=1,306	-0.036 [0.042] N=1,687	-0.055 [0.045] N=1,556	-0.049 [0.045] N=1,402	-0.056 [0.050] N=1,207	-0.092 [0.059] N=992
Animal products consumed at least weekly	0.910 P=1,538	0.001 [0.030] N=1,687	0.001 [0.031] N=1,556	-0.014 [0.034] N=1,402	-0.014 [0.038] N=1,207	-0.023 [0.042] N=992
Sweets consumed at least weekly	0.614 P=1,040	-0.036 [0.039] N=1,687	-0.029 [0.040] N=1,556	-0.014 [0.043] N=1,402	-0.022 [0.045] N=1,207	0.000 [0.053] N=992
Snack foods consumed at least weekly	0.500 P=845	-0.030 [0.041] N=1,687	-0.025 [0.044] N=1,556	-0.024 [0.047] N=1,402	-0.030 [0.050] N=1,207	-0.043 [0.055] N=992
Packaged soft drinks consumed at least weekly	0.296 P=498	0.019 [0.045] N=1,687	0.022 [0.049] N=1,556	0.012 [0.052] N=1,402	0.025 [0.057] N=1,207	0.024 [0.066] N=992
Grains consumed at least weekly	0.883 P=1,495	0.018 [0.030] N=1,687	0.030 [0.032] N=1,556	0.015 [0.033] N=1,402	0.021 [0.037] N=1,207	0.007 [0.044] N=992
Child was ever breastfed	0.968 P=1,882	-0.007 [0.015] N=1,949	-0.004 [0.016] N=1,803	-0.004 [0.016] N=1,621	-0.003 [0.017] N=1,383	-0.007 [0.018] N=1,139

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.022 [0.034] N=1,429	0.002 [0.033] N=1,298	-0.006 [0.037] N=1,144	-0.007 [0.045] N=949	-0.046 [0.063] N=734
Vegetables consumed at least weekly	0.038 [0.043] N=1,429	0.039 [0.045] N=1,298	0.007 [0.049] N=1,144	-0.003 [0.057] N=949	-0.097 [0.076] N=734
Meat fish or poultry consumed at least weekly	0.047 [0.054] N=1,429	0.062 [0.055] N=1,298	0.051 [0.063] N=1,144	-0.010 [0.068] N=949	-0.088 [0.081] N=734
Legumes consumed at least weekly	0.027 [0.063] N=1,429	0.004 [0.068] N=1,298	0.049 [0.070] N=1,144	0.063 [0.083] N=949	-0.007 [0.118] N=734
Animal products consumed at least weekly	0.004 [0.039] N=1,429	0.005 [0.042] N=1,298	-0.025 [0.047] N=1,144	-0.028 [0.058] N=949	-0.058 [0.079] N=734
Sweets consumed at least weekly	-0.044 [0.054] N=1,429	-0.033 [0.058] N=1,298	-0.000 [0.065] N=1,144	-0.033 [0.073] N=949	0.031 [0.103] N=734
Snack foods consumed at least weekly	-0.013 [0.053] N=1,429	-0.007 [0.060] N=1,298	0.009 [0.069] N=1,144	-0.004 [0.079] N=949	-0.042 [0.098] N=734
Packaged soft drinks consumed at least weekly	0.010 [0.054] N=1,429	0.010 [0.060] N=1,298	-0.010 [0.066] N=1,144	0.003 [0.079] N=949	-0.025 [0.103] N=734
Grains consumed at least weekly	0.050 [0.047] N=1,429	0.077 [0.051] N=1,298	0.054 [0.055] N=1,144	0.085 [0.067] N=949	0.058 [0.098] N=734
Child was ever breastfed	0.005 [0.024] N=1,653	0.013 [0.027] N=1,507	0.014 [0.031] N=1,325	0.017 [0.038] N=1,087	0.031 [0.047] N=843

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.934 P=1,458	-0.029 [0.023] N=1,563	-0.020 [0.022] N=1,447	-0.024 [0.024] N=1,302	-0.029 [0.026] N=1,125	**-0.050* [0.029] N=926**
Vegetables consumed at least weekly	0.896 P=1,398	-0.004 [0.028] N=1,563	-0.009 [0.029] N=1,447	-0.031 [0.029] N=1,302	-0.034 [0.030] N=1,125	**-0.065* [0.033] N=926**
Meat fish or poultry consumed at least weekly	0.773 P=1,213	0.063 [0.046] N=1,563	0.067 [0.049] N=1,447	0.052 [0.053] N=1,302	0.019 [0.059] N=1,125	-0.010 [0.067] N=926
Legumes consumed at least weekly	0.768 P=1,206	-0.043 [0.042] N=1,563	-0.065 [0.045] N=1,447	-0.059 [0.045] N=1,302	-0.070 [0.050] N=1,125	**-0.111* [0.059] N=926**
Animal products consumed at least weekly	0.912 P=1,429	0.007 [0.031] N=1,563	0.006 [0.032] N=1,447	-0.011 [0.035] N=1,302	-0.017 [0.038] N=1,125	-0.030 [0.044] N=926
Sweets consumed at least weekly	0.617 P=966	-0.021 [0.039] N=1,563	-0.017 [0.042] N=1,447	0.000 [0.044] N=1,302	-0.011 [0.046] N=1,125	0.016 [0.054] N=926
Snack foods consumed at least weekly	0.502 P=785	-0.033 [0.044] N=1,563	-0.027 [0.047] N=1,447	-0.024 [0.050] N=1,302	-0.035 [0.054] N=1,125	-0.035 [0.061] N=926
Packaged soft drinks consumed at least weekly	0.302 P=471	0.035 [0.047] N=1,563	0.041 [0.050] N=1,447	0.023 [0.053] N=1,302	0.028 [0.058] N=1,125	0.035 [0.067] N=926
Grains consumed at least weekly	0.885 P=1,387	0.012 [0.031] N=1,563	0.021 [0.033] N=1,447	-0.002 [0.033] N=1,302	0.006 [0.037] N=1,125	-0.013 [0.044] N=926
Child was ever breastfed	0.968 P=1,741	-0.008 [0.015] N=1,803	-0.002 [0.016] N=1,673	-0.002 [0.017] N=1,500	0.000 [0.018] N=1,287	-0.004 [0.018] N=1,062

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.021 [0.036] N=1,322	-0.003 [0.036] N=1,206	-0.011 [0.041] N=1,061	-0.020 [0.048] N=884	-0.074 [0.066] N=685
Vegetables consumed at least weekly	0.027 [0.045] N=1,322	0.025 [0.049] N=1,206	-0.015 [0.052] N=1,061	-0.021 [0.059] N=884	-0.113 [0.074] N=685
Meat fish or poultry consumed at least weekly	0.078 [0.057] N=1,322	0.082 [0.058] N=1,206	0.063 [0.064] N=1,061	-0.028 [0.071] N=884	-0.113 [0.078] N=685
Legumes consumed at least weekly	0.020 [0.063] N=1,322	-0.012 [0.068] N=1,206	0.021 [0.069] N=1,061	0.011 [0.084] N=884	-0.081 [0.113] N=685
Animal products consumed at least weekly	0.013 [0.041] N=1,322	0.011 [0.044] N=1,206	-0.021 [0.049] N=1,061	-0.033 [0.060] N=884	-0.077 [0.077] N=685
Sweets consumed at least weekly	-0.038 [0.057] N=1,322	-0.033 [0.062] N=1,206	-0.007 [0.070] N=1,061	-0.052 [0.076] N=884	-0.003 [0.107] N=685
Snack foods consumed at least weekly	-0.028 [0.056] N=1,322	-0.018 [0.063] N=1,206	-0.009 [0.072] N=1,061	-0.046 [0.083] N=884	-0.086 [0.103] N=685
Packaged soft drinks consumed at least weekly	0.021 [0.059] N=1,322	0.025 [0.063] N=1,206	-0.012 [0.069] N=1,061	-0.017 [0.083] N=884	-0.035 [0.114] N=685
Grains consumed at least weekly	0.050 [0.048] N=1,322	0.073 [0.053] N=1,206	0.031 [0.056] N=1,061	0.065 [0.069] N=884	0.036 [0.101] N=685
Child was ever breastfed	-0.000 [0.025] N=1,527	0.011 [0.028] N=1,397	0.012 [0.032] N=1,224	0.016 [0.038] N=1,011	0.025 [0.046] N=786

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.934 P=1,458	-0.030 [0.022] N=1,563	-0.021 [0.022] N=1,447	-0.024 [0.023] N=1,302	-0.029 [0.026] N=1,125	**-0.049* [0.029] N=926**
Vegetables consumed at least weekly	0.896 P=1,398	-0.005 [0.028] N=1,563	-0.010 [0.028] N=1,447	-0.031 [0.029] N=1,302	-0.033 [0.030] N=1,125	**-0.064* [0.033] N=926**
Meat fish or poultry consumed at least weekly	0.773 P=1,213	0.067 [0.046] N=1,563	0.070 [0.049] N=1,447	0.056 [0.053] N=1,302	0.026 [0.059] N=1,125	0.002 [0.068] N=926
Legumes consumed at least weekly	0.768 P=1,206	-0.046 [0.042] N=1,563	-0.067 [0.045] N=1,447	-0.063 [0.045] N=1,302	-0.074 [0.050] N=1,125	**-0.118** [0.059] N=926**
Animal products consumed at least weekly	0.912 P=1,429	0.007 [0.031] N=1,563	0.005 [0.032] N=1,447	-0.010 [0.034] N=1,302	-0.015 [0.038] N=1,125	-0.028 [0.043] N=926
Sweets consumed at least weekly	0.617 P=966	-0.020 [0.039] N=1,563	-0.016 [0.042] N=1,447	0.003 [0.043] N=1,302	-0.007 [0.045] N=1,125	0.020 [0.053] N=926
Snack foods consumed at least weekly	0.502 P=785	-0.034 [0.043] N=1,563	-0.029 [0.047] N=1,447	-0.025 [0.050] N=1,302	-0.036 [0.053] N=1,125	-0.040 [0.059] N=926
Packaged soft drinks consumed at least weekly	0.302 P=471	0.031 [0.047] N=1,563	0.038 [0.050] N=1,447	0.022 [0.053] N=1,302	0.027 [0.059] N=1,125	0.030 [0.068] N=926
Grains consumed at least weekly	0.885 P=1,387	0.011 [0.031] N=1,563	0.021 [0.033] N=1,447	-0.003 [0.034] N=1,302	0.005 [0.037] N=1,125	-0.015 [0.043] N=926
Child was ever breastfed	0.968 P=1,741	-0.007 [0.015] N=1,803	-0.002 [0.016] N=1,673	-0.002 [0.016] N=1,500	0.001 [0.017] N=1,287	-0.003 [0.017] N=1,062

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.023 [0.036] N=1,322	-0.004 [0.035] N=1,206	-0.010 [0.040] N=1,061	-0.019 [0.047] N=884	-0.069 [0.063] N=685
Vegetables consumed at least weekly	0.024 [0.045] N=1,322	0.023 [0.048] N=1,206	-0.015 [0.051] N=1,061	-0.022 [0.059] N=884	-0.110 [0.072] N=685
Meat fish or poultry consumed at least weekly	0.078 [0.056] N=1,322	0.083 [0.058] N=1,206	0.063 [0.064] N=1,061	-0.026 [0.070] N=884	-0.107 [0.078] N=685
Legumes consumed at least weekly	0.018 [0.063] N=1,322	-0.013 [0.069] N=1,206	0.024 [0.070] N=1,061	0.013 [0.085] N=884	-0.078 [0.113] N=685
Animal products consumed at least weekly	0.010 [0.041] N=1,322	0.009 [0.043] N=1,206	-0.021 [0.048] N=1,061	-0.034 [0.059] N=884	-0.074 [0.076] N=685
Sweets consumed at least weekly	-0.045 [0.056] N=1,322	-0.043 [0.062] N=1,206	-0.014 [0.070] N=1,061	-0.054 [0.075] N=884	0.000 [0.106] N=685
Snack foods consumed at least weekly	-0.036 [0.056] N=1,322	-0.028 [0.063] N=1,206	-0.015 [0.073] N=1,061	-0.048 [0.084] N=884	-0.086 [0.105] N=685
Packaged soft drinks consumed at least weekly	0.014 [0.059] N=1,322	0.018 [0.064] N=1,206	-0.015 [0.070] N=1,061	-0.017 [0.084] N=884	-0.035 [0.114] N=685
Grains consumed at least weekly	0.048 [0.048] N=1,322	0.072 [0.053] N=1,206	0.033 [0.057] N=1,061	0.066 [0.071] N=884	0.039 [0.104] N=685
Child was ever breastfed	0.003 [0.025] N=1,527	0.014 [0.028] N=1,397	0.014 [0.032] N=1,224	0.021 [0.038] N=1,011	0.030 [0.048] N=786

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.933 P=1,407	0.016 [0.028] N=1,507	0.017 [0.029] N=1,373	0.007 [0.032] N=1,201	-0.008 [0.033] N=1,013	-0.008 [0.039] N=818
Vegetables consumed at least weekly	0.898 P=1,353	0.037 [0.032] N=1,507	0.046 [0.034] N=1,373	0.040 [0.038] N=1,201	0.023 [0.041] N=1,013	0.017 [0.045] N=818
Meat fish or poultry consumed at least weekly	0.763 P=1,164	**0.088** [0.042] N=1,507**	**0.094** [0.044] N=1,373**	**0.085* [0.047] N=1,201**	**0.113** [0.049] N=1,013**	**0.099* [0.056] N=818**
Legumes consumed at least weekly	0.769 P=1,172	-0.017 [0.041] N=1,507	0.004 [0.044] N=1,373	-0.011 [0.048] N=1,201	-0.034 [0.051] N=1,013	-0.020 [0.059] N=818
Animal products consumed at least weekly	0.908 P=1,373	0.037 [0.031] N=1,507	0.045 [0.033] N=1,373	0.036 [0.035] N=1,201	0.022 [0.037] N=1,013	0.038 [0.043] N=818
Sweets consumed at least weekly	0.621 P=947	-0.015 [0.048] N=1,507	-0.019 [0.050] N=1,373	-0.027 [0.054] N=1,201	-0.032 [0.056] N=1,013	-0.078 [0.066] N=818
Snack foods consumed at least weekly	0.502 P=762	-0.028 [0.048] N=1,507	-0.022 [0.052] N=1,373	-0.016 [0.056] N=1,201	-0.006 [0.058] N=1,013	-0.052 [0.067] N=818
Packaged soft drinks consumed at least weekly	0.287 P=435	0.002 [0.043] N=1,507	-0.001 [0.045] N=1,373	0.027 [0.049] N=1,201	0.023 [0.053] N=1,013	-0.009 [0.060] N=818
Grains consumed at least weekly	0.881 P=1,337	0.055 [0.038] N=1,507	**0.068* [0.041] N=1,373**	0.066 [0.043] N=1,201	0.073 [0.048] N=1,013	0.062 [0.057] N=818
Child was ever breastfed	0.965 P=1,663	-0.022 [0.018] N=1,724	-0.021 [0.018] N=1,572	-0.014 [0.017] N=1,373	-0.011 [0.018] N=1,162	-0.008 [0.020] N=935

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.022 [0.039] N=1,305	-0.026 [0.042] N=1,171	-0.053 [0.048] N=999	-0.070 [0.052] N=811	-0.095 [0.073] N=616
Vegetables consumed at least weekly	-0.016 [0.046] N=1,305	-0.009 [0.050] N=1,171	-0.036 [0.058] N=999	-0.068 [0.066] N=811	-0.114 [0.081] N=616
Meat fish or poultry consumed at least weekly	0.021 [0.057] N=1,305	0.025 [0.059] N=1,171	-0.017 [0.065] N=999	0.016 [0.070] N=811	-0.053 [0.086] N=616
Legumes consumed at least weekly	-0.044 [0.052] N=1,305	-0.014 [0.058] N=1,171	-0.041 [0.069] N=999	-0.076 [0.073] N=811	-0.045 [0.087] N=616
Animal products consumed at least weekly	-0.017 [0.045] N=1,305	-0.005 [0.048] N=1,171	-0.026 [0.052] N=999	-0.061 [0.053] N=811	-0.057 [0.071] N=616
Sweets consumed at least weekly	-0.015 [0.061] N=1,305	-0.018 [0.066] N=1,171	-0.031 [0.075] N=999	-0.052 [0.086] N=811	**-0.188* [0.105] N=616**
Snack foods consumed at least weekly	-0.020 [0.067] N=1,305	-0.012 [0.074] N=1,171	0.002 [0.083] N=999	0.032 [0.095] N=811	-0.083 [0.120] N=616
Packaged soft drinks consumed at least weekly	-0.017 [0.066] N=1,305	-0.019 [0.072] N=1,171	0.033 [0.084] N=999	0.029 [0.099] N=811	-0.048 [0.124] N=616
Grains consumed at least weekly	-0.014 [0.040] N=1,305	-0.008 [0.045] N=1,171	-0.025 [0.048] N=999	-0.050 [0.056] N=811	**-0.147* [0.076] N=616**
Child was ever breastfed	-0.011 [0.032] N=1,493	-0.008 [0.033] N=1,341	0.008 [0.035] N=1,142	0.018 [0.039] N=931	0.040 [0.052] N=704

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.933 P=1,407	0.016 [0.028] N=1,507	0.017 [0.029] N=1,373	0.007 [0.032] N=1,201	-0.008 [0.033] N=1,013	-0.008 [0.039] N=818
Vegetables consumed at least weekly	0.898 P=1,353	0.037 [0.032] N=1,507	0.046 [0.034] N=1,373	0.040 [0.038] N=1,201	0.023 [0.041] N=1,013	0.016 [0.045] N=818
Meat fish or poultry consumed at least weekly	0.763 P=1,164	**0.089** [0.042] N=1,507**	**0.095** [0.044] N=1,373**	**0.085* [0.047] N=1,201**	**0.112** [0.049] N=1,013**	**0.097* [0.056] N=818**
Legumes consumed at least weekly	0.769 P=1,172	-0.017 [0.041] N=1,507	0.004 [0.044] N=1,373	-0.011 [0.048] N=1,201	-0.034 [0.051] N=1,013	-0.019 [0.059] N=818
Animal products consumed at least weekly	0.908 P=1,373	0.038 [0.031] N=1,507	0.046 [0.033] N=1,373	0.037 [0.035] N=1,201	0.022 [0.037] N=1,013	0.036 [0.043] N=818
Sweets consumed at least weekly	0.621 P=947	-0.015 [0.048] N=1,507	-0.018 [0.050] N=1,373	-0.027 [0.054] N=1,201	-0.033 [0.057] N=1,013	-0.079 [0.066] N=818
Snack foods consumed at least weekly	0.502 P=762	-0.026 [0.048] N=1,507	-0.022 [0.052] N=1,373	-0.015 [0.055] N=1,201	-0.007 [0.058] N=1,013	-0.054 [0.067] N=818
Packaged soft drinks consumed at least weekly	0.287 P=435	0.002 [0.043] N=1,507	-0.001 [0.045] N=1,373	0.027 [0.049] N=1,201	0.023 [0.053] N=1,013	-0.011 [0.059] N=818
Grains consumed at least weekly	0.881 P=1,337	0.055 [0.038] N=1,507	**0.068* [0.041] N=1,373**	0.066 [0.043] N=1,201	0.073 [0.048] N=1,013	0.063 [0.057] N=818
Child was ever breastfed	0.965 P=1,663	-0.021 [0.018] N=1,724	-0.021 [0.018] N=1,572	-0.014 [0.018] N=1,373	-0.011 [0.018] N=1,162	-0.008 [0.020] N=935

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.020 [0.039] N=1,305	-0.024 [0.042] N=1,171	-0.053 [0.048] N=999	-0.070 [0.052] N=811	-0.095 [0.074] N=616
Vegetables consumed at least weekly	-0.015 [0.045] N=1,305	-0.008 [0.050] N=1,171	-0.036 [0.057] N=999	-0.066 [0.065] N=811	-0.113 [0.081] N=616
Meat fish or poultry consumed at least weekly	0.025 [0.057] N=1,305	0.031 [0.059] N=1,171	-0.011 [0.065] N=999	0.022 [0.070] N=811	-0.045 [0.087] N=616
Legumes consumed at least weekly	-0.043 [0.052] N=1,305	-0.013 [0.058] N=1,171	-0.041 [0.069] N=999	-0.075 [0.073] N=811	-0.051 [0.086] N=616
Animal products consumed at least weekly	-0.013 [0.043] N=1,305	0.002 [0.047] N=1,171	-0.020 [0.051] N=999	-0.055 [0.052] N=811	-0.049 [0.069] N=616
Sweets consumed at least weekly	-0.012 [0.061] N=1,305	-0.014 [0.066] N=1,171	-0.027 [0.075] N=999	-0.051 [0.086] N=811	**-0.185* [0.105] N=616**
Snack foods consumed at least weekly	-0.014 [0.068] N=1,305	-0.007 [0.074] N=1,171	0.007 [0.083] N=999	0.035 [0.095] N=811	-0.076 [0.122] N=616
Packaged soft drinks consumed at least weekly	-0.015 [0.066] N=1,305	-0.018 [0.071] N=1,171	0.036 [0.083] N=999	0.030 [0.099] N=811	-0.042 [0.123] N=616
Grains consumed at least weekly	-0.014 [0.040] N=1,305	-0.008 [0.045] N=1,171	-0.026 [0.049] N=999	-0.053 [0.057] N=811	**-0.151* [0.078] N=616**
Child was ever breastfed	-0.010 [0.032] N=1,493	-0.006 [0.033] N=1,341	0.009 [0.035] N=1,142	0.021 [0.040] N=931	0.043 [0.052] N=704

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.933 P=1,407	0.016 [0.028] N=1,507	0.017 [0.029] N=1,373	0.008 [0.032] N=1,201	-0.006 [0.034] N=1,013	-0.006 [0.040] N=818
Vegetables consumed at least weekly	0.898 P=1,353	0.038 [0.032] N=1,507	0.046 [0.034] N=1,373	0.042 [0.037] N=1,201	0.025 [0.041] N=1,013	0.017 [0.045] N=818
Meat fish or poultry consumed at least weekly	0.763 P=1,164	**0.086** [0.041] N=1,507**	**0.093** [0.043] N=1,373**	**0.091* [0.046] N=1,201**	**0.120** [0.048] N=1,013**	**0.103* [0.053] N=818**
Legumes consumed at least weekly	0.769 P=1,172	-0.018 [0.041] N=1,507	0.003 [0.044] N=1,373	-0.011 [0.049] N=1,201	-0.034 [0.052] N=1,013	-0.016 [0.061] N=818
Animal products consumed at least weekly	0.908 P=1,373	0.037 [0.031] N=1,507	0.044 [0.033] N=1,373	0.037 [0.035] N=1,201	0.023 [0.037] N=1,013	0.037 [0.043] N=818
Sweets consumed at least weekly	0.621 P=947	-0.014 [0.048] N=1,507	-0.019 [0.050] N=1,373	-0.027 [0.054] N=1,201	-0.033 [0.056] N=1,013	-0.081 [0.065] N=818
Snack foods consumed at least weekly	0.502 P=762	-0.024 [0.048] N=1,507	-0.020 [0.052] N=1,373	-0.017 [0.056] N=1,201	-0.009 [0.058] N=1,013	-0.057 [0.067] N=818
Packaged soft drinks consumed at least weekly	0.287 P=435	0.002 [0.044] N=1,507	-0.003 [0.046] N=1,373	0.022 [0.050] N=1,201	0.017 [0.054] N=1,013	-0.014 [0.061] N=818
Grains consumed at least weekly	0.881 P=1,337	0.054 [0.038] N=1,507	0.067 [0.041] N=1,373	0.067 [0.044] N=1,201	0.074 [0.049] N=1,013	0.064 [0.058] N=818
Child was ever breastfed	0.965 P=1,663	-0.021 [0.018] N=1,724	-0.021 [0.018] N=1,572	-0.012 [0.018] N=1,373	-0.009 [0.018] N=1,162	-0.006 [0.020] N=935

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.020 [0.039] N=1,305	-0.024 [0.041] N=1,171	-0.049 [0.046] N=999	-0.066 [0.051] N=811	-0.092 [0.073] N=616
Vegetables consumed at least weekly	-0.013 [0.045] N=1,305	-0.007 [0.050] N=1,171	-0.030 [0.056] N=999	-0.063 [0.065] N=811	-0.110 [0.083] N=616
Meat fish or poultry consumed at least weekly	0.028 [0.054] N=1,305	0.033 [0.056] N=1,171	0.007 [0.062] N=999	0.044 [0.069] N=811	-0.032 [0.081] N=616
Legumes consumed at least weekly	-0.040 [0.051] N=1,305	-0.012 [0.058] N=1,171	-0.041 [0.070] N=999	-0.074 [0.072] N=811	-0.053 [0.087] N=616
Animal products consumed at least weekly	-0.015 [0.043] N=1,305	-0.003 [0.046] N=1,171	-0.021 [0.050] N=999	-0.057 [0.053] N=811	-0.049 [0.069] N=616
Sweets consumed at least weekly	-0.011 [0.060] N=1,305	-0.016 [0.065] N=1,171	-0.028 [0.074] N=999	-0.057 [0.085] N=811	**-0.190* [0.102] N=616**
Snack foods consumed at least weekly	-0.010 [0.067] N=1,305	-0.005 [0.074] N=1,171	0.001 [0.083] N=999	0.026 [0.094] N=811	-0.083 [0.121] N=616
Packaged soft drinks consumed at least weekly	-0.021 [0.066] N=1,305	-0.028 [0.072] N=1,171	0.016 [0.084] N=999	0.004 [0.099] N=811	-0.058 [0.124] N=616
Grains consumed at least weekly	-0.015 [0.040] N=1,305	-0.010 [0.045] N=1,171	-0.026 [0.049] N=999	-0.057 [0.057] N=811	**-0.154* [0.077] N=616**
Child was ever breastfed	-0.011 [0.033] N=1,493	-0.008 [0.034] N=1,341	0.011 [0.036] N=1,142	0.023 [0.040] N=931	0.043 [0.051] N=704

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.933 P=1,407	0.015 [0.028] N=1,507	0.017 [0.029] N=1,373	0.009 [0.032] N=1,201	-0.012 [0.033] N=1,013	-0.016 [0.039] N=818
Vegetables consumed at least weekly	0.898 P=1,353	0.037 [0.033] N=1,507	0.047 [0.034] N=1,373	0.043 [0.038] N=1,201	0.022 [0.041] N=1,013	0.014 [0.045] N=818
Meat fish or poultry consumed at least weekly	0.763 P=1,164	**0.088** [0.042] N=1,507**	**0.095** [0.044] N=1,373**	**0.089* [0.047] N=1,201**	**0.108** [0.050] N=1,013**	0.081 [0.055] N=818
Legumes consumed at least weekly	0.769 P=1,172	-0.012 [0.041] N=1,507	0.009 [0.044] N=1,373	-0.003 [0.048] N=1,201	-0.030 [0.051] N=1,013	-0.016 [0.059] N=818
Animal products consumed at least weekly	0.908 P=1,373	0.042 [0.030] N=1,507	0.051 [0.032] N=1,373	0.046 [0.034] N=1,201	0.028 [0.037] N=1,013	0.038 [0.043] N=818
Sweets consumed at least weekly	0.621 P=947	-0.007 [0.048] N=1,507	-0.011 [0.051] N=1,373	-0.022 [0.055] N=1,201	-0.030 [0.058] N=1,013	-0.076 [0.067] N=818
Snack foods consumed at least weekly	0.502 P=762	-0.017 [0.048] N=1,507	-0.013 [0.052] N=1,373	-0.009 [0.055] N=1,201	-0.002 [0.057] N=1,013	-0.046 [0.067] N=818
Packaged soft drinks consumed at least weekly	0.287 P=435	0.013 [0.042] N=1,507	0.007 [0.045] N=1,373	0.030 [0.048] N=1,201	0.026 [0.053] N=1,013	-0.003 [0.061] N=818
Grains consumed at least weekly	0.881 P=1,337	0.052 [0.038] N=1,507	0.064 [0.040] N=1,373	0.064 [0.043] N=1,201	0.069 [0.048] N=1,013	0.057 [0.057] N=818
Child was ever breastfed	0.965 P=1,663	-0.020 [0.017] N=1,724	-0.020 [0.017] N=1,572	-0.012 [0.017] N=1,373	-0.010 [0.018] N=1,162	-0.008 [0.020] N=935

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.020 [0.038] N=1,305	-0.023 [0.040] N=1,171	-0.045 [0.047] N=999	-0.074 [0.053] N=811	-0.115 [0.074] N=616
Vegetables consumed at least weekly	-0.014 [0.046] N=1,305	-0.006 [0.050] N=1,171	-0.027 [0.058] N=999	-0.066 [0.066] N=811	-0.120 [0.082] N=616
Meat fish or poultry consumed at least weekly	0.032 [0.056] N=1,305	0.038 [0.059] N=1,171	0.010 [0.065] N=999	0.028 [0.075] N=811	-0.076 [0.086] N=616
Legumes consumed at least weekly	-0.034 [0.052] N=1,305	-0.004 [0.059] N=1,171	-0.023 [0.071] N=999	-0.062 [0.074] N=811	-0.046 [0.087] N=616
Animal products consumed at least weekly	-0.007 [0.041] N=1,305	0.008 [0.044] N=1,171	-0.007 [0.048] N=999	-0.050 [0.051] N=811	-0.056 [0.066] N=616
Sweets consumed at least weekly	-0.006 [0.061] N=1,305	-0.009 [0.066] N=1,171	-0.025 [0.075] N=999	-0.057 [0.086] N=811	**-0.192* [0.103] N=616**
Snack foods consumed at least weekly	-0.007 [0.066] N=1,305	-0.002 [0.073] N=1,171	0.005 [0.080] N=999	0.025 [0.091] N=811	-0.081 [0.117] N=616
Packaged soft drinks consumed at least weekly	-0.007 [0.065] N=1,305	-0.015 [0.069] N=1,171	0.026 [0.081] N=999	0.021 [0.097] N=811	-0.033 [0.124] N=616
Grains consumed at least weekly	-0.016 [0.039] N=1,305	-0.012 [0.045] N=1,171	-0.029 [0.048] N=999	-0.061 [0.057] N=811	**-0.168** [0.079] N=616**
Child was ever breastfed	-0.009 [0.031] N=1,493	-0.005 [0.032] N=1,341	0.013 [0.035] N=1,142	0.024 [0.038] N=931	0.040 [0.051] N=704

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.935 P=1,304	0.013 [0.030] N=1,395	0.014 [0.031] N=1,269	0.015 [0.034] N=1,115	-0.008 [0.036] N=940	-0.010 [0.042] N=762
Vegetables consumed at least weekly	0.900 P=1,256	0.031 [0.032] N=1,395	0.038 [0.035] N=1,269	0.047 [0.038] N=1,115	0.022 [0.041] N=940	-0.002 [0.046] N=762
Meat fish or poultry consumed at least weekly	0.763 P=1,077	**0.089** [0.043] N=1,395**	**0.092** [0.046] N=1,269**	**0.093* [0.048] N=1,115**	**0.097* [0.050] N=940**	0.077 [0.057] N=762
Legumes consumed at least weekly	0.768 P=1,085	-0.013 [0.043] N=1,395	0.009 [0.047] N=1,269	0.000 [0.051] N=1,115	-0.036 [0.056] N=940	-0.029 [0.066] N=762
Animal products consumed at least weekly	0.911 P=1,276	0.034 [0.032] N=1,395	0.044 [0.034] N=1,269	0.047 [0.036] N=1,115	0.030 [0.038] N=940	0.042 [0.044] N=762
Sweets consumed at least weekly	0.631 P=889	-0.020 [0.048] N=1,395	-0.023 [0.050] N=1,269	-0.039 [0.055] N=1,115	-0.049 [0.058] N=940	-0.090 [0.071] N=762
Snack foods consumed at least weekly	0.509 P=715	-0.021 [0.049] N=1,395	-0.019 [0.053] N=1,269	-0.020 [0.056] N=1,115	-0.008 [0.058] N=940	-0.043 [0.069] N=762
Packaged soft drinks consumed at least weekly	0.297 P=417	-0.008 [0.044] N=1,395	-0.014 [0.046] N=1,269	0.011 [0.049] N=1,115	0.008 [0.055] N=940	-0.026 [0.063] N=762
Grains consumed at least weekly	0.884 P=1,241	**0.066* [0.039] N=1,395**	**0.078* [0.042] N=1,269**	**0.085* [0.044] N=1,115**	**0.088* [0.050] N=940**	0.073 [0.059] N=762
Child was ever breastfed	0.967 P=1,541	-0.026 [0.017] N=1,594	-0.028 [0.018] N=1,453	-0.021 [0.017] N=1,274	-0.023 [0.017] N=1,079	-0.017 [0.020] N=871

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.032 [0.040] N=1,204	-0.036 [0.043] N=1,078	-0.042 [0.050] N=924	-0.086 [0.053] N=749	**-0.131* [0.072] N=571**
Vegetables consumed at least weekly	-0.030 [0.043] N=1,204	-0.027 [0.048] N=1,078	-0.027 [0.054] N=924	-0.080 [0.063] N=749	**-0.179** [0.071] N=571**
Meat fish or poultry consumed at least weekly	0.044 [0.065] N=1,204	0.048 [0.069] N=1,078	0.029 [0.074] N=924	0.007 [0.081] N=749	-0.087 [0.099] N=571
Legumes consumed at least weekly	-0.026 [0.054] N=1,204	0.007 [0.060] N=1,078	0.000 [0.071] N=924	-0.045 [0.079] N=749	-0.035 [0.092] N=571
Animal products consumed at least weekly	-0.027 [0.042] N=1,204	-0.010 [0.046] N=1,078	-0.010 [0.049] N=924	-0.055 [0.051] N=749	-0.059 [0.066] N=571
Sweets consumed at least weekly	-0.022 [0.061] N=1,204	-0.025 [0.066] N=1,078	-0.062 [0.074] N=924	-0.107 [0.083] N=749	**-0.256** [0.109] N=571**
Snack foods consumed at least weekly	-0.005 [0.069] N=1,204	-0.003 [0.077] N=1,078	-0.007 [0.087] N=924	0.020 [0.095] N=749	-0.055 [0.128] N=571
Packaged soft drinks consumed at least weekly	-0.034 [0.066] N=1,204	-0.042 [0.072] N=1,078	-0.001 [0.084] N=924	-0.012 [0.101] N=749	-0.105 [0.132] N=571
Grains consumed at least weekly	-0.001 [0.042] N=1,204	0.004 [0.047] N=1,078	0.005 [0.052] N=924	-0.037 [0.060] N=749	**-0.161** [0.079] N=571**
Child was ever breastfed	-0.013 [0.030] N=1,376	-0.016 [0.032] N=1,235	-0.001 [0.033] N=1,056	0.003 [0.035] N=861	0.025 [0.046] N=653

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.935 P=1,304	0.013 [0.030] N=1,395	0.014 [0.031] N=1,269	0.015 [0.034] N=1,115	-0.009 [0.035] N=940	-0.011 [0.042] N=762
Vegetables consumed at least weekly	0.900 P=1,256	0.031 [0.032] N=1,395	0.038 [0.035] N=1,269	0.047 [0.037] N=1,115	0.020 [0.041] N=940	-0.004 [0.046] N=762
Meat fish or poultry consumed at least weekly	0.763 P=1,077	**0.090** [0.043] N=1,395**	**0.093** [0.045] N=1,269**	**0.093* [0.048] N=1,115**	**0.096* [0.049] N=940**	0.076 [0.055] N=762
Legumes consumed at least weekly	0.768 P=1,085	-0.012 [0.043] N=1,395	0.009 [0.046] N=1,269	-0.000 [0.051] N=1,115	-0.039 [0.055] N=940	-0.034 [0.066] N=762
Animal products consumed at least weekly	0.911 P=1,276	0.034 [0.032] N=1,395	0.044 [0.034] N=1,269	0.046 [0.036] N=1,115	0.028 [0.038] N=940	0.041 [0.044] N=762
Sweets consumed at least weekly	0.631 P=889	-0.020 [0.048] N=1,395	-0.023 [0.050] N=1,269	-0.038 [0.055] N=1,115	-0.049 [0.059] N=940	-0.091 [0.071] N=762
Snack foods consumed at least weekly	0.509 P=715	-0.018 [0.048] N=1,395	-0.017 [0.052] N=1,269	-0.018 [0.055] N=1,115	-0.007 [0.058] N=940	-0.043 [0.069] N=762
Packaged soft drinks consumed at least weekly	0.297 P=417	-0.005 [0.044] N=1,395	-0.012 [0.046] N=1,269	0.013 [0.049] N=1,115	0.009 [0.055] N=940	-0.028 [0.064] N=762
Grains consumed at least weekly	0.884 P=1,241	**0.066* [0.039] N=1,395**	**0.077* [0.042] N=1,269**	**0.084* [0.044] N=1,115**	**0.087* [0.050] N=940**	0.071 [0.059] N=762
Child was ever breastfed	0.967 P=1,541	-0.025 [0.017] N=1,594	-0.027 [0.018] N=1,453	-0.019 [0.017] N=1,274	-0.019 [0.018] N=1,079	-0.013 [0.020] N=871

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.031 [0.040] N=1,204	-0.035 [0.043] N=1,078	-0.042 [0.050] N=924	-0.087 [0.055] N=749	**-0.130* [0.075] N=571**
Vegetables consumed at least weekly	-0.030 [0.043] N=1,204	-0.027 [0.048] N=1,078	-0.027 [0.054] N=924	-0.083 [0.063] N=749	**-0.180** [0.072] N=571**
Meat fish or poultry consumed at least weekly	0.043 [0.064] N=1,204	0.047 [0.069] N=1,078	0.027 [0.074] N=924	0.006 [0.081] N=749	-0.081 [0.098] N=571
Legumes consumed at least weekly	-0.024 [0.054] N=1,204	0.009 [0.060] N=1,078	0.002 [0.071] N=924	-0.049 [0.078] N=749	-0.035 [0.091] N=571
Animal products consumed at least weekly	-0.027 [0.042] N=1,204	-0.009 [0.046] N=1,078	-0.012 [0.049] N=924	-0.058 [0.052] N=749	-0.065 [0.067] N=571
Sweets consumed at least weekly	-0.020 [0.061] N=1,204	-0.022 [0.066] N=1,078	-0.055 [0.075] N=924	-0.094 [0.085] N=749	**-0.240** [0.109] N=571**
Snack foods consumed at least weekly	-0.003 [0.069] N=1,204	-0.003 [0.077] N=1,078	-0.004 [0.087] N=924	0.027 [0.095] N=749	-0.058 [0.126] N=571
Packaged soft drinks consumed at least weekly	-0.030 [0.067] N=1,204	-0.039 [0.073] N=1,078	0.007 [0.084] N=924	-0.002 [0.100] N=749	-0.097 [0.131] N=571
Grains consumed at least weekly	-0.002 [0.042] N=1,204	0.002 [0.047] N=1,078	0.002 [0.051] N=924	-0.041 [0.059] N=749	**-0.166** [0.078] N=571**
Child was ever breastfed	-0.013 [0.031] N=1,376	-0.017 [0.032] N=1,235	0.001 [0.034] N=1,056	0.008 [0.037] N=861	0.028 [0.048] N=653

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.