Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-3: Youngest Child

Age reference: 12 November 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.764 P=1,300	0.026 [0.040] N=1,681	0.037 [0.042] N=1,556	0.029 [0.044] N=1,398	0.057 [0.047] N=1,201	0.039 [0.050] N=992
Not underweight WAZ at least -2	0.918 P=1,774	**-0.038* [0.023] N=1,930**	-0.030 [0.024] N=1,786	-0.027 [0.025] N=1,606	-0.028 [0.028] N=1,371	-0.044 [0.032] N=1,128
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,149	0.015 [0.049] N=1,664	0.014 [0.051] N=1,545	0.021 [0.056] N=1,389	0.021 [0.063] N=1,192	0.046 [0.071] N=982
Neither low nor high BMIZ -2 to +2	0.650 P=1,076	0.027 [0.048] N=1,643	0.043 [0.052] N=1,527	0.040 [0.054] N=1,371	0.045 [0.062] N=1,175	0.036 [0.070] N=970
Strict normal HAZ -2 to +3	0.694 P=1,181	0.055 [0.043] N=1,681	**0.076* [0.045] N=1,556**	0.066 [0.047] N=1,398	0.083 [0.051] N=1,201	0.091 [0.055] N=992
Strict normal WAZ -2 to +1	0.688 P=1,329	-0.052 [0.047] N=1,930	-0.058 [0.050] N=1,786	-0.066 [0.052] N=1,606	-0.071 [0.056] N=1,371	-0.069 [0.061] N=1,128
Strict normal WHZ -2 to +1	0.524 P=874	-0.005 [0.048] N=1,664	-0.010 [0.052] N=1,545	-0.018 [0.055] N=1,389	-0.018 [0.060] N=1,192	-0.027 [0.067] N=982
Strict normal BMIZ -2 to +1	0.508 P=841	-0.009 [0.051] N=1,643	-0.002 [0.055] N=1,527	-0.006 [0.059] N=1,371	-0.007 [0.067] N=1,175	-0.023 [0.078] N=970
Above-normal height HAZ above +3	0.070 P=119	-0.029 [0.024] N=1,681	-0.039 [0.026] N=1,556	-0.037 [0.029] N=1,398	-0.026 [0.031] N=1,201	-0.051 [0.032] N=992
Above-normal weight WAZ above +1	0.230 P=445	0.014 [0.042] N=1,930	0.029 [0.045] N=1,786	0.039 [0.048] N=1,606	0.043 [0.053] N=1,371	0.026 [0.057] N=1,128
Above-normal WHZ above +1	0.361 P=596	0.048 [0.043] N=1,664	0.044 [0.046] N=1,545	0.060 [0.048] N=1,389	0.049 [0.052] N=1,192	0.074 [0.056] N=982
Above-normal BMIZ above +1	0.363 P=589	0.047 [0.044] N=1,643	0.043 [0.047] N=1,527	0.045 [0.051] N=1,371	0.024 [0.055] N=1,175	0.039 [0.063] N=970

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.003 [0.059] N=1,417	0.016 [0.065] N=1,292	0.008 [0.072] N=1,134	0.070 [0.086] N=937	0.041 [0.116] N=728
Not underweight WAZ at least -2	-0.046 [0.033] N=1,637	-0.029 [0.036] N=1,493	-0.025 [0.038] N=1,313	-0.035 [0.044] N=1,078	-0.083 [0.066] N=835
Neither wasted nor overweight WHZ -2 to +2	0.036 [0.056] N=1,401	0.036 [0.060] N=1,282	0.060 [0.065] N=1,126	0.071 [0.082] N=929	**0.205** [0.095] N=719**
Neither low nor high BMIZ -2 to +2	0.049 [0.060] N=1,384	0.080 [0.063] N=1,268	0.099 [0.067] N=1,112	0.139 [0.084] N=916	**0.171* [0.094] N=711**
Strict normal HAZ -2 to +3	0.020 [0.068] N=1,417	0.053 [0.073] N=1,292	0.041 [0.081] N=1,134	0.067 [0.099] N=937	0.111 [0.129] N=728
Strict normal WAZ -2 to +1	-0.002 [0.061] N=1,637	-0.000 [0.067] N=1,493	-0.007 [0.073] N=1,313	-0.009 [0.083] N=1,078	0.018 [0.101] N=835
Strict normal WHZ -2 to +1	0.033 [0.063] N=1,401	0.032 [0.071] N=1,282	0.042 [0.077] N=1,126	0.060 [0.090] N=929	0.088 [0.105] N=719
Strict normal BMIZ -2 to +1	0.023 [0.062] N=1,384	0.045 [0.066] N=1,268	0.064 [0.071] N=1,112	0.085 [0.088] N=916	0.102 [0.104] N=711
Above-normal height HAZ above +3	-0.022 [0.034] N=1,417	-0.037 [0.038] N=1,292	-0.033 [0.046] N=1,134	0.003 [0.052] N=937	-0.070 [0.061] N=728
Above-normal weight WAZ above +1	-0.044 [0.055] N=1,637	-0.029 [0.060] N=1,493	-0.018 [0.066] N=1,313	-0.026 [0.082] N=1,078	-0.101 [0.093] N=835
Above-normal WHZ above +1	0.010 [0.059] N=1,401	-0.007 [0.067] N=1,282	-0.005 [0.074] N=1,126	-0.040 [0.085] N=929	-0.024 [0.094] N=719
Above-normal BMIZ above +1	0.039 [0.060] N=1,384	0.025 [0.068] N=1,268	0.007 [0.077] N=1,112	-0.042 [0.087] N=916	-0.051 [0.100] N=711

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.764 P=1,300	0.025 [0.040] N=1,681	0.035 [0.041] N=1,556	0.028 [0.043] N=1,398	0.056 [0.047] N=1,201	0.038 [0.050] N=992
Not underweight WAZ at least -2	0.918 P=1,774	**-0.039* [0.023] N=1,930**	-0.031 [0.024] N=1,786	-0.028 [0.025] N=1,606	-0.028 [0.027] N=1,371	-0.045 [0.033] N=1,128
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,149	0.012 [0.049] N=1,664	0.010 [0.051] N=1,545	0.017 [0.056] N=1,389	0.016 [0.063] N=1,192	0.040 [0.071] N=982
Neither low nor high BMIZ -2 to +2	0.650 P=1,076	0.026 [0.048] N=1,643	0.041 [0.052] N=1,527	0.039 [0.054] N=1,371	0.042 [0.063] N=1,175	0.033 [0.071] N=970
Strict normal HAZ -2 to +3	0.694 P=1,181	0.054 [0.043] N=1,681	**0.075* [0.044] N=1,556**	0.064 [0.047] N=1,398	0.081 [0.051] N=1,201	0.090 [0.055] N=992
Strict normal WAZ -2 to +1	0.688 P=1,329	-0.054 [0.047] N=1,930	-0.059 [0.049] N=1,786	-0.067 [0.052] N=1,606	-0.071 [0.056] N=1,371	-0.070 [0.061] N=1,128
Strict normal WHZ -2 to +1	0.524 P=874	-0.007 [0.049] N=1,664	-0.012 [0.052] N=1,545	-0.021 [0.056] N=1,389	-0.022 [0.060] N=1,192	-0.029 [0.068] N=982
Strict normal BMIZ -2 to +1	0.508 P=841	-0.010 [0.051] N=1,643	-0.004 [0.055] N=1,527	-0.008 [0.059] N=1,371	-0.009 [0.067] N=1,175	-0.024 [0.078] N=970
Above-normal height HAZ above +3	0.070 P=119	-0.029 [0.024] N=1,681	-0.039 [0.025] N=1,556	-0.037 [0.029] N=1,398	-0.026 [0.031] N=1,201	-0.052 [0.032] N=992
Above-normal weight WAZ above +1	0.230 P=445	0.014 [0.042] N=1,930	0.029 [0.045] N=1,786	0.039 [0.048] N=1,606	0.043 [0.053] N=1,371	0.026 [0.057] N=1,128
Above-normal WHZ above +1	0.361 P=596	0.048 [0.043] N=1,664	0.044 [0.046] N=1,545	0.060 [0.049] N=1,389	0.049 [0.052] N=1,192	0.072 [0.057] N=982
Above-normal BMIZ above +1	0.363 P=589	0.048 [0.044] N=1,643	0.043 [0.047] N=1,527	0.046 [0.052] N=1,371	0.025 [0.055] N=1,175	0.038 [0.064] N=970

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.001 [0.059] N=1,417	0.019 [0.065] N=1,292	0.011 [0.071] N=1,134	0.072 [0.086] N=937	0.041 [0.116] N=728
Not underweight WAZ at least -2	-0.045 [0.032] N=1,637	-0.029 [0.035] N=1,493	-0.025 [0.038] N=1,313	-0.035 [0.044] N=1,078	-0.083 [0.066] N=835
Neither wasted nor overweight WHZ -2 to +2	0.037 [0.057] N=1,401	0.037 [0.060] N=1,282	0.061 [0.066] N=1,126	0.071 [0.083] N=929	**0.206** [0.095] N=719**
Neither low nor high BMIZ -2 to +2	0.049 [0.060] N=1,384	0.081 [0.063] N=1,268	0.100 [0.067] N=1,112	0.140 [0.084] N=916	**0.172* [0.094] N=711**
Strict normal HAZ -2 to +3	0.022 [0.067] N=1,417	0.057 [0.072] N=1,292	0.046 [0.080] N=1,134	0.070 [0.098] N=937	0.112 [0.129] N=728
Strict normal WAZ -2 to +1	-0.001 [0.061] N=1,637	0.000 [0.066] N=1,493	-0.006 [0.073] N=1,313	-0.009 [0.083] N=1,078	0.019 [0.100] N=835
Strict normal WHZ -2 to +1	0.034 [0.064] N=1,401	0.033 [0.072] N=1,282	0.043 [0.077] N=1,126	0.060 [0.090] N=929	0.088 [0.105] N=719
Strict normal BMIZ -2 to +1	0.024 [0.062] N=1,384	0.045 [0.067] N=1,268	0.065 [0.072] N=1,112	0.085 [0.089] N=916	0.102 [0.104] N=711
Above-normal height HAZ above +3	-0.023 [0.034] N=1,417	-0.038 [0.038] N=1,292	-0.035 [0.046] N=1,134	0.002 [0.051] N=937	-0.071 [0.061] N=728
Above-normal weight WAZ above +1	-0.045 [0.055] N=1,637	-0.029 [0.060] N=1,493	-0.019 [0.066] N=1,313	-0.026 [0.082] N=1,078	-0.102 [0.092] N=835
Above-normal WHZ above +1	0.010 [0.059] N=1,401	-0.007 [0.067] N=1,282	-0.005 [0.074] N=1,126	-0.040 [0.085] N=929	-0.024 [0.094] N=719
Above-normal BMIZ above +1	0.039 [0.060] N=1,384	0.025 [0.068] N=1,268	0.007 [0.076] N=1,112	-0.042 [0.087] N=916	-0.050 [0.099] N=711

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.764 P=1,300	0.017 [0.039] N=1,681	0.023 [0.041] N=1,556	0.017 [0.043] N=1,398	0.049 [0.045] N=1,201	0.025 [0.048] N=992
Not underweight WAZ at least -2	0.918 P=1,774	**-0.045** [0.022] N=1,930**	-0.038 [0.023] N=1,786	-0.035 [0.024] N=1,606	-0.034 [0.027] N=1,371	-0.052 [0.032] N=1,128
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,149	0.006 [0.048] N=1,664	0.001 [0.051] N=1,545	0.009 [0.055] N=1,389	0.010 [0.062] N=1,192	0.034 [0.070] N=982
Neither low nor high BMIZ -2 to +2	0.650 P=1,076	0.019 [0.048] N=1,643	0.031 [0.051] N=1,527	0.030 [0.054] N=1,371	0.036 [0.061] N=1,175	0.028 [0.069] N=970
Strict normal HAZ -2 to +3	0.694 P=1,181	0.044 [0.042] N=1,681	0.059 [0.044] N=1,556	0.053 [0.046] N=1,398	0.075 [0.050] N=1,201	0.075 [0.054] N=992
Strict normal WAZ -2 to +1	0.688 P=1,329	-0.053 [0.046] N=1,930	-0.063 [0.049] N=1,786	-0.070 [0.052] N=1,606	-0.075 [0.056] N=1,371	-0.075 [0.062] N=1,128
Strict normal WHZ -2 to +1	0.524 P=874	-0.012 [0.048] N=1,664	-0.021 [0.052] N=1,545	-0.030 [0.055] N=1,389	-0.030 [0.059] N=1,192	-0.037 [0.066] N=982
Strict normal BMIZ -2 to +1	0.508 P=841	-0.017 [0.051] N=1,643	-0.013 [0.055] N=1,527	-0.017 [0.059] N=1,371	-0.017 [0.066] N=1,175	-0.030 [0.076] N=970
Above-normal height HAZ above +3	0.070 P=119	-0.026 [0.024] N=1,681	-0.036 [0.025] N=1,556	-0.035 [0.029] N=1,398	-0.026 [0.030] N=1,201	-0.049 [0.031] N=992
Above-normal weight WAZ above +1	0.230 P=445	0.008 [0.041] N=1,930	0.025 [0.044] N=1,786	0.035 [0.047] N=1,606	0.041 [0.053] N=1,371	0.023 [0.057] N=1,128
Above-normal WHZ above +1	0.361 P=596	0.049 [0.044] N=1,664	0.047 [0.047] N=1,545	0.065 [0.049] N=1,389	0.054 [0.052] N=1,192	0.076 [0.057] N=982
Above-normal BMIZ above +1	0.363 P=589	0.051 [0.044] N=1,643	0.048 [0.048] N=1,527	0.051 [0.052] N=1,371	0.030 [0.055] N=1,175	0.043 [0.063] N=970

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.006 [0.058] N=1,417	0.005 [0.064] N=1,292	-0.000 [0.071] N=1,134	0.075 [0.083] N=937	0.036 [0.111] N=728
Not underweight WAZ at least -2	-0.050 [0.032] N=1,637	-0.035 [0.035] N=1,493	-0.030 [0.037] N=1,313	-0.033 [0.043] N=1,078	-0.083 [0.066] N=835
Neither wasted nor overweight WHZ -2 to +2	0.030 [0.058] N=1,401	0.025 [0.062] N=1,282	0.056 [0.067] N=1,126	0.071 [0.085] N=929	**0.193** [0.096] N=719**
Neither low nor high BMIZ -2 to +2	0.042 [0.061] N=1,384	0.068 [0.064] N=1,268	0.092 [0.068] N=1,112	0.136 [0.084] N=916	**0.162* [0.094] N=711**
Strict normal HAZ -2 to +3	0.015 [0.066] N=1,417	0.041 [0.071] N=1,292	0.037 [0.078] N=1,134	0.081 [0.094] N=937	0.111 [0.123] N=728
Strict normal WAZ -2 to +1	0.001 [0.061] N=1,637	-0.003 [0.067] N=1,493	-0.008 [0.073] N=1,313	-0.006 [0.083] N=1,078	0.020 [0.100] N=835
Strict normal WHZ -2 to +1	0.027 [0.065] N=1,401	0.020 [0.073] N=1,282	0.034 [0.079] N=1,126	0.058 [0.094] N=929	0.076 [0.110] N=719
Strict normal BMIZ -2 to +1	0.015 [0.064] N=1,384	0.030 [0.069] N=1,268	0.054 [0.074] N=1,112	0.080 [0.094] N=916	0.091 [0.110] N=711
Above-normal height HAZ above +3	-0.021 [0.034] N=1,417	-0.036 [0.038] N=1,292	-0.037 [0.046] N=1,134	-0.006 [0.052] N=937	-0.076 [0.061] N=728
Above-normal weight WAZ above +1	-0.051 [0.054] N=1,637	-0.033 [0.060] N=1,493	-0.022 [0.066] N=1,313	-0.027 [0.082] N=1,078	-0.103 [0.092] N=835
Above-normal WHZ above +1	0.012 [0.060] N=1,401	-0.000 [0.069] N=1,282	0.003 [0.075] N=1,126	-0.039 [0.086] N=929	-0.018 [0.095] N=719
Above-normal BMIZ above +1	0.042 [0.062] N=1,384	0.034 [0.070] N=1,268	0.015 [0.078] N=1,112	-0.038 [0.089] N=916	-0.041 [0.103] N=711

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.764 P=1,300	0.010 [0.040] N=1,681	0.016 [0.041] N=1,556	0.010 [0.044] N=1,398	0.039 [0.047] N=1,201	0.015 [0.049] N=992
Not underweight WAZ at least -2	0.918 P=1,774	**-0.048** [0.022] N=1,930**	**-0.041* [0.024] N=1,786**	-0.039 [0.025] N=1,606	-0.040 [0.028] N=1,371	**-0.058* [0.033] N=1,128**
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,149	0.004 [0.049] N=1,664	-0.001 [0.051] N=1,545	0.008 [0.055] N=1,389	0.009 [0.063] N=1,192	0.038 [0.071] N=982
Neither low nor high BMIZ -2 to +2	0.650 P=1,076	0.017 [0.048] N=1,643	0.030 [0.052] N=1,527	0.028 [0.054] N=1,371	0.031 [0.062] N=1,175	0.028 [0.070] N=970
Strict normal HAZ -2 to +3	0.694 P=1,181	0.036 [0.043] N=1,681	0.051 [0.045] N=1,556	0.042 [0.047] N=1,398	0.060 [0.051] N=1,201	0.061 [0.055] N=992
Strict normal WAZ -2 to +1	0.688 P=1,329	-0.054 [0.047] N=1,930	-0.063 [0.050] N=1,786	-0.072 [0.053] N=1,606	-0.077 [0.057] N=1,371	-0.073 [0.063] N=1,128
Strict normal WHZ -2 to +1	0.524 P=874	-0.012 [0.048] N=1,664	-0.020 [0.052] N=1,545	-0.030 [0.055] N=1,389	-0.031 [0.060] N=1,192	-0.032 [0.067] N=982
Strict normal BMIZ -2 to +1	0.508 P=841	-0.017 [0.051] N=1,643	-0.012 [0.055] N=1,527	-0.018 [0.059] N=1,371	-0.022 [0.066] N=1,175	-0.031 [0.077] N=970
Above-normal height HAZ above +3	0.070 P=119	-0.027 [0.024] N=1,681	-0.035 [0.026] N=1,556	-0.032 [0.029] N=1,398	-0.021 [0.031] N=1,201	-0.046 [0.033] N=992
Above-normal weight WAZ above +1	0.230 P=445	0.007 [0.041] N=1,930	0.022 [0.044] N=1,786	0.033 [0.047] N=1,606	0.038 [0.053] N=1,371	0.014 [0.058] N=1,128
Above-normal WHZ above +1	0.361 P=596	0.050 [0.044] N=1,664	0.047 [0.047] N=1,545	0.065 [0.049] N=1,389	0.056 [0.052] N=1,192	0.073 [0.058] N=982
Above-normal BMIZ above +1	0.363 P=589	0.051 [0.044] N=1,643	0.046 [0.048] N=1,527	0.051 [0.052] N=1,371	0.032 [0.056] N=1,175	0.041 [0.064] N=970

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.010 [0.059] N=1,417	0.006 [0.065] N=1,292	0.002 [0.072] N=1,134	0.078 [0.085] N=937	0.035 [0.112] N=728
Not underweight WAZ at least -2	-0.050 [0.032] N=1,637	-0.036 [0.034] N=1,493	-0.032 [0.036] N=1,313	-0.034 [0.043] N=1,078	-0.085 [0.064] N=835
Neither wasted nor overweight WHZ -2 to +2	0.028 [0.057] N=1,401	0.026 [0.062] N=1,282	0.055 [0.067] N=1,126	0.064 [0.085] N=929	**0.183* [0.099] N=719**
Neither low nor high BMIZ -2 to +2	0.040 [0.061] N=1,384	0.071 [0.065] N=1,268	0.093 [0.068] N=1,112	0.131 [0.084] N=916	0.151 [0.094] N=711
Strict normal HAZ -2 to +3	0.012 [0.067] N=1,417	0.041 [0.072] N=1,292	0.036 [0.079] N=1,134	0.082 [0.096] N=937	0.120 [0.127] N=728
Strict normal WAZ -2 to +1	0.002 [0.061] N=1,637	-0.001 [0.066] N=1,493	-0.008 [0.073] N=1,313	-0.005 [0.082] N=1,078	0.010 [0.097] N=835
Strict normal WHZ -2 to +1	0.026 [0.064] N=1,401	0.025 [0.072] N=1,282	0.034 [0.078] N=1,126	0.047 [0.093] N=929	0.062 [0.112] N=719
Strict normal BMIZ -2 to +1	0.016 [0.064] N=1,384	0.040 [0.068] N=1,268	0.059 [0.074] N=1,112	0.074 [0.091] N=916	0.084 [0.110] N=711
Above-normal height HAZ above +3	-0.023 [0.033] N=1,417	-0.035 [0.037] N=1,292	-0.034 [0.045] N=1,134	-0.004 [0.051] N=937	-0.085 [0.061] N=728
Above-normal weight WAZ above +1	-0.052 [0.054] N=1,637	-0.035 [0.060] N=1,493	-0.024 [0.065] N=1,313	-0.028 [0.082] N=1,078	-0.095 [0.091] N=835
Above-normal WHZ above +1	0.012 [0.059] N=1,401	-0.004 [0.068] N=1,282	0.001 [0.075] N=1,126	-0.033 [0.088] N=929	-0.006 [0.098] N=719
Above-normal BMIZ above +1	0.044 [0.061] N=1,384	0.028 [0.068] N=1,268	0.013 [0.078] N=1,112	-0.029 [0.090] N=916	-0.026 [0.104] N=711

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.762 P=1,204	0.015 [0.042] N=1,558	0.024 [0.044] N=1,448	0.014 [0.046] N=1,297	0.039 [0.049] N=1,123	0.011 [0.053] N=927
Not underweight WAZ at least -2	0.918 P=1,641	-0.032 [0.024] N=1,785	-0.025 [0.025] N=1,657	-0.022 [0.027] N=1,486	-0.025 [0.029] N=1,276	-0.042 [0.035] N=1,052
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,069	0.014 [0.049] N=1,544	0.011 [0.051] N=1,440	0.012 [0.056] N=1,292	0.013 [0.062] N=1,118	0.028 [0.071] N=921
Neither low nor high BMIZ -2 to +2	0.652 P=1,004	0.017 [0.051] N=1,524	0.031 [0.054] N=1,422	0.024 [0.058] N=1,275	0.032 [0.067] N=1,102	0.020 [0.074] N=910
Strict normal HAZ -2 to +3	0.695 P=1,100	0.056 [0.047] N=1,558	0.077 [0.048] N=1,448	0.065 [0.050] N=1,297	0.077 [0.055] N=1,123	0.078 [0.061] N=927
Strict normal WAZ -2 to +1	0.685 P=1,224	-0.057 [0.049] N=1,785	-0.062 [0.051] N=1,657	-0.068 [0.055] N=1,486	-0.080 [0.059] N=1,276	-0.087 [0.065] N=1,052
Strict normal WHZ -2 to +1	0.524 P=812	-0.015 [0.050] N=1,544	-0.021 [0.054] N=1,440	-0.035 [0.057] N=1,292	-0.037 [0.061] N=1,118	-0.059 [0.068] N=921
Strict normal BMIZ -2 to +1	0.509 P=784	-0.028 [0.053] N=1,524	-0.020 [0.057] N=1,422	-0.025 [0.062] N=1,275	-0.024 [0.069] N=1,102	-0.048 [0.078] N=910
Above-normal height HAZ above +3	0.067 P=104	**-0.041* [0.024] N=1,558**	**-0.053** [0.026] N=1,448**	**-0.051* [0.029] N=1,297**	-0.037 [0.031] N=1,123	**-0.067** [0.033] N=927**
Above-normal weight WAZ above +1	0.233 P=417	0.025 [0.044] N=1,785	0.037 [0.047] N=1,657	0.046 [0.050] N=1,486	0.054 [0.055] N=1,276	0.045 [0.060] N=1,052
Above-normal WHZ above +1	0.362 P=554	**0.076* [0.045] N=1,544**	0.071 [0.048] N=1,440	**0.091* [0.051] N=1,292**	0.080 [0.054] N=1,118	**0.116* [0.061] N=921**
Above-normal BMIZ above +1	0.365 P=547	0.075 [0.046] N=1,524	0.067 [0.048] N=1,422	0.072 [0.052] N=1,275	0.052 [0.057] N=1,102	0.079 [0.066] N=910

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.013 [0.063] N=1,311	0.037 [0.069] N=1,201	0.028 [0.076] N=1,050	0.097 [0.092] N=876	0.052 [0.127] N=680
Not underweight WAZ at least -2	-0.040 [0.033] N=1,512	-0.027 [0.037] N=1,384	-0.026 [0.039] N=1,213	-0.044 [0.044] N=1,003	-0.099 [0.068] N=779
Neither wasted nor overweight WHZ -2 to +2	0.054 [0.059] N=1,298	0.058 [0.062] N=1,194	0.078 [0.069] N=1,046	0.097 [0.085] N=872	**0.217** [0.102] N=675**
Neither low nor high BMIZ -2 to +2	0.049 [0.062] N=1,282	0.085 [0.065] N=1,180	0.097 [0.072] N=1,033	**0.150* [0.090] N=860**	**0.191** [0.093] N=668**
Strict normal HAZ -2 to +3	0.042 [0.073] N=1,311	0.085 [0.076] N=1,201	0.074 [0.086] N=1,050	0.103 [0.104] N=876	0.142 [0.142] N=680
Strict normal WAZ -2 to +1	0.014 [0.061] N=1,512	0.020 [0.065] N=1,384	0.020 [0.073] N=1,213	0.002 [0.083] N=1,003	0.014 [0.103] N=779
Strict normal WHZ -2 to +1	0.055 [0.065] N=1,298	0.059 [0.073] N=1,194	0.069 [0.081] N=1,046	0.095 [0.095] N=872	0.115 [0.114] N=675
Strict normal BMIZ -2 to +1	0.019 [0.064] N=1,282	0.048 [0.069] N=1,180	0.070 [0.077] N=1,033	0.102 [0.094] N=860	0.122 [0.108] N=668
Above-normal height HAZ above +3	-0.029 [0.035] N=1,311	-0.048 [0.039] N=1,201	-0.045 [0.046] N=1,050	-0.006 [0.054] N=876	-0.089 [0.066] N=680
Above-normal weight WAZ above +1	-0.054 [0.055] N=1,512	-0.047 [0.059] N=1,384	-0.046 [0.066] N=1,213	-0.045 [0.081] N=1,003	-0.113 [0.094] N=779
Above-normal WHZ above +1	0.010 [0.061] N=1,298	-0.014 [0.068] N=1,194	-0.014 [0.076] N=1,046	-0.049 [0.090] N=872	-0.008 [0.103] N=675
Above-normal BMIZ above +1	0.041 [0.064] N=1,282	0.016 [0.071] N=1,180	-0.003 [0.079] N=1,033	-0.055 [0.091] N=860	-0.049 [0.108] N=668

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.762 P=1,204	0.014 [0.042] N=1,558	0.022 [0.044] N=1,448	0.012 [0.046] N=1,297	0.038 [0.050] N=1,123	0.009 [0.052] N=927
Not underweight WAZ at least -2	0.918 P=1,641	-0.032 [0.024] N=1,785	-0.025 [0.025] N=1,657	-0.024 [0.026] N=1,486	-0.027 [0.029] N=1,276	-0.045 [0.035] N=1,052
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,069	0.014 [0.049] N=1,544	0.011 [0.051] N=1,440	0.015 [0.056] N=1,292	0.019 [0.062] N=1,118	0.037 [0.070] N=921
Neither low nor high BMIZ -2 to +2	0.652 P=1,004	0.012 [0.051] N=1,524	0.029 [0.054] N=1,422	0.025 [0.058] N=1,275	0.036 [0.066] N=1,102	0.026 [0.073] N=910
Strict normal HAZ -2 to +3	0.695 P=1,100	0.054 [0.047] N=1,558	0.074 [0.048] N=1,448	0.063 [0.050] N=1,297	0.075 [0.055] N=1,123	0.077 [0.060] N=927
Strict normal WAZ -2 to +1	0.685 P=1,224	-0.057 [0.049] N=1,785	-0.063 [0.051] N=1,657	-0.069 [0.054] N=1,486	-0.080 [0.058] N=1,276	-0.085 [0.065] N=1,052
Strict normal WHZ -2 to +1	0.524 P=812	-0.015 [0.050] N=1,544	-0.021 [0.053] N=1,440	-0.032 [0.057] N=1,292	-0.031 [0.061] N=1,118	-0.044 [0.066] N=921
Strict normal BMIZ -2 to +1	0.509 P=784	-0.034 [0.053] N=1,524	-0.023 [0.057] N=1,422	-0.026 [0.062] N=1,275	-0.023 [0.069] N=1,102	-0.040 [0.077] N=910
Above-normal height HAZ above +3	0.067 P=104	-0.040 [0.024] N=1,558	**-0.052** [0.026] N=1,448**	**-0.051* [0.029] N=1,297**	-0.038 [0.031] N=1,123	**-0.068** [0.033] N=927**
Above-normal weight WAZ above +1	0.233 P=417	0.025 [0.044] N=1,785	0.037 [0.046] N=1,657	0.045 [0.049] N=1,486	0.053 [0.055] N=1,276	0.041 [0.060] N=1,052
Above-normal WHZ above +1	0.362 P=554	**0.074* [0.045] N=1,544**	0.069 [0.048] N=1,440	**0.087* [0.050] N=1,292**	0.074 [0.054] N=1,118	**0.106* [0.060] N=921**
Above-normal BMIZ above +1	0.365 P=547	**0.078* [0.045] N=1,524**	0.068 [0.048] N=1,422	0.072 [0.052] N=1,275	0.049 [0.056] N=1,102	0.071 [0.064] N=910

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.012 [0.062] N=1,311	0.034 [0.068] N=1,201	0.027 [0.075] N=1,050	0.096 [0.090] N=876	0.060 [0.124] N=680
Not underweight WAZ at least -2	-0.036 [0.033] N=1,512	-0.022 [0.036] N=1,384	-0.022 [0.038] N=1,213	-0.040 [0.044] N=1,003	-0.092 [0.068] N=779
Neither wasted nor overweight WHZ -2 to +2	0.047 [0.058] N=1,298	0.050 [0.061] N=1,194	0.072 [0.068] N=1,046	0.096 [0.085] N=872	**0.231** [0.098] N=675**
Neither low nor high BMIZ -2 to +2	0.036 [0.062] N=1,282	0.073 [0.065] N=1,180	0.090 [0.071] N=1,033	0.146 [0.090] N=860	**0.191** [0.092] N=668**
Strict normal HAZ -2 to +3	0.041 [0.072] N=1,311	0.082 [0.075] N=1,201	0.074 [0.084] N=1,050	0.104 [0.101] N=876	0.152 [0.135] N=680
Strict normal WAZ -2 to +1	0.014 [0.061] N=1,512	0.020 [0.066] N=1,384	0.021 [0.073] N=1,213	0.008 [0.083] N=1,003	0.037 [0.104] N=779
Strict normal WHZ -2 to +1	0.045 [0.064] N=1,298	0.049 [0.072] N=1,194	0.061 [0.080] N=1,046	0.095 [0.092] N=872	0.135 [0.107] N=675
Strict normal BMIZ -2 to +1	0.004 [0.065] N=1,282	0.036 [0.069] N=1,180	0.062 [0.077] N=1,033	0.098 [0.094] N=860	0.130 [0.106] N=668
Above-normal height HAZ above +3	-0.029 [0.035] N=1,311	-0.048 [0.039] N=1,201	-0.047 [0.047] N=1,050	-0.008 [0.054] N=876	-0.092 [0.065] N=680
Above-normal weight WAZ above +1	-0.050 [0.055] N=1,512	-0.042 [0.059] N=1,384	-0.043 [0.066] N=1,213	-0.049 [0.081] N=1,003	-0.129 [0.096] N=779
Above-normal WHZ above +1	0.019 [0.061] N=1,298	-0.004 [0.067] N=1,194	-0.006 [0.076] N=1,046	-0.049 [0.090] N=872	-0.024 [0.103] N=675
Above-normal BMIZ above +1	0.051 [0.064] N=1,282	0.025 [0.070] N=1,180	0.004 [0.079] N=1,033	-0.052 [0.091] N=860	-0.057 [0.107] N=668

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.772 P=1,161	-0.034 [0.049] N=1,499	-0.026 [0.050] N=1,360	-0.015 [0.052] N=1,188	-0.024 [0.058] N=1,009	-0.029 [0.065] N=818
Not underweight WAZ at least -2	0.921 P=1,577	0.004 [0.027] N=1,709	0.008 [0.028] N=1,558	0.002 [0.029] N=1,359	-0.001 [0.031] N=1,152	0.006 [0.034] N=927
Neither wasted nor overweight WHZ -2 to +2	0.688 P=1,021	**-0.089* [0.051] N=1,487**	**-0.089* [0.053] N=1,351**	**-0.099* [0.056] N=1,181**	-0.054 [0.059] N=1,002	-0.053 [0.065] N=811
Neither low nor high BMIZ -2 to +2	0.652 P=954	**-0.163*** [0.054] N=1,464**	**-0.164*** [0.057] N=1,329**	**-0.148** [0.062] N=1,163**	**-0.114* [0.065] N=987**	**-0.129* [0.072] N=801**
Strict normal HAZ -2 to +3	0.702 P=1,054	-0.036 [0.047] N=1,499	-0.030 [0.048] N=1,360	-0.021 [0.050] N=1,188	-0.022 [0.053] N=1,009	-0.034 [0.060] N=818
Strict normal WAZ -2 to +1	0.686 P=1,170	-0.019 [0.046] N=1,709	-0.035 [0.049] N=1,558	-0.041 [0.052] N=1,359	-0.065 [0.056] N=1,152	-0.046 [0.062] N=927
Strict normal WHZ -2 to +1	0.516 P=761	**-0.136*** [0.049] N=1,487**	**-0.147*** [0.051] N=1,351**	**-0.149*** [0.055] N=1,181**	**-0.100* [0.060] N=1,002**	**-0.125* [0.069] N=811**
Strict normal BMIZ -2 to +1	0.510 P=742	**-0.131** [0.053] N=1,464**	**-0.138** [0.056] N=1,329**	**-0.115* [0.061] N=1,163**	-0.080 [0.065] N=987	-0.102 [0.074] N=801
Above-normal height HAZ above +3	0.070 P=107	0.002 [0.028] N=1,499	0.004 [0.029] N=1,360	0.006 [0.032] N=1,188	-0.001 [0.036] N=1,009	0.005 [0.042] N=818
Above-normal weight WAZ above +1	0.235 P=407	0.023 [0.040] N=1,709	0.043 [0.042] N=1,558	0.042 [0.044] N=1,359	0.064 [0.047] N=1,152	0.052 [0.053] N=927
Above-normal WHZ above +1	0.369 P=556	**0.114** [0.049] N=1,487**	**0.121** [0.052] N=1,351**	**0.103* [0.057] N=1,181**	**0.105* [0.061] N=1,002**	**0.131* [0.071] N=811**
Above-normal BMIZ above +1	0.362 P=534	0.081 [0.053] N=1,464	0.084 [0.055] N=1,329	0.058 [0.059] N=1,163	0.060 [0.068] N=987	0.077 [0.077] N=801

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.036 [0.077] N=1,295	-0.018 [0.080] N=1,156	0.001 [0.086] N=984	-0.023 [0.104] N=805	-0.035 [0.130] N=614
Not underweight WAZ at least -2	-0.013 [0.042] N=1,481	-0.007 [0.046] N=1,330	-0.024 [0.050] N=1,131	-0.037 [0.056] N=924	-0.032 [0.067] N=699
Neither wasted nor overweight WHZ -2 to +2	**-0.179*** [0.062] N=1,283**	**-0.181*** [0.066] N=1,147**	**-0.222*** [0.071] N=977**	**-0.166** [0.081] N=798**	**-0.177* [0.101] N=607**
Neither low nor high BMIZ -2 to +2	**-0.236*** [0.063] N=1,268**	**-0.236*** [0.069] N=1,133**	**-0.226*** [0.072] N=967**	**-0.176** [0.088] N=791**	**-0.204* [0.110] N=605**
Strict normal HAZ -2 to +3	-0.033 [0.069] N=1,295	-0.013 [0.073] N=1,156	0.002 [0.076] N=984	-0.002 [0.089] N=805	-0.004 [0.108] N=614
Strict normal WAZ -2 to +1	0.031 [0.069] N=1,481	0.011 [0.074] N=1,330	0.010 [0.081] N=1,131	-0.042 [0.091] N=924	0.023 [0.111] N=699
Strict normal WHZ -2 to +1	**-0.176** [0.068] N=1,283**	**-0.198*** [0.072] N=1,147**	**-0.209*** [0.079] N=977**	-0.113 [0.093] N=798	-0.163 [0.127] N=607
Strict normal BMIZ -2 to +1	**-0.183** [0.076] N=1,268**	**-0.196** [0.080] N=1,133**	**-0.174* [0.089] N=967**	-0.102 [0.105] N=791	-0.146 [0.134] N=605
Above-normal height HAZ above +3	-0.004 [0.033] N=1,295	-0.005 [0.035] N=1,156	-0.001 [0.042] N=984	-0.022 [0.048] N=805	-0.031 [0.065] N=614
Above-normal weight WAZ above +1	-0.044 [0.056] N=1,481	-0.018 [0.061] N=1,330	-0.034 [0.066] N=1,131	0.006 [0.072] N=924	-0.056 [0.087] N=699
Above-normal WHZ above +1	0.102 [0.073] N=1,283	0.112 [0.078] N=1,147	0.071 [0.089] N=977	0.067 [0.095] N=798	0.102 [0.119] N=607
Above-normal BMIZ above +1	0.076 [0.078] N=1,268	0.080 [0.081] N=1,133	0.038 [0.094] N=967	0.044 [0.108] N=791	0.080 [0.130] N=605

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.772 P=1,161	-0.032 [0.049] N=1,499	-0.025 [0.050] N=1,360	-0.014 [0.052] N=1,188	-0.024 [0.058] N=1,009	-0.030 [0.065] N=818
Not underweight WAZ at least -2	0.921 P=1,577	0.005 [0.027] N=1,709	0.009 [0.029] N=1,558	0.003 [0.029] N=1,359	0.000 [0.031] N=1,152	0.006 [0.034] N=927
Neither wasted nor overweight WHZ -2 to +2	0.688 P=1,021	**-0.086* [0.051] N=1,487**	-0.085 [0.053] N=1,351	**-0.094* [0.056] N=1,181**	-0.052 [0.059] N=1,002	-0.052 [0.066] N=811
Neither low nor high BMIZ -2 to +2	0.652 P=954	**-0.161*** [0.053] N=1,464**	**-0.160*** [0.057] N=1,329**	**-0.144** [0.062] N=1,163**	**-0.113* [0.065] N=987**	**-0.129* [0.072] N=801**
Strict normal HAZ -2 to +3	0.702 P=1,054	-0.034 [0.047] N=1,499	-0.027 [0.049] N=1,360	-0.019 [0.050] N=1,188	-0.022 [0.053] N=1,009	-0.034 [0.060] N=818
Strict normal WAZ -2 to +1	0.686 P=1,170	-0.017 [0.046] N=1,709	-0.032 [0.048] N=1,558	-0.038 [0.051] N=1,359	-0.064 [0.056] N=1,152	-0.045 [0.062] N=927
Strict normal WHZ -2 to +1	0.516 P=761	**-0.134*** [0.049] N=1,487**	**-0.145*** [0.051] N=1,351**	**-0.146*** [0.054] N=1,181**	**-0.099* [0.060] N=1,002**	**-0.125* [0.069] N=811**
Strict normal BMIZ -2 to +1	0.510 P=742	**-0.130** [0.053] N=1,464**	**-0.136** [0.055] N=1,329**	**-0.113* [0.061] N=1,163**	-0.080 [0.065] N=987	-0.102 [0.074] N=801
Above-normal height HAZ above +3	0.070 P=107	0.002 [0.028] N=1,499	0.003 [0.029] N=1,360	0.005 [0.033] N=1,188	-0.002 [0.036] N=1,009	0.004 [0.042] N=818
Above-normal weight WAZ above +1	0.235 P=407	0.022 [0.039] N=1,709	0.042 [0.042] N=1,558	0.041 [0.044] N=1,359	0.064 [0.047] N=1,152	0.051 [0.052] N=927
Above-normal WHZ above +1	0.369 P=556	**0.115** [0.049] N=1,487**	**0.121** [0.053] N=1,351**	**0.103* [0.057] N=1,181**	**0.106* [0.061] N=1,002**	**0.131* [0.071] N=811**
Above-normal BMIZ above +1	0.362 P=534	0.081 [0.053] N=1,464	0.083 [0.055] N=1,329	0.057 [0.059] N=1,163	0.060 [0.068] N=987	0.077 [0.077] N=801

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.033 [0.077] N=1,295	-0.013 [0.080] N=1,156	0.004 [0.086] N=984	-0.024 [0.105] N=805	-0.042 [0.132] N=614
Not underweight WAZ at least -2	-0.010 [0.042] N=1,481	-0.005 [0.046] N=1,330	-0.022 [0.050] N=1,131	-0.033 [0.056] N=924	-0.029 [0.067] N=699
Neither wasted nor overweight WHZ -2 to +2	**-0.170*** [0.062] N=1,283**	**-0.168** [0.066] N=1,147**	**-0.204*** [0.071] N=977**	**-0.147* [0.081] N=798**	-0.154 [0.103] N=607
Neither low nor high BMIZ -2 to +2	**-0.231*** [0.063] N=1,268**	**-0.227*** [0.069] N=1,133**	**-0.212*** [0.071] N=967**	**-0.166* [0.088] N=791**	**-0.198* [0.110] N=605**
Strict normal HAZ -2 to +3	-0.026 [0.070] N=1,295	-0.004 [0.073] N=1,156	0.010 [0.078] N=984	0.002 [0.091] N=805	-0.007 [0.109] N=614
Strict normal WAZ -2 to +1	0.034 [0.069] N=1,481	0.014 [0.073] N=1,330	0.014 [0.080] N=1,131	-0.038 [0.090] N=924	0.026 [0.109] N=699
Strict normal WHZ -2 to +1	**-0.171** [0.067] N=1,283**	**-0.190*** [0.072] N=1,147**	**-0.197** [0.078] N=977**	-0.107 [0.093] N=798	-0.157 [0.126] N=607
Strict normal BMIZ -2 to +1	**-0.181** [0.076] N=1,268**	**-0.191** [0.080] N=1,133**	**-0.166* [0.089] N=967**	-0.101 [0.105] N=791	-0.148 [0.134] N=605
Above-normal height HAZ above +3	-0.006 [0.033] N=1,295	-0.009 [0.035] N=1,156	-0.006 [0.043] N=984	-0.026 [0.048] N=805	-0.035 [0.066] N=614
Above-normal weight WAZ above +1	-0.045 [0.055] N=1,481	-0.019 [0.061] N=1,330	-0.036 [0.065] N=1,131	0.005 [0.070] N=924	-0.054 [0.084] N=699
Above-normal WHZ above +1	0.104 [0.073] N=1,283	0.113 [0.078] N=1,147	0.069 [0.089] N=977	0.071 [0.095] N=798	0.111 [0.118] N=607
Above-normal BMIZ above +1	0.079 [0.079] N=1,268	0.082 [0.082] N=1,133	0.038 [0.094] N=967	0.048 [0.109] N=791	0.091 [0.131] N=605

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.772 P=1,161	-0.033 [0.047] N=1,499	-0.024 [0.049] N=1,360	-0.012 [0.051] N=1,188	-0.019 [0.055] N=1,009	-0.028 [0.062] N=818
Not underweight WAZ at least -2	0.921 P=1,577	0.005 [0.027] N=1,709	0.010 [0.029] N=1,558	0.005 [0.029] N=1,359	0.002 [0.031] N=1,152	0.007 [0.034] N=927
Neither wasted nor overweight WHZ -2 to +2	0.688 P=1,021	**-0.086* [0.051] N=1,487**	-0.084 [0.053] N=1,351	-0.092 [0.057] N=1,181	-0.048 [0.060] N=1,002	-0.053 [0.067] N=811
Neither low nor high BMIZ -2 to +2	0.652 P=954	**-0.161*** [0.054] N=1,464**	**-0.159*** [0.057] N=1,329**	**-0.141** [0.063] N=1,163**	-0.108 [0.066] N=987	**-0.131* [0.073] N=801**
Strict normal HAZ -2 to +3	0.702 P=1,054	-0.036 [0.046] N=1,499	-0.027 [0.048] N=1,360	-0.015 [0.049] N=1,188	-0.016 [0.052] N=1,009	-0.030 [0.059] N=818
Strict normal WAZ -2 to +1	0.686 P=1,170	-0.019 [0.046] N=1,709	-0.034 [0.048] N=1,558	-0.040 [0.051] N=1,359	-0.063 [0.055] N=1,152	-0.045 [0.061] N=927
Strict normal WHZ -2 to +1	0.516 P=761	**-0.133*** [0.049] N=1,487**	**-0.143*** [0.051] N=1,351**	**-0.147*** [0.055] N=1,181**	-0.098 [0.061] N=1,002	**-0.128* [0.070] N=811**
Strict normal BMIZ -2 to +1	0.510 P=742	**-0.129** [0.053] N=1,464**	**-0.134** [0.055] N=1,329**	**-0.113* [0.061] N=1,163**	-0.079 [0.065] N=987	-0.106 [0.073] N=801
Above-normal height HAZ above +3	0.070 P=107	0.003 [0.028] N=1,499	0.003 [0.029] N=1,360	0.003 [0.033] N=1,188	-0.003 [0.036] N=1,009	0.002 [0.042] N=818
Above-normal weight WAZ above +1	0.235 P=407	0.024 [0.040] N=1,709	0.044 [0.042] N=1,558	0.045 [0.044] N=1,359	0.065 [0.047] N=1,152	0.051 [0.052] N=927
Above-normal WHZ above +1	0.369 P=556	**0.115** [0.050] N=1,487**	**0.121** [0.053] N=1,351**	**0.105* [0.057] N=1,181**	**0.106* [0.061] N=1,002**	**0.133* [0.071] N=811**
Above-normal BMIZ above +1	0.362 P=534	0.081 [0.053] N=1,464	0.083 [0.055] N=1,329	0.060 [0.059] N=1,163	0.061 [0.067] N=987	0.080 [0.076] N=801

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.030 [0.075] N=1,295	-0.011 [0.078] N=1,156	0.009 [0.082] N=984	-0.011 [0.099] N=805	-0.035 [0.124] N=614
Not underweight WAZ at least -2	-0.010 [0.042] N=1,481	-0.004 [0.046] N=1,330	-0.015 [0.050] N=1,131	-0.027 [0.056] N=924	-0.025 [0.067] N=699
Neither wasted nor overweight WHZ -2 to +2	**-0.170*** [0.063] N=1,283**	**-0.167** [0.068] N=1,147**	**-0.199*** [0.073] N=977**	-0.137 [0.084] N=798	-0.150 [0.107] N=607
Neither low nor high BMIZ -2 to +2	**-0.229*** [0.064] N=1,268**	**-0.226*** [0.071] N=1,133**	**-0.205*** [0.074] N=967**	**-0.157* [0.092] N=791**	**-0.192* [0.115] N=605**
Strict normal HAZ -2 to +3	-0.027 [0.069] N=1,295	-0.003 [0.073] N=1,156	0.015 [0.077] N=984	0.015 [0.088] N=805	-0.003 [0.107] N=614
Strict normal WAZ -2 to +1	0.038 [0.069] N=1,481	0.018 [0.073] N=1,330	0.015 [0.081] N=1,131	-0.030 [0.091] N=924	0.029 [0.110] N=699
Strict normal WHZ -2 to +1	**-0.167** [0.068] N=1,283**	**-0.185** [0.072] N=1,147**	**-0.194** [0.079] N=977**	-0.098 [0.093] N=798	-0.152 [0.126] N=607
Strict normal BMIZ -2 to +1	**-0.173** [0.077] N=1,268**	**-0.183** [0.081] N=1,133**	**-0.160* [0.091] N=967**	-0.089 [0.107] N=791	-0.137 [0.134] N=605
Above-normal height HAZ above +3	-0.003 [0.033] N=1,295	-0.008 [0.036] N=1,156	-0.006 [0.044] N=984	-0.026 [0.049] N=805	-0.032 [0.069] N=614
Above-normal weight WAZ above +1	-0.048 [0.056] N=1,481	-0.023 [0.062] N=1,330	-0.031 [0.066] N=1,131	0.003 [0.072] N=924	-0.054 [0.085] N=699
Above-normal WHZ above +1	0.100 [0.074] N=1,283	0.110 [0.079] N=1,147	0.069 [0.089] N=977	0.064 [0.094] N=798	0.105 [0.116] N=607
Above-normal BMIZ above +1	0.073 [0.079] N=1,268	0.076 [0.082] N=1,133	0.036 [0.094] N=967	0.040 [0.109] N=791	0.082 [0.129] N=605

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.772 P=1,161	-0.027 [0.048] N=1,499	-0.017 [0.050] N=1,360	-0.002 [0.052] N=1,188	-0.013 [0.057] N=1,009	-0.025 [0.064] N=818
Not underweight WAZ at least -2	0.921 P=1,577	0.009 [0.027] N=1,709	0.014 [0.029] N=1,558	0.009 [0.030] N=1,359	0.005 [0.032] N=1,152	0.012 [0.036] N=927
Neither wasted nor overweight WHZ -2 to +2	0.688 P=1,021	-0.081 [0.050] N=1,487	-0.081 [0.052] N=1,351	**-0.092* [0.056] N=1,181**	-0.049 [0.058] N=1,002	-0.051 [0.064] N=811
Neither low nor high BMIZ -2 to +2	0.652 P=954	**-0.158*** [0.053] N=1,464**	**-0.157*** [0.056] N=1,329**	**-0.141** [0.061] N=1,163**	**-0.111* [0.065] N=987**	**-0.129* [0.071] N=801**
Strict normal HAZ -2 to +3	0.702 P=1,054	-0.029 [0.046] N=1,499	-0.019 [0.048] N=1,360	-0.006 [0.050] N=1,188	-0.009 [0.053] N=1,009	-0.026 [0.059] N=818
Strict normal WAZ -2 to +1	0.686 P=1,170	-0.014 [0.046] N=1,709	-0.031 [0.048] N=1,558	-0.037 [0.051] N=1,359	-0.061 [0.055] N=1,152	-0.041 [0.062] N=927
Strict normal WHZ -2 to +1	0.516 P=761	**-0.131*** [0.048] N=1,487**	**-0.142*** [0.051] N=1,351**	**-0.146*** [0.054] N=1,181**	-0.097 [0.059] N=1,002	**-0.126* [0.068] N=811**
Strict normal BMIZ -2 to +1	0.510 P=742	**-0.121** [0.053] N=1,464**	**-0.127** [0.055] N=1,329**	**-0.107* [0.060] N=1,163**	-0.073 [0.064] N=987	-0.097 [0.072] N=801
Above-normal height HAZ above +3	0.070 P=107	0.002 [0.028] N=1,499	0.002 [0.030] N=1,360	0.004 [0.033] N=1,188	-0.003 [0.036] N=1,009	0.001 [0.043] N=818
Above-normal weight WAZ above +1	0.235 P=407	0.023 [0.040] N=1,709	0.044 [0.042] N=1,558	0.046 [0.044] N=1,359	0.067 [0.047] N=1,152	0.053 [0.052] N=927
Above-normal WHZ above +1	0.369 P=556	**0.113** [0.049] N=1,487**	**0.119** [0.052] N=1,351**	**0.103* [0.056] N=1,181**	**0.105* [0.060] N=1,002**	**0.135* [0.070] N=811**
Above-normal BMIZ above +1	0.362 P=534	0.076 [0.052] N=1,464	0.077 [0.054] N=1,329	0.055 [0.059] N=1,163	0.056 [0.067] N=987	0.077 [0.077] N=801

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.023 [0.074] N=1,295	0.001 [0.078] N=1,156	0.030 [0.083] N=984	0.004 [0.101] N=805	-0.033 [0.127] N=614
Not underweight WAZ at least -2	-0.003 [0.042] N=1,481	0.002 [0.046] N=1,330	-0.007 [0.051] N=1,131	-0.023 [0.057] N=924	-0.018 [0.069] N=699
Neither wasted nor overweight WHZ -2 to +2	**-0.166*** [0.062] N=1,283**	**-0.164** [0.067] N=1,147**	**-0.202*** [0.072] N=977**	**-0.139* [0.083] N=798**	-0.160 [0.103] N=607
Neither low nor high BMIZ -2 to +2	**-0.229*** [0.064] N=1,268**	**-0.225*** [0.070] N=1,133**	**-0.209*** [0.074] N=967**	**-0.165* [0.091] N=791**	**-0.215* [0.111] N=605**
Strict normal HAZ -2 to +3	-0.017 [0.069] N=1,295	0.011 [0.072] N=1,156	0.038 [0.076] N=984	0.031 [0.088] N=805	0.004 [0.109] N=614
Strict normal WAZ -2 to +1	0.039 [0.069] N=1,481	0.016 [0.073] N=1,330	0.016 [0.080] N=1,131	-0.035 [0.091] N=924	0.029 [0.110] N=699
Strict normal WHZ -2 to +1	**-0.170** [0.068] N=1,283**	**-0.189*** [0.072] N=1,147**	**-0.199** [0.079] N=977**	-0.105 [0.094] N=798	-0.178 [0.124] N=607
Strict normal BMIZ -2 to +1	**-0.174** [0.077] N=1,268**	**-0.184** [0.080] N=1,133**	**-0.164* [0.090] N=967**	-0.097 [0.107] N=791	-0.162 [0.134] N=605
Above-normal height HAZ above +3	-0.006 [0.033] N=1,295	-0.010 [0.036] N=1,156	-0.007 [0.043] N=984	-0.028 [0.048] N=805	-0.037 [0.067] N=614
Above-normal weight WAZ above +1	-0.041 [0.056] N=1,481	-0.014 [0.062] N=1,330	-0.023 [0.066] N=1,131	0.012 [0.071] N=924	-0.047 [0.084] N=699
Above-normal WHZ above +1	0.102 [0.072] N=1,283	0.110 [0.078] N=1,147	0.067 [0.088] N=977	0.067 [0.094] N=798	0.128 [0.119] N=607
Above-normal BMIZ above +1	0.075 [0.078] N=1,268	0.076 [0.081] N=1,133	0.036 [0.092] N=967	0.045 [0.108] N=791	0.104 [0.132] N=605

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.771 P=1,074	-0.043 [0.052] N=1,388	-0.039 [0.054] N=1,260	-0.024 [0.055] N=1,104	-0.025 [0.058] N=936	-0.035 [0.065] N=760
Not underweight WAZ at least -2	0.922 P=1,458	0.002 [0.028] N=1,580	0.006 [0.030] N=1,440	0.006 [0.030] N=1,261	-0.001 [0.031] N=1,070	-0.003 [0.035] N=864
Neither wasted nor overweight WHZ -2 to +2	0.688 P=947	**-0.088* [0.052] N=1,378**	-0.086 [0.053] N=1,253	-0.090 [0.055] N=1,097	-0.046 [0.058] N=930	-0.043 [0.064] N=755
Neither low nor high BMIZ -2 to +2	0.656 P=891	**-0.164*** [0.055] N=1,357**	**-0.163*** [0.058] N=1,233**	**-0.135** [0.062] N=1,082**	-0.102 [0.067] N=918	-0.118 [0.075] N=747
Strict normal HAZ -2 to +3	0.704 P=981	-0.044 [0.050] N=1,388	-0.043 [0.052] N=1,260	-0.033 [0.053] N=1,104	-0.024 [0.055] N=936	-0.037 [0.063] N=760
Strict normal WAZ -2 to +1	0.685 P=1,079	-0.030 [0.047] N=1,580	-0.045 [0.049] N=1,440	-0.036 [0.053] N=1,261	-0.064 [0.057] N=1,070	-0.046 [0.062] N=864
Strict normal WHZ -2 to +1	0.519 P=708	**-0.143*** [0.050] N=1,378**	**-0.157*** [0.052] N=1,253**	**-0.153*** [0.055] N=1,097**	**-0.104* [0.059] N=930**	**-0.127* [0.069] N=755**
Strict normal BMIZ -2 to +1	0.513 P=693	**-0.141** [0.056] N=1,357**	**-0.148** [0.058] N=1,233**	**-0.114* [0.062] N=1,082**	-0.087 [0.066] N=918	-0.105 [0.075] N=747
Above-normal height HAZ above +3	0.067 P=93	0.001 [0.029] N=1,388	0.004 [0.031] N=1,260	0.010 [0.034] N=1,104	-0.001 [0.037] N=936	0.001 [0.045] N=760
Above-normal weight WAZ above +1	0.237 P=379	0.032 [0.040] N=1,580	0.051 [0.042] N=1,440	0.042 [0.044] N=1,261	0.063 [0.046] N=1,070	0.043 [0.050] N=864
Above-normal WHZ above +1	0.367 P=513	**0.122** [0.051] N=1,378**	**0.133** [0.054] N=1,253**	**0.106* [0.058] N=1,097**	**0.103* [0.061] N=930**	**0.122* [0.071] N=755**
Above-normal BMIZ above +1	0.360 P=493	0.087 [0.056] N=1,357	0.093 [0.058] N=1,233	0.052 [0.062] N=1,082	0.052 [0.069] N=918	0.058 [0.079] N=747

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.023 [0.084] N=1,195	-0.009 [0.088] N=1,067	0.018 [0.093] N=911	0.019 [0.109] N=743	0.016 [0.143] N=567
Not underweight WAZ at least -2	-0.007 [0.044] N=1,365	-0.002 [0.048] N=1,225	-0.009 [0.053] N=1,046	-0.027 [0.060] N=855	-0.023 [0.073] N=649
Neither wasted nor overweight WHZ -2 to +2	**-0.175*** [0.066] N=1,185**	**-0.167** [0.071] N=1,060**	**-0.193** [0.076] N=904**	-0.119 [0.088] N=737	-0.112 [0.109] N=562
Neither low nor high BMIZ -2 to +2	**-0.256*** [0.065] N=1,170**	**-0.253*** [0.071] N=1,046**	**-0.219*** [0.072] N=895**	**-0.167* [0.090] N=731**	**-0.200* [0.109] N=560**
Strict normal HAZ -2 to +3	-0.024 [0.078] N=1,195	-0.013 [0.083] N=1,067	0.007 [0.084] N=911	0.037 [0.097] N=743	0.054 [0.129] N=567
Strict normal WAZ -2 to +1	0.024 [0.073] N=1,365	0.005 [0.078] N=1,225	0.032 [0.085] N=1,046	-0.034 [0.096] N=855	0.041 [0.117] N=649
Strict normal WHZ -2 to +1	**-0.192*** [0.072] N=1,185**	**-0.216*** [0.077] N=1,060**	**-0.212** [0.083] N=904**	-0.111 [0.097] N=737	-0.140 [0.137] N=562
Strict normal BMIZ -2 to +1	**-0.209*** [0.079] N=1,170**	**-0.223*** [0.084] N=1,046**	**-0.179* [0.091] N=895**	-0.127 [0.105] N=731	-0.147 [0.140] N=560
Above-normal height HAZ above +3	0.001 [0.034] N=1,195	0.003 [0.036] N=1,067	0.011 [0.044] N=911	-0.018 [0.048] N=743	-0.038 [0.070] N=567
Above-normal weight WAZ above +1	-0.030 [0.058] N=1,365	-0.007 [0.064] N=1,225	-0.042 [0.070] N=1,046	0.007 [0.075] N=855	-0.064 [0.094] N=649
Above-normal WHZ above +1	0.124 [0.080] N=1,185	**0.144* [0.087] N=1,060**	0.085 [0.097] N=904	0.076 [0.100] N=737	0.096 [0.129] N=562
Above-normal BMIZ above +1	0.100 [0.086] N=1,170	0.110 [0.091] N=1,046	0.041 [0.103] N=895	0.054 [0.114] N=731	0.064 [0.140] N=560

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.771 P=1,074	-0.041 [0.051] N=1,388	-0.037 [0.053] N=1,260	-0.021 [0.054] N=1,104	-0.024 [0.058] N=936	-0.035 [0.066] N=760
Not underweight WAZ at least -2	0.922 P=1,458	0.004 [0.027] N=1,580	0.008 [0.029] N=1,440	0.007 [0.030] N=1,261	0.000 [0.031] N=1,070	-0.000 [0.034] N=864
Neither wasted nor overweight WHZ -2 to +2	0.688 P=947	-0.083 [0.052] N=1,378	-0.079 [0.053] N=1,253	-0.082 [0.055] N=1,097	-0.036 [0.058] N=930	-0.033 [0.064] N=755
Neither low nor high BMIZ -2 to +2	0.656 P=891	**-0.160*** [0.055] N=1,357**	**-0.157*** [0.057] N=1,233**	**-0.128** [0.061] N=1,082**	-0.094 [0.066] N=918	-0.108 [0.072] N=747
Strict normal HAZ -2 to +3	0.704 P=981	-0.040 [0.050] N=1,388	-0.038 [0.052] N=1,260	-0.029 [0.052] N=1,104	-0.018 [0.055] N=936	-0.032 [0.063] N=760
Strict normal WAZ -2 to +1	0.685 P=1,079	-0.027 [0.047] N=1,580	-0.041 [0.049] N=1,440	-0.034 [0.053] N=1,261	-0.062 [0.056] N=1,070	-0.045 [0.061] N=864
Strict normal WHZ -2 to +1	0.519 P=708	**-0.140*** [0.050] N=1,378**	**-0.152*** [0.052] N=1,253**	**-0.147*** [0.054] N=1,097**	-0.095 [0.059] N=930	-0.115 [0.069] N=755
Strict normal BMIZ -2 to +1	0.513 P=693	**-0.137** [0.055] N=1,357**	**-0.144** [0.057] N=1,233**	**-0.109* [0.061] N=1,082**	-0.081 [0.064] N=918	-0.099 [0.074] N=747
Above-normal height HAZ above +3	0.067 P=93	-0.002 [0.030] N=1,388	0.002 [0.031] N=1,260	0.007 [0.034] N=1,104	-0.005 [0.037] N=936	-0.003 [0.045] N=760
Above-normal weight WAZ above +1	0.237 P=379	0.031 [0.039] N=1,580	0.049 [0.042] N=1,440	0.041 [0.043] N=1,261	0.063 [0.046] N=1,070	0.044 [0.050] N=864
Above-normal WHZ above +1	0.367 P=513	**0.123** [0.051] N=1,378**	**0.133** [0.055] N=1,253**	**0.105* [0.058] N=1,097**	0.101 [0.061] N=930	0.119 [0.072] N=755
Above-normal BMIZ above +1	0.360 P=493	0.087 [0.056] N=1,357	0.093 [0.058] N=1,233	0.052 [0.062] N=1,082	0.052 [0.069] N=918	0.059 [0.080] N=747

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.025 [0.083] N=1,195	-0.010 [0.087] N=1,067	0.015 [0.092] N=911	0.007 [0.109] N=743	-0.012 [0.140] N=567
Not underweight WAZ at least -2	-0.007 [0.044] N=1,365	-0.002 [0.048] N=1,225	-0.010 [0.052] N=1,046	-0.031 [0.059] N=855	-0.037 [0.070] N=649
Neither wasted nor overweight WHZ -2 to +2	**-0.174*** [0.066] N=1,185**	**-0.166** [0.071] N=1,060**	**-0.190** [0.075] N=904**	-0.116 [0.088] N=737	-0.119 [0.108] N=562
Neither low nor high BMIZ -2 to +2	**-0.255*** [0.064] N=1,170**	**-0.252*** [0.071] N=1,046**	**-0.216*** [0.071] N=895**	**-0.166* [0.090] N=731**	**-0.196* [0.107] N=560**
Strict normal HAZ -2 to +3	-0.024 [0.077] N=1,195	-0.012 [0.082] N=1,067	0.007 [0.083] N=911	0.030 [0.096] N=743	0.032 [0.125] N=567
Strict normal WAZ -2 to +1	0.025 [0.073] N=1,365	0.007 [0.078] N=1,225	0.032 [0.085] N=1,046	-0.038 [0.096] N=855	0.024 [0.117] N=649
Strict normal WHZ -2 to +1	**-0.194*** [0.072] N=1,185**	**-0.218*** [0.077] N=1,060**	**-0.211** [0.082] N=904**	-0.111 [0.096] N=737	-0.143 [0.135] N=562
Strict normal BMIZ -2 to +1	**-0.210*** [0.080] N=1,170**	**-0.225*** [0.084] N=1,046**	**-0.181** [0.091] N=895**	-0.132 [0.105] N=731	-0.165 [0.137] N=560
Above-normal height HAZ above +3	-0.001 [0.034] N=1,195	0.001 [0.036] N=1,067	0.008 [0.044] N=911	-0.023 [0.049] N=743	-0.045 [0.069] N=567
Above-normal weight WAZ above +1	-0.032 [0.058] N=1,365	-0.009 [0.065] N=1,225	-0.043 [0.069] N=1,046	0.007 [0.075] N=855	-0.061 [0.093] N=649
Above-normal WHZ above +1	0.125 [0.080] N=1,185	**0.144* [0.086] N=1,060**	0.083 [0.096] N=904	0.075 [0.099] N=737	0.095 [0.127] N=562
Above-normal BMIZ above +1	0.101 [0.086] N=1,170	0.112 [0.091] N=1,046	0.043 [0.102] N=895	0.061 [0.115] N=731	0.083 [0.138] N=560

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.