Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-3: Youngest Child

Age reference: 16 December 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,372	0.022 [0.032] N=1,639	0.024 [0.033] N=1,509	0.039 [0.036] N=1,361	0.018 [0.037] N=1,168	0.011 [0.043] N=957
Vegetables consumed daily or several times weekly	0.766 P=1,258	0.036 [0.045] N=1,639	0.037 [0.047] N=1,509	0.033 [0.049] N=1,361	0.007 [0.053] N=1,168	-0.037 [0.059] N=957
Meat fish or poultry consumed daily or several times weekly	0.564 P=925	0.034 [0.054] N=1,639	0.036 [0.057] N=1,509	0.024 [0.061] N=1,361	0.026 [0.068] N=1,168	0.016 [0.077] N=957
Legumes consumed daily or several times weekly	0.552 P=902	0.027 [0.047] N=1,639	0.032 [0.049] N=1,509	0.044 [0.052] N=1,361	0.078 [0.056] N=1,168	0.062 [0.063] N=957
Animal products consumed daily or several times weekly	0.850 P=1,391	**0.064* [0.036] N=1,639**	0.060 [0.037] N=1,509	0.040 [0.039] N=1,361	0.053 [0.041] N=1,168	0.042 [0.044] N=957
Sweets consumed daily or several times weekly	0.457 P=755	-0.039 [0.046] N=1,639	-0.055 [0.047] N=1,509	-0.036 [0.050] N=1,361	-0.029 [0.051] N=1,168	0.000 [0.060] N=957
Snack foods consumed daily or several times weekly	0.338 P=552	0.042 [0.043] N=1,639	0.017 [0.044] N=1,509	0.025 [0.048] N=1,361	0.067 [0.049] N=1,168	0.068 [0.053] N=957
Packaged soft drinks consumed daily or several times weekly	0.191 P=307	0.003 [0.043] N=1,639	0.002 [0.046] N=1,509	0.004 [0.050] N=1,361	-0.000 [0.055] N=1,168	-0.022 [0.063] N=957
Grains consumed daily or several times weekly	0.790 P=1,295	0.041 [0.042] N=1,639	0.056 [0.042] N=1,509	0.039 [0.045] N=1,361	0.055 [0.049] N=1,168	0.034 [0.054] N=957

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.054 [0.047] N=1,391	0.069 [0.049] N=1,261	**0.104* [0.057] N=1,113**	0.075 [0.066] N=920	0.096 [0.086] N=709
Vegetables consumed daily or several times weekly	0.071 [0.061] N=1,391	0.080 [0.067] N=1,261	0.083 [0.072] N=1,113	0.025 [0.086] N=920	-0.078 [0.102] N=709
Meat fish or poultry consumed daily or several times weekly	0.012 [0.068] N=1,391	0.011 [0.072] N=1,261	-0.015 [0.081] N=1,113	-0.053 [0.095] N=920	-0.120 [0.120] N=709
Legumes consumed daily or several times weekly	0.009 [0.070] N=1,391	0.018 [0.076] N=1,261	0.038 [0.083] N=1,113	0.116 [0.098] N=920	0.102 [0.138] N=709
Animal products consumed daily or several times weekly	0.081 [0.058] N=1,391	0.078 [0.063] N=1,261	0.039 [0.071] N=1,113	0.067 [0.083] N=920	0.048 [0.100] N=709
Sweets consumed daily or several times weekly	-0.061 [0.066] N=1,391	-0.090 [0.069] N=1,261	-0.059 [0.079] N=1,113	-0.047 [0.085] N=920	0.032 [0.119] N=709
Snack foods consumed daily or several times weekly	0.019 [0.063] N=1,391	-0.031 [0.067] N=1,261	-0.023 [0.077] N=1,113	0.057 [0.090] N=920	0.045 [0.113] N=709
Packaged soft drinks consumed daily or several times weekly	0.013 [0.051] N=1,391	0.014 [0.055] N=1,261	0.022 [0.062] N=1,113	0.019 [0.075] N=920	-0.041 [0.092] N=709
Grains consumed daily or several times weekly	0.070 [0.067] N=1,391	0.108 [0.073] N=1,261	0.082 [0.082] N=1,113	0.127 [0.102] N=920	0.111 [0.146] N=709

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,372	0.022 [0.032] N=1,639	0.023 [0.033] N=1,509	0.038 [0.036] N=1,361	0.018 [0.038] N=1,168	0.009 [0.043] N=957
Vegetables consumed daily or several times weekly	0.766 P=1,258	0.036 [0.045] N=1,639	0.036 [0.047] N=1,509	0.033 [0.049] N=1,361	0.006 [0.052] N=1,168	-0.038 [0.059] N=957
Meat fish or poultry consumed daily or several times weekly	0.564 P=925	0.034 [0.054] N=1,639	0.035 [0.057] N=1,509	0.023 [0.061] N=1,361	0.025 [0.068] N=1,168	0.014 [0.077] N=957
Legumes consumed daily or several times weekly	0.552 P=902	0.027 [0.048] N=1,639	0.031 [0.050] N=1,509	0.043 [0.052] N=1,361	0.077 [0.056] N=1,168	0.060 [0.064] N=957
Animal products consumed daily or several times weekly	0.850 P=1,391	**0.064* [0.036] N=1,639**	0.058 [0.037] N=1,509	0.040 [0.039] N=1,361	0.051 [0.041] N=1,168	0.039 [0.044] N=957
Sweets consumed daily or several times weekly	0.457 P=755	-0.039 [0.046] N=1,639	-0.056 [0.047] N=1,509	-0.037 [0.050] N=1,361	-0.029 [0.052] N=1,168	-0.000 [0.060] N=957
Snack foods consumed daily or several times weekly	0.338 P=552	0.042 [0.043] N=1,639	0.017 [0.044] N=1,509	0.025 [0.048] N=1,361	0.066 [0.050] N=1,168	0.067 [0.053] N=957
Packaged soft drinks consumed daily or several times weekly	0.191 P=307	0.003 [0.043] N=1,639	0.002 [0.046] N=1,509	0.004 [0.050] N=1,361	-0.000 [0.055] N=1,168	-0.022 [0.063] N=957
Grains consumed daily or several times weekly	0.790 P=1,295	0.041 [0.042] N=1,639	0.055 [0.042] N=1,509	0.039 [0.045] N=1,361	0.055 [0.049] N=1,168	0.034 [0.054] N=957

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.055 [0.047] N=1,391	0.070 [0.049] N=1,261	**0.106* [0.057] N=1,113**	0.076 [0.066] N=920	0.099 [0.085] N=709
Vegetables consumed daily or several times weekly	0.070 [0.062] N=1,391	0.080 [0.067] N=1,261	0.083 [0.073] N=1,113	0.025 [0.086] N=920	-0.077 [0.102] N=709
Meat fish or poultry consumed daily or several times weekly	0.013 [0.068] N=1,391	0.012 [0.072] N=1,261	-0.013 [0.081] N=1,113	-0.052 [0.095] N=920	-0.119 [0.120] N=709
Legumes consumed daily or several times weekly	0.010 [0.070] N=1,391	0.019 [0.076] N=1,261	0.041 [0.083] N=1,113	0.117 [0.098] N=920	0.105 [0.137] N=709
Animal products consumed daily or several times weekly	0.083 [0.057] N=1,391	0.080 [0.063] N=1,261	0.043 [0.070] N=1,113	0.068 [0.082] N=920	0.052 [0.098] N=709
Sweets consumed daily or several times weekly	-0.061 [0.066] N=1,391	-0.089 [0.069] N=1,261	-0.058 [0.079] N=1,113	-0.046 [0.085] N=920	0.031 [0.118] N=709
Snack foods consumed daily or several times weekly	0.019 [0.063] N=1,391	-0.030 [0.068] N=1,261	-0.021 [0.078] N=1,113	0.058 [0.090] N=920	0.047 [0.113] N=709
Packaged soft drinks consumed daily or several times weekly	0.013 [0.051] N=1,391	0.014 [0.055] N=1,261	0.021 [0.062] N=1,113	0.019 [0.075] N=920	-0.042 [0.092] N=709
Grains consumed daily or several times weekly	0.070 [0.067] N=1,391	0.108 [0.072] N=1,261	0.084 [0.082] N=1,113	0.127 [0.102] N=920	0.110 [0.146] N=709

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,372	-0.002 [0.033] N=1,639	-0.001 [0.033] N=1,509	0.016 [0.035] N=1,361	-0.001 [0.037] N=1,168	-0.012 [0.041] N=957
Vegetables consumed daily or several times weekly	0.766 P=1,258	0.019 [0.045] N=1,639	0.017 [0.047] N=1,509	0.016 [0.049] N=1,361	-0.008 [0.053] N=1,168	-0.055 [0.059] N=957
Meat fish or poultry consumed daily or several times weekly	0.564 P=925	-0.002 [0.053] N=1,639	-0.004 [0.055] N=1,509	-0.010 [0.059] N=1,361	-0.001 [0.065] N=1,168	-0.014 [0.074] N=957
Legumes consumed daily or several times weekly	0.552 P=902	0.010 [0.048] N=1,639	0.013 [0.050] N=1,509	0.028 [0.052] N=1,361	0.066 [0.056] N=1,168	0.048 [0.064] N=957
Animal products consumed daily or several times weekly	0.850 P=1,391	0.050 [0.036] N=1,639	0.043 [0.037] N=1,509	0.026 [0.039] N=1,361	0.041 [0.041] N=1,168	0.028 [0.044] N=957
Sweets consumed daily or several times weekly	0.457 P=755	-0.045 [0.047] N=1,639	-0.063 [0.047] N=1,509	-0.044 [0.050] N=1,361	-0.031 [0.052] N=1,168	-0.003 [0.060] N=957
Snack foods consumed daily or several times weekly	0.338 P=552	0.044 [0.042] N=1,639	0.018 [0.044] N=1,509	0.023 [0.048] N=1,361	0.068 [0.049] N=1,168	0.071 [0.054] N=957
Packaged soft drinks consumed daily or several times weekly	0.191 P=307	0.011 [0.042] N=1,639	0.012 [0.044] N=1,509	0.011 [0.049] N=1,361	0.007 [0.053] N=1,168	-0.012 [0.060] N=957
Grains consumed daily or several times weekly	0.790 P=1,295	0.035 [0.042] N=1,639	0.051 [0.043] N=1,509	0.036 [0.045] N=1,361	0.053 [0.049] N=1,168	0.034 [0.055] N=957

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.033 [0.049] N=1,391	0.045 [0.051] N=1,261	0.086 [0.058] N=1,113	0.075 [0.071] N=920	0.095 [0.095] N=709
Vegetables consumed daily or several times weekly	0.055 [0.062] N=1,391	0.061 [0.066] N=1,261	0.069 [0.071] N=1,113	0.026 [0.087] N=920	-0.076 [0.104] N=709
Meat fish or poultry consumed daily or several times weekly	-0.020 [0.065] N=1,391	-0.030 [0.070] N=1,261	-0.044 [0.080] N=1,113	-0.061 [0.095] N=920	-0.135 [0.126] N=709
Legumes consumed daily or several times weekly	-0.007 [0.070] N=1,391	0.000 [0.076] N=1,261	0.027 [0.083] N=1,113	0.114 [0.099] N=920	0.098 [0.138] N=709
Animal products consumed daily or several times weekly	0.070 [0.056] N=1,391	0.064 [0.061] N=1,261	0.031 [0.069] N=1,113	0.075 [0.081] N=920	0.070 [0.097] N=709
Sweets consumed daily or several times weekly	-0.066 [0.066] N=1,391	-0.097 [0.069] N=1,261	-0.064 [0.078] N=1,113	-0.046 [0.084] N=920	0.028 [0.117] N=709
Snack foods consumed daily or several times weekly	0.021 [0.062] N=1,391	-0.028 [0.067] N=1,261	-0.023 [0.077] N=1,113	0.058 [0.089] N=920	0.040 [0.112] N=709
Packaged soft drinks consumed daily or several times weekly	0.021 [0.050] N=1,391	0.024 [0.054] N=1,261	0.027 [0.061] N=1,113	0.023 [0.074] N=920	-0.041 [0.091] N=709
Grains consumed daily or several times weekly	0.064 [0.068] N=1,391	0.105 [0.073] N=1,261	0.081 [0.082] N=1,113	0.123 [0.102] N=920	0.107 [0.147] N=709

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,372	-0.003 [0.032] N=1,639	-0.003 [0.033] N=1,509	0.010 [0.035] N=1,361	-0.007 [0.036] N=1,168	-0.019 [0.041] N=957
Vegetables consumed daily or several times weekly	0.766 P=1,258	0.020 [0.045] N=1,639	0.022 [0.047] N=1,509	0.018 [0.049] N=1,361	-0.008 [0.053] N=1,168	-0.054 [0.059] N=957
Meat fish or poultry consumed daily or several times weekly	0.564 P=925	-0.004 [0.053] N=1,639	-0.005 [0.055] N=1,509	-0.015 [0.059] N=1,361	-0.009 [0.065] N=1,168	-0.023 [0.075] N=957
Legumes consumed daily or several times weekly	0.552 P=902	0.013 [0.048] N=1,639	0.018 [0.050] N=1,509	0.032 [0.052] N=1,361	0.067 [0.056] N=1,168	0.050 [0.064] N=957
Animal products consumed daily or several times weekly	0.850 P=1,391	0.049 [0.036] N=1,639	0.045 [0.038] N=1,509	0.026 [0.039] N=1,361	0.038 [0.042] N=1,168	0.024 [0.045] N=957
Sweets consumed daily or several times weekly	0.457 P=755	-0.044 [0.047] N=1,639	-0.060 [0.048] N=1,509	-0.042 [0.050] N=1,361	-0.029 [0.052] N=1,168	-0.000 [0.060] N=957
Snack foods consumed daily or several times weekly	0.338 P=552	0.047 [0.043] N=1,639	0.023 [0.044] N=1,509	0.027 [0.049] N=1,361	0.071 [0.050] N=1,168	0.074 [0.053] N=957
Packaged soft drinks consumed daily or several times weekly	0.191 P=307	0.012 [0.041] N=1,639	0.013 [0.044] N=1,509	0.012 [0.048] N=1,361	0.010 [0.052] N=1,168	-0.008 [0.057] N=957
Grains consumed daily or several times weekly	0.790 P=1,295	0.042 [0.042] N=1,639	0.059 [0.042] N=1,509	0.046 [0.045] N=1,361	0.061 [0.049] N=1,168	0.044 [0.055] N=957

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.035 [0.047] N=1,391	0.048 [0.050] N=1,261	0.085 [0.056] N=1,113	0.071 [0.068] N=920	0.080 [0.095] N=709
Vegetables consumed daily or several times weekly	0.055 [0.061] N=1,391	0.064 [0.066] N=1,261	0.068 [0.073] N=1,113	0.014 [0.088] N=920	-0.106 [0.106] N=709
Meat fish or poultry consumed daily or several times weekly	-0.020 [0.066] N=1,391	-0.024 [0.070] N=1,261	-0.045 [0.079] N=1,113	-0.074 [0.095] N=920	-0.164 [0.125] N=709
Legumes consumed daily or several times weekly	-0.004 [0.071] N=1,391	0.005 [0.077] N=1,261	0.030 [0.084] N=1,113	0.113 [0.101] N=920	0.086 [0.141] N=709
Animal products consumed daily or several times weekly	0.072 [0.056] N=1,391	0.069 [0.063] N=1,261	0.032 [0.070] N=1,113	0.063 [0.083] N=920	0.046 [0.101] N=709
Sweets consumed daily or several times weekly	-0.059 [0.066] N=1,391	-0.091 [0.069] N=1,261	-0.060 [0.078] N=1,113	-0.042 [0.084] N=920	0.024 [0.119] N=709
Snack foods consumed daily or several times weekly	0.027 [0.062] N=1,391	-0.025 [0.067] N=1,261	-0.019 [0.077] N=1,113	0.063 [0.089] N=920	0.049 [0.112] N=709
Packaged soft drinks consumed daily or several times weekly	0.026 [0.050] N=1,391	0.026 [0.054] N=1,261	0.030 [0.061] N=1,113	0.025 [0.074] N=920	-0.029 [0.091] N=709
Grains consumed daily or several times weekly	0.067 [0.067] N=1,391	0.107 [0.072] N=1,261	0.083 [0.082] N=1,113	0.120 [0.102] N=920	0.095 [0.146] N=709

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.837 P=1,267	0.008 [0.034] N=1,517	0.004 [0.035] N=1,402	0.022 [0.038] N=1,263	0.005 [0.039] N=1,088	-0.014 [0.044] N=893
Vegetables consumed daily or several times weekly	0.766 P=1,164	0.023 [0.048] N=1,517	0.021 [0.049] N=1,402	0.022 [0.052] N=1,263	-0.003 [0.055] N=1,088	-0.052 [0.061] N=893
Meat fish or poultry consumed daily or several times weekly	0.567 P=859	0.037 [0.053] N=1,517	0.036 [0.055] N=1,402	0.025 [0.059] N=1,263	0.012 [0.063] N=1,088	-0.014 [0.071] N=893
Legumes consumed daily or several times weekly	0.550 P=831	0.031 [0.048] N=1,517	0.026 [0.050] N=1,402	0.043 [0.052] N=1,263	0.077 [0.056] N=1,088	0.047 [0.063] N=893
Animal products consumed daily or several times weekly	0.855 P=1,295	**0.067* [0.037] N=1,517**	0.059 [0.038] N=1,402	0.038 [0.039] N=1,263	0.035 [0.041] N=1,088	0.012 [0.044] N=893
Sweets consumed daily or several times weekly	0.458 P=700	-0.035 [0.048] N=1,517	-0.053 [0.049] N=1,402	-0.028 [0.052] N=1,263	-0.020 [0.054] N=1,088	0.008 [0.063] N=893
Snack foods consumed daily or several times weekly	0.340 P=514	0.041 [0.046] N=1,517	0.024 [0.047] N=1,402	0.039 [0.051] N=1,263	0.076 [0.053] N=1,088	0.086 [0.058] N=893
Packaged soft drinks consumed daily or several times weekly	0.196 P=291	0.027 [0.042] N=1,517	0.026 [0.045] N=1,402	0.029 [0.050] N=1,263	0.017 [0.054] N=1,088	0.002 [0.060] N=893
Grains consumed daily or several times weekly	0.790 P=1,198	0.037 [0.044] N=1,517	0.048 [0.045] N=1,402	0.029 [0.048] N=1,263	0.043 [0.052] N=1,088	0.013 [0.058] N=893

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.053 [0.049] N=1,284	0.059 [0.051] N=1,169	**0.097* [0.059] N=1,030**	0.078 [0.067] N=855	0.075 [0.088] N=660
Vegetables consumed daily or several times weekly	0.066 [0.065] N=1,284	0.075 [0.071] N=1,169	0.083 [0.076] N=1,030	0.037 [0.090] N=855	-0.076 [0.106] N=660
Meat fish or poultry consumed daily or several times weekly	0.041 [0.071] N=1,284	0.040 [0.075] N=1,169	0.023 [0.085] N=1,030	-0.039 [0.098] N=855	-0.137 [0.124] N=660
Legumes consumed daily or several times weekly	0.026 [0.073] N=1,284	0.022 [0.079] N=1,169	0.058 [0.087] N=1,030	0.141 [0.101] N=855	0.106 [0.139] N=660
Animal products consumed daily or several times weekly	**0.106* [0.060] N=1,284**	0.101 [0.065] N=1,169	0.064 [0.071] N=1,030	0.071 [0.082] N=855	0.044 [0.102] N=660
Sweets consumed daily or several times weekly	-0.062 [0.069] N=1,284	-0.093 [0.074] N=1,169	-0.061 [0.084] N=1,030	-0.055 [0.090] N=855	-0.001 [0.127] N=660
Snack foods consumed daily or several times weekly	0.012 [0.068] N=1,284	-0.022 [0.073] N=1,169	-0.003 [0.083] N=1,030	0.066 [0.094] N=855	0.062 [0.121] N=660
Packaged soft drinks consumed daily or several times weekly	0.040 [0.052] N=1,284	0.045 [0.054] N=1,169	0.053 [0.063] N=1,030	0.038 [0.074] N=855	-0.007 [0.094] N=660
Grains consumed daily or several times weekly	0.076 [0.070] N=1,284	0.109 [0.075] N=1,169	0.073 [0.084] N=1,030	0.117 [0.105] N=855	0.075 [0.149] N=660

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.837 P=1,267	0.005 [0.034] N=1,517	0.002 [0.035] N=1,402	0.021 [0.038] N=1,263	0.003 [0.039] N=1,088	-0.016 [0.042] N=893
Vegetables consumed daily or several times weekly	0.766 P=1,164	0.020 [0.047] N=1,517	0.019 [0.049] N=1,402	0.020 [0.052] N=1,263	-0.004 [0.055] N=1,088	-0.054 [0.061] N=893
Meat fish or poultry consumed daily or several times weekly	0.567 P=859	0.039 [0.053] N=1,517	0.038 [0.055] N=1,402	0.029 [0.059] N=1,263	0.016 [0.064] N=1,088	-0.008 [0.072] N=893
Legumes consumed daily or several times weekly	0.550 P=831	0.027 [0.049] N=1,517	0.022 [0.051] N=1,402	0.041 [0.052] N=1,263	0.073 [0.056] N=1,088	0.047 [0.062] N=893
Animal products consumed daily or several times weekly	0.855 P=1,295	**0.066* [0.037] N=1,517**	0.058 [0.038] N=1,402	0.037 [0.039] N=1,263	0.037 [0.041] N=1,088	0.017 [0.044] N=893
Sweets consumed daily or several times weekly	0.458 P=700	-0.036 [0.048] N=1,517	-0.054 [0.049] N=1,402	-0.029 [0.052] N=1,263	-0.023 [0.053] N=1,088	0.003 [0.061] N=893
Snack foods consumed daily or several times weekly	0.340 P=514	0.038 [0.045] N=1,517	0.020 [0.047] N=1,402	0.035 [0.051] N=1,263	0.070 [0.052] N=1,088	0.075 [0.056] N=893
Packaged soft drinks consumed daily or several times weekly	0.196 P=291	0.022 [0.044] N=1,517	0.021 [0.046] N=1,402	0.025 [0.051] N=1,263	0.012 [0.055] N=1,088	-0.007 [0.062] N=893
Grains consumed daily or several times weekly	0.790 P=1,198	0.036 [0.044] N=1,517	0.047 [0.045] N=1,402	0.027 [0.048] N=1,263	0.040 [0.052] N=1,088	0.010 [0.058] N=893

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.049 [0.049] N=1,284	0.057 [0.052] N=1,169	**0.099* [0.059] N=1,030**	0.080 [0.068] N=855	0.079 [0.086] N=660
Vegetables consumed daily or several times weekly	0.062 [0.065] N=1,284	0.071 [0.070] N=1,169	0.083 [0.075] N=1,030	0.038 [0.089] N=855	-0.070 [0.104] N=660
Meat fish or poultry consumed daily or several times weekly	0.037 [0.070] N=1,284	0.036 [0.074] N=1,169	0.022 [0.083] N=1,030	-0.038 [0.096] N=855	-0.130 [0.121] N=660
Legumes consumed daily or several times weekly	0.023 [0.073] N=1,284	0.019 [0.079] N=1,169	0.058 [0.087] N=1,030	0.140 [0.100] N=855	0.108 [0.138] N=660
Animal products consumed daily or several times weekly	**0.102* [0.060] N=1,284**	0.097 [0.065] N=1,169	0.061 [0.071] N=1,030	0.068 [0.083] N=855	0.048 [0.101] N=660
Sweets consumed daily or several times weekly	-0.068 [0.069] N=1,284	-0.102 [0.074] N=1,169	-0.064 [0.084] N=1,030	-0.054 [0.090] N=855	0.005 [0.126] N=660
Snack foods consumed daily or several times weekly	0.007 [0.068] N=1,284	-0.029 [0.073] N=1,169	-0.006 [0.083] N=1,030	0.067 [0.095] N=855	0.064 [0.121] N=660
Packaged soft drinks consumed daily or several times weekly	0.035 [0.052] N=1,284	0.039 [0.055] N=1,169	0.051 [0.063] N=1,030	0.037 [0.074] N=855	-0.009 [0.093] N=660
Grains consumed daily or several times weekly	0.073 [0.069] N=1,284	0.107 [0.075] N=1,169	0.075 [0.084] N=1,030	0.117 [0.105] N=855	0.076 [0.150] N=660

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=1,236	0.045 [0.044] N=1,461	0.052 [0.046] N=1,329	0.058 [0.050] N=1,160	0.044 [0.055] N=976	0.064 [0.062] N=787
Vegetables consumed daily or several times weekly	0.773 P=1,133	0.017 [0.054] N=1,461	0.037 [0.057] N=1,329	0.059 [0.063] N=1,160	0.046 [0.069] N=976	0.063 [0.078] N=787
Meat fish or poultry consumed daily or several times weekly	0.561 P=826	0.090 [0.055] N=1,461	0.094 [0.058] N=1,329	0.091 [0.063] N=1,160	**0.120* [0.071] N=976**	0.117 [0.079] N=787
Legumes consumed daily or several times weekly	0.555 P=813	0.026 [0.062] N=1,461	0.037 [0.064] N=1,329	0.026 [0.068] N=1,160	-0.018 [0.074] N=976	-0.003 [0.084] N=787
Animal products consumed daily or several times weekly	0.850 P=1,242	**0.064* [0.038] N=1,461**	**0.072* [0.039] N=1,329**	**0.078* [0.042] N=1,160**	0.072 [0.045] N=976	**0.099** [0.048] N=787**
Sweets consumed daily or several times weekly	0.471 P=696	-0.081 [0.056] N=1,461	-0.092 [0.057] N=1,329	-0.062 [0.063] N=1,160	-0.081 [0.067] N=976	**-0.123* [0.073] N=787**
Snack foods consumed daily or several times weekly	0.351 P=511	-0.028 [0.045] N=1,461	-0.044 [0.047] N=1,329	-0.046 [0.050] N=1,160	-0.038 [0.053] N=976	**-0.108* [0.056] N=787**
Packaged soft drinks consumed daily or several times weekly	0.189 P=272	0.014 [0.040] N=1,461	0.004 [0.041] N=1,329	0.032 [0.043] N=1,160	0.025 [0.048] N=976	-0.051 [0.054] N=787
Grains consumed daily or several times weekly	0.791 P=1,161	**0.108** [0.048] N=1,461**	**0.115** [0.050] N=1,329**	**0.122** [0.055] N=1,160**	**0.115* [0.062] N=976**	0.089 [0.069] N=787

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.004 [0.067] N=1,264	0.010 [0.071] N=1,132	0.016 [0.084] N=963	0.001 [0.092] N=779	0.046 [0.123] N=590
Vegetables consumed daily or several times weekly	-0.038 [0.080] N=1,264	-0.015 [0.088] N=1,132	0.009 [0.103] N=963	-0.017 [0.116] N=779	-0.002 [0.156] N=590
Meat fish or poultry consumed daily or several times weekly	0.032 [0.067] N=1,264	0.030 [0.071] N=1,132	0.009 [0.079] N=963	0.024 [0.088] N=779	-0.018 [0.109] N=590
Legumes consumed daily or several times weekly	0.105 [0.080] N=1,264	0.122 [0.085] N=1,132	0.126 [0.094] N=963	0.076 [0.109] N=779	0.170 [0.130] N=590
Animal products consumed daily or several times weekly	0.024 [0.056] N=1,264	0.035 [0.061] N=1,132	0.045 [0.067] N=963	0.037 [0.076] N=779	0.087 [0.090] N=590
Sweets consumed daily or several times weekly	-0.027 [0.071] N=1,264	-0.042 [0.075] N=1,132	0.038 [0.082] N=963	0.027 [0.096] N=779	-0.026 [0.117] N=590
Snack foods consumed daily or several times weekly	0.020 [0.060] N=1,264	-0.004 [0.066] N=1,132	0.007 [0.071] N=963	0.052 [0.084] N=779	-0.094 [0.102] N=590
Packaged soft drinks consumed daily or several times weekly	-0.013 [0.060] N=1,264	-0.032 [0.064] N=1,132	0.016 [0.071] N=963	-0.002 [0.089] N=779	**-0.228** [0.107] N=590**
Grains consumed daily or several times weekly	0.052 [0.056] N=1,264	0.052 [0.060] N=1,132	0.052 [0.065] N=963	-0.003 [0.078] N=779	-0.154 [0.092] N=590

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=1,236	0.045 [0.044] N=1,461	0.052 [0.045] N=1,329	0.059 [0.050] N=1,160	0.044 [0.054] N=976	0.063 [0.062] N=787
Vegetables consumed daily or several times weekly	0.773 P=1,133	0.018 [0.054] N=1,461	0.038 [0.057] N=1,329	0.060 [0.062] N=1,160	0.045 [0.068] N=976	0.061 [0.077] N=787
Meat fish or poultry consumed daily or several times weekly	0.561 P=826	**0.091* [0.055] N=1,461**	0.096 [0.058] N=1,329	0.094 [0.063] N=1,160	**0.119* [0.070] N=976**	0.115 [0.079] N=787
Legumes consumed daily or several times weekly	0.555 P=813	0.026 [0.062] N=1,461	0.038 [0.064] N=1,329	0.027 [0.068] N=1,160	-0.018 [0.074] N=976	-0.003 [0.084] N=787
Animal products consumed daily or several times weekly	0.850 P=1,242	**0.066* [0.037] N=1,461**	**0.074* [0.039] N=1,329**	**0.080* [0.042] N=1,160**	0.071 [0.044] N=976	**0.096** [0.048] N=787**
Sweets consumed daily or several times weekly	0.471 P=696	-0.080 [0.056] N=1,461	-0.091 [0.057] N=1,329	-0.060 [0.063] N=1,160	-0.082 [0.067] N=976	**-0.124* [0.073] N=787**
Snack foods consumed daily or several times weekly	0.351 P=511	-0.027 [0.045] N=1,461	-0.043 [0.047] N=1,329	-0.045 [0.049] N=1,160	-0.039 [0.053] N=976	**-0.109* [0.056] N=787**
Packaged soft drinks consumed daily or several times weekly	0.189 P=272	0.015 [0.040] N=1,461	0.005 [0.041] N=1,329	0.034 [0.042] N=1,160	0.025 [0.048] N=976	-0.053 [0.052] N=787
Grains consumed daily or several times weekly	0.791 P=1,161	**0.109** [0.048] N=1,461**	**0.116** [0.050] N=1,329**	**0.122** [0.055] N=1,160**	**0.115* [0.062] N=976**	0.090 [0.069] N=787

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.006 [0.067] N=1,264	0.013 [0.070] N=1,132	0.020 [0.083] N=963	0.004 [0.092] N=779	0.054 [0.121] N=590
Vegetables consumed daily or several times weekly	-0.036 [0.079] N=1,264	-0.011 [0.087] N=1,132	0.014 [0.102] N=963	-0.011 [0.114] N=779	0.010 [0.154] N=590
Meat fish or poultry consumed daily or several times weekly	0.037 [0.066] N=1,264	0.037 [0.071] N=1,132	0.018 [0.078] N=963	0.032 [0.088] N=779	-0.010 [0.108] N=590
Legumes consumed daily or several times weekly	0.108 [0.080] N=1,264	0.126 [0.085] N=1,132	0.131 [0.094] N=963	0.082 [0.109] N=779	0.173 [0.129] N=590
Animal products consumed daily or several times weekly	0.029 [0.055] N=1,264	0.043 [0.059] N=1,132	0.053 [0.066] N=963	0.045 [0.074] N=779	0.100 [0.086] N=590
Sweets consumed daily or several times weekly	-0.023 [0.072] N=1,264	-0.035 [0.076] N=1,132	0.046 [0.082] N=963	0.031 [0.097] N=779	-0.019 [0.118] N=590
Snack foods consumed daily or several times weekly	0.025 [0.060] N=1,264	0.002 [0.066] N=1,132	0.013 [0.070] N=963	0.053 [0.084] N=779	-0.090 [0.102] N=590
Packaged soft drinks consumed daily or several times weekly	-0.011 [0.059] N=1,264	-0.029 [0.064] N=1,132	0.020 [0.071] N=963	0.001 [0.089] N=779	**-0.223** [0.106] N=590**
Grains consumed daily or several times weekly	0.054 [0.056] N=1,264	0.053 [0.060] N=1,132	0.051 [0.066] N=963	-0.009 [0.078] N=779	**-0.161* [0.094] N=590**

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=1,236	0.043 [0.041] N=1,461	0.052 [0.043] N=1,329	0.068 [0.047] N=1,160	0.053 [0.052] N=976	0.069 [0.060] N=787
Vegetables consumed daily or several times weekly	0.773 P=1,133	0.016 [0.053] N=1,461	0.037 [0.056] N=1,329	0.068 [0.061] N=1,160	0.052 [0.067] N=976	0.064 [0.076] N=787
Meat fish or poultry consumed daily or several times weekly	0.561 P=826	**0.086* [0.052] N=1,461**	**0.093* [0.055] N=1,329**	**0.104* [0.059] N=1,160**	**0.131** [0.065] N=976**	**0.123* [0.073] N=787**
Legumes consumed daily or several times weekly	0.555 P=813	0.024 [0.061] N=1,461	0.036 [0.064] N=1,329	0.031 [0.068] N=1,160	-0.012 [0.073] N=976	-0.000 [0.083] N=787
Animal products consumed daily or several times weekly	0.850 P=1,242	**0.063* [0.037] N=1,461**	**0.072* [0.038] N=1,329**	**0.083** [0.042] N=1,160**	**0.077* [0.045] N=976**	**0.100** [0.047] N=787**
Sweets consumed daily or several times weekly	0.471 P=696	-0.079 [0.055] N=1,461	-0.090 [0.057] N=1,329	-0.058 [0.063] N=1,160	-0.080 [0.067] N=976	**-0.125* [0.073] N=787**
Snack foods consumed daily or several times weekly	0.351 P=511	-0.024 [0.045] N=1,461	-0.041 [0.047] N=1,329	-0.045 [0.050] N=1,160	-0.040 [0.053] N=976	**-0.111* [0.056] N=787**
Packaged soft drinks consumed daily or several times weekly	0.189 P=272	0.017 [0.040] N=1,461	0.006 [0.041] N=1,329	0.030 [0.043] N=1,160	0.020 [0.048] N=976	-0.057 [0.052] N=787
Grains consumed daily or several times weekly	0.791 P=1,161	**0.109** [0.049] N=1,461**	**0.116** [0.051] N=1,329**	**0.125** [0.056] N=1,160**	**0.117* [0.063] N=976**	0.091 [0.070] N=787

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.002 [0.065] N=1,264	0.010 [0.068] N=1,132	0.036 [0.080] N=963	0.012 [0.093] N=779	0.054 [0.123] N=590
Vegetables consumed daily or several times weekly	-0.038 [0.079] N=1,264	-0.012 [0.086] N=1,132	0.029 [0.102] N=963	0.001 [0.116] N=779	0.015 [0.156] N=590
Meat fish or poultry consumed daily or several times weekly	0.031 [0.064] N=1,264	0.031 [0.069] N=1,132	0.037 [0.075] N=963	0.047 [0.086] N=779	-0.008 [0.097] N=590
Legumes consumed daily or several times weekly	0.102 [0.081] N=1,264	0.117 [0.087] N=1,132	0.134 [0.097] N=963	0.083 [0.111] N=779	0.170 [0.130] N=590
Animal products consumed daily or several times weekly	0.025 [0.053] N=1,264	0.037 [0.058] N=1,132	0.058 [0.066] N=963	0.048 [0.075] N=779	0.098 [0.086] N=590
Sweets consumed daily or several times weekly	-0.021 [0.072] N=1,264	-0.036 [0.076] N=1,132	0.048 [0.082] N=963	0.032 [0.097] N=779	-0.015 [0.116] N=590
Snack foods consumed daily or several times weekly	0.031 [0.060] N=1,264	0.006 [0.066] N=1,132	0.011 [0.070] N=963	0.051 [0.083] N=779	-0.087 [0.101] N=590
Packaged soft drinks consumed daily or several times weekly	-0.007 [0.059] N=1,264	-0.028 [0.063] N=1,132	0.013 [0.070] N=963	-0.005 [0.087] N=779	**-0.218** [0.104] N=590**
Grains consumed daily or several times weekly	0.052 [0.057] N=1,264	0.050 [0.061] N=1,132	0.054 [0.067] N=963	-0.014 [0.080] N=779	**-0.166* [0.097] N=590**

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=1,236	0.044 [0.043] N=1,461	0.053 [0.045] N=1,329	0.066 [0.049] N=1,160	0.044 [0.054] N=976	0.055 [0.060] N=787
Vegetables consumed daily or several times weekly	0.773 P=1,133	0.011 [0.054] N=1,461	0.033 [0.057] N=1,329	0.062 [0.063] N=1,160	0.040 [0.068] N=976	0.051 [0.076] N=787
Meat fish or poultry consumed daily or several times weekly	0.561 P=826	**0.087* [0.050] N=1,461**	**0.096* [0.053] N=1,329**	**0.102* [0.057] N=1,160**	**0.120* [0.064] N=976**	0.105 [0.071] N=787
Legumes consumed daily or several times weekly	0.555 P=813	0.025 [0.062] N=1,461	0.038 [0.064] N=1,329	0.029 [0.068] N=1,160	-0.016 [0.074] N=976	0.000 [0.083] N=787
Animal products consumed daily or several times weekly	0.850 P=1,242	**0.068* [0.036] N=1,461**	**0.078** [0.038] N=1,329**	**0.089** [0.041] N=1,160**	**0.078* [0.044] N=976**	**0.100** [0.047] N=787**
Sweets consumed daily or several times weekly	0.471 P=696	-0.073 [0.056] N=1,461	-0.084 [0.058] N=1,329	-0.053 [0.064] N=1,160	-0.077 [0.068] N=976	-0.115 [0.074] N=787
Snack foods consumed daily or several times weekly	0.351 P=511	-0.018 [0.045] N=1,461	-0.034 [0.047] N=1,329	-0.039 [0.050] N=1,160	-0.032 [0.053] N=976	**-0.099* [0.056] N=787**
Packaged soft drinks consumed daily or several times weekly	0.189 P=272	0.024 [0.039] N=1,461	0.013 [0.041] N=1,329	0.038 [0.043] N=1,160	0.032 [0.048] N=976	-0.041 [0.053] N=787
Grains consumed daily or several times weekly	0.791 P=1,161	**0.109** [0.049] N=1,461**	**0.115** [0.051] N=1,329**	**0.122** [0.056] N=1,160**	**0.113* [0.063] N=976**	0.089 [0.070] N=787

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.007 [0.067] N=1,264	0.015 [0.071] N=1,132	0.040 [0.085] N=963	-0.001 [0.098] N=779	0.019 [0.127] N=590
Vegetables consumed daily or several times weekly	-0.043 [0.080] N=1,264	-0.015 [0.088] N=1,132	0.023 [0.105] N=963	-0.023 [0.119] N=779	-0.021 [0.158] N=590
Meat fish or poultry consumed daily or several times weekly	0.036 [0.064] N=1,264	0.043 [0.068] N=1,132	0.044 [0.074] N=963	0.034 [0.089] N=779	-0.049 [0.099] N=590
Legumes consumed daily or several times weekly	0.104 [0.081] N=1,264	0.121 [0.087] N=1,132	0.134 [0.096] N=963	0.073 [0.112] N=779	0.153 [0.129] N=590
Animal products consumed daily or several times weekly	0.030 [0.052] N=1,264	0.044 [0.057] N=1,132	0.062 [0.063] N=963	0.045 [0.074] N=779	0.089 [0.086] N=590
Sweets consumed daily or several times weekly	-0.016 [0.072] N=1,264	-0.030 [0.076] N=1,132	0.053 [0.083] N=963	0.029 [0.097] N=779	-0.018 [0.114] N=590
Snack foods consumed daily or several times weekly	0.035 [0.061] N=1,264	0.013 [0.067] N=1,132	0.018 [0.071] N=963	0.058 [0.083] N=779	-0.079 [0.102] N=590
Packaged soft drinks consumed daily or several times weekly	-0.002 [0.059] N=1,264	-0.022 [0.063] N=1,132	0.019 [0.070] N=963	0.007 [0.086] N=779	**-0.201* [0.107] N=590**
Grains consumed daily or several times weekly	0.053 [0.056] N=1,264	0.047 [0.060] N=1,132	0.046 [0.066] N=963	-0.026 [0.080] N=779	**-0.180* [0.098] N=590**

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.844 P=1,142	0.043 [0.043] N=1,351	0.055 [0.045] N=1,227	0.073 [0.049] N=1,076	0.045 [0.053] N=905	0.058 [0.061] N=733
Vegetables consumed daily or several times weekly	0.775 P=1,050	0.010 [0.054] N=1,351	0.030 [0.058] N=1,227	0.060 [0.063] N=1,076	0.027 [0.069] N=905	0.027 [0.078] N=733
Meat fish or poultry consumed daily or several times weekly	0.563 P=766	0.084 [0.057] N=1,351	0.085 [0.061] N=1,227	0.098 [0.066] N=1,076	0.100 [0.075] N=905	0.093 [0.086] N=733
Legumes consumed daily or several times weekly	0.556 P=752	0.024 [0.062] N=1,351	0.037 [0.065] N=1,227	0.025 [0.070] N=1,076	-0.041 [0.076] N=905	-0.039 [0.086] N=733
Animal products consumed daily or several times weekly	0.855 P=1,155	**0.068* [0.037] N=1,351**	**0.076* [0.039] N=1,227**	**0.089** [0.041] N=1,076**	0.066 [0.043] N=905	**0.092* [0.046] N=733**
Sweets consumed daily or several times weekly	0.476 P=650	-0.091 [0.058] N=1,351	**-0.105* [0.060] N=1,227**	-0.076 [0.066] N=1,076	-0.108 [0.071] N=905	**-0.148* [0.079] N=733**
Snack foods consumed daily or several times weekly	0.357 P=480	-0.045 [0.046] N=1,351	-0.065 [0.049] N=1,227	-0.073 [0.051] N=1,076	-0.065 [0.054] N=905	**-0.129** [0.057] N=733**
Packaged soft drinks consumed daily or several times weekly	0.196 P=261	-0.002 [0.042] N=1,351	-0.015 [0.043] N=1,227	0.012 [0.045] N=1,076	0.004 [0.052] N=905	-0.073 [0.057] N=733
Grains consumed daily or several times weekly	0.791 P=1,074	**0.119** [0.049] N=1,351**	**0.123** [0.052] N=1,227**	**0.128** [0.056] N=1,076**	**0.116* [0.064] N=905**	0.087 [0.071] N=733

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.009 [0.066] N=1,165	0.026 [0.070] N=1,041	0.059 [0.080] N=890	0.016 [0.087] N=719	0.035 [0.110] N=547
Vegetables consumed daily or several times weekly	-0.039 [0.079] N=1,165	-0.009 [0.086] N=1,041	0.029 [0.100] N=890	-0.035 [0.111] N=719	-0.079 [0.149] N=547
Meat fish or poultry consumed daily or several times weekly	0.036 [0.072] N=1,165	0.035 [0.077] N=1,041	0.042 [0.084] N=890	0.006 [0.097] N=719	-0.075 [0.126] N=547
Legumes consumed daily or several times weekly	0.120 [0.082] N=1,165	**0.146* [0.087] N=1,041**	**0.162* [0.096] N=890**	0.083 [0.115] N=719	0.140 [0.139] N=547
Animal products consumed daily or several times weekly	0.034 [0.055] N=1,165	0.051 [0.061] N=1,041	0.075 [0.062] N=890	0.036 [0.069] N=719	0.080 [0.076] N=547
Sweets consumed daily or several times weekly	-0.026 [0.074] N=1,165	-0.041 [0.080] N=1,041	0.030 [0.085] N=890	-0.006 [0.103] N=719	-0.060 [0.128] N=547
Snack foods consumed daily or several times weekly	0.001 [0.064] N=1,165	-0.027 [0.072] N=1,041	-0.035 [0.077] N=890	-0.002 [0.093] N=719	-0.141 [0.109] N=547
Packaged soft drinks consumed daily or several times weekly	-0.040 [0.064] N=1,165	-0.065 [0.068] N=1,041	-0.023 [0.075] N=890	-0.047 [0.094] N=719	**-0.294*** [0.110] N=547**
Grains consumed daily or several times weekly	0.072 [0.058] N=1,165	0.069 [0.063] N=1,041	0.069 [0.069] N=890	-0.004 [0.082] N=719	**-0.173* [0.100] N=547**

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.844 P=1,142	0.044 [0.043] N=1,351	0.056 [0.046] N=1,227	0.073 [0.050] N=1,076	0.045 [0.053] N=905	0.056 [0.061] N=733
Vegetables consumed daily or several times weekly	0.775 P=1,050	0.012 [0.054] N=1,351	0.032 [0.057] N=1,227	0.063 [0.062] N=1,076	0.029 [0.069] N=905	0.027 [0.079] N=733
Meat fish or poultry consumed daily or several times weekly	0.563 P=766	0.085 [0.057] N=1,351	0.087 [0.061] N=1,227	0.098 [0.065] N=1,076	0.099 [0.074] N=905	0.091 [0.084] N=733
Legumes consumed daily or several times weekly	0.556 P=752	0.022 [0.063] N=1,351	0.036 [0.065] N=1,227	0.023 [0.070] N=1,076	-0.047 [0.076] N=905	-0.046 [0.087] N=733
Animal products consumed daily or several times weekly	0.855 P=1,155	**0.068* [0.037] N=1,351**	**0.076** [0.039] N=1,227**	**0.090** [0.041] N=1,076**	0.067 [0.043] N=905	**0.093** [0.046] N=733**
Sweets consumed daily or several times weekly	0.476 P=650	-0.091 [0.058] N=1,351	**-0.104* [0.060] N=1,227**	-0.078 [0.067] N=1,076	-0.111 [0.073] N=905	**-0.153* [0.081] N=733**
Snack foods consumed daily or several times weekly	0.357 P=480	-0.042 [0.046] N=1,351	-0.063 [0.049] N=1,227	-0.070 [0.051] N=1,076	-0.064 [0.054] N=905	**-0.130** [0.057] N=733**
Packaged soft drinks consumed daily or several times weekly	0.196 P=261	0.001 [0.041] N=1,351	-0.013 [0.043] N=1,227	0.013 [0.044] N=1,076	0.003 [0.051] N=905	-0.077 [0.056] N=733
Grains consumed daily or several times weekly	0.791 P=1,074	**0.118** [0.049] N=1,351**	**0.122** [0.051] N=1,227**	**0.128** [0.056] N=1,076**	**0.117* [0.063] N=905**	0.087 [0.071] N=733

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.009 [0.066] N=1,165	0.025 [0.070] N=1,041	0.055 [0.080] N=890	0.010 [0.087] N=719	0.032 [0.110] N=547
Vegetables consumed daily or several times weekly	-0.035 [0.078] N=1,165	-0.006 [0.085] N=1,041	0.035 [0.099] N=890	-0.031 [0.111] N=719	-0.066 [0.149] N=547
Meat fish or poultry consumed daily or several times weekly	0.037 [0.071] N=1,165	0.037 [0.077] N=1,041	0.044 [0.083] N=890	0.009 [0.095] N=719	-0.062 [0.125] N=547
Legumes consumed daily or several times weekly	0.124 [0.083] N=1,165	**0.152* [0.088] N=1,041**	**0.168* [0.097] N=890**	0.076 [0.116] N=719	0.145 [0.140] N=547
Animal products consumed daily or several times weekly	0.036 [0.055] N=1,165	0.053 [0.061] N=1,041	0.079 [0.062] N=890	0.042 [0.069] N=719	0.091 [0.075] N=547
Sweets consumed daily or several times weekly	-0.023 [0.074] N=1,165	-0.039 [0.079] N=1,041	0.033 [0.085] N=890	-0.003 [0.103] N=719	-0.062 [0.128] N=547
Snack foods consumed daily or several times weekly	0.004 [0.064] N=1,165	-0.029 [0.072] N=1,041	-0.035 [0.077] N=890	0.002 [0.092] N=719	-0.151 [0.108] N=547
Packaged soft drinks consumed daily or several times weekly	-0.036 [0.064] N=1,165	-0.063 [0.068] N=1,041	-0.020 [0.075] N=890	-0.046 [0.094] N=719	**-0.298** [0.113] N=547**
Grains consumed daily or several times weekly	0.072 [0.058] N=1,165	0.068 [0.063] N=1,041	0.068 [0.069] N=890	-0.003 [0.082] N=719	**-0.173* [0.098] N=547**

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.