Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-3: Youngest Child

Age reference: 16 December 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.714 P=1,184	0.039 [0.038] N=1,642	0.045 [0.040] N=1,519	0.037 [0.042] N=1,367	0.055 [0.045] N=1,168	0.024 [0.049] N=964
Not underweight WAZ at least -2	0.895 P=1,692	**-0.049** [0.023] N=1,883**	**-0.044* [0.025] N=1,740**	-0.034 [0.026] N=1,566	-0.040 [0.027] N=1,334	**-0.058* [0.032] N=1,096**
Neither wasted nor overweight WHZ -2 to +2	0.693 P=1,124	0.017 [0.051] N=1,619	0.016 [0.053] N=1,501	0.025 [0.057] N=1,351	0.032 [0.065] N=1,155	0.059 [0.071] N=949
Neither low nor high BMIZ -2 to +2	0.642 P=1,037	0.022 [0.050] N=1,601	0.030 [0.054] N=1,486	0.033 [0.057] N=1,336	0.032 [0.064] N=1,141	0.018 [0.072] N=940
Strict normal HAZ -2 to +3	0.651 P=1,081	0.055 [0.043] N=1,642	0.070 [0.045] N=1,519	0.053 [0.047] N=1,367	0.040 [0.050] N=1,168	0.030 [0.055] N=964
Strict normal WAZ -2 to +1	0.707 P=1,340	**-0.076* [0.045] N=1,883**	**-0.087* [0.048] N=1,740**	-0.081 [0.051] N=1,566	-0.084 [0.054] N=1,334	-0.093 [0.062] N=1,096
Strict normal WHZ -2 to +1	0.528 P=855	-0.008 [0.050] N=1,619	-0.012 [0.054] N=1,501	-0.020 [0.057] N=1,351	-0.011 [0.062] N=1,155	-0.019 [0.069] N=949
Strict normal BMIZ -2 to +1	0.499 P=805	-0.010 [0.054] N=1,601	-0.009 [0.057] N=1,486	-0.009 [0.062] N=1,336	-0.011 [0.069] N=1,141	-0.049 [0.080] N=940
Above-normal height HAZ above +3	0.063 P=103	-0.017 [0.026] N=1,642	-0.025 [0.028] N=1,519	-0.016 [0.031] N=1,367	0.014 [0.034] N=1,168	-0.006 [0.037] N=964
Above-normal weight WAZ above +1	0.187 P=352	0.026 [0.039] N=1,883	0.043 [0.042] N=1,740	0.047 [0.044] N=1,566	0.044 [0.047] N=1,334	0.035 [0.053] N=1,096
Above-normal WHZ above +1	0.357 P=575	0.058 [0.043] N=1,619	0.055 [0.046] N=1,501	0.068 [0.048] N=1,351	0.050 [0.052] N=1,155	0.079 [0.057] N=949
Above-normal BMIZ above +1	0.365 P=580	0.060 [0.043] N=1,601	0.058 [0.047] N=1,486	0.056 [0.052] N=1,336	0.032 [0.056] N=1,141	0.068 [0.065] N=940

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.075 [0.054] N=1,387	0.090 [0.059] N=1,264	0.095 [0.068] N=1,112	**0.154* [0.078] N=913**	0.146 [0.106] N=709
Not underweight WAZ at least -2	-0.055 [0.034] N=1,600	-0.046 [0.038] N=1,457	-0.027 [0.042] N=1,283	-0.045 [0.050] N=1,051	-0.098 [0.070] N=813
Neither wasted nor overweight WHZ -2 to +2	0.038 [0.059] N=1,366	0.039 [0.063] N=1,248	0.067 [0.067] N=1,098	0.088 [0.085] N=902	**0.230** [0.093] N=696**
Neither low nor high BMIZ -2 to +2	0.069 [0.064] N=1,351	0.094 [0.068] N=1,236	**0.128* [0.073] N=1,086**	**0.159* [0.092] N=891**	**0.212** [0.102] N=690**
Strict normal HAZ -2 to +3	**0.101* [0.061] N=1,387**	**0.136** [0.065] N=1,264**	**0.131* [0.073] N=1,112**	0.117 [0.088] N=913	0.158 [0.117] N=709
Strict normal WAZ -2 to +1	-0.029 [0.060] N=1,600	-0.038 [0.065] N=1,457	-0.018 [0.073] N=1,283	-0.015 [0.079] N=1,051	-0.019 [0.101] N=813
Strict normal WHZ -2 to +1	0.039 [0.063] N=1,366	0.042 [0.071] N=1,248	0.053 [0.076] N=1,098	0.089 [0.088] N=902	0.138 [0.104] N=696
Strict normal BMIZ -2 to +1	0.046 [0.062] N=1,351	0.063 [0.067] N=1,236	0.094 [0.074] N=1,086	0.125 [0.086] N=891	0.111 [0.104] N=690
Above-normal height HAZ above +3	-0.026 [0.031] N=1,387	-0.046 [0.034] N=1,264	-0.036 [0.043] N=1,112	0.037 [0.051] N=913	-0.013 [0.064] N=709
Above-normal weight WAZ above +1	-0.025 [0.050] N=1,600	-0.008 [0.056] N=1,457	-0.008 [0.061] N=1,283	-0.029 [0.070] N=1,051	-0.079 [0.078] N=813
Above-normal WHZ above +1	0.009 [0.058] N=1,366	-0.005 [0.066] N=1,248	-0.007 [0.073] N=1,098	-0.059 [0.086] N=902	-0.056 [0.098] N=696
Above-normal BMIZ above +1	0.036 [0.057] N=1,351	0.026 [0.065] N=1,236	-0.001 [0.076] N=1,086	-0.066 [0.084] N=891	-0.028 [0.102] N=690

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.714 P=1,184	0.038 [0.038] N=1,642	0.043 [0.040] N=1,519	0.035 [0.042] N=1,367	0.053 [0.045] N=1,168	0.023 [0.049] N=964
Not underweight WAZ at least -2	0.895 P=1,692	**-0.050** [0.023] N=1,883**	**-0.045* [0.024] N=1,740**	-0.035 [0.026] N=1,566	-0.041 [0.027] N=1,334	**-0.059* [0.032] N=1,096**
Neither wasted nor overweight WHZ -2 to +2	0.693 P=1,124	0.014 [0.051] N=1,619	0.013 [0.054] N=1,501	0.021 [0.058] N=1,351	0.027 [0.065] N=1,155	0.053 [0.072] N=949
Neither low nor high BMIZ -2 to +2	0.642 P=1,037	0.021 [0.051] N=1,601	0.028 [0.054] N=1,486	0.031 [0.058] N=1,336	0.029 [0.065] N=1,141	0.014 [0.073] N=940
Strict normal HAZ -2 to +3	0.651 P=1,081	0.054 [0.043] N=1,642	0.068 [0.045] N=1,519	0.051 [0.047] N=1,367	0.038 [0.050] N=1,168	0.029 [0.055] N=964
Strict normal WAZ -2 to +1	0.707 P=1,340	**-0.078* [0.045] N=1,883**	**-0.089* [0.048] N=1,740**	-0.083 [0.051] N=1,566	-0.086 [0.054] N=1,334	-0.095 [0.063] N=1,096
Strict normal WHZ -2 to +1	0.528 P=855	-0.010 [0.051] N=1,619	-0.015 [0.054] N=1,501	-0.023 [0.057] N=1,351	-0.015 [0.063] N=1,155	-0.022 [0.070] N=949
Strict normal BMIZ -2 to +1	0.499 P=805	-0.012 [0.054] N=1,601	-0.012 [0.058] N=1,486	-0.012 [0.063] N=1,336	-0.015 [0.070] N=1,141	-0.052 [0.081] N=940
Above-normal height HAZ above +3	0.063 P=103	-0.016 [0.026] N=1,642	-0.025 [0.028] N=1,519	-0.016 [0.031] N=1,367	0.015 [0.034] N=1,168	-0.006 [0.037] N=964
Above-normal weight WAZ above +1	0.187 P=352	0.027 [0.039] N=1,883	0.044 [0.042] N=1,740	0.048 [0.044] N=1,566	0.045 [0.048] N=1,334	0.036 [0.053] N=1,096
Above-normal WHZ above +1	0.357 P=575	0.058 [0.043] N=1,619	0.055 [0.046] N=1,501	0.068 [0.049] N=1,351	0.050 [0.052] N=1,155	0.076 [0.057] N=949
Above-normal BMIZ above +1	0.365 P=580	0.061 [0.044] N=1,601	0.059 [0.047] N=1,486	0.057 [0.052] N=1,336	0.033 [0.056] N=1,141	0.067 [0.065] N=940

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.077 [0.054] N=1,387	0.092 [0.059] N=1,264	0.097 [0.067] N=1,112	**0.155** [0.078] N=913**	0.145 [0.106] N=709
Not underweight WAZ at least -2	-0.054 [0.034] N=1,600	-0.046 [0.038] N=1,457	-0.026 [0.042] N=1,283	-0.045 [0.050] N=1,051	-0.098 [0.070] N=813
Neither wasted nor overweight WHZ -2 to +2	0.039 [0.059] N=1,366	0.039 [0.064] N=1,248	0.068 [0.068] N=1,098	0.087 [0.087] N=902	**0.231** [0.095] N=696**
Neither low nor high BMIZ -2 to +2	0.069 [0.064] N=1,351	0.094 [0.068] N=1,236	**0.129* [0.073] N=1,086**	**0.159* [0.093] N=891**	**0.212** [0.103] N=690**
Strict normal HAZ -2 to +3	**0.104* [0.061] N=1,387**	**0.139** [0.065] N=1,264**	**0.134* [0.072] N=1,112**	0.119 [0.088] N=913	0.160 [0.118] N=709
Strict normal WAZ -2 to +1	-0.028 [0.059] N=1,600	-0.038 [0.064] N=1,457	-0.017 [0.072] N=1,283	-0.015 [0.079] N=1,051	-0.019 [0.101] N=813
Strict normal WHZ -2 to +1	0.040 [0.063] N=1,366	0.042 [0.072] N=1,248	0.054 [0.076] N=1,098	0.089 [0.088] N=902	0.139 [0.105] N=696
Strict normal BMIZ -2 to +1	0.047 [0.063] N=1,351	0.063 [0.068] N=1,236	0.095 [0.075] N=1,086	0.125 [0.088] N=891	0.111 [0.104] N=690
Above-normal height HAZ above +3	-0.027 [0.031] N=1,387	-0.047 [0.034] N=1,264	-0.037 [0.043] N=1,112	0.036 [0.051] N=913	-0.014 [0.064] N=709
Above-normal weight WAZ above +1	-0.026 [0.050] N=1,600	-0.008 [0.056] N=1,457	-0.009 [0.061] N=1,283	-0.030 [0.070] N=1,051	-0.079 [0.078] N=813
Above-normal WHZ above +1	0.009 [0.058] N=1,366	-0.005 [0.066] N=1,248	-0.007 [0.073] N=1,098	-0.060 [0.086] N=902	-0.056 [0.098] N=696
Above-normal BMIZ above +1	0.035 [0.057] N=1,351	0.026 [0.065] N=1,236	-0.001 [0.076] N=1,086	-0.066 [0.084] N=891	-0.028 [0.100] N=690

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.714 P=1,184	0.030 [0.038] N=1,642	0.031 [0.040] N=1,519	0.025 [0.042] N=1,367	0.047 [0.044] N=1,168	0.013 [0.048] N=964
Not underweight WAZ at least -2	0.895 P=1,692	**-0.058** [0.022] N=1,883**	**-0.053** [0.024] N=1,740**	**-0.043* [0.025] N=1,566**	**-0.047* [0.026] N=1,334**	**-0.068** [0.031] N=1,096**
Neither wasted nor overweight WHZ -2 to +2	0.693 P=1,124	0.008 [0.051] N=1,619	0.004 [0.053] N=1,501	0.014 [0.057] N=1,351	0.021 [0.064] N=1,155	0.047 [0.071] N=949
Neither low nor high BMIZ -2 to +2	0.642 P=1,037	0.014 [0.050] N=1,601	0.017 [0.054] N=1,486	0.023 [0.057] N=1,336	0.023 [0.064] N=1,141	0.009 [0.072] N=940
Strict normal HAZ -2 to +3	0.651 P=1,081	0.044 [0.043] N=1,642	0.054 [0.045] N=1,519	0.039 [0.047] N=1,367	0.031 [0.049] N=1,168	0.016 [0.054] N=964
Strict normal WAZ -2 to +1	0.707 P=1,340	**-0.079* [0.045] N=1,883**	**-0.094* [0.048] N=1,740**	**-0.088* [0.051] N=1,566**	**-0.091* [0.054] N=1,334**	-0.102 [0.063] N=1,096
Strict normal WHZ -2 to +1	0.528 P=855	-0.014 [0.050] N=1,619	-0.022 [0.054] N=1,501	-0.030 [0.057] N=1,351	-0.021 [0.062] N=1,155	-0.028 [0.069] N=949
Strict normal BMIZ -2 to +1	0.499 P=805	-0.018 [0.054] N=1,601	-0.021 [0.058] N=1,486	-0.020 [0.062] N=1,336	-0.020 [0.069] N=1,141	-0.057 [0.079] N=940
Above-normal height HAZ above +3	0.063 P=103	-0.014 [0.026] N=1,642	-0.022 [0.028] N=1,519	-0.014 [0.031] N=1,367	0.016 [0.033] N=1,168	-0.002 [0.038] N=964
Above-normal weight WAZ above +1	0.187 P=352	0.022 [0.038] N=1,883	0.041 [0.041] N=1,740	0.045 [0.044] N=1,566	0.045 [0.047] N=1,334	0.034 [0.053] N=1,096
Above-normal WHZ above +1	0.357 P=575	0.058 [0.044] N=1,619	0.058 [0.047] N=1,501	0.072 [0.049] N=1,351	0.054 [0.052] N=1,155	0.078 [0.057] N=949
Above-normal BMIZ above +1	0.365 P=580	0.062 [0.044] N=1,601	0.062 [0.048] N=1,486	0.061 [0.052] N=1,336	0.036 [0.056] N=1,141	0.069 [0.065] N=940

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.068 [0.054] N=1,387	0.075 [0.059] N=1,264	0.082 [0.067] N=1,112	**0.150** [0.075] N=913**	0.138 [0.103] N=709
Not underweight WAZ at least -2	**-0.059* [0.033] N=1,600**	-0.054 [0.036] N=1,457	-0.032 [0.041] N=1,283	-0.042 [0.049] N=1,051	-0.097 [0.071] N=813
Neither wasted nor overweight WHZ -2 to +2	0.033 [0.061] N=1,366	0.029 [0.066] N=1,248	0.064 [0.071] N=1,098	0.089 [0.090] N=902	**0.223** [0.097] N=696**
Neither low nor high BMIZ -2 to +2	0.062 [0.065] N=1,351	0.080 [0.070] N=1,236	0.121 [0.075] N=1,086	**0.159* [0.095] N=891**	**0.205* [0.104] N=690**
Strict normal HAZ -2 to +3	0.094 [0.060] N=1,387	**0.120* [0.064] N=1,264**	**0.120* [0.071] N=1,112**	0.119 [0.085] N=913	0.152 [0.115] N=709
Strict normal WAZ -2 to +1	-0.028 [0.060] N=1,600	-0.044 [0.065] N=1,457	-0.023 [0.072] N=1,283	-0.015 [0.079] N=1,051	-0.020 [0.102] N=813
Strict normal WHZ -2 to +1	0.035 [0.065] N=1,366	0.031 [0.073] N=1,248	0.046 [0.079] N=1,098	0.089 [0.093] N=902	0.131 [0.110] N=696
Strict normal BMIZ -2 to +1	0.040 [0.064] N=1,351	0.048 [0.070] N=1,236	0.084 [0.078] N=1,086	0.124 [0.093] N=891	0.103 [0.110] N=690
Above-normal height HAZ above +3	-0.026 [0.031] N=1,387	-0.045 [0.034] N=1,264	-0.038 [0.042] N=1,112	0.031 [0.050] N=913	-0.013 [0.065] N=709
Above-normal weight WAZ above +1	-0.031 [0.050] N=1,600	-0.010 [0.056] N=1,457	-0.010 [0.061] N=1,283	-0.027 [0.070] N=1,051	-0.077 [0.078] N=813
Above-normal WHZ above +1	0.011 [0.059] N=1,366	0.001 [0.068] N=1,248	-0.001 [0.074] N=1,098	-0.060 [0.087] N=902	-0.053 [0.099] N=696
Above-normal BMIZ above +1	0.038 [0.059] N=1,351	0.033 [0.068] N=1,236	0.006 [0.077] N=1,086	-0.063 [0.086] N=891	-0.022 [0.104] N=690

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.714 P=1,184	0.024 [0.038] N=1,642	0.028 [0.040] N=1,519	0.021 [0.042] N=1,367	0.041 [0.044] N=1,168	0.008 [0.048] N=964
Not underweight WAZ at least -2	0.895 P=1,692	**-0.060*** [0.022] N=1,883**	**-0.057** [0.023] N=1,740**	**-0.047* [0.025] N=1,566**	**-0.053* [0.027] N=1,334**	**-0.075** [0.031] N=1,096**
Neither wasted nor overweight WHZ -2 to +2	0.693 P=1,124	0.008 [0.051] N=1,619	0.004 [0.054] N=1,501	0.013 [0.058] N=1,351	0.022 [0.065] N=1,155	0.052 [0.072] N=949
Neither low nor high BMIZ -2 to +2	0.642 P=1,037	0.013 [0.051] N=1,601	0.018 [0.054] N=1,486	0.020 [0.057] N=1,336	0.017 [0.064] N=1,141	0.009 [0.073] N=940
Strict normal HAZ -2 to +3	0.651 P=1,081	0.038 [0.043] N=1,642	0.048 [0.045] N=1,519	0.032 [0.048] N=1,367	0.021 [0.050] N=1,168	0.008 [0.056] N=964
Strict normal WAZ -2 to +1	0.707 P=1,340	**-0.080* [0.046] N=1,883**	**-0.093* [0.049] N=1,740**	**-0.087* [0.051] N=1,566**	**-0.092* [0.055] N=1,334**	-0.099 [0.064] N=1,096
Strict normal WHZ -2 to +1	0.528 P=855	-0.013 [0.051] N=1,619	-0.020 [0.054] N=1,501	-0.030 [0.057] N=1,351	-0.021 [0.062] N=1,155	-0.022 [0.070] N=949
Strict normal BMIZ -2 to +1	0.499 P=805	-0.018 [0.054] N=1,601	-0.019 [0.058] N=1,486	-0.022 [0.063] N=1,336	-0.026 [0.070] N=1,141	-0.059 [0.080] N=940
Above-normal height HAZ above +3	0.063 P=103	-0.013 [0.026] N=1,642	-0.020 [0.028] N=1,519	-0.011 [0.032] N=1,367	0.019 [0.034] N=1,168	0.000 [0.039] N=964
Above-normal weight WAZ above +1	0.187 P=352	0.020 [0.038] N=1,883	0.036 [0.041] N=1,740	0.039 [0.044] N=1,566	0.039 [0.047] N=1,334	0.024 [0.054] N=1,096
Above-normal WHZ above +1	0.357 P=575	0.058 [0.044] N=1,619	0.056 [0.047] N=1,501	0.072 [0.049] N=1,351	0.055 [0.053] N=1,155	0.075 [0.058] N=949
Above-normal BMIZ above +1	0.365 P=580	0.062 [0.044] N=1,601	0.059 [0.048] N=1,486	0.060 [0.052] N=1,336	0.038 [0.057] N=1,141	0.068 [0.065] N=940

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.064 [0.055] N=1,387	0.077 [0.059] N=1,264	0.085 [0.067] N=1,112	**0.152** [0.077] N=913**	0.131 [0.103] N=709
Not underweight WAZ at least -2	**-0.061* [0.033] N=1,600**	-0.055 [0.036] N=1,457	-0.035 [0.041] N=1,283	-0.043 [0.050] N=1,051	-0.100 [0.071] N=813
Neither wasted nor overweight WHZ -2 to +2	0.031 [0.061] N=1,366	0.031 [0.065] N=1,248	0.064 [0.070] N=1,098	0.081 [0.089] N=902	**0.213** [0.098] N=696**
Neither low nor high BMIZ -2 to +2	0.060 [0.065] N=1,351	0.085 [0.069] N=1,236	0.123 [0.075] N=1,086	**0.156* [0.093] N=891**	**0.193* [0.103] N=690**
Strict normal HAZ -2 to +3	0.091 [0.061] N=1,387	**0.122* [0.064] N=1,264**	**0.123* [0.072] N=1,112**	0.122 [0.086] N=913	0.154 [0.117] N=709
Strict normal WAZ -2 to +1	-0.029 [0.060] N=1,600	-0.042 [0.065] N=1,457	-0.022 [0.072] N=1,283	-0.015 [0.079] N=1,051	-0.029 [0.101] N=813
Strict normal WHZ -2 to +1	0.034 [0.064] N=1,366	0.037 [0.073] N=1,248	0.048 [0.078] N=1,098	0.078 [0.091] N=902	0.120 [0.112] N=696
Strict normal BMIZ -2 to +1	0.041 [0.064] N=1,351	0.060 [0.070] N=1,236	0.091 [0.077] N=1,086	0.122 [0.091] N=891	0.102 [0.110] N=690
Above-normal height HAZ above +3	-0.028 [0.031] N=1,387	-0.045 [0.034] N=1,264	-0.038 [0.043] N=1,112	0.030 [0.051] N=913	-0.023 [0.066] N=709
Above-normal weight WAZ above +1	-0.032 [0.050] N=1,600	-0.013 [0.055] N=1,457	-0.013 [0.061] N=1,283	-0.028 [0.070] N=1,051	-0.071 [0.077] N=813
Above-normal WHZ above +1	0.011 [0.058] N=1,366	-0.003 [0.067] N=1,248	-0.003 [0.074] N=1,098	-0.052 [0.088] N=902	-0.042 [0.102] N=696
Above-normal BMIZ above +1	0.039 [0.058] N=1,351	0.027 [0.066] N=1,236	0.003 [0.077] N=1,086	-0.056 [0.087] N=891	-0.012 [0.105] N=690

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.713 P=1,101	0.030 [0.042] N=1,525	0.038 [0.044] N=1,416	0.028 [0.046] N=1,271	0.047 [0.049] N=1,095	0.014 [0.052] N=904
Not underweight WAZ at least -2	0.894 P=1,562	**-0.042* [0.024] N=1,740**	-0.039 [0.026] N=1,613	-0.029 [0.028] N=1,448	-0.039 [0.029] N=1,241	**-0.059* [0.034] N=1,022**
Neither wasted nor overweight WHZ -2 to +2	0.695 P=1,046	0.019 [0.051] N=1,501	0.017 [0.054] N=1,398	0.018 [0.059] N=1,256	0.028 [0.066] N=1,083	0.043 [0.073] N=890
Neither low nor high BMIZ -2 to +2	0.644 P=967	0.023 [0.052] N=1,485	0.033 [0.056] N=1,383	0.034 [0.060] N=1,242	0.039 [0.068] N=1,070	0.020 [0.075] N=882
Strict normal HAZ -2 to +3	0.652 P=1,010	0.052 [0.047] N=1,525	0.070 [0.049] N=1,416	0.048 [0.052] N=1,271	0.038 [0.055] N=1,095	0.027 [0.062] N=904
Strict normal WAZ -2 to +1	0.704 P=1,232	-0.076 [0.047] N=1,740	**-0.087* [0.049] N=1,613**	-0.078 [0.052] N=1,448	-0.089 [0.056] N=1,241	-0.105 [0.064] N=1,022
Strict normal WHZ -2 to +1	0.529 P=795	-0.015 [0.052] N=1,501	-0.018 [0.056] N=1,398	-0.032 [0.059] N=1,256	-0.021 [0.064] N=1,083	-0.043 [0.071] N=890
Strict normal BMIZ -2 to +1	0.502 P=753	-0.018 [0.056] N=1,485	-0.014 [0.059] N=1,383	-0.017 [0.065] N=1,242	-0.017 [0.072] N=1,070	-0.066 [0.080] N=882
Above-normal height HAZ above +3	0.061 P=91	-0.022 [0.027] N=1,525	-0.032 [0.029] N=1,416	-0.020 [0.032] N=1,271	0.008 [0.034] N=1,095	-0.012 [0.038] N=904
Above-normal weight WAZ above +1	0.190 P=330	0.034 [0.040] N=1,740	0.048 [0.042] N=1,613	0.049 [0.045] N=1,448	0.050 [0.049] N=1,241	0.047 [0.055] N=1,022
Above-normal WHZ above +1	0.357 P=533	**0.082* [0.045] N=1,501**	0.076 [0.048] N=1,398	**0.091* [0.051] N=1,256**	0.070 [0.055] N=1,083	**0.111* [0.061] N=890**
Above-normal BMIZ above +1	0.364 P=535	**0.085* [0.045] N=1,485**	0.076 [0.048] N=1,383	0.075 [0.053] N=1,242	0.051 [0.057] N=1,070	0.100 [0.066] N=882

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.082 [0.060] N=1,285	**0.107* [0.063] N=1,176**	0.111 [0.073] N=1,031	**0.178** [0.084] N=855**	0.167 [0.113] N=664
Not underweight WAZ at least -2	-0.045 [0.035] N=1,475	-0.042 [0.038] N=1,348	-0.025 [0.044] N=1,183	-0.055 [0.050] N=976	**-0.118* [0.070] N=757**
Neither wasted nor overweight WHZ -2 to +2	0.058 [0.060] N=1,263	0.066 [0.064] N=1,160	0.087 [0.071] N=1,018	0.123 [0.088] N=845	**0.249** [0.101] N=652**
Neither low nor high BMIZ -2 to +2	0.081 [0.064] N=1,250	**0.116* [0.068] N=1,148**	**0.144* [0.076] N=1,007**	**0.199** [0.096] N=835**	**0.258** [0.102] N=647**
Strict normal HAZ -2 to +3	**0.111* [0.066] N=1,285**	**0.158** [0.067] N=1,176**	**0.149* [0.076] N=1,031**	0.149 [0.090] N=855	0.195 [0.122] N=664
Strict normal WAZ -2 to +1	-0.010 [0.059] N=1,475	-0.016 [0.063] N=1,348	0.010 [0.072] N=1,183	-0.004 [0.081] N=976	-0.022 [0.101] N=757
Strict normal WHZ -2 to +1	0.065 [0.064] N=1,263	0.077 [0.072] N=1,160	0.084 [0.080] N=1,018	0.138 [0.091] N=845	0.174 [0.111] N=652
Strict normal BMIZ -2 to +1	0.063 [0.063] N=1,250	0.089 [0.068] N=1,148	0.123 [0.077] N=1,007	**0.168* [0.090] N=835**	0.154 [0.104] N=647
Above-normal height HAZ above +3	-0.029 [0.034] N=1,285	-0.051 [0.036] N=1,176	-0.038 [0.044] N=1,031	0.029 [0.054] N=855	-0.027 [0.069] N=664
Above-normal weight WAZ above +1	-0.035 [0.051] N=1,475	-0.026 [0.054] N=1,348	-0.035 [0.061] N=1,183	-0.051 [0.072] N=976	-0.096 [0.080] N=757
Above-normal WHZ above +1	0.006 [0.059] N=1,263	-0.019 [0.066] N=1,160	-0.022 [0.074] N=1,018	-0.081 [0.090] N=845	-0.050 [0.102] N=652
Above-normal BMIZ above +1	0.036 [0.060] N=1,250	0.011 [0.067] N=1,148	-0.020 [0.078] N=1,007	-0.086 [0.089] N=835	-0.031 [0.106] N=647

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.713 P=1,101	0.028 [0.042] N=1,525	0.035 [0.044] N=1,416	0.025 [0.046] N=1,271	0.045 [0.049] N=1,095	0.013 [0.051] N=904
Not underweight WAZ at least -2	0.894 P=1,562	**-0.042* [0.024] N=1,740**	-0.040 [0.025] N=1,613	-0.031 [0.027] N=1,448	-0.041 [0.028] N=1,241	**-0.061* [0.034] N=1,022**
Neither wasted nor overweight WHZ -2 to +2	0.695 P=1,046	0.019 [0.051] N=1,501	0.017 [0.054] N=1,398	0.021 [0.058] N=1,256	0.033 [0.065] N=1,083	0.053 [0.072] N=890
Neither low nor high BMIZ -2 to +2	0.644 P=967	0.020 [0.052] N=1,485	0.032 [0.055] N=1,383	0.036 [0.060] N=1,242	0.042 [0.068] N=1,070	0.026 [0.074] N=882
Strict normal HAZ -2 to +3	0.652 P=1,010	0.050 [0.047] N=1,525	0.066 [0.049] N=1,416	0.046 [0.052] N=1,271	0.038 [0.055] N=1,095	0.031 [0.060] N=904
Strict normal WAZ -2 to +1	0.704 P=1,232	-0.077 [0.047] N=1,740	**-0.087* [0.049] N=1,613**	-0.079 [0.052] N=1,448	-0.090 [0.055] N=1,241	-0.104 [0.064] N=1,022
Strict normal WHZ -2 to +1	0.529 P=795	-0.016 [0.052] N=1,501	-0.017 [0.056] N=1,398	-0.029 [0.059] N=1,256	-0.015 [0.064] N=1,083	-0.028 [0.070] N=890
Strict normal BMIZ -2 to +1	0.502 P=753	-0.024 [0.056] N=1,485	-0.018 [0.060] N=1,383	-0.017 [0.065] N=1,242	-0.014 [0.072] N=1,070	-0.054 [0.080] N=882
Above-normal height HAZ above +3	0.061 P=91	-0.022 [0.027] N=1,525	-0.031 [0.029] N=1,416	-0.021 [0.033] N=1,271	0.007 [0.035] N=1,095	-0.017 [0.039] N=904
Above-normal weight WAZ above +1	0.190 P=330	0.034 [0.040] N=1,740	0.048 [0.042] N=1,613	0.048 [0.045] N=1,448	0.049 [0.049] N=1,241	0.043 [0.055] N=1,022
Above-normal WHZ above +1	0.357 P=533	**0.080* [0.045] N=1,501**	0.074 [0.048] N=1,398	**0.087* [0.051] N=1,256**	0.065 [0.055] N=1,083	0.099 [0.060] N=890
Above-normal BMIZ above +1	0.364 P=535	**0.086* [0.045] N=1,485**	0.077 [0.048] N=1,383	0.074 [0.052] N=1,242	0.049 [0.057] N=1,070	0.091 [0.064] N=882

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.077 [0.060] N=1,285	0.099 [0.064] N=1,176	0.106 [0.073] N=1,031	**0.172** [0.085] N=855**	0.172 [0.114] N=664
Not underweight WAZ at least -2	-0.042 [0.035] N=1,475	-0.038 [0.039] N=1,348	-0.021 [0.043] N=1,183	-0.050 [0.050] N=976	-0.109 [0.071] N=757
Neither wasted nor overweight WHZ -2 to +2	0.051 [0.060] N=1,263	0.058 [0.064] N=1,160	0.081 [0.070] N=1,018	0.122 [0.087] N=845	**0.265*** [0.098] N=652**
Neither low nor high BMIZ -2 to +2	0.067 [0.065] N=1,250	0.105 [0.068] N=1,148	**0.138* [0.076] N=1,007**	**0.194** [0.097] N=835**	**0.260** [0.102] N=647**
Strict normal HAZ -2 to +3	0.105 [0.065] N=1,285	**0.147** [0.067] N=1,176**	**0.143* [0.076] N=1,031**	0.142 [0.091] N=855	**0.203* [0.118] N=664**
Strict normal WAZ -2 to +1	-0.010 [0.060] N=1,475	-0.015 [0.064] N=1,348	0.012 [0.072] N=1,183	0.002 [0.081] N=976	-0.001 [0.103] N=757
Strict normal WHZ -2 to +1	0.054 [0.063] N=1,263	0.066 [0.071] N=1,160	0.078 [0.078] N=1,018	0.139 [0.089] N=845	**0.197* [0.106] N=652**
Strict normal BMIZ -2 to +1	0.047 [0.064] N=1,250	0.076 [0.069] N=1,148	0.114 [0.078] N=1,007	**0.163* [0.091] N=835**	0.163 [0.105] N=647
Above-normal height HAZ above +3	-0.028 [0.034] N=1,285	-0.048 [0.036] N=1,176	-0.037 [0.045] N=1,031	0.030 [0.055] N=855	-0.031 [0.069] N=664
Above-normal weight WAZ above +1	-0.032 [0.051] N=1,475	-0.023 [0.055] N=1,348	-0.033 [0.062] N=1,183	-0.052 [0.073] N=976	-0.108 [0.083] N=757
Above-normal WHZ above +1	0.016 [0.059] N=1,263	-0.009 [0.066] N=1,160	-0.016 [0.074] N=1,018	-0.081 [0.090] N=845	-0.067 [0.103] N=652
Above-normal BMIZ above +1	0.045 [0.060] N=1,250	0.019 [0.067] N=1,148	-0.014 [0.078] N=1,007	-0.084 [0.089] N=835	-0.039 [0.107] N=647

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.724 P=1,058	-0.051 [0.057] N=1,459	-0.041 [0.058] N=1,320	-0.033 [0.061] N=1,151	-0.059 [0.066] N=976	-0.080 [0.074] N=790
Not underweight WAZ at least -2	0.894 P=1,495	0.015 [0.029] N=1,664	0.018 [0.030] N=1,514	-0.001 [0.032] N=1,318	0.007 [0.034] N=1,115	0.012 [0.037] N=897
Neither wasted nor overweight WHZ -2 to +2	0.689 P=995	**-0.096* [0.050] N=1,446**	**-0.101* [0.052] N=1,311**	**-0.107* [0.056] N=1,144**	-0.075 [0.060] N=970	-0.061 [0.067] N=784
Neither low nor high BMIZ -2 to +2	0.644 P=919	**-0.133** [0.052] N=1,426**	**-0.139** [0.056] N=1,293**	**-0.129** [0.062] N=1,129**	-0.095 [0.066] N=956	-0.088 [0.072] N=776
Strict normal HAZ -2 to +3	0.661 P=967	-0.080 [0.059] N=1,459	-0.072 [0.060] N=1,320	-0.065 [0.063] N=1,151	-0.087 [0.067] N=976	-0.116 [0.075] N=790
Strict normal WAZ -2 to +1	0.705 P=1,177	0.020 [0.045] N=1,664	0.009 [0.048] N=1,514	0.004 [0.052] N=1,318	-0.003 [0.057] N=1,115	-0.003 [0.060] N=897
Strict normal WHZ -2 to +1	0.517 P=740	**-0.136*** [0.048] N=1,446**	**-0.148*** [0.051] N=1,311**	**-0.154*** [0.055] N=1,144**	**-0.113* [0.060] N=970**	**-0.131* [0.070] N=784**
Strict normal BMIZ -2 to +1	0.499 P=708	**-0.104* [0.053] N=1,426**	**-0.114** [0.056] N=1,293**	-0.085 [0.062] N=1,129	-0.052 [0.066] N=956	-0.073 [0.072] N=776
Above-normal height HAZ above +3	0.063 P=91	0.028 [0.024] N=1,459	0.031 [0.026] N=1,320	0.031 [0.028] N=1,151	0.028 [0.030] N=976	0.037 [0.035] N=790
Above-normal weight WAZ above +1	0.190 P=318	-0.005 [0.037] N=1,664	0.009 [0.039] N=1,514	-0.006 [0.041] N=1,318	0.010 [0.043] N=1,115	0.015 [0.046] N=897
Above-normal WHZ above +1	0.368 P=538	**0.102** [0.050] N=1,446**	**0.106** [0.053] N=1,311**	0.090 [0.058] N=1,144	0.097 [0.062] N=970	**0.122* [0.071] N=784**
Above-normal BMIZ above +1	0.365 P=525	0.071 [0.052] N=1,426	0.078 [0.054] N=1,293	0.045 [0.059] N=1,129	0.047 [0.066] N=956	0.070 [0.072] N=776

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.044 [0.089] N=1,260	-0.026 [0.093] N=1,121	-0.002 [0.104] N=952	-0.064 [0.124] N=777	-0.132 [0.160] N=591
Not underweight WAZ at least -2	0.023 [0.044] N=1,440	0.026 [0.047] N=1,290	-0.007 [0.053] N=1,094	0.006 [0.059] N=891	0.023 [0.068] N=673
Neither wasted nor overweight WHZ -2 to +2	**-0.174*** [0.062] N=1,245**	**-0.183*** [0.069] N=1,110**	**-0.217*** [0.073] N=943**	**-0.188** [0.084] N=769**	-0.180 [0.109] N=583
Neither low nor high BMIZ -2 to +2	**-0.189*** [0.065] N=1,234**	**-0.199*** [0.073] N=1,101**	**-0.182** [0.082] N=937**	-0.133 [0.093] N=764	-0.114 [0.113] N=584
Strict normal HAZ -2 to +3	-0.069 [0.089] N=1,260	-0.057 [0.093] N=1,121	-0.037 [0.105] N=952	-0.095 [0.125] N=777	-0.194 [0.157] N=591
Strict normal WAZ -2 to +1	0.079 [0.065] N=1,440	0.067 [0.067] N=1,290	0.072 [0.078] N=1,094	0.067 [0.088] N=891	0.069 [0.095] N=673
Strict normal WHZ -2 to +1	**-0.162** [0.069] N=1,245**	**-0.184** [0.075] N=1,110**	**-0.199** [0.084] N=943**	-0.109 [0.100] N=769	-0.149 [0.132] N=583
Strict normal BMIZ -2 to +1	-0.129 [0.083] N=1,234	-0.147 [0.089] N=1,101	-0.097 [0.105] N=937	-0.020 [0.123] N=764	-0.082 [0.145] N=584
Above-normal height HAZ above +3	0.026 [0.032] N=1,260	0.030 [0.036] N=1,121	0.035 [0.042] N=952	0.031 [0.051] N=777	0.062 [0.070] N=591
Above-normal weight WAZ above +1	-0.055 [0.052] N=1,440	-0.041 [0.056] N=1,290	-0.079 [0.061] N=1,094	-0.062 [0.065] N=891	-0.046 [0.072] N=673
Above-normal WHZ above +1	0.087 [0.075] N=1,245	0.093 [0.081] N=1,110	0.055 [0.093] N=943	0.053 [0.104] N=769	0.099 [0.131] N=583
Above-normal BMIZ above +1	0.060 [0.080] N=1,234	0.069 [0.085] N=1,101	0.011 [0.099] N=937	0.012 [0.115] N=764	0.085 [0.129] N=584

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.724 P=1,058	-0.050 [0.057] N=1,459	-0.040 [0.058] N=1,320	-0.032 [0.061] N=1,151	-0.059 [0.066] N=976	-0.080 [0.074] N=790
Not underweight WAZ at least -2	0.894 P=1,495	0.016 [0.029] N=1,664	0.019 [0.030] N=1,514	-0.000 [0.032] N=1,318	0.007 [0.034] N=1,115	0.013 [0.037] N=897
Neither wasted nor overweight WHZ -2 to +2	0.689 P=995	**-0.093* [0.050] N=1,446**	**-0.096* [0.052] N=1,311**	**-0.102* [0.056] N=1,144**	-0.073 [0.061] N=970	-0.059 [0.068] N=784
Neither low nor high BMIZ -2 to +2	0.644 P=919	**-0.132** [0.052] N=1,426**	**-0.137** [0.056] N=1,293**	**-0.126** [0.062] N=1,129**	-0.095 [0.066] N=956	-0.088 [0.072] N=776
Strict normal HAZ -2 to +3	0.661 P=967	-0.078 [0.059] N=1,459	-0.070 [0.061] N=1,320	-0.063 [0.063] N=1,151	-0.086 [0.067] N=976	-0.116 [0.075] N=790
Strict normal WAZ -2 to +1	0.705 P=1,177	0.023 [0.045] N=1,664	0.012 [0.047] N=1,514	0.008 [0.052] N=1,318	-0.001 [0.056] N=1,115	-0.001 [0.060] N=897
Strict normal WHZ -2 to +1	0.517 P=740	**-0.134*** [0.048] N=1,446**	**-0.145*** [0.051] N=1,311**	**-0.151*** [0.055] N=1,144**	**-0.112* [0.060] N=970**	**-0.131* [0.070] N=784**
Strict normal BMIZ -2 to +1	0.499 P=708	**-0.103* [0.053] N=1,426**	**-0.112** [0.056] N=1,293**	-0.082 [0.062] N=1,129	-0.052 [0.066] N=956	-0.073 [0.072] N=776
Above-normal height HAZ above +3	0.063 P=91	0.027 [0.024] N=1,459	0.030 [0.026] N=1,320	0.031 [0.028] N=1,151	0.027 [0.030] N=976	0.036 [0.035] N=790
Above-normal weight WAZ above +1	0.190 P=318	-0.007 [0.037] N=1,664	0.007 [0.038] N=1,514	-0.008 [0.040] N=1,318	0.008 [0.042] N=1,115	0.014 [0.046] N=897
Above-normal WHZ above +1	0.368 P=538	**0.102** [0.050] N=1,446**	**0.106** [0.053] N=1,311**	0.089 [0.058] N=1,144	0.097 [0.062] N=970	**0.123* [0.071] N=784**
Above-normal BMIZ above +1	0.365 P=525	0.071 [0.052] N=1,426	0.077 [0.054] N=1,293	0.044 [0.059] N=1,129	0.046 [0.066] N=956	0.070 [0.072] N=776

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.041 [0.089] N=1,260	-0.024 [0.092] N=1,121	0.001 [0.103] N=952	-0.064 [0.123] N=777	-0.139 [0.158] N=591
Not underweight WAZ at least -2	0.025 [0.044] N=1,440	0.028 [0.047] N=1,290	-0.006 [0.053] N=1,094	0.007 [0.059] N=891	0.024 [0.069] N=673
Neither wasted nor overweight WHZ -2 to +2	**-0.166*** [0.062] N=1,245**	**-0.170** [0.068] N=1,110**	**-0.199*** [0.072] N=943**	**-0.170** [0.084] N=769**	-0.154 [0.110] N=583
Neither low nor high BMIZ -2 to +2	**-0.186*** [0.065] N=1,234**	**-0.193*** [0.073] N=1,101**	**-0.172** [0.081] N=937**	-0.130 [0.093] N=764	-0.115 [0.113] N=584
Strict normal HAZ -2 to +3	-0.064 [0.089] N=1,260	-0.051 [0.093] N=1,121	-0.031 [0.105] N=952	-0.091 [0.124] N=777	-0.191 [0.155] N=591
Strict normal WAZ -2 to +1	0.082 [0.065] N=1,440	0.070 [0.067] N=1,290	0.077 [0.078] N=1,094	0.071 [0.088] N=891	0.070 [0.094] N=673
Strict normal WHZ -2 to +1	**-0.157** [0.069] N=1,245**	**-0.176** [0.075] N=1,110**	**-0.186** [0.083] N=943**	-0.103 [0.100] N=769	-0.141 [0.130] N=583
Strict normal BMIZ -2 to +1	-0.126 [0.082] N=1,234	-0.141 [0.089] N=1,101	-0.090 [0.105] N=937	-0.020 [0.123] N=764	-0.087 [0.144] N=584
Above-normal height HAZ above +3	0.023 [0.032] N=1,260	0.026 [0.035] N=1,121	0.031 [0.042] N=952	0.027 [0.049] N=777	0.052 [0.068] N=591
Above-normal weight WAZ above +1	-0.057 [0.052] N=1,440	-0.042 [0.056] N=1,290	-0.082 [0.061] N=1,094	-0.063 [0.064] N=891	-0.045 [0.069] N=673
Above-normal WHZ above +1	0.088 [0.075] N=1,245	0.094 [0.082] N=1,110	0.053 [0.093] N=943	0.057 [0.104] N=769	0.110 [0.131] N=583
Above-normal BMIZ above +1	0.061 [0.080] N=1,234	0.070 [0.085] N=1,101	0.010 [0.099] N=937	0.015 [0.115] N=764	0.097 [0.130] N=584

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.724 P=1,058	-0.051 [0.056] N=1,459	-0.040 [0.057] N=1,320	-0.027 [0.060] N=1,151	-0.052 [0.064] N=976	-0.079 [0.071] N=790
Not underweight WAZ at least -2	0.894 P=1,495	0.017 [0.028] N=1,664	0.020 [0.030] N=1,514	0.003 [0.032] N=1,318	0.011 [0.034] N=1,115	0.014 [0.036] N=897
Neither wasted nor overweight WHZ -2 to +2	0.689 P=995	**-0.093* [0.050] N=1,446**	**-0.095* [0.053] N=1,311**	**-0.099* [0.057] N=1,144**	-0.068 [0.062] N=970	-0.061 [0.069] N=784
Neither low nor high BMIZ -2 to +2	0.644 P=919	**-0.132** [0.052] N=1,426**	**-0.136** [0.056] N=1,293**	**-0.122* [0.063] N=1,129**	-0.089 [0.067] N=956	-0.090 [0.073] N=776
Strict normal HAZ -2 to +3	0.661 P=967	-0.079 [0.058] N=1,459	-0.070 [0.060] N=1,320	-0.057 [0.062] N=1,151	-0.079 [0.067] N=976	-0.115 [0.073] N=790
Strict normal WAZ -2 to +1	0.705 P=1,177	0.022 [0.045] N=1,664	0.012 [0.047] N=1,514	0.008 [0.052] N=1,318	0.002 [0.055] N=1,115	-0.000 [0.058] N=897
Strict normal WHZ -2 to +1	0.517 P=740	**-0.134*** [0.048] N=1,446**	**-0.144*** [0.051] N=1,311**	**-0.152*** [0.055] N=1,144**	**-0.114* [0.061] N=970**	**-0.137* [0.070] N=784**
Strict normal BMIZ -2 to +1	0.499 P=708	**-0.103* [0.053] N=1,426**	**-0.112** [0.055] N=1,293**	-0.083 [0.062] N=1,129	-0.053 [0.066] N=956	-0.079 [0.071] N=776
Above-normal height HAZ above +3	0.063 P=91	0.028 [0.025] N=1,459	0.030 [0.026] N=1,320	0.030 [0.028] N=1,151	0.027 [0.031] N=976	0.037 [0.036] N=790
Above-normal weight WAZ above +1	0.190 P=318	-0.006 [0.038] N=1,664	0.008 [0.039] N=1,514	-0.005 [0.041] N=1,318	0.009 [0.043] N=1,115	0.015 [0.046] N=897
Above-normal WHZ above +1	0.368 P=538	**0.103** [0.050] N=1,446**	**0.107** [0.053] N=1,311**	0.093 [0.058] N=1,144	0.100 [0.062] N=970	**0.127* [0.071] N=784**
Above-normal BMIZ above +1	0.365 P=525	0.072 [0.052] N=1,426	0.078 [0.054] N=1,293	0.049 [0.059] N=1,129	0.051 [0.066] N=956	0.076 [0.071] N=776

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.042 [0.087] N=1,260	-0.024 [0.090] N=1,121	0.006 [0.099] N=952	-0.056 [0.119] N=777	-0.135 [0.151] N=591
Not underweight WAZ at least -2	0.024 [0.043] N=1,440	0.027 [0.047] N=1,290	0.001 [0.053] N=1,094	0.012 [0.059] N=891	0.027 [0.067] N=673
Neither wasted nor overweight WHZ -2 to +2	**-0.166** [0.064] N=1,245**	**-0.169** [0.070] N=1,110**	**-0.193** [0.074] N=943**	**-0.162* [0.086] N=769**	-0.153 [0.113] N=583
Neither low nor high BMIZ -2 to +2	**-0.186*** [0.066] N=1,234**	**-0.193*** [0.074] N=1,101**	**-0.164** [0.083] N=937**	-0.121 [0.096] N=764	-0.112 [0.116] N=584
Strict normal HAZ -2 to +3	-0.066 [0.087] N=1,260	-0.049 [0.091] N=1,121	-0.025 [0.102] N=952	-0.079 [0.121] N=777	-0.186 [0.148] N=591
Strict normal WAZ -2 to +1	0.086 [0.065] N=1,440	0.074 [0.067] N=1,290	0.081 [0.078] N=1,094	0.079 [0.087] N=891	0.074 [0.093] N=673
Strict normal WHZ -2 to +1	**-0.153** [0.069] N=1,245**	**-0.170** [0.074] N=1,110**	**-0.183** [0.083] N=943**	-0.097 [0.099] N=769	-0.139 [0.129] N=583
Strict normal BMIZ -2 to +1	-0.121 [0.083] N=1,234	-0.135 [0.089] N=1,101	-0.083 [0.105] N=937	-0.008 [0.122] N=764	-0.079 [0.142] N=584
Above-normal height HAZ above +3	0.024 [0.032] N=1,260	0.026 [0.036] N=1,121	0.031 [0.043] N=952	0.024 [0.050] N=777	0.051 [0.069] N=591
Above-normal weight WAZ above +1	-0.062 [0.053] N=1,440	-0.047 [0.057] N=1,290	-0.080 [0.062] N=1,094	-0.067 [0.065] N=891	-0.047 [0.070] N=673
Above-normal WHZ above +1	0.083 [0.076] N=1,245	0.088 [0.082] N=1,110	0.052 [0.093] N=943	0.051 [0.103] N=769	0.105 [0.128] N=583
Above-normal BMIZ above +1	0.055 [0.080] N=1,234	0.064 [0.085] N=1,101	0.010 [0.098] N=937	0.007 [0.114] N=764	0.090 [0.127] N=584

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.724 P=1,058	-0.047 [0.055] N=1,459	-0.036 [0.057] N=1,320	-0.024 [0.059] N=1,151	-0.051 [0.064] N=976	-0.076 [0.071] N=790
Not underweight WAZ at least -2	0.894 P=1,495	0.019 [0.029] N=1,664	0.022 [0.030] N=1,514	0.005 [0.032] N=1,318	0.012 [0.034] N=1,115	0.017 [0.038] N=897
Neither wasted nor overweight WHZ -2 to +2	0.689 P=995	**-0.091* [0.049] N=1,446**	**-0.094* [0.052] N=1,311**	**-0.102* [0.056] N=1,144**	-0.070 [0.060] N=970	-0.060 [0.067] N=784
Neither low nor high BMIZ -2 to +2	0.644 P=919	**-0.132** [0.052] N=1,426**	**-0.136** [0.055] N=1,293**	**-0.125** [0.062] N=1,129**	-0.094 [0.066] N=956	-0.090 [0.071] N=776
Strict normal HAZ -2 to +3	0.661 P=967	-0.073 [0.058] N=1,459	-0.064 [0.060] N=1,320	-0.053 [0.062] N=1,151	-0.075 [0.066] N=976	-0.108 [0.073] N=790
Strict normal WAZ -2 to +1	0.705 P=1,177	0.022 [0.045] N=1,664	0.011 [0.047] N=1,514	0.006 [0.052] N=1,318	-0.001 [0.055] N=1,115	-0.000 [0.059] N=897
Strict normal WHZ -2 to +1	0.517 P=740	**-0.133*** [0.048] N=1,446**	**-0.145*** [0.050] N=1,311**	**-0.154*** [0.055] N=1,144**	**-0.112* [0.060] N=970**	**-0.133* [0.068] N=784**
Strict normal BMIZ -2 to +1	0.499 P=708	**-0.098* [0.052] N=1,426**	**-0.107* [0.055] N=1,293**	-0.080 [0.061] N=1,129	-0.048 [0.065] N=956	-0.070 [0.070] N=776
Above-normal height HAZ above +3	0.063 P=91	0.027 [0.025] N=1,459	0.028 [0.027] N=1,320	0.028 [0.028] N=1,151	0.025 [0.030] N=976	0.031 [0.036] N=790
Above-normal weight WAZ above +1	0.190 P=318	-0.003 [0.037] N=1,664	0.011 [0.039] N=1,514	-0.001 [0.041] N=1,318	0.013 [0.043] N=1,115	0.017 [0.046] N=897
Above-normal WHZ above +1	0.368 P=538	**0.102** [0.050] N=1,446**	**0.107** [0.053] N=1,311**	0.092 [0.058] N=1,144	0.099 [0.062] N=970	**0.128* [0.071] N=784**
Above-normal BMIZ above +1	0.365 P=525	0.069 [0.052] N=1,426	0.075 [0.054] N=1,293	0.045 [0.059] N=1,129	0.047 [0.066] N=956	0.071 [0.072] N=776

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.037 [0.085] N=1,260	-0.017 [0.088] N=1,121	0.016 [0.098] N=952	-0.050 [0.119] N=777	-0.146 [0.152] N=591
Not underweight WAZ at least -2	0.029 [0.042] N=1,440	0.031 [0.046] N=1,290	0.006 [0.052] N=1,094	0.015 [0.058] N=891	0.029 [0.066] N=673
Neither wasted nor overweight WHZ -2 to +2	**-0.165*** [0.063] N=1,245**	**-0.170** [0.069] N=1,110**	**-0.200*** [0.074] N=943**	**-0.166* [0.087] N=769**	-0.165 [0.112] N=583
Neither low nor high BMIZ -2 to +2	**-0.189*** [0.067] N=1,234**	**-0.195*** [0.074] N=1,101**	**-0.173** [0.083] N=937**	-0.135 [0.097] N=764	-0.139 [0.114] N=584
Strict normal HAZ -2 to +3	-0.059 [0.086] N=1,260	-0.042 [0.090] N=1,121	-0.014 [0.101] N=952	-0.076 [0.121] N=777	-0.199 [0.147] N=591
Strict normal WAZ -2 to +1	0.082 [0.064] N=1,440	0.069 [0.067] N=1,290	0.077 [0.078] N=1,094	0.074 [0.088] N=891	0.073 [0.094] N=673
Strict normal WHZ -2 to +1	**-0.159** [0.069] N=1,245**	**-0.179** [0.075] N=1,110**	**-0.192** [0.084] N=943**	-0.105 [0.100] N=769	-0.163 [0.130] N=583
Strict normal BMIZ -2 to +1	-0.125 [0.083] N=1,234	-0.139 [0.089] N=1,101	-0.090 [0.105] N=937	-0.023 [0.123] N=764	-0.105 [0.144] N=584
Above-normal height HAZ above +3	0.023 [0.033] N=1,260	0.025 [0.036] N=1,121	0.029 [0.042] N=952	0.026 [0.049] N=777	0.053 [0.067] N=591
Above-normal weight WAZ above +1	-0.054 [0.052] N=1,440	-0.038 [0.056] N=1,290	-0.071 [0.061] N=1,094	-0.059 [0.065] N=891	-0.044 [0.070] N=673
Above-normal WHZ above +1	0.087 [0.075] N=1,245	0.092 [0.082] N=1,110	0.053 [0.093] N=943	0.054 [0.104] N=769	0.126 [0.133] N=583
Above-normal BMIZ above +1	0.059 [0.079] N=1,234	0.067 [0.085] N=1,101	0.012 [0.098] N=937	0.016 [0.115] N=764	0.110 [0.132] N=584

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.724 P=983	-0.048 [0.060] N=1,353	-0.039 [0.062] N=1,225	-0.018 [0.064] N=1,072	-0.041 [0.067] N=907	-0.065 [0.074] N=736
Not underweight WAZ at least -2	0.893 P=1,378	0.020 [0.031] N=1,537	0.023 [0.033] N=1,398	0.006 [0.034] N=1,222	0.007 [0.036] N=1,035	0.004 [0.040] N=836
Neither wasted nor overweight WHZ -2 to +2	0.690 P=923	**-0.094* [0.051] N=1,339**	**-0.096* [0.053] N=1,215**	**-0.096* [0.056] N=1,062**	-0.064 [0.061] N=900	-0.051 [0.067] N=730
Neither low nor high BMIZ -2 to +2	0.647 P=857	**-0.135** [0.055] N=1,321**	**-0.142** [0.058] N=1,199**	**-0.114* [0.063] N=1,050**	-0.080 [0.068] N=889	-0.074 [0.074] N=724
Strict normal HAZ -2 to +3	0.663 P=902	-0.077 [0.062] N=1,353	-0.074 [0.065] N=1,225	-0.054 [0.066] N=1,072	-0.070 [0.070] N=907	-0.105 [0.078] N=736
Strict normal WAZ -2 to +1	0.703 P=1,084	0.020 [0.048] N=1,537	0.012 [0.051] N=1,398	0.023 [0.055] N=1,222	0.013 [0.058] N=1,035	0.010 [0.060] N=836
Strict normal WHZ -2 to +1	0.520 P=689	**-0.147*** [0.049] N=1,339**	**-0.161*** [0.052] N=1,215**	**-0.157*** [0.055] N=1,062**	**-0.115* [0.061] N=900**	**-0.131* [0.069] N=730**
Strict normal BMIZ -2 to +1	0.505 P=664	**-0.121** [0.056] N=1,321**	**-0.135** [0.058] N=1,199**	-0.089 [0.063] N=1,050	-0.062 [0.067] N=889	-0.075 [0.074] N=724
Above-normal height HAZ above +3	0.061 P=81	0.030 [0.026] N=1,353	0.035 [0.028] N=1,225	0.036 [0.030] N=1,072	0.029 [0.032] N=907	0.040 [0.038] N=736
Above-normal weight WAZ above +1	0.190 P=294	-0.001 [0.038] N=1,537	0.011 [0.040] N=1,398	-0.018 [0.042] N=1,222	-0.006 [0.043] N=1,035	-0.006 [0.044] N=836
Above-normal WHZ above +1	0.365 P=495	**0.113** [0.051] N=1,339**	**0.121** [0.055] N=1,215**	0.091 [0.059] N=1,062	0.091 [0.063] N=900	0.107 [0.072] N=730
Above-normal BMIZ above +1	0.361 P=481	0.080 [0.054] N=1,321	0.092 [0.057] N=1,199	0.040 [0.061] N=1,050	0.037 [0.068] N=889	0.044 [0.074] N=724

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.038 [0.096] N=1,164	-0.023 [0.101] N=1,036	0.026 [0.111] N=883	-0.020 [0.128] N=718	-0.089 [0.160] N=547
Not underweight WAZ at least -2	0.038 [0.047] N=1,326	0.043 [0.051] N=1,187	0.015 [0.057] N=1,011	0.018 [0.064] N=824	0.034 [0.076] N=625
Neither wasted nor overweight WHZ -2 to +2	**-0.167** [0.066] N=1,149**	**-0.169** [0.073] N=1,025**	**-0.189** [0.079] N=872**	-0.149 [0.092] N=710	-0.123 [0.116] N=540
Neither low nor high BMIZ -2 to +2	**-0.211*** [0.068] N=1,138**	**-0.223*** [0.076] N=1,016**	**-0.176** [0.083] N=867**	-0.132 [0.097] N=706	-0.134 [0.110] N=541
Strict normal HAZ -2 to +3	-0.070 [0.097] N=1,164	-0.064 [0.103] N=1,036	-0.021 [0.113] N=883	-0.051 [0.134] N=718	-0.151 [0.166] N=547
Strict normal WAZ -2 to +1	0.077 [0.071] N=1,326	0.071 [0.075] N=1,187	0.106 [0.085] N=1,011	0.092 [0.099] N=824	0.097 [0.104] N=625
Strict normal WHZ -2 to +1	**-0.181** [0.074] N=1,149**	**-0.209*** [0.080] N=1,025**	**-0.202** [0.089] N=872**	-0.113 [0.105] N=710	-0.139 [0.138] N=540
Strict normal BMIZ -2 to +1	**-0.168* [0.087] N=1,138**	**-0.195** [0.094] N=1,016**	-0.119 [0.108] N=867	-0.066 [0.124] N=706	-0.118 [0.145] N=541
Above-normal height HAZ above +3	0.033 [0.034] N=1,164	0.041 [0.038] N=1,036	0.047 [0.045] N=883	0.031 [0.055] N=718	0.062 [0.075] N=547
Above-normal weight WAZ above +1	-0.039 [0.056] N=1,326	-0.028 [0.061] N=1,187	-0.091 [0.066] N=1,011	-0.074 [0.072] N=824	-0.063 [0.080] N=625
Above-normal WHZ above +1	0.116 [0.083] N=1,149	0.134 [0.091] N=1,025	0.071 [0.103] N=872	0.067 [0.111] N=710	0.108 [0.141] N=540
Above-normal BMIZ above +1	0.092 [0.086] N=1,138	0.117 [0.093] N=1,016	0.030 [0.107] N=867	0.038 [0.119] N=706	0.091 [0.132] N=541

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.724 P=983	-0.047 [0.059] N=1,353	-0.037 [0.062] N=1,225	-0.016 [0.064] N=1,072	-0.037 [0.067] N=907	-0.061 [0.074] N=736
Not underweight WAZ at least -2	0.893 P=1,378	0.022 [0.031] N=1,537	0.025 [0.033] N=1,398	0.008 [0.034] N=1,222	0.010 [0.036] N=1,035	0.007 [0.039] N=836
Neither wasted nor overweight WHZ -2 to +2	0.690 P=923	**-0.089* [0.050] N=1,339**	**-0.090* [0.053] N=1,215**	-0.087 [0.056] N=1,062	-0.053 [0.061] N=900	-0.041 [0.067] N=730
Neither low nor high BMIZ -2 to +2	0.647 P=857	**-0.131** [0.054] N=1,321**	**-0.136** [0.057] N=1,199**	**-0.107* [0.062] N=1,050**	-0.072 [0.067] N=889	-0.064 [0.072] N=724
Strict normal HAZ -2 to +3	0.663 P=902	-0.074 [0.062] N=1,353	-0.070 [0.064] N=1,225	-0.050 [0.066] N=1,072	-0.063 [0.069] N=907	-0.097 [0.077] N=736
Strict normal WAZ -2 to +1	0.703 P=1,084	0.023 [0.048] N=1,537	0.015 [0.050] N=1,398	0.025 [0.054] N=1,222	0.017 [0.058] N=1,035	0.015 [0.059] N=836
Strict normal WHZ -2 to +1	0.520 P=689	**-0.144*** [0.049] N=1,339**	**-0.157*** [0.052] N=1,215**	**-0.150*** [0.055] N=1,062**	**-0.106* [0.060] N=900**	**-0.119* [0.070] N=730**
Strict normal BMIZ -2 to +1	0.505 P=664	**-0.118** [0.055] N=1,321**	**-0.131** [0.057] N=1,199**	-0.084 [0.062] N=1,050	-0.057 [0.066] N=889	-0.069 [0.072] N=724
Above-normal height HAZ above +3	0.061 P=81	0.027 [0.026] N=1,353	0.032 [0.028] N=1,225	0.034 [0.030] N=1,072	0.026 [0.033] N=907	0.036 [0.038] N=736
Above-normal weight WAZ above +1	0.190 P=294	-0.001 [0.038] N=1,537	0.010 [0.040] N=1,398	-0.018 [0.041] N=1,222	-0.007 [0.042] N=1,035	-0.007 [0.044] N=836
Above-normal WHZ above +1	0.365 P=495	**0.115** [0.051] N=1,339**	**0.122** [0.055] N=1,215**	0.090 [0.059] N=1,062	0.090 [0.063] N=900	0.105 [0.072] N=730
Above-normal BMIZ above +1	0.361 P=481	0.082 [0.055] N=1,321	0.093 [0.057] N=1,199	0.041 [0.061] N=1,050	0.039 [0.068] N=889	0.048 [0.074] N=724

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.038 [0.095] N=1,164	-0.021 [0.100] N=1,036	0.029 [0.110] N=883	-0.023 [0.128] N=718	-0.095 [0.157] N=547
Not underweight WAZ at least -2	0.038 [0.047] N=1,326	0.044 [0.051] N=1,187	0.016 [0.057] N=1,011	0.018 [0.064] N=824	0.026 [0.075] N=625
Neither wasted nor overweight WHZ -2 to +2	**-0.166** [0.066] N=1,149**	**-0.168** [0.072] N=1,025**	**-0.184** [0.078] N=872**	-0.144 [0.091] N=710	-0.127 [0.117] N=540
Neither low nor high BMIZ -2 to +2	**-0.211*** [0.068] N=1,138**	**-0.221*** [0.075] N=1,016**	**-0.173** [0.083] N=867**	-0.130 [0.097] N=706	-0.125 [0.112] N=541
Strict normal HAZ -2 to +3	-0.068 [0.096] N=1,164	-0.060 [0.102] N=1,036	-0.017 [0.112] N=883	-0.051 [0.133] N=718	-0.152 [0.164] N=547
Strict normal WAZ -2 to +1	0.078 [0.071] N=1,326	0.072 [0.075] N=1,187	0.106 [0.084] N=1,011	0.093 [0.099] N=824	0.088 [0.104] N=625
Strict normal WHZ -2 to +1	**-0.185** [0.073] N=1,149**	**-0.212*** [0.080] N=1,025**	**-0.200** [0.088] N=872**	-0.110 [0.104] N=710	-0.138 [0.138] N=540
Strict normal BMIZ -2 to +1	**-0.169* [0.087] N=1,138**	**-0.197** [0.094] N=1,016**	-0.121 [0.108] N=867	-0.071 [0.125] N=706	-0.130 [0.146] N=541
Above-normal height HAZ above +3	0.031 [0.033] N=1,164	0.040 [0.037] N=1,036	0.046 [0.045] N=883	0.028 [0.055] N=718	0.057 [0.074] N=547
Above-normal weight WAZ above +1	-0.040 [0.056] N=1,326	-0.028 [0.061] N=1,187	-0.090 [0.066] N=1,011	-0.075 [0.071] N=824	-0.062 [0.079] N=625
Above-normal WHZ above +1	0.118 [0.083] N=1,149	0.134 [0.091] N=1,025	0.068 [0.102] N=872	0.064 [0.110] N=710	0.107 [0.139] N=540
Above-normal BMIZ above +1	0.095 [0.087] N=1,138	0.119 [0.093] N=1,016	0.032 [0.107] N=867	0.045 [0.120] N=706	0.112 [0.133] N=541

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.