Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-6

WHO binary classifications are derived from WHO z scores; missing scores remain missing. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.743 P=2,005	0.043 [0.031] N=2,676	0.047 [0.033] N=2,470	0.046 [0.033] N=2,212	**0.082** [0.035] N=1,901**	0.050 [0.040] N=1,571
Not underweight WAZ at least -2	0.912 P=2,714	-0.030 [0.020] N=2,964	-0.021 [0.022] N=2,736	-0.003 [0.023] N=2,452	-0.005 [0.024] N=2,104	-0.011 [0.027] N=1,734
Neither wasted nor overweight WHZ -2 to +2	0.694 P=1,385	0.017 [0.044] N=1,994	0.017 [0.046] N=1,853	0.016 [0.049] N=1,668	0.032 [0.055] N=1,430	0.065 [0.059] N=1,171
Neither low nor high BMIZ -2 to +2	0.657 P=1,709	-0.000 [0.039] N=2,592	0.014 [0.041] N=2,394	0.008 [0.043] N=2,139	0.028 [0.048] N=1,839	0.030 [0.053] N=1,518
Strict normal HAZ -2 to +3	0.684 P=1,853	0.034 [0.035] N=2,676	0.044 [0.037] N=2,470	0.039 [0.038] N=2,212	0.059 [0.041] N=1,901	0.023 [0.047] N=1,571
Strict normal WAZ -2 to +1	0.700 P=2,087	**-0.082** [0.035] N=2,964**	**-0.079** [0.038] N=2,736**	-0.066 [0.040] N=2,452	-0.055 [0.042] N=2,104	-0.076 [0.046] N=1,734
Strict normal WHZ -2 to +1	0.531 P=1,061	0.017 [0.045] N=1,994	0.017 [0.048] N=1,853	0.007 [0.050] N=1,668	0.031 [0.053] N=1,430	0.026 [0.059] N=1,171
Strict normal BMIZ -2 to +1	0.510 P=1,326	0.000 [0.042] N=2,592	0.009 [0.044] N=2,394	0.014 [0.048] N=2,139	0.046 [0.052] N=1,839	0.023 [0.060] N=1,518
Above-normal height HAZ above +3	0.059 P=152	0.009 [0.019] N=2,676	0.003 [0.020] N=2,470	0.007 [0.022] N=2,212	0.023 [0.024] N=1,901	0.027 [0.027] N=1,571
Above-normal weight WAZ above +1	0.213 P=627	**0.052* [0.031] N=2,964**	**0.057* [0.034] N=2,736**	**0.063* [0.034] N=2,452**	0.050 [0.037] N=2,104	0.065 [0.040] N=1,734
Above-normal WHZ above +1	0.358 P=706	0.016 [0.040] N=1,994	0.008 [0.042] N=1,853	0.011 [0.043] N=1,668	-0.019 [0.046] N=1,430	0.009 [0.051] N=1,171
Above-normal BMIZ above +1	0.369 P=951	0.009 [0.035] N=2,592	0.001 [0.038] N=2,394	-0.006 [0.041] N=2,139	-0.061 [0.044] N=1,839	-0.036 [0.049] N=1,518

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.006 [0.041] N=2,249	0.006 [0.046] N=2,043	0.003 [0.050] N=1,785	0.068 [0.055] N=1,474	-0.022 [0.072] N=1,144
Not underweight WAZ at least -2	**-0.046* [0.028] N=2,497**	-0.033 [0.031] N=2,269	0.003 [0.035] N=1,985	-0.005 [0.040] N=1,637	-0.026 [0.054] N=1,267
Neither wasted nor overweight WHZ -2 to +2	0.007 [0.052] N=1,680	0.003 [0.055] N=1,539	0.002 [0.060] N=1,354	0.024 [0.074] N=1,116	**0.137* [0.081] N=857**
Neither low nor high BMIZ -2 to +2	-0.003 [0.050] N=2,176	0.022 [0.053] N=1,978	0.023 [0.057] N=1,723	0.071 [0.068] N=1,423	0.119 [0.073] N=1,102
Strict normal HAZ -2 to +3	0.001 [0.043] N=2,249	0.014 [0.048] N=2,043	0.015 [0.052] N=1,785	0.045 [0.059] N=1,474	-0.061 [0.081] N=1,144
Strict normal WAZ -2 to +1	-0.054 [0.048] N=2,497	-0.040 [0.054] N=2,269	-0.009 [0.059] N=1,985	0.026 [0.069] N=1,637	-0.018 [0.088] N=1,267
Strict normal WHZ -2 to +1	0.030 [0.057] N=1,680	0.032 [0.063] N=1,539	0.026 [0.068] N=1,354	0.080 [0.080] N=1,116	0.100 [0.097] N=857
Strict normal BMIZ -2 to +1	0.003 [0.051] N=2,176	0.019 [0.056] N=1,978	0.041 [0.063] N=1,723	**0.124* [0.071] N=1,423**	0.118 [0.090] N=1,102
Above-normal height HAZ above +3	0.005 [0.021] N=2,249	-0.008 [0.023] N=2,043	-0.011 [0.028] N=1,785	0.023 [0.031] N=1,474	0.039 [0.037] N=1,144
Above-normal weight WAZ above +1	0.008 [0.040] N=2,497	0.007 [0.046] N=2,269	0.011 [0.049] N=1,985	-0.031 [0.058] N=1,637	-0.008 [0.067] N=1,267

Outcome	8 years	7 years	6 years	5 years	4 years
Above-normal WHZ above +1	0.002 [0.055] N=1,680	-0.015 [0.061] N=1,539	-0.022 [0.065] N=1,354	-0.092 [0.081] N=1,116	-0.060 [0.098] N=857
Above-normal BMIZ above +1	0.030 [0.048] N=2,176	0.023 [0.053] N=1,978	0.011 [0.064] N=1,723	-0.099 [0.071] N=1,423	-0.063 [0.085] N=1,102

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.743 P=2,005	0.042 [0.031] N=2,676	0.046 [0.033] N=2,470	0.045 [0.034] N=2,212	**0.081** [0.035] N=1,901**	0.050 [0.040] N=1,571
Not underweight WAZ at least -2	0.912 P=2,714	-0.030 [0.020] N=2,964	-0.021 [0.022] N=2,736	-0.003 [0.023] N=2,452	-0.005 [0.024] N=2,104	-0.011 [0.027] N=1,734
Neither wasted nor overweight WHZ -2 to +2	0.694 P=1,385	0.014 [0.044] N=1,994	0.011 [0.046] N=1,853	0.009 [0.049] N=1,668	0.024 [0.054] N=1,430	0.056 [0.059] N=1,171
Neither low nor high BMIZ -2 to +2	0.657 P=1,709	-0.001 [0.039] N=2,592	0.012 [0.041] N=2,394	0.006 [0.043] N=2,139	0.027 [0.048] N=1,839	0.030 [0.053] N=1,518
Strict normal HAZ -2 to +3	0.684 P=1,853	0.033 [0.035] N=2,676	0.043 [0.037] N=2,470	0.037 [0.038] N=2,212	0.058 [0.041] N=1,901	0.023 [0.047] N=1,571
Strict normal WAZ -2 to +1	0.700 P=2,087	**-0.083** [0.035] N=2,964**	**-0.080** [0.038] N=2,736**	**-0.068* [0.040] N=2,452**	-0.056 [0.042] N=2,104	-0.076 [0.046] N=1,734
Strict normal WHZ -2 to +1	0.531 P=1,061	0.015 [0.045] N=1,994	0.014 [0.047] N=1,853	0.003 [0.049] N=1,668	0.027 [0.053] N=1,430	0.022 [0.059] N=1,171
Strict normal BMIZ -2 to +1	0.510 P=1,326	-0.001 [0.042] N=2,592	0.008 [0.044] N=2,394	0.013 [0.048] N=2,139	0.046 [0.052] N=1,839	0.023 [0.060] N=1,518
Above-normal height HAZ above +3	0.059 P=152	0.010 [0.019] N=2,676	0.003 [0.020] N=2,470	0.008 [0.022] N=2,212	0.023 [0.024] N=1,901	0.027 [0.027] N=1,571
Above-normal weight WAZ above +1	0.213 P=627	**0.053* [0.031] N=2,964**	**0.059* [0.034] N=2,736**	**0.065* [0.034] N=2,452**	0.051 [0.037] N=2,104	0.065 [0.040] N=1,734
Above-normal WHZ above +1	0.358 P=706	0.017 [0.040] N=1,994	0.008 [0.042] N=1,853	0.011 [0.043] N=1,668	-0.019 [0.046] N=1,430	0.007 [0.051] N=1,171
Above-normal BMIZ above +1	0.369 P=951	0.009 [0.035] N=2,592	0.001 [0.038] N=2,394	-0.006 [0.041] N=2,139	-0.060 [0.044] N=1,839	-0.036 [0.049] N=1,518

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.006 [0.041] N=2,249	0.006 [0.046] N=2,043	0.003 [0.050] N=1,785	0.068 [0.055] N=1,474	-0.027 [0.073] N=1,144
Not underweight WAZ at least -2	**-0.046* [0.028] N=2,497**	-0.033 [0.031] N=2,269	0.003 [0.035] N=1,985	-0.006 [0.040] N=1,637	-0.027 [0.053] N=1,267
Neither wasted nor overweight WHZ -2 to +2	0.008 [0.052] N=1,680	0.002 [0.055] N=1,539	0.000 [0.060] N=1,354	0.020 [0.075] N=1,116	**0.135* [0.080] N=857**
Neither low nor high BMIZ -2 to +2	-0.003 [0.050] N=2,176	0.022 [0.053] N=1,978	0.023 [0.057] N=1,723	0.074 [0.069] N=1,423	**0.124* [0.074] N=1,102**
Strict normal HAZ -2 to +3	0.002 [0.043] N=2,249	0.014 [0.048] N=2,043	0.015 [0.052] N=1,785	0.046 [0.059] N=1,474	-0.062 [0.081] N=1,144
Strict normal WAZ -2 to +1	-0.054 [0.047] N=2,497	-0.040 [0.053] N=2,269	-0.009 [0.059] N=1,985	0.027 [0.068] N=1,637	-0.013 [0.086] N=1,267
Strict normal WHZ -2 to +1	0.030 [0.057] N=1,680	0.032 [0.063] N=1,539	0.025 [0.067] N=1,354	0.078 [0.079] N=1,116	0.100 [0.097] N=857
Strict normal BMIZ -2 to +1	0.003 [0.051] N=2,176	0.019 [0.056] N=1,978	0.041 [0.063] N=1,723	**0.125* [0.071] N=1,423**	0.117 [0.089] N=1,102
Above-normal height HAZ above +3	0.005 [0.021] N=2,249	-0.008 [0.023] N=2,043	-0.012 [0.028] N=1,785	0.022 [0.031] N=1,474	0.036 [0.038] N=1,144

Outcome	8 years	7 years	6 years	5 years	4 years
Above-normal weight WAZ above +1	0.008 [0.039] N=2,497	0.007 [0.046] N=2,269	0.011 [0.048] N=1,985	-0.033 [0.057] N=1,637	-0.013 [0.067] N=1,267
Above-normal WHZ above +1	0.002 [0.055] N=1,680	-0.015 [0.061] N=1,539	-0.023 [0.065] N=1,354	-0.092 [0.081] N=1,116	-0.061 [0.098] N=857
Above-normal BMIZ above +1	0.030 [0.048] N=2,176	0.023 [0.053] N=1,978	0.011 [0.064] N=1,723	-0.100 [0.071] N=1,423	-0.060 [0.085] N=1,102

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.743 P=2,005	0.037 [0.030] N=2,676	0.040 [0.032] N=2,470	0.039 [0.033] N=2,212	**0.074** [0.035] N=1,901**	0.038 [0.040] N=1,571
Not underweight WAZ at least -2	0.912 P=2,714	**-0.037* [0.019] N=2,964**	-0.028 [0.021] N=2,736	-0.011 [0.022] N=2,452	-0.013 [0.023] N=2,104	-0.023 [0.026] N=1,734
Neither wasted nor overweight WHZ -2 to +2	0.694 P=1,385	0.007 [0.044] N=1,994	0.003 [0.045] N=1,853	0.003 [0.048] N=1,668	0.018 [0.054] N=1,430	0.049 [0.059] N=1,171
Neither low nor high BMIZ -2 to +2	0.657 P=1,709	-0.005 [0.039] N=2,592	0.007 [0.041] N=2,394	0.001 [0.043] N=2,139	0.023 [0.048] N=1,839	0.024 [0.053] N=1,518
Strict normal HAZ -2 to +3	0.684 P=1,853	0.026 [0.035] N=2,676	0.036 [0.037] N=2,470	0.030 [0.038] N=2,212	0.049 [0.041] N=1,901	0.009 [0.047] N=1,571
Strict normal WAZ -2 to +1	0.700 P=2,087	**-0.085** [0.035] N=2,964**	**-0.084** [0.038] N=2,736**	**-0.072* [0.039] N=2,452**	-0.062 [0.042] N=2,104	**-0.086* [0.047] N=1,734**
Strict normal WHZ -2 to +1	0.531 P=1,061	0.010 [0.044] N=1,994	0.006 [0.047] N=1,853	-0.004 [0.049] N=1,668	0.020 [0.052] N=1,430	0.016 [0.058] N=1,171
Strict normal BMIZ -2 to +1	0.510 P=1,326	-0.004 [0.041] N=2,592	0.003 [0.044] N=2,394	0.008 [0.047] N=2,139	0.042 [0.052] N=1,839	0.017 [0.059] N=1,518
Above-normal height HAZ above +3	0.059 P=152	0.011 [0.018] N=2,676	0.004 [0.020] N=2,470	0.009 [0.022] N=2,212	0.026 [0.024] N=1,901	0.029 [0.027] N=1,571
Above-normal weight WAZ above +1	0.213 P=627	0.048 [0.030] N=2,964	**0.056* [0.034] N=2,736**	**0.061* [0.034] N=2,452**	0.049 [0.038] N=2,104	0.063 [0.040] N=1,734
Above-normal WHZ above +1	0.358 P=706	0.017 [0.040] N=1,994	0.011 [0.042] N=1,853	0.015 [0.043] N=1,668	-0.015 [0.046] N=1,430	0.010 [0.051] N=1,171
Above-normal BMIZ above +1	0.369 P=951	0.009 [0.035] N=2,592	0.002 [0.038] N=2,394	-0.004 [0.041] N=2,139	-0.058 [0.044] N=1,839	-0.033 [0.049] N=1,518

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.002 [0.041] N=2,249	-0.001 [0.046] N=2,043	-0.004 [0.049] N=1,785	0.057 [0.055] N=1,474	-0.049 [0.071] N=1,144
Not underweight WAZ at least -2	**-0.051* [0.027] N=2,497**	-0.038 [0.031] N=2,269	-0.004 [0.034] N=1,985	-0.010 [0.040] N=1,637	-0.037 [0.052] N=1,267
Neither wasted nor overweight WHZ -2 to +2	-0.001 [0.053] N=1,680	-0.010 [0.057] N=1,539	-0.005 [0.062] N=1,354	0.018 [0.075] N=1,116	0.124 [0.083] N=857
Neither low nor high BMIZ -2 to +2	-0.007 [0.051] N=2,176	0.016 [0.054] N=1,978	0.018 [0.058] N=1,723	0.071 [0.069] N=1,423	0.114 [0.074] N=1,102
Strict normal HAZ -2 to +3	-0.003 [0.043] N=2,249	0.007 [0.047] N=2,043	0.006 [0.051] N=1,785	0.034 [0.058] N=1,474	-0.086 [0.079] N=1,144
Strict normal WAZ -2 to +1	-0.053 [0.048] N=2,497	-0.042 [0.054] N=2,269	-0.011 [0.059] N=1,985	0.026 [0.068] N=1,637	-0.018 [0.086] N=1,267
Strict normal WHZ -2 to +1	0.023 [0.057] N=1,680	0.020 [0.063] N=1,539	0.017 [0.067] N=1,354	0.073 [0.079] N=1,116	0.090 [0.099] N=857
Strict normal BMIZ -2 to +1	-0.001 [0.052]	0.014 [0.057]	0.037 [0.063]	**0.122* [0.072]**	0.104 [0.091]

Outcome	8 years	7 years	6 years	5 years	4 years
	N=2,176	N=1,978	N=1,723	**N=1,423**	N=1,102
Above-normal height HAZ above +3	0.005 [0.021] N=2,249	-0.008 [0.023] N=2,043	-0.011 [0.028] N=1,785	0.023 [0.031] N=1,474	0.037 [0.039] N=1,144
Above-normal weight WAZ above +1	0.002 [0.040] N=2,497	0.004 [0.046] N=2,269	0.007 [0.048] N=1,985	-0.037 [0.057] N=1,637	-0.019 [0.067] N=1,267
Above-normal WHZ above +1	0.004 [0.055] N=1,680	-0.010 [0.062] N=1,539	-0.018 [0.065] N=1,354	-0.090 [0.080] N=1,116	-0.058 [0.098] N=857
Above-normal BMIZ above +1	0.031 [0.049] N=2,176	0.026 [0.054] N=1,978	0.014 [0.064] N=1,723	-0.095 [0.071] N=1,423	-0.050 [0.085] N=1,102

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.743 P=2,005	0.035 [0.030] N=2,676	0.038 [0.032] N=2,470	0.037 [0.033] N=2,212	**0.070** [0.034] N=1,901**	0.037 [0.039] N=1,571
Not underweight WAZ at least -2	0.912 P=2,714	**-0.037* [0.019] N=2,964**	-0.030 [0.021] N=2,736	-0.014 [0.022] N=2,452	-0.017 [0.023] N=2,104	-0.026 [0.026] N=1,734
Neither wasted nor overweight WHZ -2 to +2	0.694 P=1,385	0.005 [0.044] N=1,994	0.000 [0.046] N=1,853	-0.001 [0.049] N=1,668	0.016 [0.054] N=1,430	0.052 [0.058] N=1,171
Neither low nor high BMIZ -2 to +2	0.657 P=1,709	-0.007 [0.039] N=2,592	0.006 [0.041] N=2,394	-0.001 [0.043] N=2,139	0.018 [0.048] N=1,839	0.025 [0.053] N=1,518
Strict normal HAZ -2 to +3	0.684 P=1,853	0.023 [0.035] N=2,676	0.032 [0.037] N=2,470	0.026 [0.037] N=2,212	0.043 [0.040] N=1,901	0.006 [0.046] N=1,571
Strict normal WAZ -2 to +1	0.700 P=2,087	**-0.087** [0.035] N=2,964**	**-0.086** [0.038] N=2,736**	**-0.075* [0.039] N=2,452**	-0.065 [0.041] N=2,104	**-0.086* [0.046] N=1,734**
Strict normal WHZ -2 to +1	0.531 P=1,061	0.008 [0.044] N=1,994	0.005 [0.047] N=1,853	-0.006 [0.049] N=1,668	0.018 [0.052] N=1,430	0.017 [0.059] N=1,171
Strict normal BMIZ -2 to +1	0.510 P=1,326	-0.006 [0.041] N=2,592	0.003 [0.044] N=2,394	0.007 [0.047] N=2,139	0.038 [0.052] N=1,839	0.015 [0.059] N=1,518
Above-normal height HAZ above +3	0.059 P=152	0.012 [0.019] N=2,676	0.006 [0.020] N=2,470	0.011 [0.023] N=2,212	0.027 [0.024] N=1,901	0.030 [0.027] N=1,571
Above-normal weight WAZ above +1	0.213 P=627	0.050 [0.030] N=2,964	0.056 [0.034] N=2,736	**0.061* [0.034] N=2,452**	0.048 [0.037] N=2,104	0.060 [0.040] N=1,734
Above-normal WHZ above +1	0.358 P=706	0.020 [0.040] N=1,994	0.012 [0.042] N=1,853	0.017 [0.043] N=1,668	-0.013 [0.046] N=1,430	0.010 [0.051] N=1,171
Above-normal BMIZ above +1	0.369 P=951	0.012 [0.035] N=2,592	0.004 [0.038] N=2,394	-0.003 [0.041] N=2,139	-0.055 [0.044] N=1,839	-0.031 [0.049] N=1,518

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.001 [0.041] N=2,249	-0.002 [0.046] N=2,043	-0.004 [0.050] N=1,785	0.060 [0.055] N=1,474	-0.048 [0.071] N=1,144
Not underweight WAZ at least -2	**-0.050* [0.027] N=2,497**	-0.039 [0.031] N=2,269	-0.007 [0.034] N=1,985	-0.012 [0.039] N=1,637	-0.038 [0.052] N=1,267
Neither wasted nor overweight WHZ -2 to +2	-0.002 [0.053] N=1,680	-0.008 [0.057] N=1,539	-0.005 [0.061] N=1,354	0.017 [0.075] N=1,116	0.123 [0.084] N=857
Neither low nor high BMIZ -2 to +2	-0.010 [0.050] N=2,176	0.016 [0.053] N=1,978	0.019 [0.057] N=1,723	0.068 [0.068] N=1,423	0.103 [0.073] N=1,102
Strict normal HAZ -2 to +3	-0.005 [0.043] N=2,249	0.006 [0.048] N=2,043	0.007 [0.052] N=1,785	0.039 [0.058] N=1,474	-0.080 [0.080] N=1,144
Strict normal WAZ -2 to +1	-0.054 [0.047]	-0.043 [0.054]	-0.013 [0.059]	0.024 [0.068]	-0.024 [0.085]

Outcome	8 years	7 years	6 years	5 years	4 years
	N=2,497	N=2,269	N=1,985	N=1,637	N=1,267
Strict normal WHZ -2 to +1	0.021 [0.057] N=1,680	0.024 [0.063] N=1,539	0.019 [0.068] N=1,354	0.071 [0.079] N=1,116	0.086 [0.102] N=857
Strict normal BMIZ -2 to +1	-0.003 [0.052] N=2,176	0.015 [0.057] N=1,978	0.038 [0.063] N=1,723	0.118 [0.072] N=1,423	0.100 [0.090] N=1,102
Above-normal height HAZ above +3	0.005 [0.021] N=2,249	-0.007 [0.022] N=2,043	-0.011 [0.028] N=1,785	0.021 [0.031] N=1,474	0.033 [0.039] N=1,144
Above-normal weight WAZ above +1	0.005 [0.039] N=2,497	0.004 [0.046] N=2,269	0.007 [0.048] N=1,985	-0.037 [0.057] N=1,637	-0.014 [0.065] N=1,267
Above-normal WHZ above +1	0.006 [0.055] N=1,680	-0.011 [0.061] N=1,539	-0.019 [0.066] N=1,354	-0.089 [0.080] N=1,116	-0.053 [0.099] N=857
Above-normal BMIZ above +1	0.033 [0.049] N=2,176	0.026 [0.054] N=1,978	0.014 [0.064] N=1,723	-0.093 [0.071] N=1,423	-0.046 [0.084] N=1,102

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.742 P=1,876	0.037 [0.032] N=2,503	0.040 [0.035] N=2,316	0.036 [0.035] N=2,068	**0.070* [0.037] N=1,785**	0.033 [0.042] N=1,471
Not underweight WAZ at least -2	0.911 P=2,527	-0.026 [0.021] N=2,763	-0.019 [0.022] N=2,556	-0.001 [0.024] N=2,284	-0.007 [0.026] N=1,967	-0.016 [0.030] N=1,619
Neither wasted nor overweight WHZ -2 to +2	0.693 P=1,291	0.016 [0.045] N=1,859	0.013 [0.047] N=1,735	0.002 [0.050] N=1,559	0.020 [0.056] N=1,346	0.041 [0.061] N=1,100
Neither low nor high BMIZ -2 to +2	0.658 P=1,602	0.001 [0.042] N=2,423	0.015 [0.044] N=2,243	0.009 [0.047] N=2,000	0.038 [0.053] N=1,728	0.044 [0.059] N=1,423
Strict normal HAZ -2 to +3	0.684 P=1,739	0.032 [0.037] N=2,503	0.042 [0.039] N=2,316	0.033 [0.040] N=2,068	0.055 [0.043] N=1,785	0.016 [0.051] N=1,471
Strict normal WAZ -2 to +1	0.697 P=1,936	**-0.080** [0.036] N=2,763**	**-0.078* [0.040] N=2,556**	-0.063 [0.042] N=2,284	-0.051 [0.045] N=1,967	-0.078 [0.051] N=1,619
Strict normal WHZ -2 to +1	0.530 P=988	0.005 [0.047] N=1,859	0.006 [0.050] N=1,735	-0.012 [0.052] N=1,559	0.015 [0.056] N=1,346	-0.003 [0.062] N=1,100
Strict normal BMIZ -2 to +1	0.512 P=1,247	-0.012 [0.044] N=2,423	-0.004 [0.047] N=2,243	0.003 [0.051] N=2,000	0.040 [0.056] N=1,728	0.013 [0.065] N=1,423
Above-normal height HAZ above +3	0.058 P=137	0.005 [0.020] N=2,503	-0.002 [0.021] N=2,316	0.003 [0.024] N=2,068	0.015 [0.026] N=1,785	0.017 [0.028] N=1,471
Above-normal weight WAZ above +1	0.214 P=591	**0.054* [0.032] N=2,763**	**0.059* [0.035] N=2,556**	**0.062* [0.036] N=2,284**	0.044 [0.040] N=1,967	0.062 [0.043] N=1,619
Above-normal WHZ above +1	0.359 P=660	0.038 [0.042] N=1,859	0.025 [0.044] N=1,735	0.033 [0.046] N=1,559	-0.001 [0.050] N=1,346	0.038 [0.057] N=1,100
Above-normal BMIZ above +1	0.368 P=885	0.029 [0.037] N=2,423	0.018 [0.039] N=2,243	0.012 [0.043] N=2,000	-0.046 [0.046] N=1,728	-0.013 [0.052] N=1,423

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.017 [0.044] N=2,105	0.017 [0.049] N=1,918	0.013 [0.054] N=1,670	0.080 [0.061] N=1,387	-0.012 [0.081] N=1,073
Not underweight WAZ at least -2	-0.041 [0.029] N=2,328	-0.031 [0.032] N=2,121	0.002 [0.036] N=1,849	-0.016 [0.043] N=1,532	-0.046 [0.057] N=1,184
Neither wasted nor overweight WHZ -2 to +2	0.025 [0.053] N=1,565	0.026 [0.056] N=1,441	0.012 [0.061] N=1,265	0.048 [0.076] N=1,052	**0.145* [0.087] N=806**
Neither low nor high BMIZ -2 to +2	0.003 [0.052] N=2,035	0.030 [0.054] N=1,855	0.030 [0.060] N=1,612	0.104 [0.073] N=1,340	**0.173** [0.078] N=1,035**

Outcome	8 years	7 years	6 years	5 years	4 years
Strict normal HAZ -2 to +3	0.013 [0.045] N=2,105	0.026 [0.049] N=1,918	0.024 [0.055] N=1,670	0.064 [0.063] N=1,387	-0.037 [0.086] N=1,073
Strict normal WAZ -2 to +1	-0.045 [0.048] N=2,328	-0.032 [0.054] N=2,121	0.004 [0.060] N=1,849	0.039 [0.071] N=1,532	-0.009 [0.092] N=1,184
Strict normal WHZ -2 to +1	0.044 [0.059] N=1,565	0.055 [0.065] N=1,441	0.035 [0.073] N=1,265	0.108 [0.084] N=1,052	0.116 [0.106] N=806
Strict normal BMIZ -2 to +1	-0.001 [0.055] N=2,035	0.017 [0.060] N=1,855	0.043 [0.069] N=1,612	**0.140* [0.079] N=1,340**	0.140 [0.102] N=1,035
Above-normal height HAZ above +3	0.005 [0.023] N=2,105	-0.009 [0.024] N=1,918	-0.011 [0.029] N=1,670	0.016 [0.034] N=1,387	0.024 [0.039] N=1,073
Above-normal weight WAZ above +1	0.005 [0.040] N=2,328	0.001 [0.046] N=2,121	-0.002 [0.050] N=1,849	-0.055 [0.059] N=1,532	-0.037 [0.072] N=1,184
Above-normal WHZ above +1	0.004 [0.058] N=1,565	-0.025 [0.063] N=1,441	-0.025 [0.069] N=1,265	-0.105 [0.087] N=1,052	-0.050 [0.108] N=806
Above-normal BMIZ above +1	0.038 [0.052] N=2,035	0.025 [0.057] N=1,855	0.011 [0.069] N=1,612	-0.105 [0.079] N=1,340	-0.059 [0.098] N=1,035

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.742 P=1,876	0.039 [0.032] N=2,503	0.042 [0.034] N=2,316	0.038 [0.035] N=2,068	**0.074** [0.036] N=1,785**	0.041 [0.041] N=1,471
Not underweight WAZ at least -2	0.911 P=2,527	-0.024 [0.021] N=2,763	-0.017 [0.022] N=2,556	0.000 [0.024] N=2,284	-0.005 [0.025] N=1,967	-0.012 [0.029] N=1,619
Neither wasted nor overweight WHZ -2 to +2	0.693 P=1,291	0.016 [0.045] N=1,859	0.013 [0.047] N=1,735	0.005 [0.050] N=1,559	0.024 [0.056] N=1,346	0.050 [0.060] N=1,100
Neither low nor high BMIZ -2 to +2	0.658 P=1,602	0.002 [0.042] N=2,423	0.016 [0.044] N=2,243	0.009 [0.047] N=2,000	0.039 [0.052] N=1,728	0.046 [0.058] N=1,423
Strict normal HAZ -2 to +3	0.684 P=1,739	0.034 [0.037] N=2,503	0.043 [0.039] N=2,316	0.035 [0.040] N=2,068	0.058 [0.043] N=1,785	0.025 [0.050] N=1,471
Strict normal WAZ -2 to +1	0.697 P=1,936	**-0.079** [0.036] N=2,763**	**-0.077* [0.040] N=2,556**	-0.062 [0.042] N=2,284	-0.051 [0.044] N=1,967	-0.076 [0.050] N=1,619
Strict normal WHZ -2 to +1	0.530 P=988	0.006 [0.047] N=1,859	0.006 [0.050] N=1,735	-0.010 [0.053] N=1,559	0.018 [0.056] N=1,346	0.008 [0.062] N=1,100
Strict normal BMIZ -2 to +1	0.512 P=1,247	-0.013 [0.044] N=2,423	-0.003 [0.047] N=2,243	0.002 [0.051] N=2,000	0.039 [0.056] N=1,728	0.017 [0.064] N=1,423
Above-normal height HAZ above +3	0.058 P=137	0.005 [0.020] N=2,503	-0.001 [0.021] N=2,316	0.003 [0.024] N=2,068	0.016 [0.026] N=1,785	0.016 [0.029] N=1,471
Above-normal weight WAZ above +1	0.214 P=591	**0.055* [0.032] N=2,763**	**0.059* [0.035] N=2,556**	**0.063* [0.036] N=2,284**	0.046 [0.040] N=1,967	0.064 [0.043] N=1,619
Above-normal WHZ above +1	0.359 P=660	0.038 [0.042] N=1,859	0.026 [0.044] N=1,735	0.031 [0.046] N=1,559	-0.003 [0.050] N=1,346	0.030 [0.056] N=1,100
Above-normal BMIZ above +1	0.368 P=885	0.030 [0.037] N=2,423	0.019 [0.039] N=2,243	0.013 [0.043] N=2,000	-0.045 [0.046] N=1,728	-0.018 [0.052] N=1,423

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.018 [0.044] N=2,105	0.017 [0.050] N=1,918	0.014 [0.055] N=1,670	0.083 [0.061] N=1,387	0.000 [0.080] N=1,073
Not underweight WAZ at least -2	-0.038 [0.029] N=2,328	-0.029 [0.033] N=2,121	0.005 [0.036] N=1,849	-0.012 [0.042] N=1,532	-0.036 [0.056] N=1,184
Neither wasted nor overweight WHZ -2 to +2	0.017 [0.052]	0.015 [0.055]	0.007 [0.061]	0.046 [0.076]	**0.152* [0.086]**

Outcome	8 years	7 years	6 years	5 years	4 years
	N=1,565	N=1,441	N=1,265	N=1,052	**N=806**
Neither low nor high BMIZ -2 to +2	0.001 [0.052] N=2,035	0.029 [0.055] N=1,855	0.029 [0.060] N=1,612	0.102 [0.074] N=1,340	**0.173** [0.079]** **N=1,035**
Strict normal HAZ -2 to +3	0.013 [0.045] N=2,105	0.025 [0.049] N=1,918	0.024 [0.055] N=1,670	0.066 [0.063] N=1,387	-0.025 [0.086] N=1,073
Strict normal WAZ -2 to +1	-0.043 [0.049] N=2,328	-0.030 [0.054] N=2,121	0.007 [0.061] N=1,849	0.042 [0.071] N=1,532	-0.001 [0.092] N=1,184
Strict normal WHZ -2 to +1	0.037 [0.058] N=1,565	0.047 [0.065] N=1,441	0.034 [0.072] N=1,265	0.109 [0.083] N=1,052	0.130 [0.102] N=806
Strict normal BMIZ -2 to +1	-0.003 [0.054] N=2,035	0.016 [0.059] N=1,855	0.040 [0.068] N=1,612	**0.138* [0.078] N=1,340**	0.148 [0.099] N=1,035
Above-normal height HAZ above +3	0.006 [0.023] N=2,105	-0.008 [0.024] N=1,918	-0.010 [0.029] N=1,670	0.017 [0.034] N=1,387	0.025 [0.040] N=1,073
Above-normal weight WAZ above +1	0.005 [0.040] N=2,328	0.001 [0.046] N=2,121	-0.002 [0.049] N=1,849	-0.054 [0.060] N=1,532	-0.035 [0.072] N=1,184
Above-normal WHZ above +1	0.011 [0.058] N=1,565	-0.016 [0.064] N=1,441	-0.024 [0.069] N=1,265	-0.104 [0.087] N=1,052	-0.057 [0.108] N=806
Above-normal BMIZ above +1	0.041 [0.051] N=2,035	0.027 [0.056] N=1,855	0.013 [0.068] N=1,612	-0.103 [0.078] N=1,340	-0.066 [0.096] N=1,035

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=2,015	-0.049 [0.036] N=2,665	-0.051 [0.037] N=2,419	-0.053 [0.039] N=2,132	**-0.087** [0.041] N=1,819**	**-0.093* [0.050] N=1,480**
Not underweight WAZ at least -2	0.918 P=2,695	0.008 [0.017] N=2,926	0.009 [0.018] N=2,668	-0.004 [0.019] N=2,345	-0.004 [0.020] N=1,993	-0.005 [0.020] N=1,614
Neither wasted nor overweight WHZ -2 to +2	0.692 P=1,272	**-0.101** [0.043] N=1,842**	**-0.100** [0.045] N=1,665**	**-0.109** [0.047] N=1,454**	-0.080 [0.050] N=1,236	-0.063 [0.057] N=992
Neither low nor high BMIZ -2 to +2	0.661 P=1,711	**-0.086** [0.035] N=2,583**	**-0.079** [0.037] N=2,348**	**-0.071* [0.042] N=2,070**	-0.065 [0.043] N=1,764	-0.063 [0.049] N=1,434
Strict normal HAZ -2 to +3	0.695 P=1,863	-0.053 [0.039] N=2,665	-0.055 [0.041] N=2,419	-0.057 [0.043] N=2,132	**-0.083* [0.045] N=1,819**	**-0.088* [0.052] N=1,480**
Strict normal WAZ -2 to +1	0.694 P=2,041	0.051 [0.033] N=2,926	0.045 [0.035] N=2,668	0.054 [0.039] N=2,345	0.048 [0.041] N=1,993	0.036 [0.045] N=1,614
Strict normal WHZ -2 to +1	0.527 P=963	**-0.151*** [0.043] N=1,842**	**-0.166*** [0.046] N=1,665**	**-0.173*** [0.051] N=1,454**	**-0.116** [0.053] N=1,236**	**-0.134** [0.061] N=992**
Strict normal BMIZ -2 to +1	0.514 P=1,326	-0.057 [0.036] N=2,583	-0.062 [0.038] N=2,348	-0.047 [0.043] N=2,070	-0.032 [0.043] N=1,764	-0.048 [0.046] N=1,434
Above-normal height HAZ above +3	0.060 P=152	0.004 [0.021] N=2,665	0.004 [0.021] N=2,419	0.004 [0.023] N=2,132	-0.003 [0.024] N=1,819	-0.005 [0.027] N=1,480
Above-normal weight WAZ above +1	0.224 P=654	-0.043 [0.029] N=2,926	-0.036 [0.031] N=2,668	**-0.057* [0.034] N=2,345**	-0.052 [0.036] N=1,993	-0.041 [0.040] N=1,614
Above-normal WHZ above +1	0.362 P=673	**0.110** [0.043] N=1,842**	**0.129*** [0.046] N=1,665**	**0.119** [0.053] N=1,454**	**0.104* [0.054] N=1,236**	**0.131** [0.063] N=992**
Above-normal BMIZ above +1	0.368 P=952	0.034 [0.040] N=2,583	0.038 [0.042] N=2,348	0.026 [0.047] N=2,070	0.031 [0.049] N=1,764	0.046 [0.052] N=1,434

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.018 [0.049] N=2,284	-0.015 [0.053] N=2,038	-0.004 [0.056] N=1,751	-0.071 [0.062] N=1,438	-0.080 [0.097] N=1,099
Not underweight WAZ at least -2	0.017 [0.025] N=2,513	0.020 [0.028] N=2,255	-0.002 [0.031] N=1,932	-0.002 [0.035] N=1,580	-0.002 [0.039] N=1,201
Neither wasted nor overweight WHZ -2 to +2	**-0.166*** [0.057] N=1,595**	**-0.165*** [0.062] N=1,418**	**-0.200*** [0.066] N=1,207**	**-0.171** [0.079] N=989**	-0.153 [0.105] N=745
Neither low nor high BMIZ -2 to +2	**-0.105** [0.047] N=2,217**	**-0.090* [0.052] N=1,982**	-0.067 [0.062] N=1,704	-0.070 [0.065] N=1,398	-0.063 [0.092] N=1,068
Strict normal HAZ -2 to +3	-0.026 [0.057] N=2,284	-0.025 [0.061] N=2,038	-0.014 [0.068] N=1,751	-0.070 [0.077] N=1,438	-0.077 [0.111] N=1,099
Strict normal WAZ -2 to +1	**0.091** [0.045] N=2,513**	**0.081* [0.049] N=2,255**	**0.109* [0.056] N=1,932**	**0.114* [0.064] N=1,580**	0.091 [0.076] N=1,201
Strict normal WHZ -2 to +1	**-0.185*** [0.061] N=1,595**	**-0.212*** [0.067] N=1,418**	**-0.236*** [0.081] N=1,207**	-0.120 [0.089] N=989	-0.164 [0.121] N=745
Strict normal BMIZ -2 to +1	-0.052 [0.057] N=2,217	-0.058 [0.063] N=1,982	-0.023 [0.078] N=1,704	0.016 [0.083] N=1,398	-0.012 [0.104] N=1,068
Above-normal height HAZ above +3	0.007 [0.028] N=2,284	0.010 [0.030] N=2,038	0.010 [0.036] N=1,751	-0.002 [0.042] N=1,438	-0.003 [0.059] N=1,099
Above-normal weight WAZ above +1	**-0.073* [0.038] N=2,513**	-0.061 [0.041] N=2,255	**-0.111** [0.046]**	**-0.116** [0.051]**	-0.093 [0.063] N=1,201

Outcome	8 years	7 years	6 years	5 years	4 years
			N=1,932	**N=1,580**	
Above-normal WHZ above +1	0.087 [0.063] N=1,595	**0.114* [0.069] N=1,418**	0.094 [0.085] N=1,207	0.043 [0.089] N=989	0.078 [0.117] N=745
Above-normal BMIZ above +1	-0.022 [0.055] N=2,217	-0.025 [0.060] N=1,982	-0.063 [0.072] N=1,704	-0.073 [0.081] N=1,398	-0.075 [0.097] N=1,068

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=2,015	-0.049 [0.036] N=2,665	-0.051 [0.037] N=2,419	-0.054 [0.039] N=2,132	**-0.087** [0.042] N=1,819**	**-0.094* [0.050] N=1,480**
Not underweight WAZ at least -2	0.918 P=2,695	0.008 [0.017] N=2,926	0.009 [0.018] N=2,668	-0.004 [0.019] N=2,345	-0.004 [0.020] N=1,993	-0.005 [0.020] N=1,614
Neither wasted nor overweight WHZ -2 to +2	0.692 P=1,272	**-0.098** [0.043] N=1,842**	**-0.096** [0.045] N=1,665**	**-0.104** [0.048] N=1,454**	-0.077 [0.051] N=1,236	-0.064 [0.057] N=992
Neither low nor high BMIZ -2 to +2	0.661 P=1,711	**-0.087** [0.035] N=2,583**	**-0.081** [0.037] N=2,348**	**-0.072* [0.042] N=2,070**	-0.066 [0.042] N=1,764	-0.065 [0.049] N=1,434
Strict normal HAZ -2 to +3	0.695 P=1,863	-0.053 [0.040] N=2,665	-0.055 [0.041] N=2,419	-0.057 [0.043] N=2,132	**-0.084* [0.045] N=1,819**	**-0.090* [0.052] N=1,480**
Strict normal WAZ -2 to +1	0.694 P=2,041	0.050 [0.033] N=2,926	0.044 [0.035] N=2,668	0.053 [0.039] N=2,345	0.047 [0.041] N=1,993	0.033 [0.044] N=1,614
Strict normal WHZ -2 to +1	0.527 P=963	**-0.150*** [0.043] N=1,842**	**-0.163*** [0.046] N=1,665**	**-0.171*** [0.051] N=1,454**	**-0.115** [0.053] N=1,236**	**-0.134** [0.062] N=992**
Strict normal BMIZ -2 to +1	0.514 P=1,326	-0.058 [0.036] N=2,583	**-0.063* [0.038] N=2,348**	-0.048 [0.043] N=2,070	-0.032 [0.042] N=1,764	-0.050 [0.045] N=1,434
Above-normal height HAZ above +3	0.060 P=152	0.004 [0.021] N=2,665	0.004 [0.022] N=2,419	0.004 [0.023] N=2,132	-0.003 [0.024] N=1,819	-0.004 [0.027] N=1,480
Above-normal weight WAZ above +1	0.224 P=654	-0.042 [0.029] N=2,926	-0.035 [0.031] N=2,668	**-0.057* [0.034] N=2,345**	-0.052 [0.036] N=1,993	-0.039 [0.040] N=1,614
Above-normal WHZ above +1	0.362 P=673	**0.111** [0.043] N=1,842**	**0.129*** [0.047] N=1,665**	**0.119** [0.053] N=1,454**	**0.104* [0.054] N=1,236**	**0.131** [0.063] N=992**
Above-normal BMIZ above +1	0.368 P=952	0.034 [0.040] N=2,583	0.039 [0.042] N=2,348	0.026 [0.046] N=2,070	0.032 [0.049] N=1,764	0.047 [0.052] N=1,434

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.018 [0.049] N=2,284	-0.014 [0.053] N=2,038	-0.003 [0.056] N=1,751	-0.071 [0.062] N=1,438	-0.080 [0.097] N=1,099
Not underweight WAZ at least -2	0.017 [0.025] N=2,513	0.020 [0.028] N=2,255	-0.002 [0.031] N=1,932	-0.002 [0.035] N=1,580	-0.002 [0.039] N=1,201
Neither wasted nor overweight WHZ -2 to +2	**-0.159*** [0.057] N=1,595**	**-0.152** [0.061] N=1,418**	**-0.184*** [0.065] N=1,207**	**-0.151* [0.079] N=989**	-0.132 [0.104] N=745
Neither low nor high BMIZ -2 to +2	**-0.105** [0.047] N=2,217**	**-0.090* [0.052] N=1,982**	-0.066 [0.062] N=1,704	-0.068 [0.065] N=1,398	-0.063 [0.092] N=1,068
Strict normal HAZ -2 to +3	-0.025 [0.057] N=2,284	-0.024 [0.061] N=2,038	-0.013 [0.068] N=1,751	-0.067 [0.077] N=1,438	-0.077 [0.111] N=1,099
Strict normal WAZ -2 to +1	**0.090** [0.045] N=2,513**	**0.081* [0.048] N=2,255**	**0.109* [0.056] N=1,932**	**0.115* [0.064] N=1,580**	0.089 [0.075] N=1,201
Strict normal WHZ -2 to +1	**-0.181*** [0.060]**	**-0.205*** [0.066]**	**-0.228*** [0.080]**	-0.112 [0.088] N=989	-0.157 [0.118] N=745

Outcome	8 years	7 years	6 years	5 years	4 years
	N=1,595	**N=1,418**	**N=1,207**		
Strict normal BMIZ -2 to +1	-0.052 [0.057] N=2,217	-0.058 [0.063] N=1,982	-0.022 [0.077] N=1,704	0.018 [0.083] N=1,398	-0.013 [0.104] N=1,068
Above-normal height HAZ above +3	0.007 [0.028] N=2,284	0.009 [0.030] N=2,038	0.009 [0.036] N=1,751	-0.003 [0.042] N=1,438	-0.003 [0.058] N=1,099
Above-normal weight WAZ above +1	**-0.073* [0.038] N=2,513**	-0.061 [0.041] N=2,255	**-0.111** [0.046] N=1,932**	**-0.117** [0.051] N=1,580**	-0.091 [0.063] N=1,201
Above-normal WHZ above +1	0.089 [0.063] N=1,595	**0.116* [0.069] N=1,418**	0.094 [0.085] N=1,207	0.046 [0.088] N=989	0.084 [0.116] N=745
Above-normal BMIZ above +1	-0.022 [0.055] N=2,217	-0.025 [0.060] N=1,982	-0.063 [0.072] N=1,704	-0.073 [0.081] N=1,398	-0.075 [0.097] N=1,068

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=2,015	-0.048 [0.035] N=2,665	-0.049 [0.037] N=2,419	-0.049 [0.039] N=2,132	**-0.081** [0.040] N=1,819**	**-0.089* [0.048] N=1,480**
Not underweight WAZ at least -2	0.918 P=2,695	0.008 [0.017] N=2,926	0.009 [0.018] N=2,668	-0.002 [0.019] N=2,345	-0.003 [0.020] N=1,993	-0.005 [0.019] N=1,614
Neither wasted nor overweight WHZ -2 to +2	0.692 P=1,272	**-0.100** [0.044] N=1,842**	**-0.095** [0.046] N=1,665**	**-0.102** [0.049] N=1,454**	-0.074 [0.052] N=1,236	-0.063 [0.059] N=992
Neither low nor high BMIZ -2 to +2	0.661 P=1,711	**-0.086** [0.035] N=2,583**	**-0.079** [0.037] N=2,348**	-0.069 [0.042] N=2,070	-0.063 [0.043] N=1,764	-0.062 [0.049] N=1,434
Strict normal HAZ -2 to +3	0.695 P=1,863	-0.052 [0.039] N=2,665	-0.052 [0.041] N=2,419	-0.053 [0.043] N=2,132	**-0.078* [0.045] N=1,819**	**-0.085* [0.051] N=1,480**
Strict normal WAZ -2 to +1	0.694 P=2,041	0.050 [0.033] N=2,926	0.045 [0.035] N=2,668	0.054 [0.039] N=2,345	0.050 [0.041] N=1,993	0.035 [0.044] N=1,614
Strict normal WHZ -2 to +1	0.527 P=963	**-0.149*** [0.043] N=1,842**	**-0.159*** [0.046] N=1,665**	**-0.168*** [0.052] N=1,454**	**-0.114** [0.054] N=1,236**	**-0.134** [0.062] N=992**
Strict normal BMIZ -2 to +1	0.514 P=1,326	-0.057 [0.037] N=2,583	-0.060 [0.038] N=2,348	-0.047 [0.043] N=2,070	-0.031 [0.043] N=1,764	-0.050 [0.045] N=1,434
Above-normal height HAZ above +3	0.060 P=152	0.004 [0.021] N=2,665	0.003 [0.022] N=2,419	0.004 [0.023] N=2,132	-0.004 [0.024] N=1,819	-0.004 [0.028] N=1,480
Above-normal weight WAZ above +1	0.224 P=654	-0.042 [0.030] N=2,926	-0.036 [0.031] N=2,668	-0.056 [0.034] N=2,345	-0.053 [0.036] N=1,993	-0.040 [0.040] N=1,614
Above-normal WHZ above +1	0.362 P=673	**0.110** [0.043] N=1,842**	**0.127*** [0.047] N=1,665**	**0.119** [0.053] N=1,454**	**0.104* [0.054] N=1,236**	**0.131** [0.062] N=992**
Above-normal BMIZ above +1	0.368 P=952	0.033 [0.040] N=2,583	0.036 [0.042] N=2,348	0.026 [0.047] N=2,070	0.031 [0.049] N=1,764	0.048 [0.052] N=1,434

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.016 [0.049] N=2,284	-0.011 [0.052] N=2,038	0.002 [0.056] N=1,751	-0.063 [0.061] N=1,438	-0.070 [0.095] N=1,099
Not underweight WAZ at least -2	0.018 [0.025] N=2,513	0.020 [0.027] N=2,255	0.002 [0.031] N=1,932	-0.000 [0.035] N=1,580	-0.001 [0.038] N=1,201
Neither wasted nor overweight WHZ -2 to +2	**-0.160*** [0.059] N=1,595**	**-0.152** [0.063] N=1,418**	**-0.177*** [0.068] N=1,207**	**-0.143* [0.081] N=989**	-0.130 [0.109] N=745
Neither low nor high BMIZ -2 to +2	**-0.104** [0.048]**	-0.088 [0.053] N=1,982	-0.061 [0.063] N=1,704	-0.062 [0.067] N=1,398	-0.052 [0.096] N=1,068

Outcome	8 years	7 years	6 years	5 years	4 years
	N=2,217				
Strict normal HAZ -2 to +3	-0.023 [0.057] N=2,284	-0.019 [0.061] N=2,038	-0.007 [0.068] N=1,751	-0.058 [0.077] N=1,438	-0.065 [0.109] N=1,099
Strict normal WAZ -2 to +1	**0.092** [0.045] N=2,513**	**0.084* [0.049] N=2,255**	**0.113** [0.057] N=1,932**	**0.121* [0.064] N=1,580**	0.096 [0.076] N=1,201
Strict normal WHZ -2 to +1	**-0.178*** [0.061] N=1,595**	**-0.199*** [0.067] N=1,418**	**-0.220*** [0.081] N=1,207**	-0.105 [0.089] N=989	-0.155 [0.122] N=745
Strict normal BMIZ -2 to +1	-0.048 [0.058] N=2,217	-0.051 [0.064] N=1,982	-0.017 [0.078] N=1,704	0.025 [0.085] N=1,398	-0.002 [0.107] N=1,068
Above-normal height HAZ above +3	0.007 [0.028] N=2,284	0.008 [0.030] N=2,038	0.009 [0.036] N=1,751	-0.005 [0.041] N=1,438	-0.005 [0.058] N=1,099
Above-normal weight WAZ above +1	**-0.074* [0.038] N=2,513**	-0.063 [0.042] N=2,255	**-0.111** [0.046] N=1,932**	**-0.121** [0.051] N=1,580**	-0.097 [0.063] N=1,201
Above-normal WHZ above +1	0.085 [0.063] N=1,595	0.110 [0.070] N=1,418	0.090 [0.086] N=1,207	0.040 [0.089] N=989	0.082 [0.117] N=745
Above-normal BMIZ above +1	-0.027 [0.056] N=2,217	-0.032 [0.060] N=1,982	-0.067 [0.072] N=1,704	-0.079 [0.082] N=1,398	-0.081 [0.098] N=1,068

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=2,015	-0.048 [0.035] N=2,665	-0.048 [0.037] N=2,419	-0.050 [0.039] N=2,132	**-0.082** [0.040] N=1,819**	**-0.088* [0.048] N=1,480**
Not underweight WAZ at least -2	0.918 P=2,695	0.008 [0.016] N=2,926	0.010 [0.017] N=2,668	-0.002 [0.018] N=2,345	-0.002 [0.020] N=1,993	-0.004 [0.019] N=1,614
Neither wasted nor overweight WHZ -2 to +2	0.692 P=1,272	**-0.098** [0.043] N=1,842**	**-0.094** [0.045] N=1,665**	**-0.105** [0.048] N=1,454**	-0.076 [0.051] N=1,236	-0.062 [0.058] N=992
Neither low nor high BMIZ -2 to +2	0.661 P=1,711	**-0.085** [0.035] N=2,583**	**-0.077** [0.037] N=2,348**	-0.069 [0.042] N=2,070	-0.061 [0.042] N=1,764	-0.054 [0.048] N=1,434
Strict normal HAZ -2 to +3	0.695 P=1,863	-0.053 [0.039] N=2,665	-0.053 [0.041] N=2,419	-0.055 [0.044] N=2,132	**-0.080* [0.045] N=1,819**	-0.085 [0.051] N=1,480
Strict normal WAZ -2 to +1	0.694 P=2,041	0.051 [0.033] N=2,926	0.045 [0.035] N=2,668	0.053 [0.039] N=2,345	0.049 [0.041] N=1,993	0.036 [0.045] N=1,614
Strict normal WHZ -2 to +1	0.527 P=963	**-0.149*** [0.043] N=1,842**	**-0.162*** [0.046] N=1,665**	**-0.172*** [0.051] N=1,454**	**-0.114** [0.052] N=1,236**	**-0.130** [0.061] N=992**
Strict normal BMIZ -2 to +1	0.514 P=1,326	-0.055 [0.036] N=2,583	-0.059 [0.038] N=2,348	-0.045 [0.043] N=2,070	-0.027 [0.043] N=1,764	-0.040 [0.045] N=1,434
Above-normal height HAZ above +3	0.060 P=152	0.005 [0.021] N=2,665	0.005 [0.022] N=2,419	0.005 [0.023] N=2,132	-0.002 [0.024] N=1,819	-0.003 [0.027] N=1,480
Above-normal weight WAZ above +1	0.224 P=654	-0.043 [0.029] N=2,926	-0.035 [0.031] N=2,668	-0.055 [0.034] N=2,345	-0.051 [0.036] N=1,993	-0.041 [0.039] N=1,614
Above-normal WHZ above +1	0.362 P=673	**0.112** [0.043] N=1,842**	**0.130*** [0.047] N=1,665**	**0.121** [0.053] N=1,454**	**0.104* [0.054] N=1,236**	**0.130** [0.062] N=992**
Above-normal BMIZ above +1	0.368 P=952	0.032 [0.040] N=2,583	0.036 [0.042] N=2,348	0.025 [0.047] N=2,070	0.029 [0.049] N=1,764	0.042 [0.053] N=1,434

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.018 [0.049] N=2,284	-0.011 [0.052] N=2,038	0.003 [0.056] N=1,751	-0.061 [0.061] N=1,438	-0.073 [0.093] N=1,099

Outcome	8 years	7 years	6 years	5 years	4 years
Not underweight WAZ at least -2	0.019 [0.024] N=2,513	0.023 [0.027] N=2,255	0.004 [0.030] N=1,932	0.006 [0.034] N=1,580	0.004 [0.038] N=1,201
Neither wasted nor overweight WHZ -2 to +2	**-0.158*** [0.058] N=1,595**	**-0.149** [0.062] N=1,418**	**-0.181*** [0.067] N=1,207**	**-0.144* [0.081] N=989**	-0.135 [0.107] N=745
Neither low nor high BMIZ -2 to +2	**-0.106** [0.048] N=2,217**	-0.088 [0.053] N=1,982	-0.063 [0.063] N=1,704	-0.065 [0.068] N=1,398	-0.063 [0.096] N=1,068
Strict normal HAZ -2 to +3	-0.024 [0.057] N=2,284	-0.020 [0.061] N=2,038	-0.005 [0.068] N=1,751	-0.058 [0.076] N=1,438	-0.069 [0.108] N=1,099
Strict normal WAZ -2 to +1	**0.091** [0.044] N=2,513**	**0.082* [0.048] N=2,255**	**0.110* [0.056] N=1,932**	**0.117* [0.064] N=1,580**	0.092 [0.076] N=1,201
Strict normal WHZ -2 to +1	**-0.181*** [0.060] N=1,595**	**-0.203*** [0.066] N=1,418**	**-0.227*** [0.080] N=1,207**	-0.109 [0.087] N=989	-0.164 [0.118] N=745
Strict normal BMIZ -2 to +1	-0.053 [0.058] N=2,217	-0.055 [0.064] N=1,982	-0.020 [0.079] N=1,704	0.021 [0.086] N=1,398	-0.011 [0.109] N=1,068
Above-normal height HAZ above +3	0.007 [0.028] N=2,284	0.009 [0.030] N=2,038	0.009 [0.036] N=1,751	-0.003 [0.041] N=1,438	-0.004 [0.058] N=1,099
Above-normal weight WAZ above +1	**-0.072* [0.038] N=2,513**	-0.059 [0.041] N=2,255	**-0.106** [0.046] N=1,932**	**-0.111** [0.051] N=1,580**	-0.088 [0.062] N=1,201
Above-normal WHZ above +1	0.089 [0.062] N=1,595	**0.114* [0.069] N=1,418**	0.092 [0.084] N=1,207	0.040 [0.086] N=989	0.089 [0.115] N=745
Above-normal BMIZ above +1	-0.023 [0.055] N=2,217	-0.027 [0.060] N=1,982	-0.066 [0.072] N=1,704	-0.076 [0.082] N=1,398	-0.077 [0.100] N=1,068

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=1,890	-0.048 [0.035] N=2,499	-0.048 [0.037] N=2,270	-0.046 [0.038] N=2,003	**-0.078** [0.039] N=1,703**	**-0.090** [0.045] N=1,388**
Not underweight WAZ at least -2	0.917 P=2,517	0.014 [0.018] N=2,736	0.016 [0.019] N=2,495	0.006 [0.019] N=2,196	0.001 [0.020] N=1,863	-0.008 [0.021] N=1,513
Neither wasted nor overweight WHZ -2 to +2	0.690 P=1,185	**-0.101** [0.044] N=1,719**	**-0.097** [0.045] N=1,554**	**-0.102** [0.047] N=1,358**	-0.076 [0.051] N=1,153	-0.064 [0.057] N=928
Neither low nor high BMIZ -2 to +2	0.661 P=1,607	**-0.087** [0.034] N=2,421**	**-0.081** [0.035] N=2,202**	-0.063 [0.039] N=1,943	-0.054 [0.039] N=1,652	-0.054 [0.045] N=1,346
Strict normal HAZ -2 to +3	0.696 P=1,753	-0.052 [0.039] N=2,499	-0.057 [0.041] N=2,270	-0.056 [0.042] N=2,003	**-0.082* [0.043] N=1,703**	**-0.096* [0.049] N=1,388**
Strict normal WAZ -2 to +1	0.690 P=1,898	0.043 [0.035] N=2,736	0.038 [0.037] N=2,495	0.055 [0.041] N=2,196	0.045 [0.043] N=1,863	0.024 [0.046] N=1,513
Strict normal WHZ -2 to +1	0.527 P=900	**-0.165*** [0.044] N=1,719**	**-0.180*** [0.047] N=1,554**	**-0.182*** [0.052] N=1,358**	**-0.126** [0.054] N=1,153**	**-0.140** [0.063] N=928**
Strict normal BMIZ -2 to +1	0.516 P=1,251	**-0.068* [0.037] N=2,421**	**-0.075** [0.038] N=2,202**	-0.057 [0.043] N=1,943	-0.043 [0.042] N=1,652	-0.053 [0.045] N=1,346
Above-normal height HAZ above +3	0.059 P=137	0.004 [0.021] N=2,499	0.009 [0.022] N=2,270	0.010 [0.023] N=2,003	0.004 [0.024] N=1,703	0.006 [0.028] N=1,388
Above-normal weight WAZ above +1	0.227 P=619	-0.029 [0.031] N=2,736	-0.023 [0.033] N=2,495	-0.048 [0.035] N=2,196	-0.045 [0.037] N=1,863	-0.032 [0.041] N=1,513
Above-normal WHZ above +1	0.361 P=626	**0.123*** [0.045] N=1,719**	**0.145*** [0.048] N=1,554**	**0.128** [0.054] N=1,358**	**0.109* [0.056] N=1,153**	**0.124* [0.064] N=928**
Above-normal BMIZ above +1	0.368 P=892	0.038 [0.041] N=2,421	0.043 [0.043] N=2,202	0.027 [0.047] N=1,943	0.031 [0.050] N=1,652	0.037 [0.054] N=1,346

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.013 [0.050] N=2,141	-0.007 [0.054] N=1,912	0.014 [0.057] N=1,645	-0.045 [0.060] N=1,345	-0.051 [0.086] N=1,030
Not underweight WAZ at least -2	0.028 [0.026] N=2,350	0.033 [0.029] N=2,109	0.016 [0.032] N=1,810	0.010 [0.037] N=1,477	0.004 [0.041] N=1,127
Neither wasted nor overweight WHZ -2 to +2	**-0.161*** [0.059] N=1,487**	**-0.149** [0.063] N=1,322**	**-0.173*** [0.065] N=1,126**	-0.136 [0.082] N=921	-0.120 [0.110] N=696
Neither low nor high BMIZ -2 to +2	**-0.111** [0.048] N=2,076**	**-0.097* [0.052] N=1,857**	-0.061 [0.061] N=1,598	-0.059 [0.064] N=1,307	-0.056 [0.089] N=1,001
Strict normal HAZ -2 to +3	-0.020 [0.059] N=2,141	-0.022 [0.064] N=1,912	-0.003 [0.069] N=1,645	-0.046 [0.077] N=1,345	-0.061 [0.106] N=1,030
Strict normal WAZ -2 to +1	**0.089* [0.047] N=2,350**	0.083 [0.052] N=2,109	**0.126** [0.059] N=1,810**	**0.123* [0.068] N=1,477**	0.089 [0.080] N=1,127
Strict normal WHZ -2 to +1	**-0.206*** [0.064] N=1,487**	**-0.234*** [0.070] N=1,322**	**-0.243*** [0.084] N=1,126**	-0.127 [0.094] N=921	-0.161 [0.129] N=696
Strict normal BMIZ -2 to +1	-0.067 [0.058] N=2,076	-0.077 [0.064] N=1,857	-0.040 [0.078] N=1,598	-0.011 [0.082] N=1,307	-0.018 [0.102] N=1,001
Above-normal height HAZ above +3	0.007 [0.030] N=2,141	0.015 [0.032] N=1,912	0.017 [0.038] N=1,645	0.001 [0.046] N=1,345	0.009 [0.063] N=1,030
Above-normal weight WAZ above +1	-0.061 [0.040] N=2,350	-0.050 [0.044] N=2,109	**-0.109** [0.049] N=1,810**	**-0.114** [0.054] N=1,477**	-0.085 [0.065] N=1,127
Above-normal WHZ above +1	0.111 [0.067] N=1,487	**0.148* [0.075] N=1,322**	0.111 [0.092] N=1,126	0.058 [0.094] N=921	0.088 [0.127] N=696
Above-normal BMIZ above +1	-0.013 [0.056] N=2,076	-0.011 [0.060] N=1,857	-0.051 [0.073] N=1,598	-0.056 [0.079] N=1,307	-0.081 [0.095] N=1,001

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=1,890	-0.047 [0.035] N=2,499	-0.047 [0.037] N=2,270	-0.045 [0.038] N=2,003	**-0.076* [0.039] N=1,703**	**-0.088* [0.045] N=1,388**
Not underweight WAZ at least -2	0.917 P=2,517	0.013 [0.017] N=2,736	0.015 [0.019] N=2,495	0.005 [0.019] N=2,196	0.000 [0.021] N=1,863	-0.007 [0.021] N=1,513
Neither wasted nor overweight WHZ -2 to +2	0.690 P=1,185	**-0.099** [0.043] N=1,719**	**-0.095** [0.045] N=1,554**	**-0.099** [0.047] N=1,358**	-0.070 [0.051] N=1,153	-0.058 [0.057] N=928
Neither low nor high BMIZ -2 to +2	0.661 P=1,607	**-0.086** [0.034] N=2,421**	**-0.080** [0.035] N=2,202**	-0.062 [0.039] N=1,943	-0.051 [0.038] N=1,652	-0.051 [0.044] N=1,346
Strict normal HAZ -2 to +3	0.696 P=1,753	-0.051 [0.039] N=2,499	-0.056 [0.041] N=2,270	-0.055 [0.042] N=2,003	**-0.080* [0.043] N=1,703**	**-0.095* [0.049] N=1,388**
Strict normal WAZ -2 to +1	0.690 P=1,898	0.044 [0.035] N=2,736	0.040 [0.037] N=2,495	0.055 [0.041] N=2,196	0.046 [0.043] N=1,863	0.024 [0.047] N=1,513
Strict normal WHZ -2 to +1	0.527 P=900	**-0.164*** [0.044] N=1,719**	**-0.178*** [0.047] N=1,554**	**-0.179*** [0.052] N=1,358**	**-0.122** [0.054] N=1,153**	**-0.134** [0.063] N=928**
Strict normal BMIZ -2 to +1	0.516 P=1,251	**-0.064* [0.036] N=2,421**	**-0.071* [0.038] N=2,202**	-0.053 [0.043] N=1,943	-0.039 [0.041] N=1,652	-0.048 [0.045] N=1,346
Above-normal height HAZ above +3	0.059 P=137	0.003 [0.021] N=2,499	0.008 [0.021] N=2,270	0.010 [0.023] N=2,003	0.004 [0.024] N=1,703	0.007 [0.028] N=1,388
Above-normal weight WAZ above +1	0.227 P=619	-0.031 [0.031] N=2,736	-0.024 [0.033] N=2,495	-0.050 [0.036] N=2,196	-0.046 [0.037] N=1,863	-0.032 [0.041] N=1,513

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Above-normal WHZ above +1	0.361 P=626	**0.124*** [0.044] N=1,719**	**0.145*** [0.048] N=1,554**	**0.127** [0.054] N=1,358**	**0.110* [0.055] N=1,153**	**0.124* [0.065] N=928**
Above-normal BMIZ above +1	0.368 P=892	0.034 [0.041] N=2,421	0.040 [0.043] N=2,202	0.025 [0.047] N=1,943	0.028 [0.050] N=1,652	0.033 [0.053] N=1,346

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.016 [0.049] N=2,141	-0.010 [0.054] N=1,912	0.011 [0.057] N=1,645	-0.052 [0.060] N=1,345	-0.064 [0.086] N=1,030
Not underweight WAZ at least -2	0.027 [0.026] N=2,350	0.032 [0.029] N=2,109	0.014 [0.031] N=1,810	0.008 [0.036] N=1,477	-0.002 [0.041] N=1,127
Neither wasted nor overweight WHZ -2 to +2	**-0.161*** [0.058] N=1,487**	**-0.149** [0.062] N=1,322**	**-0.174*** [0.065] N=1,126**	-0.135 [0.081] N=921	-0.122 [0.109] N=696
Neither low nor high BMIZ -2 to +2	**-0.113** [0.048] N=2,076**	**-0.098* [0.052] N=1,857**	-0.060 [0.061] N=1,598	-0.060 [0.064] N=1,307	-0.057 [0.089] N=1,001
Strict normal HAZ -2 to +3	-0.021 [0.059] N=2,141	-0.024 [0.064] N=1,912	-0.004 [0.069] N=1,645	-0.051 [0.077] N=1,345	-0.070 [0.106] N=1,030
Strict normal WAZ -2 to +1	**0.091* [0.047] N=2,350**	0.084 [0.051] N=2,109	**0.126** [0.059] N=1,810**	**0.122* [0.068] N=1,477**	0.085 [0.081] N=1,127
Strict normal WHZ -2 to +1	**-0.206*** [0.063] N=1,487**	**-0.235*** [0.070] N=1,322**	**-0.245*** [0.083] N=1,126**	-0.131 [0.094] N=921	-0.167 [0.128] N=696
Strict normal BMIZ -2 to +1	-0.065 [0.058] N=2,076	-0.077 [0.064] N=1,857	-0.038 [0.078] N=1,598	-0.012 [0.082] N=1,307	-0.026 [0.103] N=1,001
Above-normal height HAZ above +3	0.005 [0.030] N=2,141	0.014 [0.032] N=1,912	0.015 [0.038] N=1,645	-0.001 [0.045] N=1,345	0.006 [0.063] N=1,030
Above-normal weight WAZ above +1	-0.063 [0.040] N=2,350	-0.052 [0.044] N=2,109	**-0.112** [0.049] N=1,810**	**-0.115** [0.054] N=1,477**	-0.086 [0.066] N=1,127
Above-normal WHZ above +1	**0.111* [0.067] N=1,487**	**0.148** [0.075] N=1,322**	0.112 [0.091] N=1,126	0.065 [0.094] N=921	0.093 [0.126] N=696
Above-normal BMIZ above +1	-0.014 [0.056] N=2,076	-0.012 [0.061] N=1,857	-0.052 [0.073] N=1,598	-0.052 [0.080] N=1,307	-0.073 [0.097] N=1,001

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 83 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.