Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-5

WHO binary classifications are derived from WHO z scores; missing scores remain missing. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.732 P=1,753	0.042 [0.033] N=2,374	0.047 [0.035] N=2,201	0.042 [0.036] N=1,983	**0.079** [0.037] N=1,706**	0.036 [0.042] N=1,410
Not underweight WAZ at least -2	0.910 P=2,422	-0.027 [0.021] N=2,653	-0.020 [0.022] N=2,459	-0.004 [0.024] N=2,217	-0.007 [0.025] N=1,903	-0.016 [0.029] N=1,569
Neither wasted nor overweight WHZ -2 to +2	0.694 P=1,385	0.017 [0.044] N=1,994	0.017 [0.046] N=1,853	0.016 [0.049] N=1,668	0.032 [0.055] N=1,430	0.065 [0.059] N=1,171
Neither low nor high BMIZ -2 to +2	0.651 P=1,506	0.020 [0.039] N=2,301	0.037 [0.040] N=2,137	0.031 [0.042] N=1,920	0.058 [0.047] N=1,651	0.055 [0.050] N=1,363
Strict normal HAZ -2 to +3	0.672 P=1,614	0.046 [0.035] N=2,374	0.056 [0.036] N=2,201	0.050 [0.036] N=1,983	**0.075* [0.039] N=1,706**	0.033 [0.044] N=1,410
Strict normal WAZ -2 to +1	0.706 P=1,889	**-0.073** [0.037] N=2,653**	**-0.067* [0.040] N=2,459**	-0.057 [0.042] N=2,217	-0.048 [0.044] N=1,903	-0.057 [0.051] N=1,569
Strict normal WHZ -2 to +1	0.531 P=1,061	0.017 [0.045] N=1,994	0.017 [0.048] N=1,853	0.007 [0.050] N=1,668	0.031 [0.053] N=1,430	0.026 [0.059] N=1,171
Strict normal BMIZ -2 to +1	0.502 P=1,163	0.015 [0.042] N=2,301	0.028 [0.044] N=2,137	0.030 [0.047] N=1,920	0.066 [0.052] N=1,651	0.043 [0.059] N=1,363
Above-normal height HAZ above +3	0.061 P=139	-0.004 [0.019] N=2,374	-0.009 [0.020] N=2,201	-0.008 [0.023] N=1,983	0.004 [0.025] N=1,706	0.003 [0.028] N=1,410
Above-normal weight WAZ above +1	0.204 P=533	0.046 [0.032] N=2,653	0.047 [0.035] N=2,459	0.053 [0.037] N=2,217	0.040 [0.040] N=1,903	0.041 [0.044] N=1,569
Above-normal WHZ above +1	0.358 P=706	0.016 [0.040] N=1,994	0.008 [0.042] N=1,853	0.011 [0.043] N=1,668	-0.019 [0.046] N=1,430	0.009 [0.051] N=1,171
Above-normal BMIZ above +1	0.373 P=851	0.005 [0.038] N=2,301	-0.004 [0.040] N=2,137	-0.010 [0.044] N=1,920	-0.064 [0.047] N=1,651	-0.035 [0.053] N=1,363

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.018 [0.046] N=1,998	0.021 [0.051] N=1,825	0.014 [0.054] N=1,607	0.083 [0.061] N=1,330	-0.021 [0.081] N=1,034
Not underweight WAZ at least -2	-0.041 [0.029] N=2,240	-0.029 [0.033] N=2,046	0.001 [0.036] N=1,804	-0.010 [0.042] N=1,490	-0.038 [0.057] N=1,156
Neither wasted nor overweight WHZ -2 to +2	0.007 [0.052] N=1,680	0.003 [0.055] N=1,539	0.002 [0.060] N=1,354	0.024 [0.074] N=1,116	**0.137* [0.081] N=857**
Neither low nor high BMIZ -2 to +2	0.022 [0.054] N=1,934	0.056 [0.056] N=1,770	0.056 [0.061] N=1,553	**0.126* [0.075] N=1,284**	**0.172** [0.080] N=996**
Strict normal HAZ -2 to +3	0.018 [0.048] N=1,998	0.031 [0.053] N=1,825	0.028 [0.057] N=1,607	0.065 [0.064] N=1,330	-0.046 [0.089] N=1,034
Strict normal WAZ -2 to +1	-0.054 [0.048] N=2,240	-0.035 [0.054] N=2,046	-0.009 [0.061] N=1,804	0.020 [0.068] N=1,490	-0.000 [0.089] N=1,156
Strict normal WHZ -2 to +1	0.030 [0.057] N=1,680	0.032 [0.063] N=1,539	0.026 [0.068] N=1,354	0.080 [0.080] N=1,116	0.100 [0.097] N=857
Strict normal BMIZ -2 to +1	0.019 [0.053] N=1,934	0.043 [0.057] N=1,770	0.057 [0.063] N=1,553	**0.149** [0.074] N=1,284**	**0.150* [0.090] N=996**
Above-normal height HAZ above +3	-0.000 [0.023] N=1,998	-0.010 [0.025] N=1,825	-0.014 [0.031] N=1,607	0.018 [0.035] N=1,330	0.024 [0.042] N=1,034
Above-normal weight WAZ above +1	0.014 [0.041] N=2,240	0.006 [0.047] N=2,046	0.010 [0.051] N=1,804	-0.030 [0.059] N=1,490	-0.037 [0.070] N=1,156

Outcome	8 years	7 years	6 years	5 years	4 years
Above-normal WHZ above +1	0.002 [0.055] N=1,680	-0.015 [0.061] N=1,539	-0.022 [0.065] N=1,354	-0.092 [0.081] N=1,116	-0.060 [0.098] N=857
Above-normal BMIZ above +1	0.019 [0.053] N=1,934	0.007 [0.057] N=1,770	-0.004 [0.066] N=1,553	-0.118 [0.077] N=1,284	-0.076 [0.093] N=996

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.732 P=1,753	0.041 [0.033] N=2,374	0.046 [0.035] N=2,201	0.041 [0.036] N=1,983	**0.078** [0.037] N=1,706**	0.036 [0.042] N=1,410
Not underweight WAZ at least -2	0.910 P=2,422	-0.028 [0.021] N=2,653	-0.020 [0.022] N=2,459	-0.004 [0.024] N=2,217	-0.008 [0.025] N=1,903	-0.016 [0.028] N=1,569
Neither wasted nor overweight WHZ -2 to +2	0.694 P=1,385	0.014 [0.044] N=1,994	0.011 [0.046] N=1,853	0.009 [0.049] N=1,668	0.024 [0.054] N=1,430	0.056 [0.059] N=1,171
Neither low nor high BMIZ -2 to +2	0.651 P=1,506	0.019 [0.039] N=2,301	0.035 [0.040] N=2,137	0.029 [0.042] N=1,920	0.055 [0.047] N=1,651	0.053 [0.050] N=1,363
Strict normal HAZ -2 to +3	0.672 P=1,614	0.045 [0.035] N=2,374	0.055 [0.036] N=2,201	0.049 [0.036] N=1,983	**0.073* [0.039] N=1,706**	0.033 [0.044] N=1,410
Strict normal WAZ -2 to +1	0.706 P=1,889	**-0.075** [0.037] N=2,653**	**-0.069* [0.040] N=2,459**	-0.059 [0.042] N=2,217	-0.049 [0.044] N=1,903	-0.058 [0.051] N=1,569
Strict normal WHZ -2 to +1	0.531 P=1,061	0.015 [0.045] N=1,994	0.014 [0.047] N=1,853	0.003 [0.049] N=1,668	0.027 [0.053] N=1,430	0.022 [0.059] N=1,171
Strict normal BMIZ -2 to +1	0.502 P=1,163	0.014 [0.042] N=2,301	0.026 [0.044] N=2,137	0.028 [0.047] N=1,920	0.064 [0.052] N=1,651	0.042 [0.059] N=1,363
Above-normal height HAZ above +3	0.061 P=139	-0.004 [0.019] N=2,374	-0.009 [0.020] N=2,201	-0.008 [0.023] N=1,983	0.004 [0.025] N=1,706	0.003 [0.027] N=1,410
Above-normal weight WAZ above +1	0.204 P=533	0.047 [0.032] N=2,653	0.049 [0.035] N=2,459	0.054 [0.037] N=2,217	0.042 [0.040] N=1,903	0.042 [0.044] N=1,569
Above-normal WHZ above +1	0.358 P=706	0.017 [0.040] N=1,994	0.008 [0.042] N=1,853	0.011 [0.043] N=1,668	-0.019 [0.046] N=1,430	0.007 [0.051] N=1,171
Above-normal BMIZ above +1	0.373 P=851	0.006 [0.038] N=2,301	-0.004 [0.040] N=2,137	-0.009 [0.044] N=1,920	-0.063 [0.047] N=1,651	-0.035 [0.053] N=1,363

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.018 [0.046] N=1,998	0.021 [0.051] N=1,825	0.014 [0.054] N=1,607	0.083 [0.061] N=1,330	-0.023 [0.082] N=1,034
Not underweight WAZ at least -2	-0.040 [0.029] N=2,240	-0.029 [0.033] N=2,046	0.001 [0.036] N=1,804	-0.010 [0.042] N=1,490	-0.037 [0.057] N=1,156
Neither wasted nor overweight WHZ -2 to +2	0.008 [0.052] N=1,680	0.002 [0.055] N=1,539	0.000 [0.060] N=1,354	0.020 [0.075] N=1,116	**0.135* [0.080] N=857**
Neither low nor high BMIZ -2 to +2	0.022 [0.054] N=1,934	0.056 [0.056] N=1,770	0.056 [0.061] N=1,553	**0.127* [0.075] N=1,284**	**0.175** [0.080] N=996**
Strict normal HAZ -2 to +3	0.019 [0.048] N=1,998	0.031 [0.052] N=1,825	0.028 [0.056] N=1,607	0.066 [0.064] N=1,330	-0.046 [0.089] N=1,034
Strict normal WAZ -2 to +1	-0.054 [0.048] N=2,240	-0.035 [0.053] N=2,046	-0.009 [0.060] N=1,804	0.020 [0.068] N=1,490	0.002 [0.088] N=1,156
Strict normal WHZ -2 to +1	0.030 [0.057] N=1,680	0.032 [0.063] N=1,539	0.025 [0.067] N=1,354	0.078 [0.079] N=1,116	0.100 [0.097] N=857
Strict normal BMIZ -2 to +1	0.019 [0.053] N=1,934	0.043 [0.057] N=1,770	0.057 [0.063] N=1,553	**0.149** [0.074] N=1,284**	**0.149* [0.089] N=996**
Above-normal height HAZ above +3	-0.000 [0.023] N=1,998	-0.010 [0.025] N=1,825	-0.014 [0.031] N=1,607	0.017 [0.036] N=1,330	0.022 [0.043] N=1,034
Above-normal weight WAZ above +1	0.013 [0.041]	0.006 [0.046]	0.010 [0.050]	-0.030 [0.058]	-0.039 [0.070]

Outcome	8 years	7 years	6 years	5 years	4 years
	N=2,240	N=2,046	N=1,804	N=1,490	N=1,156
Above-normal WHZ above +1	0.002 [0.055] N=1,680	-0.015 [0.061] N=1,539	-0.023 [0.065] N=1,354	-0.092 [0.081] N=1,116	-0.061 [0.098] N=857
Above-normal BMIZ above +1	0.019 [0.053] N=1,934	0.007 [0.057] N=1,770	-0.004 [0.066] N=1,553	-0.118 [0.077] N=1,284	-0.074 [0.093] N=996

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.732 P=1,753	0.034 [0.032] N=2,374	0.036 [0.034] N=2,201	0.032 [0.035] N=1,983	**0.067* [0.037] N=1,706**	0.022 [0.041] N=1,410
Not underweight WAZ at least -2	0.910 P=2,422	**-0.035* [0.020] N=2,653**	-0.028 [0.022] N=2,459	-0.013 [0.023] N=2,217	-0.017 [0.024] N=1,903	-0.028 [0.027] N=1,569
Neither wasted nor overweight WHZ -2 to +2	0.694 P=1,385	0.007 [0.044] N=1,994	0.003 [0.045] N=1,853	0.003 [0.048] N=1,668	0.018 [0.054] N=1,430	0.049 [0.059] N=1,171
Neither low nor high BMIZ -2 to +2	0.651 P=1,506	0.012 [0.038] N=2,301	0.025 [0.040] N=2,137	0.020 [0.042] N=1,920	0.047 [0.047] N=1,651	0.043 [0.051] N=1,363
Strict normal HAZ -2 to +3	0.672 P=1,614	0.036 [0.034] N=2,374	0.043 [0.035] N=2,201	0.038 [0.036] N=1,983	0.060 [0.038] N=1,706	0.017 [0.043] N=1,410
Strict normal WAZ -2 to +1	0.706 P=1,889	**-0.077** [0.037] N=2,653**	**-0.074* [0.040] N=2,459**	-0.063 [0.042] N=2,217	-0.057 [0.044] N=1,903	-0.067 [0.052] N=1,569
Strict normal WHZ -2 to +1	0.531 P=1,061	0.010 [0.044] N=1,994	0.006 [0.047] N=1,853	-0.004 [0.049] N=1,668	0.020 [0.052] N=1,430	0.016 [0.058] N=1,171
Strict normal BMIZ -2 to +1	0.502 P=1,163	0.009 [0.041] N=2,301	0.018 [0.044] N=2,137	0.021 [0.047] N=1,920	0.056 [0.052] N=1,651	0.032 [0.059] N=1,363
Above-normal height HAZ above +3	0.061 P=139	-0.002 [0.019] N=2,374	-0.007 [0.020] N=2,201	-0.006 [0.023] N=1,983	0.007 [0.024] N=1,706	0.005 [0.028] N=1,410
Above-normal weight WAZ above +1	0.204 P=533	0.042 [0.032] N=2,653	0.045 [0.035] N=2,459	0.051 [0.037] N=2,217	0.040 [0.040] N=1,903	0.039 [0.044] N=1,569
Above-normal WHZ above +1	0.358 P=706	0.017 [0.040] N=1,994	0.011 [0.042] N=1,853	0.015 [0.043] N=1,668	-0.015 [0.046] N=1,430	0.010 [0.051] N=1,171
Above-normal BMIZ above +1	0.373 P=851	0.008 [0.038] N=2,301	-0.001 [0.041] N=2,137	-0.006 [0.044] N=1,920	-0.057 [0.048] N=1,651	-0.029 [0.054] N=1,363

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.014 [0.045] N=1,998	0.013 [0.050] N=1,825	0.007 [0.053] N=1,607	0.070 [0.059] N=1,330	-0.039 [0.078] N=1,034
Not underweight WAZ at least -2	-0.045 [0.028] N=2,240	-0.036 [0.032] N=2,046	-0.005 [0.035] N=1,804	-0.014 [0.041] N=1,490	-0.045 [0.056] N=1,156
Neither wasted nor overweight WHZ -2 to +2	-0.001 [0.053] N=1,680	-0.010 [0.057] N=1,539	-0.005 [0.062] N=1,354	0.018 [0.075] N=1,116	0.124 [0.083] N=857
Neither low nor high BMIZ -2 to +2	0.017 [0.054] N=1,934	0.047 [0.057] N=1,770	0.050 [0.062] N=1,553	0.120 [0.075] N=1,284	**0.164** [0.081] N=996**
Strict normal HAZ -2 to +3	0.014 [0.047] N=1,998	0.021 [0.051] N=1,825	0.020 [0.055] N=1,607	0.052 [0.062] N=1,330	-0.061 [0.085] N=1,034
Strict normal WAZ -2 to +1	-0.054 [0.048] N=2,240	-0.039 [0.054] N=2,046	-0.012 [0.060] N=1,804	0.017 [0.068] N=1,490	-0.002 [0.088] N=1,156
Strict normal WHZ -2 to +1	0.023 [0.057] N=1,680	0.020 [0.063] N=1,539	0.017 [0.067] N=1,354	0.073 [0.079] N=1,116	0.090 [0.099] N=857
Strict normal BMIZ -2 to +1	0.014 [0.053] N=1,934	0.034 [0.058] N=1,770	0.051 [0.064] N=1,553	**0.140* [0.075] N=1,284**	0.136 [0.092] N=996
Above-normal height HAZ above +3	0.000 [0.023] N=1,998	-0.009 [0.025] N=1,825	-0.014 [0.031] N=1,607	0.018 [0.036] N=1,330	0.022 [0.044] N=1,034

Outcome	8 years	7 years	6 years	5 years	4 years
Above-normal weight WAZ above +1	0.009 [0.041] N=2,240	0.003 [0.046] N=2,046	0.007 [0.050] N=1,804	-0.031 [0.058] N=1,490	-0.043 [0.069] N=1,156
Above-normal WHZ above +1	0.004 [0.055] N=1,680	-0.010 [0.062] N=1,539	-0.018 [0.065] N=1,354	-0.090 [0.080] N=1,116	-0.058 [0.098] N=857
Above-normal BMIZ above +1	0.022 [0.053] N=1,934	0.012 [0.059] N=1,770	0.000 [0.066] N=1,553	-0.109 [0.078] N=1,284	-0.062 [0.094] N=996

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.732 P=1,753	0.031 [0.032] N=2,374	0.035 [0.034] N=2,201	0.030 [0.035] N=1,983	**0.063* [0.036] N=1,706**	0.019 [0.040] N=1,410
Not underweight WAZ at least -2	0.910 P=2,422	**-0.035* [0.020] N=2,653**	-0.030 [0.022] N=2,459	-0.016 [0.023] N=2,217	-0.020 [0.024] N=1,903	-0.033 [0.027] N=1,569
Neither wasted nor overweight WHZ -2 to +2	0.694 P=1,385	0.005 [0.044] N=1,994	0.000 [0.046] N=1,853	-0.001 [0.049] N=1,668	0.016 [0.054] N=1,430	0.052 [0.058] N=1,171
Neither low nor high BMIZ -2 to +2	0.651 P=1,506	0.010 [0.039] N=2,301	0.026 [0.040] N=2,137	0.018 [0.042] N=1,920	0.041 [0.047] N=1,651	0.043 [0.051] N=1,363
Strict normal HAZ -2 to +3	0.672 P=1,614	0.032 [0.034] N=2,374	0.040 [0.035] N=2,201	0.034 [0.036] N=1,983	0.055 [0.038] N=1,706	0.013 [0.043] N=1,410
Strict normal WAZ -2 to +1	0.706 P=1,889	**-0.079** [0.037] N=2,653**	**-0.075* [0.040] N=2,459**	-0.066 [0.042] N=2,217	-0.059 [0.044] N=1,903	-0.066 [0.051] N=1,569
Strict normal WHZ -2 to +1	0.531 P=1,061	0.008 [0.044] N=1,994	0.005 [0.047] N=1,853	-0.006 [0.049] N=1,668	0.018 [0.052] N=1,430	0.017 [0.059] N=1,171
Strict normal BMIZ -2 to +1	0.502 P=1,163	0.007 [0.041] N=2,301	0.018 [0.044] N=2,137	0.020 [0.047] N=1,920	0.050 [0.052] N=1,651	0.029 [0.058] N=1,363
Above-normal height HAZ above +3	0.061 P=139	-0.002 [0.019] N=2,374	-0.006 [0.020] N=2,201	-0.004 [0.023] N=1,983	0.008 [0.025] N=1,706	0.006 [0.028] N=1,410
Above-normal weight WAZ above +1	0.204 P=533	0.044 [0.032] N=2,653	0.045 [0.035] N=2,459	0.050 [0.037] N=2,217	0.038 [0.040] N=1,903	0.033 [0.045] N=1,569
Above-normal WHZ above +1	0.358 P=706	0.020 [0.040] N=1,994	0.012 [0.042] N=1,853	0.017 [0.043] N=1,668	-0.013 [0.046] N=1,430	0.010 [0.051] N=1,171
Above-normal BMIZ above +1	0.373 P=851	0.010 [0.039] N=2,301	0.000 [0.041] N=2,137	-0.004 [0.044] N=1,920	-0.054 [0.048] N=1,651	-0.026 [0.053] N=1,363

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.012 [0.045] N=1,998	0.014 [0.050] N=1,825	0.009 [0.053] N=1,607	0.077 [0.059] N=1,330	-0.037 [0.078] N=1,034
Not underweight WAZ at least -2	-0.044 [0.028] N=2,240	-0.035 [0.032] N=2,046	-0.007 [0.035] N=1,804	-0.015 [0.041] N=1,490	-0.045 [0.056] N=1,156
Neither wasted nor overweight WHZ -2 to +2	-0.002 [0.053] N=1,680	-0.008 [0.057] N=1,539	-0.005 [0.061] N=1,354	0.017 [0.075] N=1,116	0.123 [0.084] N=857
Neither low nor high BMIZ -2 to +2	0.013 [0.054] N=1,934	0.048 [0.057] N=1,770	0.050 [0.062] N=1,553	0.117 [0.074] N=1,284	**0.154* [0.079] N=996**
Strict normal HAZ -2 to +3	0.012 [0.048] N=1,998	0.022 [0.052] N=1,825	0.022 [0.055] N=1,607	0.060 [0.062] N=1,330	-0.057 [0.086] N=1,034
Strict normal WAZ -2 to +1	-0.055 [0.048] N=2,240	-0.039 [0.054] N=2,046	-0.015 [0.060] N=1,804	0.017 [0.067] N=1,490	-0.006 [0.087] N=1,156
Strict normal WHZ -2 to +1	0.021 [0.057] N=1,680	0.024 [0.063] N=1,539	0.019 [0.068] N=1,354	0.071 [0.079] N=1,116	0.086 [0.102] N=857
Strict normal BMIZ -2 to +1	0.011 [0.053] N=1,934	0.037 [0.058] N=1,770	0.053 [0.064] N=1,553	**0.137* [0.074] N=1,284**	0.131 [0.091] N=996

Outcome	8 years	7 years	6 years	5 years	4 years
Above-normal height HAZ above +3	-0.000 [0.023] N=1,998	-0.008 [0.025] N=1,825	-0.013 [0.031] N=1,607	0.017 [0.036] N=1,330	0.021 [0.044] N=1,034
Above-normal weight WAZ above +1	0.011 [0.041] N=2,240	0.003 [0.046] N=2,046	0.007 [0.050] N=1,804	-0.032 [0.059] N=1,490	-0.039 [0.069] N=1,156
Above-normal WHZ above +1	0.006 [0.055] N=1,680	-0.011 [0.061] N=1,539	-0.019 [0.066] N=1,354	-0.089 [0.080] N=1,116	-0.053 [0.099] N=857
Above-normal BMIZ above +1	0.024 [0.053] N=1,934	0.011 [0.058] N=1,770	-0.001 [0.066] N=1,553	-0.108 [0.078] N=1,284	-0.059 [0.093] N=996

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.732 P=1,640	0.036 [0.036] N=2,220	0.041 [0.038] N=2,063	0.033 [0.039] N=1,854	**0.070* [0.041] N=1,604**	0.024 [0.045] N=1,323
Not underweight WAZ at least -2	0.909 P=2,254	-0.024 [0.021] N=2,471	-0.019 [0.023] N=2,295	-0.003 [0.025] N=2,064	-0.009 [0.026] N=1,780	-0.020 [0.030] N=1,467
Neither wasted nor overweight WHZ -2 to +2	0.693 P=1,291	0.016 [0.045] N=1,859	0.013 [0.047] N=1,735	0.002 [0.050] N=1,559	0.020 [0.056] N=1,346	0.041 [0.061] N=1,100
Neither low nor high BMIZ -2 to +2	0.651 P=1,413	0.019 [0.041] N=2,151	0.037 [0.043] N=2,002	0.030 [0.045] N=1,796	0.063 [0.051] N=1,554	0.060 [0.055] N=1,281
Strict normal HAZ -2 to +3	0.673 P=1,515	0.047 [0.037] N=2,220	0.057 [0.039] N=2,063	0.049 [0.040] N=1,854	**0.077* [0.043] N=1,604**	0.033 [0.049] N=1,323
Strict normal WAZ -2 to +1	0.703 P=1,752	**-0.073* [0.038] N=2,471**	-0.067 [0.041] N=2,295	-0.055 [0.044] N=2,064	-0.047 [0.047] N=1,780	-0.065 [0.054] N=1,467
Strict normal WHZ -2 to +1	0.530 P=988	0.005 [0.047] N=1,859	0.006 [0.050] N=1,735	-0.012 [0.052] N=1,559	0.015 [0.056] N=1,346	-0.003 [0.062] N=1,100
Strict normal BMIZ -2 to +1	0.503 P=1,093	0.002 [0.045] N=2,151	0.016 [0.047] N=2,002	0.018 [0.051] N=1,796	0.057 [0.056] N=1,554	0.028 [0.064] N=1,281
Above-normal height HAZ above +3	0.059 P=125	-0.011 [0.020] N=2,220	-0.016 [0.021] N=2,063	-0.015 [0.024] N=1,854	-0.007 [0.026] N=1,604	-0.009 [0.028] N=1,323
Above-normal weight WAZ above +1	0.206 P=502	0.049 [0.034] N=2,471	0.048 [0.036] N=2,295	0.052 [0.038] N=2,064	0.038 [0.042] N=1,780	0.045 [0.047] N=1,467
Above-normal WHZ above +1	0.359 P=660	0.038 [0.042] N=1,859	0.025 [0.044] N=1,735	0.033 [0.046] N=1,559	-0.001 [0.050] N=1,346	0.038 [0.057] N=1,100
Above-normal BMIZ above +1	0.374 P=794	0.027 [0.040] N=2,151	0.013 [0.043] N=2,002	0.010 [0.046] N=1,796	-0.046 [0.050] N=1,554	-0.006 [0.056] N=1,281

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.027 [0.049] N=1,869	0.033 [0.055] N=1,712	0.024 [0.059] N=1,503	0.102 [0.068] N=1,253	-0.002 [0.090] N=972
Not underweight WAZ at least -2	-0.036 [0.030] N=2,086	-0.028 [0.034] N=1,910	-0.001 [0.038] N=1,679	-0.021 [0.044] N=1,395	-0.054 [0.059] N=1,082
Neither wasted nor overweight WHZ -2 to +2	0.025 [0.053] N=1,565	0.026 [0.056] N=1,441	0.012 [0.061] N=1,265	0.048 [0.076] N=1,052	**0.145* [0.087] N=806**
Neither low nor high BMIZ -2 to +2	0.027 [0.055] N=1,808	0.067 [0.057] N=1,659	0.064 [0.063] N=1,453	**0.158** [0.078] N=1,211**	**0.217** [0.083] N=938**
Strict normal HAZ -2 to +3	0.030 [0.050] N=1,869	0.045 [0.055] N=1,712	0.040 [0.060] N=1,503	0.095 [0.070] N=1,253	-0.009 [0.094] N=972
Strict normal WAZ -2 to +1	-0.045 [0.048] N=2,086	-0.024 [0.053] N=1,910	0.007 [0.061] N=1,679	0.033 [0.069] N=1,395	0.003 [0.090] N=1,082
Strict normal WHZ -2 to +1	0.044 [0.059] N=1,565	0.055 [0.065] N=1,441	0.035 [0.073] N=1,265	0.108 [0.084] N=1,052	0.116 [0.106] N=806

Outcome	8 years	7 years	6 years	5 years	4 years
Strict normal BMIZ -2 to +1	0.017 [0.056] N=1,808	0.047 [0.060] N=1,659	0.062 [0.068] N=1,453	**0.169** [0.082] N=1,211**	0.168 [0.102] N=938
Above-normal height HAZ above +3	-0.003 [0.025] N=1,869	-0.012 [0.026] N=1,712	-0.016 [0.032] N=1,503	0.007 [0.038] N=1,253	0.008 [0.044] N=972
Above-normal weight WAZ above +1	0.009 [0.041] N=2,086	-0.004 [0.045] N=1,910	-0.007 [0.051] N=1,679	-0.054 [0.061] N=1,395	-0.057 [0.073] N=1,082
Above-normal WHZ above +1	0.004 [0.058] N=1,565	-0.025 [0.063] N=1,441	-0.025 [0.069] N=1,265	-0.105 [0.087] N=1,052	-0.050 [0.108] N=806
Above-normal BMIZ above +1	0.024 [0.056] N=1,808	0.003 [0.061] N=1,659	-0.008 [0.071] N=1,453	-0.128 [0.086] N=1,211	-0.066 [0.107] N=938

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.732 P=1,640	0.038 [0.035] N=2,220	0.043 [0.038] N=2,063	0.036 [0.039] N=1,854	**0.073* [0.040] N=1,604**	0.030 [0.044] N=1,323
Not underweight WAZ at least -2	0.909 P=2,254	-0.021 [0.021] N=2,471	-0.016 [0.023] N=2,295	-0.001 [0.024] N=2,064	-0.008 [0.026] N=1,780	-0.018 [0.030] N=1,467
Neither wasted nor overweight WHZ -2 to +2	0.693 P=1,291	0.016 [0.045] N=1,859	0.013 [0.047] N=1,735	0.005 [0.050] N=1,559	0.024 [0.056] N=1,346	0.050 [0.060] N=1,100
Neither low nor high BMIZ -2 to +2	0.651 P=1,413	0.020 [0.041] N=2,151	0.038 [0.043] N=2,002	0.031 [0.046] N=1,796	0.065 [0.051] N=1,554	0.063 [0.055] N=1,281
Strict normal HAZ -2 to +3	0.673 P=1,515	0.048 [0.037] N=2,220	0.058 [0.039] N=2,063	0.051 [0.040] N=1,854	**0.080* [0.042] N=1,604**	0.041 [0.048] N=1,323
Strict normal WAZ -2 to +1	0.703 P=1,752	**-0.071* [0.038] N=2,471**	-0.065 [0.041] N=2,295	-0.054 [0.044] N=2,064	-0.047 [0.047] N=1,780	-0.063 [0.054] N=1,467
Strict normal WHZ -2 to +1	0.530 P=988	0.006 [0.047] N=1,859	0.006 [0.050] N=1,735	-0.010 [0.053] N=1,559	0.018 [0.056] N=1,346	0.008 [0.062] N=1,100
Strict normal BMIZ -2 to +1	0.503 P=1,093	0.002 [0.045] N=2,151	0.016 [0.048] N=2,002	0.018 [0.051] N=1,796	0.058 [0.057] N=1,554	0.034 [0.064] N=1,281
Above-normal height HAZ above +3	0.059 P=125	-0.010 [0.020] N=2,220	-0.015 [0.021] N=2,063	-0.015 [0.024] N=1,854	-0.007 [0.026] N=1,604	-0.011 [0.029] N=1,323
Above-normal weight WAZ above +1	0.206 P=502	0.050 [0.034] N=2,471	0.049 [0.037] N=2,295	0.053 [0.038] N=2,064	0.039 [0.043] N=1,780	0.045 [0.047] N=1,467
Above-normal WHZ above +1	0.359 P=660	0.038 [0.042] N=1,859	0.026 [0.044] N=1,735	0.031 [0.046] N=1,559	-0.003 [0.050] N=1,346	0.030 [0.056] N=1,100
Above-normal BMIZ above +1	0.374 P=794	0.028 [0.041] N=2,151	0.014 [0.043] N=2,002	0.010 [0.046] N=1,796	-0.045 [0.050] N=1,554	-0.012 [0.056] N=1,281

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.029 [0.049] N=1,869	0.034 [0.055] N=1,712	0.027 [0.060] N=1,503	0.105 [0.068] N=1,253	0.010 [0.091] N=972
Not underweight WAZ at least -2	-0.033 [0.030] N=2,086	-0.025 [0.034] N=1,910	0.003 [0.038] N=1,679	-0.016 [0.043] N=1,395	-0.047 [0.059] N=1,082
Neither wasted nor overweight WHZ -2 to +2	0.017 [0.052] N=1,565	0.015 [0.055] N=1,441	0.007 [0.061] N=1,265	0.046 [0.076] N=1,052	**0.152* [0.086] N=806**
Neither low nor high BMIZ -2 to +2	0.024 [0.055] N=1,808	0.064 [0.057] N=1,659	0.062 [0.064] N=1,453	**0.154* [0.079] N=1,211**	**0.218** [0.084] N=938**
Strict normal HAZ -2 to +3	0.031 [0.050] N=1,869	0.044 [0.055] N=1,712	0.041 [0.060] N=1,503	0.096 [0.069] N=1,253	0.002 [0.094] N=972
Strict normal WAZ -2 to +1	-0.042 [0.049] N=2,086	-0.022 [0.054] N=1,910	0.010 [0.061] N=1,679	0.037 [0.070] N=1,395	0.010 [0.092] N=1,082

Outcome	8 years	7 years	6 years	5 years	4 years
Strict normal WHZ -2 to +1	0.037 [0.058] N=1,565	0.047 [0.065] N=1,441	0.034 [0.072] N=1,265	0.109 [0.083] N=1,052	0.130 [0.102] N=806
Strict normal BMIZ -2 to +1	0.014 [0.055] N=1,808	0.045 [0.060] N=1,659	0.060 [0.068] N=1,453	**0.167** [0.081] **N=1,211**	**0.178* [0.100] N=938**
Above-normal height HAZ above +3	-0.002 [0.025] N=1,869	-0.011 [0.026] N=1,712	-0.015 [0.032] N=1,503	0.009 [0.038] N=1,253	0.008 [0.044] N=972
Above-normal weight WAZ above +1	0.010 [0.041] N=2,086	-0.004 [0.046] N=1,910	-0.007 [0.051] N=1,679	-0.052 [0.061] N=1,395	-0.056 [0.073] N=1,082
Above-normal WHZ above +1	0.011 [0.058] N=1,565	-0.016 [0.064] N=1,441	-0.024 [0.069] N=1,265	-0.104 [0.087] N=1,052	-0.057 [0.108] N=806
Above-normal BMIZ above +1	0.027 [0.056] N=1,808	0.006 [0.060] N=1,659	-0.006 [0.070] N=1,453	-0.126 [0.085] N=1,211	-0.075 [0.105] N=938

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.742 P=1,686	-0.058 [0.038] N=2,274	-0.064 [0.040] N=2,055	-0.065 [0.041] N=1,804	**-0.100** [0.043] N=1,536**	**-0.101* [0.051] N=1,250**
Not underweight WAZ at least -2	0.915 P=2,319	0.006 [0.019] N=2,528	0.008 [0.021] N=2,296	-0.010 [0.021] N=2,010	-0.005 [0.023] N=1,704	-0.003 [0.023] N=1,379
Neither wasted nor overweight WHZ -2 to +2	0.692 P=1,272	**-0.101** [0.043] N=1,842**	**-0.100** [0.045] N=1,665**	**-0.109** [0.047] N=1,454**	-0.080 [0.050] N=1,236	-0.063 [0.057] N=992
Neither low nor high BMIZ -2 to +2	0.653 P=1,444	**-0.099** [0.040] N=2,205**	**-0.089** [0.043] N=1,994**	**-0.081* [0.048] N=1,752**	-0.078 [0.050] N=1,491	-0.072 [0.054] N=1,213
Strict normal HAZ -2 to +3	0.681 P=1,552	-0.054 [0.042] N=2,274	-0.061 [0.043] N=2,055	-0.063 [0.045] N=1,804	**-0.087* [0.047] N=1,536**	-0.086 [0.054] N=1,250
Strict normal WAZ -2 to +1	0.702 P=1,788	0.043 [0.038] N=2,528	0.040 [0.040] N=2,296	0.045 [0.045] N=2,010	0.056 [0.049] N=1,704	0.046 [0.053] N=1,379
Strict normal WHZ -2 to +1	0.527 P=963	**-0.151*** [0.043] N=1,842**	**-0.166*** [0.046] N=1,665**	**-0.173*** [0.051] N=1,454**	**-0.116** [0.053] N=1,236**	**-0.134** [0.061] N=992**
Strict normal BMIZ -2 to +1	0.506 P=1,116	-0.049 [0.040] N=2,205	-0.052 [0.042] N=1,994	-0.044 [0.048] N=1,752	-0.025 [0.048] N=1,491	-0.040 [0.051] N=1,213
Above-normal height HAZ above +3	0.062 P=134	-0.005 [0.023] N=2,274	-0.003 [0.023] N=2,055	-0.002 [0.024] N=1,804	-0.013 [0.026] N=1,536	-0.015 [0.029] N=1,250
Above-normal weight WAZ above +1	0.213 P=531	-0.037 [0.032] N=2,528	-0.033 [0.034] N=2,296	-0.055 [0.037] N=2,010	-0.061 [0.040] N=1,704	-0.049 [0.045] N=1,379
Above-normal WHZ above +1	0.362 P=673	**0.110** [0.043] N=1,842**	**0.129*** [0.046] N=1,665**	**0.119** [0.053] N=1,454**	**0.104* [0.054] N=1,236**	**0.131** [0.063] N=992**
Above-normal BMIZ above +1	0.371 P=818	0.028 [0.043] N=2,205	0.031 [0.045] N=1,994	0.020 [0.050] N=1,752	0.027 [0.053] N=1,491	0.040 [0.057] N=1,213

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.035 [0.058] N=1,952	-0.041 [0.062] N=1,733	-0.032 [0.069] N=1,482	-0.109 [0.076] N=1,214	-0.127 [0.114] N=928
Not underweight WAZ at least -2	0.019 [0.028] N=2,176	0.021 [0.032] N=1,944	-0.012 [0.035] N=1,658	0.000 [0.041] N=1,352	0.014 [0.042] N=1,027
Neither wasted nor overweight WHZ -2 to +2	**-0.166*** [0.057] N=1,595**	**-0.165*** [0.062] N=1,418**	**-0.200*** [0.066] N=1,207**	**-0.171** [0.079] N=989**	-0.153 [0.105] N=745
Neither low nor high BMIZ -2 to +2	**-0.147*** [0.053] N=1,896**	**-0.131** [0.060] N=1,685**	-0.113 [0.072] N=1,443	-0.129 [0.079] N=1,182	-0.138 [0.102] N=904
Strict normal HAZ -2 to +3	-0.033 [0.069] N=1,952	-0.044 [0.075] N=1,733	-0.038 [0.083] N=1,482	-0.094 [0.098] N=1,214	-0.104 [0.137] N=928
Strict normal WAZ -2 to +1	0.079 [0.050] N=2,176	0.074 [0.054] N=1,944	0.093 [0.062] N=1,658	**0.135* [0.073] N=1,352**	0.129 [0.081] N=1,027
Strict normal WHZ -2 to +1	**-0.185*** [0.061] N=1,595**	**-0.212*** [0.067] N=1,418**	**-0.236*** [0.081] N=1,207**	-0.120 [0.089] N=989	-0.164 [0.121] N=745
Strict normal BMIZ -2 to +1	-0.057 [0.061] N=1,896	-0.062 [0.068] N=1,685	-0.046 [0.085] N=1,443	-0.001 [0.094] N=1,182	-0.046 [0.114] N=904
Above-normal height HAZ above +3	-0.002 [0.033] N=1,952	0.004 [0.035] N=1,733	0.007 [0.041] N=1,482	-0.015 [0.050] N=1,214	-0.023 [0.069] N=928
Above-normal weight WAZ above +1	-0.060 [0.041] N=2,176	-0.053 [0.044] N=1,944	**-0.104** [0.049]**	**-0.135** [0.056]**	**-0.116* [0.069] N=1,027**

Outcome	8 years	7 years	6 years	5 years	4 years
			N=1,658	**N=1,352**	
Above-normal WHZ above +1	0.087 [0.063] N=1,595	**0.114* [0.069] N=1,418**	0.094 [0.085] N=1,207	0.043 [0.089] N=989	0.078 [0.117] N=745
Above-normal BMIZ above +1	-0.018 [0.060] N=1,896	-0.023 [0.066] N=1,685	-0.050 [0.080] N=1,443	-0.053 [0.090] N=1,182	-0.041 [0.107] N=904

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.742 P=1,686	-0.058 [0.038] N=2,274	-0.064 [0.040] N=2,055	-0.065 [0.041] N=1,804	**-0.099** [0.044] N=1,536**	**-0.102* [0.051] N=1,250**
Not underweight WAZ at least -2	0.915 P=2,319	0.006 [0.019] N=2,528	0.008 [0.021] N=2,296	-0.010 [0.021] N=2,010	-0.004 [0.023] N=1,704	-0.003 [0.023] N=1,379
Neither wasted nor overweight WHZ -2 to +2	0.692 P=1,272	**-0.098** [0.043] N=1,842**	**-0.096** [0.045] N=1,665**	**-0.104** [0.048] N=1,454**	-0.077 [0.051] N=1,236	-0.064 [0.057] N=992
Neither low nor high BMIZ -2 to +2	0.653 P=1,444	**-0.100** [0.040] N=2,205**	**-0.089** [0.043] N=1,994**	**-0.082* [0.048] N=1,752**	-0.078 [0.050] N=1,491	-0.073 [0.054] N=1,213
Strict normal HAZ -2 to +3	0.681 P=1,552	-0.054 [0.043] N=2,274	-0.060 [0.044] N=2,055	-0.063 [0.045] N=1,804	**-0.087* [0.047] N=1,536**	-0.087 [0.054] N=1,250
Strict normal WAZ -2 to +1	0.702 P=1,788	0.042 [0.038] N=2,528	0.040 [0.040] N=2,296	0.045 [0.044] N=2,010	0.057 [0.049] N=1,704	0.045 [0.053] N=1,379
Strict normal WHZ -2 to +1	0.527 P=963	**-0.150*** [0.043] N=1,842**	**-0.163*** [0.046] N=1,665**	**-0.171*** [0.051] N=1,454**	**-0.115** [0.053] N=1,236**	**-0.134** [0.062] N=992**
Strict normal BMIZ -2 to +1	0.506 P=1,116	-0.049 [0.040] N=2,205	-0.052 [0.042] N=1,994	-0.045 [0.048] N=1,752	-0.025 [0.048] N=1,491	-0.041 [0.050] N=1,213
Above-normal height HAZ above +3	0.062 P=134	-0.005 [0.023] N=2,274	-0.003 [0.023] N=2,055	-0.002 [0.024] N=1,804	-0.013 [0.026] N=1,536	-0.015 [0.029] N=1,250
Above-normal weight WAZ above +1	0.213 P=531	-0.036 [0.032] N=2,528	-0.033 [0.034] N=2,296	-0.055 [0.037] N=2,010	-0.061 [0.040] N=1,704	-0.048 [0.045] N=1,379
Above-normal WHZ above +1	0.362 P=673	**0.111** [0.043] N=1,842**	**0.129*** [0.047] N=1,665**	**0.119** [0.053] N=1,454**	**0.104* [0.054] N=1,236**	**0.131** [0.063] N=992**
Above-normal BMIZ above +1	0.371 P=818	0.028 [0.043] N=2,205	0.031 [0.045] N=1,994	0.021 [0.050] N=1,752	0.027 [0.053] N=1,491	0.040 [0.057] N=1,213

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.035 [0.058] N=1,952	-0.039 [0.062] N=1,733	-0.030 [0.068] N=1,482	-0.107 [0.075] N=1,214	-0.128 [0.113] N=928
Not underweight WAZ at least -2	0.019 [0.028] N=2,176	0.021 [0.032] N=1,944	-0.012 [0.035] N=1,658	0.001 [0.041] N=1,352	0.014 [0.042] N=1,027
Neither wasted nor overweight WHZ -2 to +2	**-0.159*** [0.057] N=1,595**	**-0.152** [0.061] N=1,418**	**-0.184*** [0.065] N=1,207**	**-0.151* [0.079] N=989**	-0.132 [0.104] N=745
Neither low nor high BMIZ -2 to +2	**-0.146*** [0.053] N=1,896**	**-0.128** [0.059] N=1,685**	-0.110 [0.071] N=1,443	-0.126 [0.079] N=1,182	-0.137 [0.102] N=904
Strict normal HAZ -2 to +3	-0.032 [0.069] N=1,952	-0.042 [0.075] N=1,733	-0.036 [0.083] N=1,482	-0.090 [0.097] N=1,214	-0.102 [0.136] N=928
Strict normal WAZ -2 to +1	0.079 [0.050] N=2,176	0.075 [0.054] N=1,944	0.094 [0.062] N=1,658	**0.137* [0.073] N=1,352**	0.130 [0.081] N=1,027
Strict normal WHZ -2 to +1	**-0.181*** [0.060]**	**-0.205*** [0.066]**	**-0.228*** [0.080]**	-0.112 [0.088] N=989	-0.157 [0.118] N=745

Outcome	8 years	7 years	6 years	5 years	4 years
	N=1,595	**N=1,418**	**N=1,207**		
Strict normal BMIZ -2 to +1	-0.057 [0.061] N=1,896	-0.060 [0.067] N=1,685	-0.043 [0.084] N=1,443	0.000 [0.094] N=1,182	-0.045 [0.113] N=904
Above-normal height HAZ above +3	-0.002 [0.033] N=1,952	0.003 [0.035] N=1,733	0.006 [0.042] N=1,482	-0.017 [0.050] N=1,214	-0.026 [0.069] N=928
Above-normal weight WAZ above +1	-0.060 [0.041] N=2,176	-0.053 [0.044] N=1,944	**-0.105** [0.049] N=1,658**	**-0.136** [0.056] N=1,352**	**-0.116* [0.069] N=1,027**
Above-normal WHZ above +1	0.089 [0.063] N=1,595	**0.116* [0.069] N=1,418**	0.094 [0.085] N=1,207	0.046 [0.088] N=989	0.084 [0.116] N=745
Above-normal BMIZ above +1	-0.018 [0.060] N=1,896	-0.023 [0.066] N=1,685	-0.051 [0.080] N=1,443	-0.052 [0.090] N=1,182	-0.039 [0.108] N=904

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.742 P=1,686	-0.058 [0.038] N=2,274	-0.061 [0.039] N=2,055	-0.058 [0.041] N=1,804	**-0.091** [0.042] N=1,536**	**-0.095* [0.049] N=1,250**
Not underweight WAZ at least -2	0.915 P=2,319	0.006 [0.019] N=2,528	0.008 [0.021] N=2,296	-0.007 [0.021] N=2,010	-0.003 [0.023] N=1,704	-0.002 [0.022] N=1,379
Neither wasted nor overweight WHZ -2 to +2	0.692 P=1,272	**-0.100** [0.044] N=1,842**	**-0.095** [0.046] N=1,665**	**-0.102** [0.049] N=1,454**	-0.074 [0.052] N=1,236	-0.063 [0.059] N=992
Neither low nor high BMIZ -2 to +2	0.653 P=1,444	**-0.099** [0.041] N=2,205**	**-0.087** [0.044] N=1,994**	-0.077 [0.049] N=1,752	-0.072 [0.051] N=1,491	-0.069 [0.056] N=1,213
Strict normal HAZ -2 to +3	0.681 P=1,552	-0.053 [0.042] N=2,274	-0.057 [0.043] N=2,055	-0.055 [0.045] N=1,804	-0.078 [0.047] N=1,536	-0.080 [0.053] N=1,250
Strict normal WAZ -2 to +1	0.702 P=1,788	0.042 [0.038] N=2,528	0.040 [0.039] N=2,296	0.046 [0.044] N=2,010	0.059 [0.048] N=1,704	0.047 [0.051] N=1,379
Strict normal WHZ -2 to +1	0.527 P=963	**-0.149*** [0.043] N=1,842**	**-0.159*** [0.046] N=1,665**	**-0.168*** [0.052] N=1,454**	**-0.114** [0.054] N=1,236**	**-0.134** [0.062] N=992**
Strict normal BMIZ -2 to +1	0.506 P=1,116	-0.049 [0.040] N=2,205	-0.050 [0.042] N=1,994	-0.043 [0.048] N=1,752	-0.024 [0.048] N=1,491	-0.041 [0.050] N=1,213
Above-normal height HAZ above +3	0.062 P=134	-0.005 [0.023] N=2,274	-0.004 [0.023] N=2,055	-0.003 [0.024] N=1,804	-0.014 [0.026] N=1,536	-0.015 [0.029] N=1,250
Above-normal weight WAZ above +1	0.213 P=531	-0.036 [0.033] N=2,528	-0.032 [0.034] N=2,296	-0.054 [0.037] N=2,010	-0.062 [0.040] N=1,704	-0.049 [0.045] N=1,379
Above-normal WHZ above +1	0.362 P=673	**0.110** [0.043] N=1,842**	**0.127*** [0.047] N=1,665**	**0.119** [0.053] N=1,454**	**0.104* [0.054] N=1,236**	**0.131** [0.062] N=992**
Above-normal BMIZ above +1	0.371 P=818	0.027 [0.043] N=2,205	0.029 [0.045] N=1,994	0.021 [0.050] N=1,752	0.028 [0.053] N=1,491	0.041 [0.057] N=1,213

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.032 [0.057] N=1,952	-0.035 [0.061] N=1,733	-0.020 [0.067] N=1,482	-0.095 [0.074] N=1,214	-0.111 [0.108] N=928
Not underweight WAZ at least -2	0.020 [0.028] N=2,176	0.023 [0.031] N=1,944	-0.004 [0.035] N=1,658	0.005 [0.041] N=1,352	0.020 [0.042] N=1,027
Neither wasted nor overweight WHZ -2 to +2	**-0.160*** [0.059] N=1,595**	**-0.152** [0.063] N=1,418**	**-0.177*** [0.068] N=1,207**	**-0.143* [0.081] N=989**	-0.130 [0.109] N=745
Neither low nor high BMIZ -2 to +2	**-0.145*** [0.054]**	**-0.125** [0.061]**	-0.098 [0.074] N=1,443	-0.114 [0.082] N=1,182	-0.119 [0.110] N=904

Outcome	8 years	7 years	6 years	5 years	4 years
	N=1,896	**N=1,685**			
Strict normal HAZ -2 to +3	-0.030 [0.069] N=1,952	-0.037 [0.075] N=1,733	-0.026 [0.082] N=1,482	-0.077 [0.097] N=1,214	-0.082 [0.132] N=928
Strict normal WAZ -2 to +1	0.082 [0.049] N=2,176	0.078 [0.054] N=1,944	0.101 [0.062] N=1,658	**0.149** [0.073] **N=1,352**	**0.144** [0.082] **N=1,027**
Strict normal WHZ -2 to +1	**-0.178*** [0.061] N=1,595**	**-0.199*** [0.067] N=1,418**	**-0.220*** [0.081] N=1,207**	-0.105 [0.089] N=989	-0.155 [0.122] N=745
Strict normal BMIZ -2 to +1	-0.053 [0.062] N=1,896	-0.054 [0.069] N=1,685	-0.032 [0.086] N=1,443	0.014 [0.096] N=1,182	-0.026 [0.118] N=904
Above-normal height HAZ above +3	-0.002 [0.033] N=1,952	0.002 [0.035] N=1,733	0.006 [0.042] N=1,482	-0.019 [0.051] N=1,214	-0.028 [0.069] N=928
Above-normal weight WAZ above +1	-0.062 [0.042] N=2,176	-0.055 [0.044] N=1,944	**-0.105** [0.050] N=1,658**	**-0.143** [0.056] N=1,352**	**-0.124* [0.069] N=1,027**
Above-normal WHZ above +1	0.085 [0.063] N=1,595	0.110 [0.070] N=1,418	0.090 [0.086] N=1,207	0.040 [0.089] N=989	0.082 [0.117] N=745
Above-normal BMIZ above +1	-0.022 [0.061] N=1,896	-0.028 [0.067] N=1,685	-0.057 [0.080] N=1,443	-0.062 [0.091] N=1,182	-0.052 [0.109] N=904

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.742 P=1,686	-0.058 [0.037] N=2,274	-0.061 [0.039] N=2,055	-0.060 [0.041] N=1,804	**-0.093** [0.042] N=1,536**	**-0.096* [0.049] N=1,250**
Not underweight WAZ at least -2	0.915 P=2,319	0.006 [0.019] N=2,528	0.009 [0.020] N=2,296	-0.008 [0.021] N=2,010	-0.002 [0.023] N=1,704	-0.002 [0.023] N=1,379
Neither wasted nor overweight WHZ -2 to +2	0.692 P=1,272	**-0.098** [0.043] N=1,842**	**-0.094** [0.045] N=1,665**	**-0.105** [0.048] N=1,454**	-0.076 [0.051] N=1,236	-0.062 [0.058] N=992
Neither low nor high BMIZ -2 to +2	0.653 P=1,444	**-0.099** [0.041] N=2,205**	**-0.088** [0.044] N=1,994**	-0.079 [0.049] N=1,752	-0.075 [0.050] N=1,491	-0.064 [0.055] N=1,213
Strict normal HAZ -2 to +3	0.681 P=1,552	-0.054 [0.042] N=2,274	-0.059 [0.043] N=2,055	-0.059 [0.045] N=1,804	**-0.081* [0.047] N=1,536**	-0.081 [0.053] N=1,250
Strict normal WAZ -2 to +1	0.702 P=1,788	0.042 [0.038] N=2,528	0.039 [0.040] N=2,296	0.043 [0.044] N=2,010	0.055 [0.049] N=1,704	0.045 [0.052] N=1,379
Strict normal WHZ -2 to +1	0.527 P=963	**-0.149*** [0.043] N=1,842**	**-0.162*** [0.046] N=1,665**	**-0.172*** [0.051] N=1,454**	**-0.114** [0.052] N=1,236**	**-0.130** [0.061] N=992**
Strict normal BMIZ -2 to +1	0.506 P=1,116	-0.047 [0.039] N=2,205	-0.049 [0.042] N=1,994	-0.041 [0.048] N=1,752	-0.021 [0.048] N=1,491	-0.032 [0.050] N=1,213
Above-normal height HAZ above +3	0.062 P=134	-0.004 [0.023] N=2,274	-0.002 [0.023] N=2,055	-0.001 [0.024] N=1,804	-0.012 [0.025] N=1,536	-0.014 [0.029] N=1,250
Above-normal weight WAZ above +1	0.213 P=531	-0.035 [0.033] N=2,528	-0.030 [0.034] N=2,296	-0.051 [0.037] N=2,010	-0.057 [0.040] N=1,704	-0.047 [0.044] N=1,379
Above-normal WHZ above +1	0.362 P=673	**0.112** [0.043] N=1,842**	**0.130*** [0.047] N=1,665**	**0.121** [0.053] N=1,454**	**0.104* [0.054] N=1,236**	**0.130** [0.062] N=992**
Above-normal BMIZ above +1	0.371 P=818	0.027 [0.042] N=2,205	0.030 [0.045] N=1,994	0.020 [0.050] N=1,752	0.027 [0.052] N=1,491	0.036 [0.057] N=1,213

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.033 [0.056] N=1,952	-0.035 [0.060] N=1,733	-0.020 [0.066] N=1,482	-0.093 [0.073] N=1,214	-0.119 [0.109] N=928

Outcome	8 years	7 years	6 years	5 years	4 years
Not underweight WAZ at least -2	0.022 [0.027] N=2,176	0.027 [0.031] N=1,944	-0.002 [0.034] N=1,658	0.012 [0.040] N=1,352	0.022 [0.041] N=1,027
Neither wasted nor overweight WHZ -2 to +2	**-0.158*** [0.058] N=1,595**	**-0.149** [0.062] N=1,418**	**-0.181*** [0.067] N=1,207**	**-0.144* [0.081] N=989**	-0.135 [0.107] N=745
Neither low nor high BMIZ -2 to +2	**-0.146*** [0.054] N=1,896**	**-0.125** [0.062] N=1,685**	-0.103 [0.074] N=1,443	-0.121 [0.083] N=1,182	-0.130 [0.109] N=904
Strict normal HAZ -2 to +3	-0.031 [0.068] N=1,952	-0.038 [0.073] N=1,733	-0.027 [0.081] N=1,482	-0.078 [0.095] N=1,214	-0.093 [0.132] N=928
Strict normal WAZ -2 to +1	0.080 [0.049] N=2,176	0.076 [0.053] N=1,944	0.095 [0.062] N=1,658	**0.138* [0.073] N=1,352**	0.133 [0.081] N=1,027
Strict normal WHZ -2 to +1	**-0.181*** [0.060] N=1,595**	**-0.203*** [0.066] N=1,418**	**-0.227*** [0.080] N=1,207**	-0.109 [0.087] N=989	-0.164 [0.118] N=745
Strict normal BMIZ -2 to +1	-0.056 [0.061] N=1,896	-0.057 [0.068] N=1,685	-0.037 [0.086] N=1,443	0.005 [0.096] N=1,182	-0.039 [0.119] N=904
Above-normal height HAZ above +3	-0.002 [0.033] N=1,952	0.004 [0.035] N=1,733	0.007 [0.042] N=1,482	-0.016 [0.050] N=1,214	-0.027 [0.068] N=928
Above-normal weight WAZ above +1	-0.059 [0.041] N=2,176	-0.049 [0.044] N=1,944	**-0.097* [0.049] N=1,658**	**-0.127** [0.056] N=1,352**	-0.111 [0.068] N=1,027
Above-normal WHZ above +1	0.089 [0.062] N=1,595	**0.114* [0.069] N=1,418**	0.092 [0.084] N=1,207	0.040 [0.086] N=989	0.089 [0.115] N=745
Above-normal BMIZ above +1	-0.019 [0.060] N=1,896	-0.025 [0.066] N=1,685	-0.054 [0.079] N=1,443	-0.054 [0.089] N=1,182	-0.041 [0.110] N=904

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.742 P=1,581	-0.060 [0.038] N=2,131	-0.064 [0.040] N=1,926	-0.059 [0.041] N=1,694	**-0.093** [0.042] N=1,438**	**-0.101** [0.048] N=1,173**
Not underweight WAZ at least -2	0.914 P=2,164	0.011 [0.020] N=2,361	0.014 [0.022] N=2,143	-0.000 [0.022] N=1,880	0.000 [0.024] N=1,592	-0.006 [0.025] N=1,293
Neither wasted nor overweight WHZ -2 to +2	0.690 P=1,185	**-0.101** [0.044] N=1,719**	**-0.097** [0.045] N=1,554**	**-0.102** [0.047] N=1,358**	-0.076 [0.051] N=1,153	-0.064 [0.057] N=928
Neither low nor high BMIZ -2 to +2	0.654 P=1,358	**-0.106*** [0.040] N=2,065**	**-0.095** [0.041] N=1,868**	**-0.077* [0.045] N=1,644**	-0.072 [0.046] N=1,397	-0.067 [0.050] N=1,140
Strict normal HAZ -2 to +3	0.682 P=1,460	-0.054 [0.044] N=2,131	-0.064 [0.045] N=1,926	-0.061 [0.046] N=1,694	**-0.085* [0.048] N=1,438**	**-0.092* [0.054] N=1,173**
Strict normal WAZ -2 to +1	0.700 P=1,665	0.038 [0.040] N=2,361	0.038 [0.042] N=2,143	0.052 [0.047] N=1,880	0.061 [0.051] N=1,592	0.046 [0.055] N=1,293
Strict normal WHZ -2 to +1	0.527 P=900	**-0.165*** [0.044] N=1,719**	**-0.180*** [0.047] N=1,554**	**-0.182*** [0.052] N=1,358**	**-0.126** [0.054] N=1,153**	**-0.140** [0.063] N=928**
Strict normal BMIZ -2 to +1	0.509 P=1,053	-0.064 [0.040] N=2,065	-0.068 [0.042] N=1,868	-0.054 [0.048] N=1,644	-0.037 [0.048] N=1,397	-0.043 [0.050] N=1,140
Above-normal height HAZ above +3	0.060 P=121	-0.005 [0.024] N=2,131	-0.000 [0.024] N=1,926	0.003 [0.025] N=1,694	-0.008 [0.028] N=1,438	-0.009 [0.031] N=1,173
Above-normal weight WAZ above +1	0.214 P=499	-0.027 [0.034] N=2,361	-0.023 [0.035] N=2,143	-0.052 [0.038] N=1,880	-0.061 [0.041] N=1,592	-0.052 [0.045] N=1,293
Above-normal WHZ above +1	0.361 P=626	**0.123*** [0.045] N=1,719**	**0.145*** [0.048] N=1,554**	**0.128** [0.054] N=1,358**	**0.109* [0.056] N=1,153**	**0.124* [0.064] N=928**
Above-normal BMIZ above +1	0.371 P=765	0.032 [0.044]	0.036 [0.047]	0.018 [0.052]	0.020 [0.056]	0.019 [0.060]

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
		N=2,065	N=1,868	N=1,644	N=1,397	N=1,140

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.030 [0.059] N=1,828	-0.034 [0.065] N=1,623	-0.011 [0.072] N=1,391	-0.077 [0.077] N=1,135	-0.101 [0.108] N=870
Not underweight WAZ at least -2	0.030 [0.029] N=2,032	0.035 [0.033] N=1,814	0.008 [0.036] N=1,551	0.013 [0.044] N=1,263	0.024 [0.046] N=964
Neither wasted nor overweight WHZ -2 to +2	**-0.161*** [0.059] N=1,487**	**-0.149** [0.063] N=1,322**	**-0.173*** [0.065] N=1,126**	-0.136 [0.082] N=921	-0.120 [0.110] N=696
Neither low nor high BMIZ -2 to +2	**-0.161*** [0.053] N=1,773**	**-0.143** [0.060] N=1,576**	-0.112 [0.071] N=1,352	**-0.132* [0.079] N=1,105**	-0.149 [0.100] N=848
Strict normal HAZ -2 to +3	-0.031 [0.072] N=1,828	-0.046 [0.079] N=1,623	-0.028 [0.086] N=1,391	-0.067 [0.101] N=1,135	-0.086 [0.138] N=870
Strict normal WAZ -2 to +1	0.079 [0.053] N=2,032	0.077 [0.058] N=1,814	**0.113* [0.065] N=1,551**	**0.150* [0.080] N=1,263**	0.143 [0.090] N=964
Strict normal WHZ -2 to +1	**-0.206*** [0.064] N=1,487**	**-0.234*** [0.070] N=1,322**	**-0.243*** [0.084] N=1,126**	-0.127 [0.094] N=921	-0.161 [0.129] N=696
Strict normal BMIZ -2 to +1	-0.080 [0.063] N=1,773	-0.088 [0.071] N=1,576	-0.063 [0.088] N=1,352	-0.034 [0.097] N=1,105	-0.050 [0.121] N=848
Above-normal height HAZ above +3	0.001 [0.035] N=1,828	0.012 [0.038] N=1,623	0.017 [0.044] N=1,391	-0.009 [0.055] N=1,135	-0.015 [0.076] N=870
Above-normal weight WAZ above +1	-0.049 [0.043] N=2,032	-0.042 [0.047] N=1,814	**-0.106** [0.052] N=1,551**	**-0.137** [0.060] N=1,263**	-0.119 [0.073] N=964
Above-normal WHZ above +1	0.111 [0.067] N=1,487	**0.148* [0.075] N=1,322**	0.111 [0.092] N=1,126	0.058 [0.094] N=921	0.088 [0.127] N=696
Above-normal BMIZ above +1	-0.002 [0.063] N=1,773	-0.000 [0.070] N=1,576	-0.038 [0.085] N=1,352	-0.037 [0.094] N=1,105	-0.051 [0.117] N=848

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.742 P=1,581	-0.058 [0.038] N=2,131	-0.062 [0.040] N=1,926	-0.057 [0.041] N=1,694	**-0.091** [0.042] N=1,438**	**-0.098** [0.048] N=1,173**
Not underweight WAZ at least -2	0.914 P=2,164	0.012 [0.020] N=2,361	0.014 [0.022] N=2,143	-0.002 [0.022] N=1,880	0.000 [0.024] N=1,592	-0.005 [0.025] N=1,293
Neither wasted nor overweight WHZ -2 to +2	0.690 P=1,185	**-0.099** [0.043] N=1,719**	**-0.095** [0.045] N=1,554**	**-0.099** [0.047] N=1,358**	-0.070 [0.051] N=1,153	-0.058 [0.057] N=928
Neither low nor high BMIZ -2 to +2	0.654 P=1,358	**-0.104*** [0.040] N=2,065**	**-0.092** [0.041] N=1,868**	-0.074 [0.045] N=1,644	-0.068 [0.046] N=1,397	-0.061 [0.050] N=1,140
Strict normal HAZ -2 to +3	0.682 P=1,460	-0.052 [0.044] N=2,131	-0.061 [0.045] N=1,926	-0.059 [0.046] N=1,694	**-0.082* [0.048] N=1,438**	**-0.089* [0.054] N=1,173**
Strict normal WAZ -2 to +1	0.700 P=1,665	0.040 [0.040] N=2,361	0.039 [0.042] N=2,143	0.052 [0.046] N=1,880	0.062 [0.051] N=1,592	0.048 [0.055] N=1,293
Strict normal WHZ -2 to +1	0.527 P=900	**-0.164*** [0.044] N=1,719**	**-0.178*** [0.047] N=1,554**	**-0.179*** [0.052] N=1,358**	**-0.122** [0.054] N=1,153**	**-0.134** [0.063] N=928**
Strict normal BMIZ -2 to +1	0.509 P=1,053	-0.060 [0.040] N=2,065	-0.064 [0.042] N=1,868	-0.050 [0.048] N=1,644	-0.033 [0.047] N=1,397	-0.037 [0.050] N=1,140
Above-normal height HAZ above +3	0.060 P=121	-0.006 [0.024] N=2,131	-0.001 [0.024] N=1,926	0.002 [0.025] N=1,694	-0.009 [0.028] N=1,438	-0.009 [0.031] N=1,173

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Above-normal weight WAZ above +1	0.214 P=499	-0.028 [0.034] N=2,361	-0.025 [0.035] N=2,143	-0.053 [0.038] N=1,880	-0.062 [0.041] N=1,592	-0.053 [0.045] N=1,293
Above-normal WHZ above +1	0.361 P=626	**0.124*** [0.044] N=1,719**	**0.145*** [0.048] N=1,554**	**0.127** [0.054] N=1,358**	**0.110* [0.055] N=1,153**	**0.124* [0.065] N=928**
Above-normal BMIZ above +1	0.371 P=765	0.029 [0.044] N=2,065	0.033 [0.047] N=1,868	0.015 [0.052] N=1,644	0.018 [0.056] N=1,397	0.017 [0.060] N=1,140

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.031 [0.059] N=1,828	-0.035 [0.064] N=1,623	-0.013 [0.071] N=1,391	-0.085 [0.076] N=1,135	-0.114 [0.106] N=870
Not underweight WAZ at least -2	0.030 [0.029] N=2,032	0.035 [0.033] N=1,814	0.006 [0.035] N=1,551	0.011 [0.043] N=1,263	0.014 [0.045] N=964
Neither wasted nor overweight WHZ -2 to +2	**-0.161*** [0.058] N=1,487**	**-0.149** [0.062] N=1,322**	**-0.174*** [0.065] N=1,126**	-0.135 [0.081] N=921	-0.122 [0.109] N=696
Neither low nor high BMIZ -2 to +2	**-0.162*** [0.053] N=1,773**	**-0.144** [0.060] N=1,576**	-0.112 [0.071] N=1,352	**-0.131* [0.079] N=1,105**	-0.147 [0.100] N=848
Strict normal HAZ -2 to +3	-0.031 [0.072] N=1,828	-0.045 [0.079] N=1,623	-0.028 [0.086] N=1,391	-0.073 [0.101] N=1,135	-0.096 [0.138] N=870
Strict normal WAZ -2 to +1	0.081 [0.053] N=2,032	0.079 [0.058] N=1,814	**0.113* [0.065] N=1,551**	**0.149* [0.079] N=1,263**	0.137 [0.089] N=964
Strict normal WHZ -2 to +1	**-0.206*** [0.063] N=1,487**	**-0.235*** [0.070] N=1,322**	**-0.245*** [0.083] N=1,126**	-0.131 [0.094] N=921	-0.167 [0.128] N=696
Strict normal BMIZ -2 to +1	-0.079 [0.063] N=1,773	-0.090 [0.071] N=1,576	-0.065 [0.088] N=1,352	-0.039 [0.098] N=1,105	-0.064 [0.122] N=848
Above-normal height HAZ above +3	-0.001 [0.034] N=1,828	0.010 [0.038] N=1,623	0.015 [0.044] N=1,391	-0.012 [0.055] N=1,135	-0.018 [0.076] N=870
Above-normal weight WAZ above +1	-0.050 [0.043] N=2,032	-0.043 [0.047] N=1,814	**-0.107** [0.051] N=1,551**	**-0.138** [0.060] N=1,263**	**-0.123* [0.073] N=964**
Above-normal WHZ above +1	**0.111* [0.067] N=1,487**	**0.148** [0.075] N=1,322**	0.112 [0.091] N=1,126	0.065 [0.094] N=921	0.093 [0.126] N=696
Above-normal BMIZ above +1	-0.002 [0.063] N=1,773	0.001 [0.070] N=1,576	-0.037 [0.085] N=1,352	-0.031 [0.095] N=1,105	-0.037 [0.119] N=848

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 71 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.