Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-5

Food outcomes require an age above six months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.856 P=2,061	0.013 [0.029] N=2,411	0.014 [0.031] N=2,230	0.036 [0.034] N=2,013	0.019 [0.037] N=1,738	0.005 [0.041] N=1,431
Vegetables consumed daily or several times weekly	0.770 P=1,856	0.020 [0.036] N=2,411	0.023 [0.039] N=2,230	0.032 [0.041] N=2,013	0.009 [0.044] N=1,738	-0.042 [0.049] N=1,431
Meat fish or poultry consumed daily or several times weekly	0.584 P=1,414	0.040 [0.049] N=2,411	0.040 [0.051] N=2,230	0.033 [0.056] N=2,013	0.053 [0.063] N=1,738	0.035 [0.073] N=1,431
Legumes consumed daily or several times weekly	0.562 P=1,357	0.008 [0.043] N=2,411	-0.007 [0.045] N=2,230	0.005 [0.048] N=2,013	0.048 [0.054] N=1,738	0.025 [0.062] N=1,431
Animal products consumed daily or several times weekly	0.859 P=2,071	**0.056* [0.032] N=2,411**	**0.057* [0.034] N=2,230**	0.030 [0.035] N=2,013	0.047 [0.039] N=1,738	0.013 [0.042] N=1,431
Sweets consumed daily or several times weekly	0.539 P=1,304	**-0.058* [0.035] N=2,411**	**-0.066* [0.036] N=2,230**	-0.053 [0.037] N=2,013	-0.045 [0.040] N=1,738	-0.029 [0.047] N=1,431
Snack foods consumed daily or several times weekly	0.401 P=957	-0.009 [0.032] N=2,411	-0.023 [0.034] N=2,230	-0.031 [0.036] N=2,013	-0.005 [0.039] N=1,738	-0.020 [0.045] N=1,431
Packaged soft drinks consumed daily or several times weekly	0.245 P=576	-0.052 [0.033] N=2,411	-0.050 [0.034] N=2,230	-0.049 [0.037] N=2,013	-0.063 [0.040] N=1,738	**-0.089* [0.047] N=1,431**
Grains consumed daily or several times weekly	0.830 P=1,996	0.008 [0.031] N=2,411	0.007 [0.032] N=2,230	0.004 [0.033] N=2,013	0.016 [0.036] N=1,738	-0.000 [0.041] N=1,431

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.035 [0.039] N=2,033	0.042 [0.043] N=1,852	**0.088* [0.049] N=1,635**	0.069 [0.060] N=1,360	0.062 [0.079] N=1,053
Vegetables consumed daily or several times weekly	0.053 [0.050] N=2,033	0.070 [0.057] N=1,852	**0.103* [0.062] N=1,635**	0.071 [0.072] N=1,360	-0.020 [0.089] N=1,053
Meat fish or poultry consumed daily or several times weekly	0.012 [0.056] N=2,033	0.009 [0.057] N=1,852	-0.011 [0.066] N=1,635	-0.004 [0.077] N=1,360	-0.092 [0.099] N=1,053
Legumes consumed daily or several times weekly	0.001 [0.057] N=2,033	-0.018 [0.062] N=1,852	0.010 [0.068] N=1,635	0.107 [0.083] N=1,360	0.077 [0.110] N=1,053
Animal products consumed daily or several times weekly	**0.094** [0.044] N=2,033**	**0.106** [0.049] N=1,852**	0.064 [0.054] N=1,635	**0.114* [0.065] N=1,360**	0.051 [0.073] N=1,053
Sweets consumed daily or several times weekly	**-0.081* [0.048] N=2,033**	**-0.097* [0.051] N=1,852**	-0.082 [0.056] N=1,635	-0.069 [0.060] N=1,360	-0.025 [0.082] N=1,053
Snack foods consumed daily or several times weekly	-0.003 [0.044] N=2,033	-0.024 [0.047] N=1,852	-0.037 [0.054] N=1,635	0.011 [0.065] N=1,360	-0.025 [0.090] N=1,053
Packaged soft drinks consumed daily or several times weekly	-0.042 [0.045] N=2,033	-0.037 [0.048] N=1,852	-0.028 [0.056] N=1,635	-0.065 [0.064] N=1,360	-0.139 [0.089] N=1,053
Grains consumed daily or several times weekly	0.022 [0.045] N=2,033	0.024 [0.049] N=1,852	0.025 [0.054] N=1,635	0.051 [0.066] N=1,360	0.022 [0.094] N=1,053

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.856 P=2,061	0.013 [0.029] N=2,411	0.013 [0.031] N=2,230	0.035 [0.034] N=2,013	0.019 [0.037] N=1,738	0.004 [0.041] N=1,431

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Vegetables consumed daily or several times weekly	0.770 P=1,856	0.019 [0.036] N=2,411	0.022 [0.039] N=2,230	0.031 [0.041] N=2,013	0.008 [0.044] N=1,738	-0.043 [0.049] N=1,431
Meat fish or poultry consumed daily or several times weekly	0.584 P=1,414	0.039 [0.049] N=2,411	0.040 [0.051] N=2,230	0.033 [0.056] N=2,013	0.052 [0.063] N=1,738	0.035 [0.073] N=1,431
Legumes consumed daily or several times weekly	0.562 P=1,357	0.007 [0.043] N=2,411	-0.008 [0.046] N=2,230	0.004 [0.048] N=2,013	0.047 [0.054] N=1,738	0.024 [0.062] N=1,431
Animal products consumed daily or several times weekly	0.859 P=2,071	**0.055* [0.032] N=2,411**	0.055 [0.034] N=2,230	0.029 [0.035] N=2,013	0.046 [0.039] N=1,738	0.012 [0.042] N=1,431
Sweets consumed daily or several times weekly	0.539 P=1,304	**-0.058* [0.035] N=2,411**	**-0.067* [0.036] N=2,230**	-0.053 [0.037] N=2,013	-0.045 [0.040] N=1,738	-0.029 [0.047] N=1,431
Snack foods consumed daily or several times weekly	0.401 P=957	-0.009 [0.032] N=2,411	-0.023 [0.034] N=2,230	-0.031 [0.036] N=2,013	-0.006 [0.039] N=1,738	-0.020 [0.045] N=1,431
Packaged soft drinks consumed daily or several times weekly	0.245 P=576	-0.051 [0.033] N=2,411	-0.050 [0.034] N=2,230	-0.049 [0.037] N=2,013	-0.063 [0.040] N=1,738	**-0.089* [0.047] N=1,431**
Grains consumed daily or several times weekly	0.830 P=1,996	0.008 [0.031] N=2,411	0.006 [0.032] N=2,230	0.004 [0.033] N=2,013	0.016 [0.036] N=1,738	-0.000 [0.041] N=1,431

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.035 [0.039] N=2,033	0.042 [0.043] N=1,852	**0.088* [0.049] N=1,635**	0.069 [0.059] N=1,360	0.065 [0.078] N=1,053
Vegetables consumed daily or several times weekly	0.053 [0.050] N=2,033	0.070 [0.057] N=1,852	**0.103* [0.062] N=1,635**	0.071 [0.072] N=1,360	-0.019 [0.089] N=1,053
Meat fish or poultry consumed daily or several times weekly	0.012 [0.056] N=2,033	0.009 [0.057] N=1,852	-0.011 [0.066] N=1,635	-0.004 [0.077] N=1,360	-0.092 [0.098] N=1,053
Legumes consumed daily or several times weekly	0.001 [0.057] N=2,033	-0.019 [0.062] N=1,852	0.010 [0.068] N=1,635	0.107 [0.083] N=1,360	0.079 [0.110] N=1,053
Animal products consumed daily or several times weekly	**0.094** [0.044] N=2,033**	**0.106** [0.049] N=1,852**	0.065 [0.054] N=1,635	**0.115* [0.064] N=1,360**	0.054 [0.071] N=1,053
Sweets consumed daily or several times weekly	**-0.081* [0.048] N=2,033**	**-0.098* [0.051] N=1,852**	-0.082 [0.056] N=1,635	-0.069 [0.060] N=1,360	-0.026 [0.081] N=1,053
Snack foods consumed daily or several times weekly	-0.003 [0.044] N=2,033	-0.025 [0.047] N=1,852	-0.037 [0.054] N=1,635	0.011 [0.065] N=1,360	-0.026 [0.090] N=1,053
Packaged soft drinks consumed daily or several times weekly	-0.042 [0.045] N=2,033	-0.037 [0.048] N=1,852	-0.028 [0.056] N=1,635	-0.065 [0.064] N=1,360	-0.138 [0.089] N=1,053
Grains consumed daily or several times weekly	0.022 [0.045] N=2,033	0.024 [0.049] N=1,852	0.026 [0.054] N=1,635	0.051 [0.066] N=1,360	0.022 [0.094] N=1,053

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.856 P=2,061	-0.004 [0.029] N=2,411	-0.006 [0.031] N=2,230	0.015 [0.033] N=2,013	-0.004 [0.036] N=1,738	-0.019 [0.040] N=1,431
Vegetables consumed daily or several times weekly	0.770 P=1,856	0.007 [0.037] N=2,411	0.008 [0.040] N=2,230	0.017 [0.041] N=2,013	-0.009 [0.045] N=1,738	-0.062 [0.049] N=1,431
Meat fish or poultry consumed daily or several times weekly	0.584 P=1,414	0.011 [0.048] N=2,411	0.008 [0.051] N=2,230	0.001 [0.056] N=2,013	0.016 [0.063] N=1,738	-0.002 [0.073] N=1,431
Legumes consumed daily or several times weekly	0.562 P=1,357	-0.006 [0.043] N=2,411	-0.023 [0.045] N=2,230	-0.009 [0.048] N=2,013	0.033 [0.053] N=1,738	0.013 [0.062] N=1,431

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Animal products consumed daily or several times weekly	0.859 P=2,071	0.045 [0.032] N=2,411	0.044 [0.034] N=2,230	0.017 [0.036] N=2,013	0.031 [0.040] N=1,738	-0.005 [0.043] N=1,431
Sweets consumed daily or several times weekly	0.539 P=1,304	**-0.065* [0.035] N=2,411**	**-0.074** [0.036] N=2,230**	-0.061 [0.037] N=2,013	-0.049 [0.040] N=1,738	-0.032 [0.047] N=1,431
Snack foods consumed daily or several times weekly	0.401 P=957	-0.006 [0.032] N=2,411	-0.019 [0.034] N=2,230	-0.029 [0.037] N=2,013	0.002 [0.039] N=1,738	-0.010 [0.045] N=1,431
Packaged soft drinks consumed daily or several times weekly	0.245 P=576	-0.043 [0.033] N=2,411	-0.039 [0.034] N=2,230	-0.039 [0.037] N=2,013	-0.048 [0.040] N=1,738	-0.072 [0.047] N=1,431
Grains consumed daily or several times weekly	0.830 P=1,996	0.004 [0.031] N=2,411	0.003 [0.032] N=2,230	0.001 [0.033] N=2,013	0.013 [0.036] N=1,738	-0.002 [0.041] N=1,431

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.022 [0.038] N=2,033	0.025 [0.042] N=1,852	0.072 [0.047] N=1,635	0.053 [0.058] N=1,360	0.049 [0.079] N=1,053
Vegetables consumed daily or several times weekly	0.044 [0.051] N=2,033	0.057 [0.057] N=1,852	0.092 [0.061] N=1,635	0.062 [0.073] N=1,360	-0.029 [0.092] N=1,053
Meat fish or poultry consumed daily or several times weekly	-0.008 [0.054] N=2,033	-0.015 [0.057] N=1,852	-0.033 [0.067] N=1,635	-0.031 [0.077] N=1,360	-0.123 [0.104] N=1,053
Legumes consumed daily or several times weekly	-0.008 [0.056] N=2,033	-0.031 [0.062] N=1,852	-0.000 [0.067] N=1,635	0.097 [0.082] N=1,360	0.073 [0.108] N=1,053
Animal products consumed daily or several times weekly	**0.086** [0.044] N=2,033**	**0.095** [0.048] N=1,852**	0.055 [0.053] N=1,635	**0.107* [0.063] N=1,360**	0.049 [0.069] N=1,053
Sweets consumed daily or several times weekly	**-0.086* [0.049] N=2,033**	**-0.104** [0.051] N=1,852**	-0.089 [0.056] N=1,635	-0.071 [0.059] N=1,360	-0.029 [0.080] N=1,053
Snack foods consumed daily or several times weekly	-0.001 [0.044] N=2,033	-0.022 [0.047] N=1,852	-0.037 [0.054] N=1,635	0.017 [0.065] N=1,360	-0.022 [0.089] N=1,053
Packaged soft drinks consumed daily or several times weekly	-0.038 [0.044] N=2,033	-0.029 [0.047] N=1,852	-0.023 [0.055] N=1,635	-0.054 [0.063] N=1,360	-0.127 [0.088] N=1,053
Grains consumed daily or several times weekly	0.019 [0.045] N=2,033	0.022 [0.049] N=1,852	0.023 [0.054] N=1,635	0.047 [0.066] N=1,360	0.018 [0.095] N=1,053

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.856 P=2,061	-0.001 [0.029] N=2,411	-0.002 [0.031] N=2,230	0.017 [0.034] N=2,013	-0.002 [0.036] N=1,738	-0.020 [0.041] N=1,431
Vegetables consumed daily or several times weekly	0.770 P=1,856	0.010 [0.037] N=2,411	0.013 [0.040] N=2,230	0.019 [0.041] N=2,013	-0.007 [0.044] N=1,738	-0.059 [0.049] N=1,431
Meat fish or poultry consumed daily or several times weekly	0.584 P=1,414	0.016 [0.049] N=2,411	0.016 [0.051] N=2,230	0.006 [0.056] N=2,013	0.019 [0.063] N=1,738	-0.001 [0.074] N=1,431
Legumes consumed daily or several times weekly	0.562 P=1,357	-0.004 [0.043] N=2,411	-0.018 [0.046] N=2,230	-0.006 [0.048] N=2,013	0.034 [0.054] N=1,738	0.015 [0.062] N=1,431
Animal products consumed daily or several times weekly	0.859 P=2,071	0.043 [0.033] N=2,411	0.043 [0.035] N=2,230	0.016 [0.036] N=2,013	0.031 [0.040] N=1,738	-0.003 [0.042] N=1,431
Sweets consumed daily or several times weekly	0.539 P=1,304	**-0.063* [0.035] N=2,411**	**-0.071** [0.036] N=2,230**	-0.057 [0.038] N=2,013	-0.045 [0.041] N=1,738	-0.029 [0.047] N=1,431
Snack foods consumed daily or several times weekly	0.401 P=957	-0.004 [0.032] N=2,411	-0.017 [0.034] N=2,230	-0.026 [0.037] N=2,013	0.005 [0.039] N=1,738	-0.007 [0.044] N=1,431

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Packaged soft drinks consumed daily or several times weekly	0.245 P=576	-0.042 [0.032] N=2,411	-0.040 [0.033] N=2,230	-0.037 [0.036] N=2,013	-0.046 [0.038] N=1,738	-0.071 [0.045] N=1,431
Grains consumed daily or several times weekly	0.830 P=1,996	0.010 [0.031] N=2,411	0.009 [0.032] N=2,230	0.008 [0.034] N=2,013	0.019 [0.037] N=1,738	0.006 [0.042] N=1,431

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.027 [0.037] N=2,033	0.031 [0.041] N=1,852	0.075 [0.046] N=1,635	0.053 [0.056] N=1,360	0.037 [0.077] N=1,053
Vegetables consumed daily or several times weekly	0.048 [0.051] N=2,033	0.063 [0.058] N=1,852	0.094 [0.062] N=1,635	0.059 [0.073] N=1,360	-0.041 [0.091] N=1,053
Meat fish or poultry consumed daily or several times weekly	-0.002 [0.054] N=2,033	-0.006 [0.057] N=1,852	-0.030 [0.066] N=1,635	-0.034 [0.077] N=1,360	-0.139 [0.103] N=1,053
Legumes consumed daily or several times weekly	-0.005 [0.057] N=2,033	-0.025 [0.063] N=1,852	0.002 [0.068] N=1,635	0.097 [0.083] N=1,360	0.063 [0.110] N=1,053
Animal products consumed daily or several times weekly	**0.090** [0.044] N=2,033**	**0.099** [0.048] N=1,852**	0.056 [0.053] N=1,635	**0.110* [0.063] N=1,360**	0.046 [0.071] N=1,053
Sweets consumed daily or several times weekly	**-0.082* [0.049] N=2,033**	**-0.101** [0.051] N=1,852**	-0.087 [0.056] N=1,635	-0.075 [0.059] N=1,360	-0.043 [0.081] N=1,053
Snack foods consumed daily or several times weekly	0.000 [0.044] N=2,033	-0.021 [0.047] N=1,852	-0.036 [0.055] N=1,635	0.013 [0.065] N=1,360	-0.030 [0.088] N=1,053
Packaged soft drinks consumed daily or several times weekly	-0.037 [0.043] N=2,033	-0.031 [0.046] N=1,852	-0.022 [0.055] N=1,635	-0.056 [0.062] N=1,360	-0.127 [0.085] N=1,053
Grains consumed daily or several times weekly	0.022 [0.045] N=2,033	0.025 [0.049] N=1,852	0.026 [0.054] N=1,635	0.048 [0.065] N=1,360	0.014 [0.094] N=1,053

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.855 P=1,920	-0.007 [0.029] N=2,250	-0.009 [0.031] N=2,086	0.012 [0.034] N=1,880	-0.004 [0.037] N=1,628	-0.026 [0.039] N=1,339
Vegetables consumed daily or several times weekly	0.771 P=1,734	0.012 [0.037] N=2,250	0.014 [0.040] N=2,086	0.028 [0.041] N=1,880	0.002 [0.044] N=1,628	-0.052 [0.049] N=1,339
Meat fish or poultry consumed daily or several times weekly	0.584 P=1,319	0.027 [0.048] N=2,250	0.025 [0.050] N=2,086	0.013 [0.054] N=1,880	0.021 [0.060] N=1,628	-0.001 [0.068] N=1,339
Legumes consumed daily or several times weekly	0.558 P=1,259	0.003 [0.043] N=2,250	-0.020 [0.046] N=2,086	-0.008 [0.048] N=1,880	0.035 [0.054] N=1,628	0.011 [0.062] N=1,339
Animal products consumed daily or several times weekly	0.862 P=1,941	**0.059* [0.033] N=2,250**	0.056 [0.035] N=2,086	0.027 [0.036] N=1,880	0.034 [0.040] N=1,628	-0.004 [0.042] N=1,339
Sweets consumed daily or several times weekly	0.542 P=1,221	-0.059 [0.037] N=2,250	**-0.070* [0.038] N=2,086**	-0.055 [0.040] N=1,880	-0.046 [0.043] N=1,628	-0.028 [0.049] N=1,339
Snack foods consumed daily or several times weekly	0.404 P=900	-0.014 [0.033] N=2,250	-0.026 [0.035] N=2,086	-0.028 [0.038] N=1,880	-0.005 [0.040] N=1,628	-0.010 [0.047] N=1,339
Packaged soft drinks consumed daily or several times weekly	0.249 P=548	-0.043 [0.034] N=2,250	-0.044 [0.035] N=2,086	-0.037 [0.038] N=1,880	-0.061 [0.040] N=1,628	**-0.081* [0.048] N=1,339**
Grains consumed daily or several times weekly	0.831 P=1,864	0.007 [0.033] N=2,250	0.002 [0.034] N=2,086	-0.001 [0.036] N=1,880	0.009 [0.039] N=1,628	-0.013 [0.044] N=1,339

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.022 [0.038] N=1,897	0.023 [0.042] N=1,733	0.065 [0.048] N=1,527	0.047 [0.058] N=1,275	0.029 [0.076] N=986
Vegetables consumed daily or several times weekly	0.057 [0.050] N=1,897	0.074 [0.057] N=1,733	**0.113* [0.061] N=1,527**	0.083 [0.071] N=1,275	-0.009 [0.086] N=986
Meat fish or poultry consumed daily or several times weekly	0.019 [0.058] N=1,897	0.016 [0.060] N=1,733	-0.010 [0.069] N=1,527	-0.017 [0.080] N=1,275	-0.106 [0.105] N=986
Legumes consumed daily or several times weekly	0.009 [0.059] N=1,897	-0.023 [0.064] N=1,733	0.003 [0.071] N=1,527	0.105 [0.085] N=1,275	0.075 [0.115] N=986
Animal products consumed daily or several times weekly	**0.114** [0.045] N=1,897**	**0.122** [0.050] N=1,733**	0.078 [0.055] N=1,527	**0.113* [0.064] N=1,275**	0.058 [0.073] N=986
Sweets consumed daily or several times weekly	**-0.084* [0.049] N=1,897**	**-0.104** [0.052] N=1,733**	-0.092 [0.058] N=1,527	-0.081 [0.062] N=1,275	-0.042 [0.083] N=986
Snack foods consumed daily or several times weekly	-0.006 [0.047] N=1,897	-0.021 [0.050] N=1,733	-0.028 [0.056] N=1,527	0.019 [0.065] N=1,275	0.006 [0.092] N=986
Packaged soft drinks consumed daily or several times weekly	-0.030 [0.045] N=1,897	-0.026 [0.047] N=1,733	-0.008 [0.056] N=1,527	-0.061 [0.063] N=1,275	-0.119 [0.093] N=986
Grains consumed daily or several times weekly	0.030 [0.047] N=1,897	0.029 [0.051] N=1,733	0.024 [0.056] N=1,527	0.049 [0.069] N=1,275	0.004 [0.096] N=986

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.855 P=1,920	-0.003 [0.030] N=2,250	-0.007 [0.032] N=2,086	0.018 [0.034] N=1,880	0.001 [0.037] N=1,628	-0.019 [0.040] N=1,339
Vegetables consumed daily or several times weekly	0.771 P=1,734	0.012 [0.037] N=2,250	0.014 [0.040] N=2,086	0.027 [0.042] N=1,880	0.001 [0.045] N=1,628	-0.053 [0.049] N=1,339
Meat fish or poultry consumed daily or several times weekly	0.584 P=1,319	0.033 [0.048] N=2,250	0.030 [0.050] N=2,086	0.022 [0.054] N=1,880	0.030 [0.060] N=1,628	0.005 [0.069] N=1,339
Legumes consumed daily or several times weekly	0.558 P=1,259	0.005 [0.043] N=2,250	-0.019 [0.046] N=2,086	-0.006 [0.048] N=1,880	0.037 [0.054] N=1,628	0.013 [0.062] N=1,339
Animal products consumed daily or several times weekly	0.862 P=1,941	**0.059* [0.033] N=2,250**	0.057 [0.035] N=2,086	0.029 [0.036] N=1,880	0.035 [0.040] N=1,628	-0.002 [0.042] N=1,339
Sweets consumed daily or several times weekly	0.542 P=1,221	-0.058 [0.036] N=2,250	**-0.068* [0.038] N=2,086**	-0.051 [0.040] N=1,880	-0.043 [0.042] N=1,628	-0.024 [0.049] N=1,339
Snack foods consumed daily or several times weekly	0.404 P=900	-0.012 [0.033] N=2,250	-0.024 [0.035] N=2,086	-0.028 [0.037] N=1,880	-0.007 [0.040] N=1,628	-0.016 [0.046] N=1,339
Packaged soft drinks consumed daily or several times weekly	0.249 P=548	-0.043 [0.034] N=2,250	-0.043 [0.035] N=2,086	-0.038 [0.038] N=1,880	-0.064 [0.041] N=1,628	**-0.086* [0.049] N=1,339**
Grains consumed daily or several times weekly	0.831 P=1,864	0.007 [0.033] N=2,250	0.003 [0.034] N=2,086	-0.001 [0.036] N=1,880	0.009 [0.039] N=1,628	-0.013 [0.044] N=1,339

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.025 [0.039] N=1,897	0.024 [0.043] N=1,733	0.075 [0.050] N=1,527	0.058 [0.060] N=1,275	0.039 [0.078] N=986
Vegetables consumed daily or several times weekly	0.055 [0.050] N=1,897	0.072 [0.057] N=1,733	**0.114* [0.061] N=1,527**	0.084 [0.070] N=1,275	-0.004 [0.086] N=986
Meat fish or poultry consumed daily or several times weekly	0.022 [0.057] N=1,897	0.018 [0.058] N=1,733	-0.000 [0.068] N=1,527	-0.007 [0.078] N=1,275	-0.100 [0.103] N=986
Legumes consumed daily or several times weekly	0.011 [0.059] N=1,897	-0.022 [0.064] N=1,733	0.009 [0.071] N=1,527	0.111 [0.084] N=1,275	0.077 [0.115] N=986

Outcome	8 years	7 years	6 years	5 years	4 years
Animal products consumed daily or several times weekly	**0.113** [0.045] N=1,897**	**0.121** [0.049] N=1,733**	0.082 [0.054] N=1,527	**0.115* [0.064] N=1,275**	0.059 [0.073] N=986
Sweets consumed daily or several times weekly	**-0.085* [0.049] N=1,897**	**-0.107** [0.052] N=1,733**	-0.087 [0.057] N=1,527	-0.076 [0.060] N=1,275	-0.036 [0.083] N=986
Snack foods consumed daily or several times weekly	-0.004 [0.047] N=1,897	-0.018 [0.050] N=1,733	-0.024 [0.056] N=1,527	0.022 [0.066] N=1,275	0.003 [0.092] N=986
Packaged soft drinks consumed daily or several times weekly	-0.028 [0.045] N=1,897	-0.023 [0.047] N=1,733	-0.005 [0.056] N=1,527	-0.062 [0.063] N=1,275	-0.126 [0.092] N=986
Grains consumed daily or several times weekly	0.029 [0.047] N=1,897	0.028 [0.051] N=1,733	0.026 [0.057] N=1,527	0.051 [0.069] N=1,275	0.006 [0.097] N=986

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.861 P=2,006	-0.006 [0.033] N=2,327	-0.003 [0.034] N=2,113	-0.006 [0.038] N=1,854	-0.026 [0.040] N=1,567	-0.007 [0.046] N=1,271
Vegetables consumed daily or several times weekly	0.770 P=1,798	0.018 [0.043] N=2,327	0.026 [0.045] N=2,113	0.042 [0.050] N=1,854	0.023 [0.055] N=1,567	0.047 [0.062] N=1,271
Meat fish or poultry consumed daily or several times weekly	0.584 P=1,367	0.051 [0.041] N=2,327	**0.071* [0.043] N=2,113**	0.056 [0.047] N=1,854	0.060 [0.054] N=1,567	0.060 [0.061] N=1,271
Legumes consumed daily or several times weekly	0.564 P=1,323	-0.010 [0.049] N=2,327	0.004 [0.052] N=2,113	-0.002 [0.056] N=1,854	-0.040 [0.060] N=1,567	-0.051 [0.068] N=1,271
Animal products consumed daily or several times weekly	0.860 P=2,001	**0.051* [0.030] N=2,327**	**0.058* [0.031] N=2,113**	**0.063* [0.033] N=1,854**	**0.061* [0.036] N=1,567**	**0.087** [0.040] N=1,271**
Sweets consumed daily or several times weekly	0.565 P=1,320	-0.040 [0.044] N=2,327	-0.054 [0.047] N=2,113	-0.030 [0.052] N=1,854	-0.045 [0.056] N=1,567	-0.095 [0.063] N=1,271
Snack foods consumed daily or several times weekly	0.415 P=959	0.020 [0.045] N=2,327	0.004 [0.048] N=2,113	0.000 [0.051] N=1,854	0.013 [0.056] N=1,567	-0.028 [0.064] N=1,271
Packaged soft drinks consumed daily or several times weekly	0.247 P=564	-0.005 [0.036] N=2,327	0.005 [0.038] N=2,113	0.019 [0.042] N=1,854	0.027 [0.046] N=1,567	-0.003 [0.052] N=1,271
Grains consumed daily or several times weekly	0.835 P=1,943	**0.070** [0.033] N=2,327**	**0.074** [0.035] N=2,113**	**0.092** [0.037] N=1,854**	**0.089** [0.042] N=1,567**	0.068 [0.048] N=1,271

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.027 [0.050] N=2,002	-0.025 [0.055] N=1,788	-0.033 [0.064] N=1,529	-0.067 [0.072] N=1,242	-0.018 [0.096] N=946
Vegetables consumed daily or several times weekly	-0.024 [0.060] N=2,002	-0.017 [0.066] N=1,788	-0.002 [0.080] N=1,529	-0.050 [0.092] N=1,242	-0.009 [0.125] N=946
Meat fish or poultry consumed daily or several times weekly	0.014 [0.051] N=2,002	0.049 [0.053] N=1,788	0.017 [0.059] N=1,529	-0.001 [0.073] N=1,242	-0.027 [0.082] N=946
Legumes consumed daily or several times weekly	0.063 [0.067] N=2,002	0.101 [0.073] N=1,788	0.114 [0.083] N=1,529	0.095 [0.097] N=1,242	0.143 [0.124] N=946
Animal products consumed daily or several times weekly	0.017 [0.039] N=2,002	0.025 [0.041] N=1,788	0.028 [0.044] N=1,529	0.023 [0.051] N=1,242	0.073 [0.065] N=946
Sweets consumed daily or several times weekly	0.018 [0.054] N=2,002	0.003 [0.060] N=1,788	0.061 [0.069] N=1,529	0.063 [0.079] N=1,242	-0.010 [0.096] N=946
Snack foods consumed daily or several times weekly	0.053 [0.054] N=2,002	0.028 [0.061] N=1,788	0.018 [0.068] N=1,529	0.060 [0.079] N=1,242	-0.020 [0.099] N=946
Packaged soft drinks consumed daily or several times weekly	-0.031 [0.047] N=2,002	-0.018 [0.052] N=1,788	-0.008 [0.061] N=1,529	0.008 [0.075] N=1,242	-0.088 [0.092] N=946
Grains consumed daily or several times weekly	0.025 [0.041] N=2,002	0.020 [0.044] N=1,788	0.040 [0.047] N=1,529	0.005 [0.056] N=1,242	-0.107 [0.070] N=946

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.861 P=2,006	-0.006 [0.033] N=2,327	-0.003 [0.034] N=2,113	-0.007 [0.037] N=1,854	-0.026 [0.040] N=1,567	-0.009 [0.045] N=1,271
Vegetables consumed daily or several times weekly	0.770 P=1,798	0.018 [0.042] N=2,327	0.025 [0.045] N=2,113	0.042 [0.050] N=1,854	0.022 [0.054] N=1,567	0.043 [0.061] N=1,271
Meat fish or poultry consumed daily or several times weekly	0.584 P=1,367	0.049 [0.041] N=2,327	0.070 [0.043] N=2,113	0.054 [0.047] N=1,854	0.059 [0.053] N=1,567	0.057 [0.061] N=1,271

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Legumes consumed daily or several times weekly	0.564 P=1,323	-0.011 [0.049] N=2,327	0.004 [0.052] N=2,113	-0.002 [0.056] N=1,854	-0.040 [0.060] N=1,567	-0.051 [0.068] N=1,271
Animal products consumed daily or several times weekly	0.860 P=2,001	**0.050* [0.030] N=2,327**	**0.057* [0.031] N=2,113**	**0.062* [0.033] N=1,854**	**0.060* [0.036] N=1,567**	**0.084** [0.040] N=1,271**
Sweets consumed daily or several times weekly	0.565 P=1,320	-0.042 [0.044] N=2,327	-0.055 [0.047] N=2,113	-0.032 [0.052] N=1,854	-0.045 [0.055] N=1,567	-0.098 [0.062] N=1,271
Snack foods consumed daily or several times weekly	0.415 P=959	0.018 [0.045] N=2,327	0.003 [0.048] N=2,113	-0.001 [0.051] N=1,854	0.012 [0.056] N=1,567	-0.030 [0.064] N=1,271
Packaged soft drinks consumed daily or several times weekly	0.247 P=564	-0.005 [0.036] N=2,327	0.005 [0.038] N=2,113	0.019 [0.041] N=1,854	0.026 [0.046] N=1,567	-0.004 [0.052] N=1,271
Grains consumed daily or several times weekly	0.835 P=1,943	**0.070** [0.033] N=2,327**	**0.074** [0.035] N=2,113**	**0.093** [0.037] N=1,854**	**0.089** [0.043] N=1,567**	0.070 [0.048] N=1,271

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.027 [0.050] N=2,002	-0.025 [0.055] N=1,788	-0.033 [0.064] N=1,529	-0.067 [0.072] N=1,242	-0.018 [0.095] N=946
Vegetables consumed daily or several times weekly	-0.024 [0.060] N=2,002	-0.017 [0.066] N=1,788	-0.002 [0.079] N=1,529	-0.048 [0.092] N=1,242	-0.010 [0.124] N=946
Meat fish or poultry consumed daily or several times weekly	0.013 [0.051] N=2,002	0.049 [0.053] N=1,788	0.017 [0.058] N=1,529	0.002 [0.072] N=1,242	-0.027 [0.082] N=946
Legumes consumed daily or several times weekly	0.062 [0.068] N=2,002	0.101 [0.073] N=1,788	0.114 [0.083] N=1,529	0.096 [0.097] N=1,242	0.143 [0.124] N=946
Animal products consumed daily or several times weekly	0.017 [0.038] N=2,002	0.025 [0.041] N=1,788	0.028 [0.044] N=1,529	0.025 [0.050] N=1,242	0.072 [0.064] N=946
Sweets consumed daily or several times weekly	0.017 [0.054] N=2,002	0.003 [0.060] N=1,788	0.062 [0.069] N=1,529	0.065 [0.079] N=1,242	-0.011 [0.096] N=946
Snack foods consumed daily or several times weekly	0.052 [0.055] N=2,002	0.029 [0.062] N=1,788	0.019 [0.069] N=1,529	0.062 [0.079] N=1,242	-0.020 [0.100] N=946
Packaged soft drinks consumed daily or several times weekly	-0.032 [0.047] N=2,002	-0.018 [0.052] N=1,788	-0.008 [0.061] N=1,529	0.009 [0.075] N=1,242	-0.088 [0.093] N=946
Grains consumed daily or several times weekly	0.025 [0.041] N=2,002	0.020 [0.044] N=1,788	0.040 [0.047] N=1,529	0.003 [0.056] N=1,242	-0.107 [0.071] N=946

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.861 P=2,006	-0.006 [0.032] N=2,327	-0.002 [0.034] N=2,113	0.002 [0.037] N=1,854	-0.019 [0.040] N=1,567	-0.002 [0.047] N=1,271
Vegetables consumed daily or several times weekly	0.770 P=1,798	0.018 [0.042] N=2,327	0.026 [0.045] N=2,113	0.047 [0.050] N=1,854	0.026 [0.054] N=1,567	0.045 [0.062] N=1,271
Meat fish or poultry consumed daily or several times weekly	0.584 P=1,367	0.048 [0.039] N=2,327	**0.070* [0.040] N=2,113**	0.067 [0.044] N=1,854	0.070 [0.050] N=1,567	0.069 [0.057] N=1,271
Legumes consumed daily or several times weekly	0.564 P=1,323	-0.011 [0.050] N=2,327	0.005 [0.053] N=2,113	0.004 [0.057] N=1,854	-0.034 [0.061] N=1,567	-0.046 [0.068] N=1,271
Animal products consumed daily or several times weekly	0.860 P=2,001	**0.049* [0.029] N=2,327**	**0.056* [0.030] N=2,113**	**0.065** [0.032] N=1,854**	**0.064* [0.035] N=1,567**	**0.088** [0.040] N=1,271**
Sweets consumed daily or several times weekly	0.565 P=1,320	-0.042 [0.043] N=2,327	-0.054 [0.046] N=2,113	-0.027 [0.050] N=1,854	-0.043 [0.053] N=1,567	-0.097 [0.059] N=1,271

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Snack foods consumed daily or several times weekly	0.415 P=959	0.018 [0.045] N=2,327	0.003 [0.048] N=2,113	-0.001 [0.051] N=1,854	0.011 [0.056] N=1,567	-0.032 [0.064] N=1,271
Packaged soft drinks consumed daily or several times weekly	0.247 P=564	-0.005 [0.038] N=2,327	0.004 [0.039] N=2,113	0.015 [0.043] N=1,854	0.020 [0.048] N=1,567	-0.011 [0.054] N=1,271
Grains consumed daily or several times weekly	0.835 P=1,943	**0.070** [0.033] N=2,327**	**0.074** [0.035] N=2,113**	**0.095** [0.037] N=1,854**	**0.091** [0.043] N=1,567**	0.071 [0.049] N=1,271

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.024 [0.050] N=2,002	-0.021 [0.054] N=1,788	-0.012 [0.063] N=1,529	-0.052 [0.072] N=1,242	0.003 [0.098] N=946
Vegetables consumed daily or several times weekly	-0.021 [0.060] N=2,002	-0.013 [0.066] N=1,788	0.015 [0.079] N=1,529	-0.033 [0.093] N=1,242	0.006 [0.129] N=946
Meat fish or poultry consumed daily or several times weekly	0.018 [0.050] N=2,002	0.056 [0.052] N=1,788	0.049 [0.057] N=1,529	0.031 [0.072] N=1,242	0.012 [0.082] N=946
Legumes consumed daily or several times weekly	0.064 [0.070] N=2,002	0.101 [0.076] N=1,788	0.125 [0.087] N=1,529	0.106 [0.101] N=1,242	0.155 [0.129] N=946
Animal products consumed daily or several times weekly	0.018 [0.038] N=2,002	0.024 [0.040] N=1,788	0.036 [0.044] N=1,529	0.032 [0.051] N=1,242	0.083 [0.065] N=946
Sweets consumed daily or several times weekly	0.018 [0.054] N=2,002	0.004 [0.060] N=1,788	0.068 [0.069] N=1,529	0.069 [0.080] N=1,242	-0.010 [0.096] N=946
Snack foods consumed daily or several times weekly	0.051 [0.055] N=2,002	0.026 [0.062] N=1,788	0.013 [0.069] N=1,529	0.053 [0.079] N=1,242	-0.036 [0.101] N=946
Packaged soft drinks consumed daily or several times weekly	-0.036 [0.048] N=2,002	-0.025 [0.052] N=1,788	-0.019 [0.061] N=1,529	-0.006 [0.074] N=1,242	-0.108 [0.093] N=946
Grains consumed daily or several times weekly	0.024 [0.041] N=2,002	0.018 [0.045] N=1,788	0.044 [0.048] N=1,529	-0.000 [0.057] N=1,242	-0.112 [0.072] N=946

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.861 P=2,006	-0.010 [0.032] N=2,327	-0.004 [0.034] N=2,113	-0.002 [0.037] N=1,854	-0.022 [0.040] N=1,567	-0.009 [0.046] N=1,271
Vegetables consumed daily or several times weekly	0.770 P=1,798	0.015 [0.042] N=2,327	0.024 [0.045] N=2,113	0.044 [0.050] N=1,854	0.022 [0.054] N=1,567	0.043 [0.061] N=1,271
Meat fish or poultry consumed daily or several times weekly	0.584 P=1,367	0.043 [0.038] N=2,327	**0.067* [0.040] N=2,113**	0.058 [0.042] N=1,854	0.061 [0.048] N=1,567	0.057 [0.055] N=1,271
Legumes consumed daily or several times weekly	0.564 P=1,323	-0.014 [0.050] N=2,327	0.002 [0.053] N=2,113	-0.001 [0.057] N=1,854	-0.039 [0.061] N=1,567	-0.049 [0.068] N=1,271
Animal products consumed daily or several times weekly	0.860 P=2,001	**0.050* [0.029] N=2,327**	**0.058* [0.030] N=2,113**	**0.066** [0.032] N=1,854**	**0.064* [0.035] N=1,567**	**0.086** [0.039] N=1,271**
Sweets consumed daily or several times weekly	0.565 P=1,320	-0.040 [0.044] N=2,327	-0.052 [0.047] N=2,113	-0.028 [0.051] N=1,854	-0.041 [0.055] N=1,567	-0.093 [0.062] N=1,271
Snack foods consumed daily or several times weekly	0.415 P=959	0.022 [0.045] N=2,327	0.006 [0.048] N=2,113	0.001 [0.051] N=1,854	0.017 [0.056] N=1,567	-0.027 [0.064] N=1,271
Packaged soft drinks consumed daily or several times weekly	0.247 P=564	0.001 [0.037] N=2,327	0.010 [0.039] N=2,113	0.020 [0.043] N=1,854	0.032 [0.047] N=1,567	0.001 [0.053] N=1,271
Grains consumed daily or several times weekly	0.835 P=1,943	**0.069** [0.033] N=2,327**	**0.075** [0.035] N=2,113**	**0.094** [0.037] N=1,854**	**0.091** [0.043] N=1,567**	0.071 [0.049] N=1,271

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.026 [0.051] N=2,002	-0.019 [0.056] N=1,788	-0.012 [0.065] N=1,529	-0.047 [0.076] N=1,242	-0.005 [0.102] N=946
Vegetables consumed daily or several times weekly	-0.026 [0.060] N=2,002	-0.015 [0.066] N=1,788	0.011 [0.080] N=1,529	-0.038 [0.094] N=1,242	-0.002 [0.128] N=946
Meat fish or poultry consumed daily or several times weekly	0.011 [0.051] N=2,002	0.056 [0.054] N=1,788	0.039 [0.058] N=1,529	0.022 [0.073] N=1,242	-0.012 [0.081] N=946
Legumes consumed daily or several times weekly	0.061 [0.070] N=2,002	0.102 [0.076] N=1,788	0.122 [0.086] N=1,529	0.104 [0.101] N=1,242	0.150 [0.129] N=946
Animal products consumed daily or several times weekly	0.017 [0.038] N=2,002	0.027 [0.040] N=1,788	0.036 [0.044] N=1,529	0.034 [0.052] N=1,242	0.079 [0.067] N=946
Sweets consumed daily or several times weekly	0.019 [0.055] N=2,002	0.006 [0.061] N=1,788	0.069 [0.070] N=1,529	0.074 [0.082] N=1,242	-0.007 [0.099] N=946
Snack foods consumed daily or several times weekly	0.055 [0.055] N=2,002	0.030 [0.062] N=1,788	0.017 [0.068] N=1,529	0.064 [0.079] N=1,242	-0.024 [0.101] N=946
Packaged soft drinks consumed daily or several times weekly	-0.030 [0.048] N=2,002	-0.019 [0.053] N=1,788	-0.016 [0.062] N=1,529	0.008 [0.076] N=1,242	-0.095 [0.096] N=946
Grains consumed daily or several times weekly	0.023 [0.041] N=2,002	0.018 [0.044] N=1,788	0.040 [0.048] N=1,529	0.002 [0.057] N=1,242	-0.109 [0.073] N=946

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.860 P=1,875	-0.007 [0.033] N=2,177	-0.001 [0.034] N=1,974	0.005 [0.037] N=1,736	-0.019 [0.039] N=1,464	-0.009 [0.045] N=1,192
Vegetables consumed daily or several times weekly	0.771 P=1,685	0.016 [0.044] N=2,177	0.027 [0.048] N=1,974	0.050 [0.053] N=1,736	0.025 [0.057] N=1,464	0.036 [0.066] N=1,192
Meat fish or poultry consumed daily or several times weekly	0.583 P=1,276	0.053 [0.042] N=2,177	**0.073* [0.043] N=1,974**	0.070 [0.047] N=1,736	0.063 [0.054] N=1,464	0.059 [0.061] N=1,192
Legumes consumed daily or several times weekly	0.562 P=1,233	-0.010 [0.050] N=2,177	0.008 [0.054] N=1,974	0.006 [0.058] N=1,736	-0.045 [0.062] N=1,464	-0.072 [0.071] N=1,192
Animal products consumed daily or several times weekly	0.862 P=1,879	**0.052* [0.030] N=2,177**	**0.060* [0.031] N=1,974**	**0.070** [0.033] N=1,736**	**0.062* [0.036] N=1,464**	**0.082** [0.041] N=1,192**
Sweets consumed daily or several times weekly	0.571 P=1,246	-0.062 [0.043] N=2,177	**-0.078* [0.045] N=1,974**	-0.056 [0.050] N=1,736	-0.076 [0.054] N=1,464	**-0.137** [0.060] N=1,192**
Snack foods consumed daily or several times weekly	0.421 P=910	-0.003 [0.043] N=2,177	-0.021 [0.047] N=1,974	-0.030 [0.049] N=1,736	-0.013 [0.053] N=1,464	-0.057 [0.061] N=1,192
Packaged soft drinks consumed daily or several times weekly	0.253 P=542	-0.021 [0.038] N=2,177	-0.011 [0.040] N=1,974	-0.001 [0.043] N=1,736	0.010 [0.048] N=1,464	-0.028 [0.054] N=1,192
Grains consumed daily or several times weekly	0.836 P=1,819	**0.079** [0.034] N=2,177**	**0.083** [0.037] N=1,974**	**0.102** [0.039] N=1,736**	**0.097** [0.046] N=1,464**	0.072 [0.053] N=1,192

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.026 [0.050] N=1,873	-0.018 [0.054] N=1,670	-0.009 [0.061] N=1,432	-0.055 [0.068] N=1,160	-0.017 [0.088] N=888
Vegetables consumed daily or several times weekly	-0.033 [0.061] N=1,873	-0.020 [0.067] N=1,670	0.004 [0.080] N=1,432	-0.058 [0.092] N=1,160	-0.049 [0.124] N=888
Meat fish or poultry consumed daily or several times weekly	0.009 [0.052] N=1,873	0.046 [0.053] N=1,670	0.032 [0.060] N=1,432	-0.013 [0.078] N=1,160	-0.074 [0.089] N=888
Legumes consumed daily or several times weekly	0.062 [0.070] N=1,873	0.111 [0.077] N=1,670	0.133 [0.087] N=1,432	0.107 [0.103] N=1,160	0.131 [0.136] N=888

Outcome	8 years	7 years	6 years	5 years	4 years
Animal products consumed daily or several times weekly	0.018 [0.039] N=1,873	0.032 [0.041] N=1,670	0.045 [0.042] N=1,432	0.029 [0.047] N=1,160	0.066 [0.060] N=888
Sweets consumed daily or several times weekly	0.008 [0.055] N=1,873	-0.008 [0.061] N=1,670	0.044 [0.070] N=1,432	0.041 [0.081] N=1,160	-0.044 [0.099] N=888
Snack foods consumed daily or several times weekly	0.036 [0.056] N=1,873	0.011 [0.064] N=1,670	-0.013 [0.071] N=1,432	0.036 [0.081] N=1,160	-0.044 [0.102] N=888
Packaged soft drinks consumed daily or several times weekly	-0.049 [0.051] N=1,873	-0.036 [0.056] N=1,670	-0.034 [0.064] N=1,432	-0.004 [0.078] N=1,160	-0.108 [0.096] N=888
Grains consumed daily or several times weekly	0.034 [0.041] N=1,873	0.029 [0.045] N=1,670	0.052 [0.047] N=1,432	0.007 [0.057] N=1,160	-0.122 [0.075] N=888

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.860 P=1,875	-0.006 [0.033] N=2,177	0.000 [0.035] N=1,974	0.004 [0.037] N=1,736	-0.021 [0.040] N=1,464	-0.009 [0.045] N=1,192
Vegetables consumed daily or several times weekly	0.771 P=1,685	0.020 [0.044] N=2,177	0.030 [0.047] N=1,974	0.053 [0.052] N=1,736	0.028 [0.057] N=1,464	0.039 [0.065] N=1,192
Meat fish or poultry consumed daily or several times weekly	0.583 P=1,276	0.052 [0.042] N=2,177	**0.073* [0.043] N=1,974**	0.066 [0.047] N=1,736	0.059 [0.054] N=1,464	0.056 [0.062] N=1,192
Legumes consumed daily or several times weekly	0.562 P=1,233	-0.009 [0.050] N=2,177	0.010 [0.054] N=1,974	0.005 [0.058] N=1,736	-0.044 [0.062] N=1,464	-0.072 [0.072] N=1,192
Animal products consumed daily or several times weekly	0.862 P=1,879	**0.052* [0.030] N=2,177**	**0.060* [0.031] N=1,974**	**0.069** [0.033] N=1,736**	**0.061* [0.036] N=1,464**	**0.082** [0.041] N=1,192**
Sweets consumed daily or several times weekly	0.571 P=1,246	-0.062 [0.043] N=2,177	**-0.077* [0.046] N=1,974**	-0.057 [0.051] N=1,736	-0.078 [0.055] N=1,464	**-0.139** [0.061] N=1,192**
Snack foods consumed daily or several times weekly	0.421 P=910	-0.000 [0.043] N=2,177	-0.018 [0.047] N=1,974	-0.028 [0.049] N=1,736	-0.012 [0.054] N=1,464	-0.056 [0.061] N=1,192
Packaged soft drinks consumed daily or several times weekly	0.253 P=542	-0.020 [0.038] N=2,177	-0.009 [0.040] N=1,974	0.000 [0.043] N=1,736	0.011 [0.048] N=1,464	-0.026 [0.054] N=1,192
Grains consumed daily or several times weekly	0.836 P=1,819	**0.079** [0.034] N=2,177**	**0.083** [0.037] N=1,974**	**0.102*** [0.039] N=1,736**	**0.097** [0.046] N=1,464**	0.072 [0.053] N=1,192

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.027 [0.050] N=1,873	-0.019 [0.054] N=1,670	-0.012 [0.061] N=1,432	-0.060 [0.068] N=1,160	-0.030 [0.087] N=888
Vegetables consumed daily or several times weekly	-0.031 [0.061] N=1,873	-0.020 [0.067] N=1,670	0.004 [0.080] N=1,432	-0.060 [0.092] N=1,160	-0.062 [0.124] N=888
Meat fish or poultry consumed daily or several times weekly	0.008 [0.051] N=1,873	0.046 [0.053] N=1,670	0.028 [0.058] N=1,432	-0.015 [0.074] N=1,160	-0.067 [0.085] N=888
Legumes consumed daily or several times weekly	0.063 [0.070] N=1,873	0.113 [0.076] N=1,670	0.133 [0.086] N=1,432	0.106 [0.102] N=1,160	0.119 [0.133] N=888
Animal products consumed daily or several times weekly	0.020 [0.039] N=1,873	0.034 [0.041] N=1,670	0.044 [0.042] N=1,432	0.033 [0.046] N=1,160	0.067 [0.058] N=888
Sweets consumed daily or several times weekly	0.008 [0.055] N=1,873	-0.006 [0.062] N=1,670	0.047 [0.070] N=1,432	0.042 [0.082] N=1,160	-0.051 [0.102] N=888
Snack foods consumed daily or several times weekly	0.037 [0.056] N=1,873	0.012 [0.065] N=1,670	-0.012 [0.071] N=1,432	0.038 [0.083] N=1,160	-0.054 [0.104] N=888
Packaged soft drinks consumed daily or several times weekly	-0.046 [0.051] N=1,873	-0.032 [0.056] N=1,670	-0.030 [0.064] N=1,432	-0.002 [0.080] N=1,160	-0.114 [0.098] N=888
Grains consumed daily or several times weekly	0.035 [0.041] N=1,873	0.030 [0.045] N=1,670	0.052 [0.047] N=1,432	0.009 [0.057] N=1,160	-0.117 [0.075] N=888

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 71 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.