Table 9 Reduced Form Effects on Weekly Nutrition for Ages 0-5

Food outcomes require an age above six months and recorded codes 1-9. Ever breastfed uses recorded codes 1 and 2. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.940 P=2,267	-0.005 [0.020] N=2,411	0.004 [0.021] N=2,230	0.007 [0.022] N=2,013	0.004 [0.025] N=1,738	-0.013 [0.029] N=1,431
Vegetables consumed at least weekly	0.899 P=2,166	0.003 [0.025] N=2,411	0.005 [0.026] N=2,230	-0.002 [0.027] N=2,013	-0.013 [0.028] N=1,738	-0.045 [0.032] N=1,431
Meat fish or poultry consumed at least weekly	0.796 P=1,926	0.038 [0.042] N=2,411	0.048 [0.044] N=2,230	0.041 [0.049] N=2,013	0.035 [0.055] N=1,738	0.019 [0.065] N=1,431
Legumes consumed at least weekly	0.792 P=1,919	-0.025 [0.034] N=2,411	-0.037 [0.036] N=2,230	-0.031 [0.036] N=2,013	-0.033 [0.040] N=1,738	-0.068 [0.046] N=1,431
Animal products consumed at least weekly	0.917 P=2,218	0.016 [0.026] N=2,411	0.015 [0.027] N=2,230	-0.000 [0.029] N=2,013	0.010 [0.033] N=1,738	-0.003 [0.037] N=1,431
Sweets consumed at least weekly	0.696 P=1,678	-0.041 [0.028] N=2,411	-0.034 [0.029] N=2,230	-0.017 [0.030] N=2,013	-0.027 [0.032] N=1,738	-0.013 [0.037] N=1,431
Snack foods consumed at least weekly	0.577 P=1,382	**-0.063** [0.032] N=2,411**	**-0.056* [0.034] N=2,230**	**-0.067* [0.035] N=2,013**	-0.063 [0.039] N=1,738	**-0.094** [0.043] N=1,431**
Packaged soft drinks consumed at least weekly	0.361 P=859	-0.055 [0.041] N=2,411	-0.051 [0.042] N=2,230	-0.064 [0.046] N=2,013	-0.079 [0.050] N=1,738	-0.083 [0.062] N=1,431
Grains consumed at least weekly	0.912 P=2,201	0.005 [0.021] N=2,411	0.014 [0.022] N=2,230	0.004 [0.024] N=2,013	0.008 [0.026] N=1,738	-0.009 [0.030] N=1,431
Child was ever breastfed	0.964 P=2,574	0.009 [0.012] N=2,673	0.011 [0.013] N=2,477	0.013 [0.013] N=2,232	0.018 [0.015] N=1,914	0.008 [0.016] N=1,578

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.007 [0.030] N=2,033	0.009 [0.031] N=1,852	0.017 [0.036] N=1,635	0.017 [0.044] N=1,360	-0.024 [0.058] N=1,053
Vegetables consumed at least weekly	0.017 [0.039] N=2,033	0.025 [0.043] N=1,852	0.022 [0.046] N=1,635	0.005 [0.054] N=1,360	-0.068 [0.067] N=1,053
Meat fish or poultry consumed at least weekly	0.033 [0.045] N=2,033	0.049 [0.046] N=1,852	0.034 [0.053] N=1,635	0.005 [0.059] N=1,360	-0.062 [0.077] N=1,053
Legumes consumed at least weekly	0.017 [0.049] N=2,033	0.006 [0.054] N=1,852	0.035 [0.056] N=1,635	0.056 [0.068] N=1,360	0.004 [0.090] N=1,053
Animal products consumed at least weekly	0.029 [0.033] N=2,033	0.030 [0.035] N=1,852	0.001 [0.039] N=1,635	0.027 [0.047] N=1,360	-0.002 [0.058] N=1,053
Sweets consumed at least weekly	-0.044 [0.038] N=2,033	-0.032 [0.040] N=1,852	-0.003 [0.045] N=1,635	-0.030 [0.047] N=1,360	0.009 [0.062] N=1,053
Snack foods consumed at least weekly	-0.043 [0.043] N=2,033	-0.028 [0.048] N=1,852	-0.042 [0.052] N=1,635	-0.040 [0.063] N=1,360	-0.121 [0.077] N=1,053
Packaged soft drinks consumed at least weekly	-0.061 [0.051] N=2,033	-0.058 [0.052] N=1,852	-0.084 [0.057] N=1,635	**-0.137** [0.064] N=1,360**	**-0.195** [0.091] N=1,053**
Grains consumed at least weekly	0.022 [0.033] N=2,033	0.040 [0.036] N=1,852	0.027 [0.041] N=1,635	0.041 [0.049] N=1,360	0.008 [0.073] N=1,053
Child was ever breastfed	0.010 [0.019] N=2,257	0.013 [0.022] N=2,061	0.020 [0.024] N=1,816	0.025 [0.031] N=1,498	0.006 [0.040] N=1,162

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.940 P=2,267	-0.006 [0.020] N=2,411	0.003 [0.021] N=2,230	0.006 [0.023] N=2,013	0.003 [0.025] N=1,738	-0.013 [0.029] N=1,431
Vegetables consumed at least weekly	0.899 P=2,166	0.003 [0.025] N=2,411	0.005 [0.026] N=2,230	-0.002 [0.027] N=2,013	-0.014 [0.028] N=1,738	-0.045 [0.032] N=1,431
Meat fish or poultry consumed at least weekly	0.796 P=1,926	0.038 [0.042] N=2,411	0.047 [0.044] N=2,230	0.041 [0.049] N=2,013	0.034 [0.055] N=1,738	0.018 [0.065] N=1,431
Legumes consumed at least weekly	0.792 P=1,919	-0.026 [0.034] N=2,411	-0.038 [0.036] N=2,230	-0.032 [0.037] N=2,013	-0.035 [0.040] N=1,738	-0.069 [0.046] N=1,431
Animal products consumed at least weekly	0.917 P=2,218	0.015 [0.026] N=2,411	0.013 [0.028] N=2,230	-0.001 [0.030] N=2,013	0.009 [0.033] N=1,738	-0.004 [0.038] N=1,431
Sweets consumed at least weekly	0.696 P=1,678	-0.041 [0.028] N=2,411	-0.034 [0.029] N=2,230	-0.017 [0.030] N=2,013	-0.028 [0.032] N=1,738	-0.013 [0.037] N=1,431
Snack foods consumed at least weekly	0.577 P=1,382	**-0.063** [0.032] N=2,411**	**-0.057* [0.034] N=2,230**	**-0.067* [0.035] N=2,013**	-0.063 [0.039] N=1,738	**-0.093** [0.043] N=1,431**
Packaged soft drinks consumed at least weekly	0.361 P=859	-0.054 [0.041] N=2,411	-0.051 [0.042] N=2,230	-0.064 [0.046] N=2,013	-0.079 [0.050] N=1,738	-0.083 [0.062] N=1,431
Grains consumed at least weekly	0.912 P=2,201	0.005 [0.021] N=2,411	0.013 [0.023] N=2,230	0.003 [0.024] N=2,013	0.008 [0.026] N=1,738	-0.009 [0.030] N=1,431
Child was ever breastfed	0.964 P=2,574	0.009 [0.012] N=2,673	0.010 [0.013] N=2,477	0.013 [0.013] N=2,232	0.018 [0.015] N=1,914	0.008 [0.016] N=1,578

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.007 [0.030] N=2,033	0.009 [0.031] N=1,852	0.017 [0.036] N=1,635	0.017 [0.044] N=1,360	-0.022 [0.058] N=1,053
Vegetables consumed at least weekly	0.017 [0.039] N=2,033	0.025 [0.043] N=1,852	0.021 [0.046] N=1,635	0.005 [0.054] N=1,360	-0.067 [0.067] N=1,053
Meat fish or poultry consumed at least weekly	0.033 [0.045] N=2,033	0.049 [0.046] N=1,852	0.034 [0.052] N=1,635	0.005 [0.059] N=1,360	-0.060 [0.076] N=1,053
Legumes consumed at least weekly	0.017 [0.049] N=2,033	0.006 [0.054] N=1,852	0.035 [0.055] N=1,635	0.056 [0.067] N=1,360	0.008 [0.088] N=1,053
Animal products consumed at least weekly	0.030 [0.033] N=2,033	0.030 [0.035] N=1,852	0.002 [0.039] N=1,635	0.027 [0.046] N=1,360	0.000 [0.057] N=1,053
Sweets consumed at least weekly	-0.044 [0.038] N=2,033	-0.032 [0.040] N=1,852	-0.003 [0.045] N=1,635	-0.030 [0.047] N=1,360	0.011 [0.062] N=1,053
Snack foods consumed at least weekly	-0.043 [0.043] N=2,033	-0.028 [0.048] N=1,852	-0.041 [0.052] N=1,635	-0.039 [0.063] N=1,360	-0.120 [0.077] N=1,053
Packaged soft drinks consumed at least weekly	-0.062 [0.051] N=2,033	-0.058 [0.052] N=1,852	-0.084 [0.057] N=1,635	**-0.137** [0.064] N=1,360**	**-0.196** [0.090] N=1,053**
Grains consumed at least weekly	0.022 [0.033] N=2,033	0.040 [0.036] N=1,852	0.027 [0.041] N=1,635	0.041 [0.049] N=1,360	0.008 [0.072] N=1,053
Child was ever breastfed	0.010 [0.019] N=2,257	0.013 [0.022] N=2,061	0.020 [0.024] N=1,816	0.025 [0.031] N=1,498	0.006 [0.040] N=1,162

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.940 P=2,267	-0.012 [0.020] N=2,411	-0.004 [0.021] N=2,230	-0.002 [0.022] N=2,013	-0.006 [0.026] N=1,738	-0.023 [0.030] N=1,431

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Vegetables consumed at least weekly	0.899 P=2,166	-0.003 [0.025] N=2,411	-0.003 [0.026] N=2,230	-0.010 [0.027] N=2,013	-0.024 [0.028] N=1,738	**-0.058* [0.032] N=1,431**
Meat fish or poultry consumed at least weekly	0.796 P=1,926	0.019 [0.041] N=2,411	0.026 [0.044] N=2,230	0.020 [0.048] N=2,013	0.011 [0.054] N=1,738	-0.008 [0.064] N=1,431
Legumes consumed at least weekly	0.792 P=1,919	-0.032 [0.034] N=2,411	-0.046 [0.036] N=2,230	-0.040 [0.036] N=2,013	-0.043 [0.041] N=1,738	-0.077 [0.046] N=1,431
Animal products consumed at least weekly	0.917 P=2,218	0.010 [0.027] N=2,411	0.008 [0.028] N=2,230	-0.007 [0.030] N=2,013	0.001 [0.034] N=1,738	-0.014 [0.038] N=1,431
Sweets consumed at least weekly	0.696 P=1,678	-0.045 [0.028] N=2,411	-0.038 [0.029] N=2,230	-0.022 [0.031] N=2,013	-0.031 [0.032] N=1,738	-0.018 [0.037] N=1,431
Snack foods consumed at least weekly	0.577 P=1,382	**-0.059* [0.031] N=2,411**	-0.051 [0.033] N=2,230	**-0.063* [0.035] N=2,013**	-0.055 [0.038] N=1,738	**-0.085* [0.043] N=1,431**
Packaged soft drinks consumed at least weekly	0.361 P=859	-0.044 [0.042] N=2,411	-0.038 [0.043] N=2,230	-0.052 [0.046] N=2,013	-0.064 [0.051] N=1,738	-0.066 [0.063] N=1,431
Grains consumed at least weekly	0.912 P=2,201	0.002 [0.022] N=2,411	0.010 [0.023] N=2,230	0.000 [0.024] N=2,013	0.003 [0.026] N=1,738	-0.013 [0.030] N=1,431
Child was ever breastfed	0.964 P=2,574	0.006 [0.012] N=2,673	0.007 [0.013] N=2,477	0.009 [0.014] N=2,232	0.015 [0.015] N=1,914	0.006 [0.016] N=1,578

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.012 [0.029] N=2,033	0.003 [0.030] N=1,852	0.011 [0.034] N=1,635	0.014 [0.043] N=1,360	-0.024 [0.057] N=1,053
Vegetables consumed at least weekly	0.013 [0.039] N=2,033	0.020 [0.042] N=1,852	0.018 [0.046] N=1,635	0.003 [0.053] N=1,360	-0.069 [0.067] N=1,053
Meat fish or poultry consumed at least weekly	0.021 [0.043] N=2,033	0.033 [0.045] N=1,852	0.021 [0.052] N=1,635	-0.008 [0.058] N=1,360	-0.071 [0.077] N=1,053
Legumes consumed at least weekly	0.013 [0.048] N=2,033	-0.000 [0.054] N=1,852	0.029 [0.055] N=1,635	0.051 [0.068] N=1,360	0.007 [0.089] N=1,053
Animal products consumed at least weekly	0.027 [0.033] N=2,033	0.025 [0.035] N=1,852	-0.002 [0.039] N=1,635	0.023 [0.047] N=1,360	-0.002 [0.057] N=1,053
Sweets consumed at least weekly	-0.046 [0.038] N=2,033	-0.036 [0.040] N=1,852	-0.006 [0.045] N=1,635	-0.028 [0.047] N=1,360	0.011 [0.062] N=1,053
Snack foods consumed at least weekly	-0.040 [0.042] N=2,033	-0.024 [0.047] N=1,852	-0.038 [0.051] N=1,635	-0.029 [0.060] N=1,360	-0.112 [0.073] N=1,053
Packaged soft drinks consumed at least weekly	-0.055 [0.050] N=2,033	-0.046 [0.051] N=1,852	-0.073 [0.057] N=1,635	**-0.120* [0.065] N=1,360**	**-0.180** [0.088] N=1,053**
Grains consumed at least weekly	0.019 [0.033] N=2,033	0.036 [0.036] N=1,852	0.024 [0.041] N=1,635	0.036 [0.049] N=1,360	0.001 [0.072] N=1,053
Child was ever breastfed	0.008 [0.019] N=2,257	0.010 [0.022] N=2,061	0.017 [0.024] N=1,816	0.023 [0.031] N=1,498	0.004 [0.040] N=1,162

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.940 P=2,267	-0.012 [0.021] N=2,411	-0.004 [0.021] N=2,230	-0.003 [0.023] N=2,013	-0.006 [0.026] N=1,738	-0.024 [0.030] N=1,431
Vegetables consumed at least weekly	0.899 P=2,166	-0.003 [0.026] N=2,411	-0.003 [0.027] N=2,230	-0.011 [0.027] N=2,013	-0.024 [0.029] N=1,738	**-0.057* [0.032] N=1,431**

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Meat fish or poultry consumed at least weekly	0.796 P=1,926	0.023 [0.042] N=2,411	0.031 [0.044] N=2,230	0.020 [0.049] N=2,013	0.010 [0.055] N=1,738	-0.011 [0.064] N=1,431
Legumes consumed at least weekly	0.792 P=1,919	-0.034 [0.035] N=2,411	-0.048 [0.037] N=2,230	-0.046 [0.037] N=2,013	-0.048 [0.041] N=1,738	**-0.080* [0.047] N=1,431**
Animal products consumed at least weekly	0.917 P=2,218	0.008 [0.027] N=2,411	0.006 [0.028] N=2,230	-0.009 [0.030] N=2,013	-0.000 [0.033] N=1,738	-0.013 [0.038] N=1,431
Sweets consumed at least weekly	0.696 P=1,678	-0.043 [0.028] N=2,411	-0.037 [0.029] N=2,230	-0.022 [0.030] N=2,013	-0.030 [0.032] N=1,738	-0.015 [0.037] N=1,431
Snack foods consumed at least weekly	0.577 P=1,382	**-0.060* [0.032] N=2,411**	-0.053 [0.034] N=2,230	**-0.066* [0.035] N=2,013**	-0.056 [0.038] N=1,738	**-0.086** [0.042] N=1,431**
Packaged soft drinks consumed at least weekly	0.361 P=859	-0.044 [0.041] N=2,411	-0.042 [0.042] N=2,230	-0.055 [0.045] N=2,013	-0.064 [0.049] N=1,738	-0.066 [0.061] N=1,431
Grains consumed at least weekly	0.912 P=2,201	0.005 [0.022] N=2,411	0.013 [0.023] N=2,230	0.003 [0.024] N=2,013	0.006 [0.026] N=1,738	-0.009 [0.032] N=1,431
Child was ever breastfed	0.964 P=2,574	0.005 [0.012] N=2,673	0.006 [0.013] N=2,477	0.008 [0.014] N=2,232	0.013 [0.015] N=1,914	0.004 [0.016] N=1,578

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.010 [0.029] N=2,033	0.005 [0.030] N=1,852	0.011 [0.034] N=1,635	0.013 [0.042] N=1,360	-0.027 [0.057] N=1,053
Vegetables consumed at least weekly	0.015 [0.039] N=2,033	0.021 [0.043] N=1,852	0.016 [0.046] N=1,635	0.002 [0.053] N=1,360	-0.069 [0.067] N=1,053
Meat fish or poultry consumed at least weekly	0.025 [0.044] N=2,033	0.037 [0.046] N=1,852	0.019 [0.052] N=1,635	-0.009 [0.058] N=1,360	-0.080 [0.076] N=1,053
Legumes consumed at least weekly	0.016 [0.049] N=2,033	0.001 [0.054] N=1,852	0.027 [0.055] N=1,635	0.058 [0.067] N=1,360	0.012 [0.090] N=1,053
Animal products consumed at least weekly	0.028 [0.033] N=2,033	0.026 [0.035] N=1,852	-0.003 [0.038] N=1,635	0.025 [0.046] N=1,360	-0.004 [0.058] N=1,053
Sweets consumed at least weekly	-0.043 [0.038] N=2,033	-0.034 [0.040] N=1,852	-0.008 [0.044] N=1,635	-0.027 [0.046] N=1,360	0.009 [0.062] N=1,053
Snack foods consumed at least weekly	-0.039 [0.042] N=2,033	-0.026 [0.046] N=1,852	-0.041 [0.050] N=1,635	-0.028 [0.059] N=1,360	-0.116 [0.073] N=1,053
Packaged soft drinks consumed at least weekly	-0.053 [0.049] N=2,033	-0.051 [0.050] N=1,852	-0.076 [0.056] N=1,635	**-0.120* [0.064] N=1,360**	**-0.176** [0.087] N=1,053**
Grains consumed at least weekly	0.021 [0.033] N=2,033	0.038 [0.036] N=1,852	0.024 [0.040] N=1,635	0.037 [0.048] N=1,360	-0.001 [0.070] N=1,053
Child was ever breastfed	0.009 [0.019] N=2,257	0.011 [0.022] N=2,061	0.017 [0.024] N=1,816	0.023 [0.031] N=1,498	0.003 [0.040] N=1,162

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.940 P=2,115	-0.015 [0.021] N=2,250	-0.009 [0.021] N=2,086	-0.006 [0.023] N=1,880	-0.008 [0.026] N=1,628	-0.030 [0.029] N=1,339
Vegetables consumed at least weekly	0.900 P=2,025	-0.003 [0.025] N=2,250	-0.001 [0.026] N=2,086	-0.008 [0.027] N=1,880	-0.017 [0.028] N=1,628	-0.049 [0.031] N=1,339
Meat fish or poultry consumed at least weekly	0.796 P=1,796	0.019 [0.039] N=2,250	0.023 [0.041] N=2,086	0.007 [0.045] N=1,880	-0.002 [0.050] N=1,628	-0.024 [0.059] N=1,339

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Legumes consumed at least weekly	0.791 P=1,788	-0.040 [0.035] N=2,250	-0.057 [0.037] N=2,086	-0.057 [0.037] N=1,880	-0.060 [0.042] N=1,628	**-0.097** [0.047] N=1,339**
Animal products consumed at least weekly	0.920 P=2,076	0.016 [0.027] N=2,250	0.012 [0.028] N=2,086	-0.004 [0.030] N=1,880	0.002 [0.033] N=1,628	-0.012 [0.038] N=1,339
Sweets consumed at least weekly	0.700 P=1,572	-0.035 [0.029] N=2,250	-0.035 [0.030] N=2,086	-0.022 [0.031] N=1,880	-0.032 [0.033] N=1,628	-0.015 [0.039] N=1,339
Snack foods consumed at least weekly	0.582 P=1,300	**-0.059* [0.032] N=2,250**	-0.056 [0.035] N=2,086	**-0.069* [0.037] N=1,880**	-0.063 [0.040] N=1,628	**-0.085* [0.045] N=1,339**
Packaged soft drinks consumed at least weekly	0.368 P=818	-0.042 [0.042] N=2,250	-0.041 [0.043] N=2,086	-0.056 [0.046] N=1,880	-0.079 [0.051] N=1,628	-0.077 [0.064] N=1,339
Grains consumed at least weekly	0.913 P=2,057	-0.002 [0.022] N=2,250	0.005 [0.024] N=2,086	-0.009 [0.025] N=1,880	-0.002 [0.027] N=1,628	-0.022 [0.032] N=1,339
Child was ever breastfed	0.964 P=2,397	0.006 [0.013] N=2,490	0.009 [0.014] N=2,312	0.010 [0.015] N=2,078	0.018 [0.016] N=1,790	0.005 [0.017] N=1,475

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.013 [0.030] N=1,897	-0.003 [0.032] N=1,733	0.002 [0.037] N=1,527	0.005 [0.046] N=1,275	-0.048 [0.060] N=986
Vegetables consumed at least weekly	0.014 [0.039] N=1,897	0.023 [0.043] N=1,733	0.017 [0.046] N=1,527	0.008 [0.054] N=1,275	-0.064 [0.067] N=986
Meat fish or poultry consumed at least weekly	0.033 [0.045] N=1,897	0.041 [0.046] N=1,733	0.015 [0.052] N=1,527	-0.015 [0.060] N=1,275	-0.089 [0.078] N=986
Legumes consumed at least weekly	0.016 [0.049] N=1,897	-0.003 [0.054] N=1,733	0.012 [0.055] N=1,527	0.033 [0.069] N=1,275	-0.030 [0.090] N=986
Animal products consumed at least weekly	0.036 [0.033] N=1,897	0.031 [0.035] N=1,733	0.000 [0.039] N=1,527	0.017 [0.047] N=1,275	-0.009 [0.059] N=986
Sweets consumed at least weekly	-0.033 [0.038] N=1,897	-0.033 [0.041] N=1,733	-0.016 [0.045] N=1,527	-0.041 [0.046] N=1,275	-0.009 [0.063] N=986
Snack foods consumed at least weekly	-0.039 [0.044] N=1,897	-0.030 [0.049] N=1,733	-0.053 [0.052] N=1,527	-0.053 [0.061] N=1,275	**-0.127* [0.075] N=986**
Packaged soft drinks consumed at least weekly	-0.048 [0.052] N=1,897	-0.048 [0.051] N=1,733	-0.079 [0.056] N=1,527	**-0.148** [0.063] N=1,275**	**-0.198** [0.096] N=986**
Grains consumed at least weekly	0.016 [0.034] N=1,897	0.031 [0.038] N=1,733	0.009 [0.042] N=1,527	0.027 [0.050] N=1,275	-0.017 [0.072] N=986
Child was ever breastfed	0.008 [0.020] N=2,102	0.013 [0.022] N=1,924	0.018 [0.025] N=1,690	0.027 [0.031] N=1,402	0.001 [0.041] N=1,087

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.940 P=2,115	-0.014 [0.021] N=2,250	-0.008 [0.021] N=2,086	-0.004 [0.023] N=1,880	-0.006 [0.026] N=1,628	-0.026 [0.029] N=1,339
Vegetables consumed at least weekly	0.900 P=2,025	-0.003 [0.025] N=2,250	-0.002 [0.026] N=2,086	-0.009 [0.026] N=1,880	-0.017 [0.028] N=1,628	-0.049 [0.031] N=1,339
Meat fish or poultry consumed at least weekly	0.796 P=1,796	0.022 [0.039] N=2,250	0.025 [0.041] N=2,086	0.011 [0.045] N=1,880	0.003 [0.050] N=1,628	-0.019 [0.059] N=1,339
Legumes consumed at least weekly	0.791 P=1,788	-0.041 [0.035] N=2,250	-0.058 [0.037] N=2,086	-0.059 [0.037] N=1,880	-0.062 [0.041] N=1,628	**-0.097** [0.047] N=1,339**

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Animal products consumed at least weekly	0.920 P=2,076	0.016 [0.027] N=2,250	0.013 [0.028] N=2,086	-0.003 [0.030] N=1,880	0.002 [0.033] N=1,628	-0.011 [0.038] N=1,339
Sweets consumed at least weekly	0.700 P=1,572	-0.035 [0.029] N=2,250	-0.034 [0.030] N=2,086	-0.019 [0.031] N=1,880	-0.029 [0.033] N=1,628	-0.012 [0.038] N=1,339
Snack foods consumed at least weekly	0.582 P=1,300	**-0.058* [0.033] N=2,250**	-0.054 [0.035] N=2,086	**-0.069* [0.037] N=1,880**	-0.065 [0.040] N=1,628	**-0.090** [0.044] N=1,339**
Packaged soft drinks consumed at least weekly	0.368 P=818	-0.040 [0.042] N=2,250	-0.037 [0.043] N=2,086	-0.055 [0.047] N=1,880	-0.080 [0.051] N=1,628	-0.081 [0.064] N=1,339
Grains consumed at least weekly	0.913 P=2,057	-0.001 [0.023] N=2,250	0.006 [0.024] N=2,086	-0.008 [0.025] N=1,880	-0.001 [0.027] N=1,628	-0.021 [0.032] N=1,339
Child was ever breastfed	0.964 P=2,397	0.006 [0.013] N=2,490	0.008 [0.014] N=2,312	0.010 [0.015] N=2,078	0.018 [0.016] N=1,790	0.006 [0.017] N=1,475

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.013 [0.031] N=1,897	-0.002 [0.033] N=1,733	0.006 [0.037] N=1,527	0.008 [0.046] N=1,275	-0.042 [0.060] N=986
Vegetables consumed at least weekly	0.014 [0.039] N=1,897	0.022 [0.043] N=1,733	0.019 [0.046] N=1,527	0.009 [0.054] N=1,275	-0.061 [0.065] N=986
Meat fish or poultry consumed at least weekly	0.035 [0.045] N=1,897	0.043 [0.046] N=1,733	0.019 [0.052] N=1,527	-0.009 [0.059] N=1,275	-0.081 [0.078] N=986
Legumes consumed at least weekly	0.015 [0.049] N=1,897	-0.003 [0.054] N=1,733	0.014 [0.055] N=1,527	0.035 [0.068] N=1,275	-0.023 [0.088] N=986
Animal products consumed at least weekly	0.036 [0.033] N=1,897	0.032 [0.035] N=1,733	0.003 [0.039] N=1,527	0.018 [0.047] N=1,275	-0.007 [0.058] N=986
Sweets consumed at least weekly	-0.037 [0.039] N=1,897	-0.037 [0.041] N=1,733	-0.014 [0.045] N=1,527	-0.040 [0.047] N=1,275	-0.005 [0.063] N=986
Snack foods consumed at least weekly	-0.040 [0.044] N=1,897	-0.030 [0.048] N=1,733	-0.053 [0.053] N=1,527	-0.055 [0.061] N=1,275	**-0.131* [0.075] N=986**
Packaged soft drinks consumed at least weekly	-0.045 [0.053] N=1,897	-0.042 [0.052] N=1,733	-0.076 [0.058] N=1,527	**-0.148** [0.064] N=1,275**	**-0.201** [0.094] N=986**
Grains consumed at least weekly	0.016 [0.034] N=1,897	0.031 [0.038] N=1,733	0.010 [0.043] N=1,527	0.028 [0.052] N=1,275	-0.014 [0.074] N=986
Child was ever breastfed	0.007 [0.020] N=2,102	0.011 [0.023] N=1,924	0.019 [0.025] N=1,690	0.030 [0.032] N=1,402	0.004 [0.042] N=1,087

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=2,196	0.018 [0.020] N=2,327	0.020 [0.021] N=2,113	0.012 [0.024] N=1,854	0.005 [0.022] N=1,567	0.009 [0.028] N=1,271
Vegetables consumed at least weekly	0.899 P=2,095	0.045 [0.028] N=2,327	0.048 [0.029] N=2,113	0.050 [0.032] N=1,854	0.033 [0.035] N=1,567	0.016 [0.040] N=1,271
Meat fish or poultry consumed at least weekly	0.794 P=1,860	0.036 [0.032] N=2,327	**0.057* [0.032] N=2,113**	0.047 [0.034] N=1,854	0.056 [0.037] N=1,567	0.055 [0.042] N=1,271
Legumes consumed at least weekly	0.796 P=1,866	-0.023 [0.032] N=2,327	-0.006 [0.033] N=2,113	-0.003 [0.036] N=1,854	-0.019 [0.039] N=1,567	-0.022 [0.045] N=1,271
Animal products consumed at least weekly	0.918 P=2,142	**0.043* [0.026] N=2,327**	**0.052* [0.027] N=2,113**	**0.055* [0.029] N=1,854**	0.045 [0.031] N=1,567	**0.068* [0.036] N=1,271**
Sweets consumed at least weekly	0.712 P=1,665	-0.008 [0.039] N=2,327	-0.002 [0.041] N=2,113	0.000 [0.045] N=1,854	-0.002 [0.047] N=1,567	-0.036 [0.055] N=1,271
Snack foods consumed at least weekly	0.589 P=1,368	-0.004 [0.035] N=2,327	-0.001 [0.039] N=2,113	0.008 [0.040] N=1,854	0.011 [0.044] N=1,567	-0.008 [0.051] N=1,271
Packaged soft drinks consumed at least weekly	0.365 P=841	-0.021 [0.040] N=2,327	-0.003 [0.041] N=2,113	0.015 [0.044] N=1,854	0.030 [0.048] N=1,567	0.042 [0.056] N=1,271
Grains consumed at least weekly	0.915 P=2,135	0.028 [0.025] N=2,327	0.035 [0.027] N=2,113	0.041 [0.029] N=1,854	0.044 [0.032] N=1,567	0.032 [0.038] N=1,271
Child was ever breastfed	0.962 P=2,446	-0.012 [0.016] N=2,544	-0.021 [0.017] N=2,312	-0.012 [0.017] N=2,026	-0.016 [0.018] N=1,716	-0.017 [0.019] N=1,388

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.002 [0.029] N=2,002	-0.005 [0.032] N=1,788	-0.019 [0.038] N=1,529	-0.025 [0.039] N=1,242	-0.034 [0.059] N=946
Vegetables consumed at least weekly	0.010 [0.041] N=2,002	0.009 [0.044] N=1,788	0.005 [0.051] N=1,529	-0.030 [0.060] N=1,242	-0.097 [0.082] N=946
Meat fish or poultry consumed at least weekly	-0.031 [0.043] N=2,002	0.002 [0.044] N=1,788	-0.032 [0.047] N=1,529	-0.042 [0.051] N=1,242	-0.087 [0.066] N=946
Legumes consumed at least weekly	-0.050 [0.045] N=2,002	-0.026 [0.049] N=1,788	-0.019 [0.057] N=1,529	-0.037 [0.067] N=1,242	-0.064 [0.087] N=946
Animal products consumed at least weekly	-0.013 [0.032] N=2,002	-0.008 [0.035] N=1,788	-0.009 [0.038] N=1,529	-0.044 [0.043] N=1,242	-0.039 [0.056] N=946
Sweets consumed at least weekly	-0.024 [0.050] N=2,002	-0.016 [0.054] N=1,788	-0.019 [0.062] N=1,529	-0.033 [0.071] N=1,242	-0.157 [0.095] N=946
Snack foods consumed at least weekly	-0.020 [0.047] N=2,002	-0.018 [0.052] N=1,788	-0.009 [0.058] N=1,529	-0.012 [0.069] N=1,242	-0.083 [0.090] N=946
Packaged soft drinks consumed at least weekly	-0.074 [0.056] N=2,002	-0.052 [0.059] N=1,788	-0.036 [0.068] N=1,529	-0.017 [0.078] N=1,242	-0.016 [0.105] N=946
Grains consumed at least weekly	-0.024 [0.028] N=2,002	-0.022 [0.031] N=1,788	-0.015 [0.033] N=1,529	-0.037 [0.036] N=1,242	**-0.132** [0.052] N=946**
Child was ever breastfed	0.001 [0.026] N=2,190	-0.014 [0.028] N=1,958	0.005 [0.030] N=1,672	0.000 [0.034] N=1,362	-0.001 [0.042] N=1,034

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=2,196	0.018 [0.020] N=2,327	0.020 [0.021] N=2,113	0.012 [0.024] N=1,854	0.005 [0.023] N=1,567	0.009 [0.028] N=1,271
Vegetables consumed at least weekly	0.899 P=2,095	0.045 [0.028] N=2,327	0.047 [0.029] N=2,113	0.049 [0.032] N=1,854	0.033 [0.034] N=1,567	0.016 [0.040] N=1,271

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Meat fish or poultry consumed at least weekly	0.794 P=1,860	0.035 [0.032] N=2,327	**0.056* [0.032] N=2,113**	0.046 [0.034] N=1,854	0.056 [0.036] N=1,567	0.053 [0.042] N=1,271
Legumes consumed at least weekly	0.796 P=1,866	-0.023 [0.032] N=2,327	-0.006 [0.033] N=2,113	-0.003 [0.036] N=1,854	-0.019 [0.039] N=1,567	-0.020 [0.045] N=1,271
Animal products consumed at least weekly	0.918 P=2,142	0.042 [0.026] N=2,327	**0.051* [0.027] N=2,113**	**0.054* [0.029] N=1,854**	0.045 [0.031] N=1,567	**0.066* [0.036] N=1,271**
Sweets consumed at least weekly	0.712 P=1,665	-0.010 [0.039] N=2,327	-0.003 [0.041] N=2,113	-0.001 [0.045] N=1,854	-0.002 [0.047] N=1,567	-0.037 [0.055] N=1,271
Snack foods consumed at least weekly	0.589 P=1,368	-0.005 [0.035] N=2,327	-0.001 [0.038] N=2,113	0.007 [0.040] N=1,854	0.011 [0.044] N=1,567	-0.009 [0.051] N=1,271
Packaged soft drinks consumed at least weekly	0.365 P=841	-0.021 [0.040] N=2,327	-0.003 [0.041] N=2,113	0.014 [0.044] N=1,854	0.030 [0.048] N=1,567	0.040 [0.056] N=1,271
Grains consumed at least weekly	0.915 P=2,135	0.028 [0.025] N=2,327	0.035 [0.027] N=2,113	0.042 [0.029] N=1,854	0.045 [0.032] N=1,567	0.033 [0.039] N=1,271
Child was ever breastfed	0.962 P=2,446	-0.012 [0.016] N=2,544	-0.021 [0.017] N=2,312	-0.012 [0.017] N=2,026	-0.016 [0.018] N=1,716	-0.017 [0.019] N=1,388

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.002 [0.029] N=2,002	-0.005 [0.032] N=1,788	-0.019 [0.038] N=1,529	-0.025 [0.039] N=1,242	-0.034 [0.059] N=946
Vegetables consumed at least weekly	0.009 [0.041] N=2,002	0.009 [0.044] N=1,788	0.005 [0.051] N=1,529	-0.030 [0.060] N=1,242	-0.097 [0.082] N=946
Meat fish or poultry consumed at least weekly	-0.031 [0.044] N=2,002	0.002 [0.044] N=1,788	-0.032 [0.047] N=1,529	-0.041 [0.051] N=1,242	-0.087 [0.066] N=946
Legumes consumed at least weekly	-0.051 [0.045] N=2,002	-0.026 [0.049] N=1,788	-0.019 [0.057] N=1,529	-0.037 [0.066] N=1,242	-0.063 [0.087] N=946
Animal products consumed at least weekly	-0.014 [0.031] N=2,002	-0.007 [0.035] N=1,788	-0.009 [0.038] N=1,529	-0.042 [0.043] N=1,242	-0.039 [0.055] N=946
Sweets consumed at least weekly	-0.024 [0.050] N=2,002	-0.016 [0.055] N=1,788	-0.019 [0.062] N=1,529	-0.032 [0.071] N=1,242	-0.157 [0.096] N=946
Snack foods consumed at least weekly	-0.021 [0.048] N=2,002	-0.018 [0.053] N=1,788	-0.009 [0.059] N=1,529	-0.010 [0.070] N=1,242	-0.083 [0.091] N=946
Packaged soft drinks consumed at least weekly	-0.074 [0.056] N=2,002	-0.052 [0.059] N=1,788	-0.036 [0.068] N=1,529	-0.016 [0.078] N=1,242	-0.016 [0.106] N=946
Grains consumed at least weekly	-0.024 [0.028] N=2,002	-0.022 [0.031] N=1,788	-0.015 [0.033] N=1,529	-0.039 [0.036] N=1,242	**-0.132** [0.053] N=946**
Child was ever breastfed	0.002 [0.026] N=2,190	-0.013 [0.028] N=1,958	0.005 [0.030] N=1,672	0.002 [0.034] N=1,362	-0.001 [0.042] N=1,034

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=2,196	0.018 [0.019] N=2,327	0.019 [0.020] N=2,113	0.014 [0.023] N=1,854	0.007 [0.022] N=1,567	0.011 [0.027] N=1,271
Vegetables consumed at least weekly	0.899 P=2,095	0.044 [0.028] N=2,327	0.046 [0.029] N=2,113	0.051 [0.032] N=1,854	0.034 [0.035] N=1,567	0.016 [0.040] N=1,271
Meat fish or poultry consumed at least weekly	0.794 P=1,860	0.034 [0.031] N=2,327	**0.056* [0.030] N=2,113**	**0.054* [0.032] N=1,854**	**0.063* [0.034] N=1,567**	0.062 [0.039] N=1,271
Legumes consumed at least weekly	0.796 P=1,866	-0.024 [0.032] N=2,327	-0.007 [0.034] N=2,113	-0.002 [0.037] N=1,854	-0.017 [0.040] N=1,567	-0.018 [0.046] N=1,271

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Animal products consumed at least weekly	0.918 P=2,142	0.041 [0.025] N=2,327	**0.049* [0.026] N=2,113**	**0.055* [0.028] N=1,854**	0.045 [0.031] N=1,567	**0.067* [0.035] N=1,271**
Sweets consumed at least weekly	0.712 P=1,665	-0.010 [0.038] N=2,327	-0.003 [0.041] N=2,113	0.001 [0.044] N=1,854	-0.001 [0.046] N=1,567	-0.037 [0.054] N=1,271
Snack foods consumed at least weekly	0.589 P=1,368	-0.006 [0.036] N=2,327	-0.001 [0.039] N=2,113	0.007 [0.041] N=1,854	0.009 [0.044] N=1,567	-0.012 [0.052] N=1,271
Packaged soft drinks consumed at least weekly	0.365 P=841	-0.022 [0.043] N=2,327	-0.006 [0.044] N=2,113	0.009 [0.047] N=1,854	0.023 [0.051] N=1,567	0.033 [0.060] N=1,271
Grains consumed at least weekly	0.915 P=2,135	0.028 [0.025] N=2,327	0.035 [0.027] N=2,113	0.044 [0.029] N=1,854	0.047 [0.032] N=1,567	0.036 [0.039] N=1,271
Child was ever breastfed	0.962 P=2,446	-0.012 [0.016] N=2,544	-0.020 [0.017] N=2,312	-0.011 [0.017] N=2,026	-0.014 [0.018] N=1,716	-0.015 [0.019] N=1,388

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.001 [0.028] N=2,002	-0.004 [0.031] N=1,788	-0.013 [0.037] N=1,529	-0.022 [0.039] N=1,242	-0.026 [0.059] N=946
Vegetables consumed at least weekly	0.009 [0.040] N=2,002	0.007 [0.044] N=1,788	0.010 [0.050] N=1,529	-0.029 [0.060] N=1,242	-0.095 [0.083] N=946
Meat fish or poultry consumed at least weekly	-0.028 [0.042] N=2,002	0.006 [0.042] N=1,788	-0.012 [0.044] N=1,529	-0.021 [0.050] N=1,242	-0.062 [0.065] N=946
Legumes consumed at least weekly	-0.048 [0.046] N=2,002	-0.025 [0.050] N=1,788	-0.016 [0.057] N=1,529	-0.034 [0.067] N=1,242	-0.064 [0.089] N=946
Animal products consumed at least weekly	-0.014 [0.030] N=2,002	-0.010 [0.034] N=1,788	-0.006 [0.038] N=1,529	-0.041 [0.043] N=1,242	-0.038 [0.054] N=946
Sweets consumed at least weekly	-0.024 [0.050] N=2,002	-0.017 [0.055] N=1,788	-0.016 [0.062] N=1,529	-0.034 [0.071] N=1,242	**-0.163* [0.096] N=946**
Snack foods consumed at least weekly	-0.022 [0.048] N=2,002	-0.020 [0.053] N=1,788	-0.015 [0.059] N=1,529	-0.020 [0.069] N=1,242	-0.100 [0.093] N=946
Packaged soft drinks consumed at least weekly	-0.082 [0.057] N=2,002	-0.065 [0.060] N=1,788	-0.055 [0.069] N=1,529	-0.042 [0.080] N=1,242	-0.048 [0.109] N=946
Grains consumed at least weekly	-0.024 [0.028] N=2,002	-0.023 [0.031] N=1,788	-0.013 [0.033] N=1,529	-0.039 [0.037] N=1,242	**-0.132** [0.053] N=946**
Child was ever breastfed	0.002 [0.026] N=2,190	-0.012 [0.028] N=1,958	0.009 [0.030] N=1,672	0.007 [0.034] N=1,362	0.006 [0.041] N=1,034

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=2,196	0.017 [0.019] N=2,327	0.019 [0.020] N=2,113	0.014 [0.023] N=1,854	0.005 [0.022] N=1,567	0.008 [0.027] N=1,271
Vegetables consumed at least weekly	0.899 P=2,095	0.044 [0.028] N=2,327	0.047 [0.029] N=2,113	0.050 [0.032] N=1,854	0.032 [0.034] N=1,567	0.015 [0.039] N=1,271
Meat fish or poultry consumed at least weekly	0.794 P=1,860	0.031 [0.031] N=2,327	**0.054* [0.031] N=2,113**	0.048 [0.033] N=1,854	0.054 [0.035] N=1,567	0.049 [0.040] N=1,271
Legumes consumed at least weekly	0.796 P=1,866	-0.025 [0.032] N=2,327	-0.007 [0.034] N=2,113	-0.003 [0.036] N=1,854	-0.021 [0.039] N=1,567	-0.023 [0.045] N=1,271
Animal products consumed at least weekly	0.918 P=2,142	**0.043* [0.025] N=2,327**	**0.053** [0.026] N=2,113**	**0.058** [0.027] N=1,854**	0.048 [0.030] N=1,567	**0.067* [0.034] N=1,271**
Sweets consumed at least weekly	0.712 P=1,665	-0.008 [0.039] N=2,327	-0.002 [0.041] N=2,113	0.001 [0.045] N=1,854	-0.001 [0.047] N=1,567	-0.036 [0.055] N=1,271

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Snack foods consumed at least weekly	0.589 P=1,368	-0.000 [0.035] N=2,327	0.003 [0.038] N=2,113	0.010 [0.040] N=1,854	0.014 [0.043] N=1,567	-0.008 [0.051] N=1,271
Packaged soft drinks consumed at least weekly	0.365 P=841	-0.011 [0.042] N=2,327	0.005 [0.043] N=2,113	0.019 [0.046] N=1,854	0.037 [0.050] N=1,567	0.046 [0.058] N=1,271
Grains consumed at least weekly	0.915 P=2,135	0.026 [0.025] N=2,327	0.035 [0.027] N=2,113	0.042 [0.028] N=1,854	0.045 [0.031] N=1,567	0.033 [0.038] N=1,271
Child was ever breastfed	0.962 P=2,446	-0.011 [0.016] N=2,544	-0.020 [0.016] N=2,312	-0.011 [0.017] N=2,026	-0.014 [0.018] N=1,716	-0.017 [0.020] N=1,388

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.003 [0.028] N=2,002	-0.003 [0.031] N=1,788	-0.012 [0.038] N=1,529	-0.021 [0.039] N=1,242	-0.031 [0.059] N=946
Vegetables consumed at least weekly	0.010 [0.040] N=2,002	0.011 [0.044] N=1,788	0.012 [0.050] N=1,529	-0.025 [0.059] N=1,242	-0.092 [0.081] N=946
Meat fish or poultry consumed at least weekly	-0.031 [0.043] N=2,002	0.007 [0.044] N=1,788	-0.017 [0.046] N=1,529	-0.030 [0.053] N=1,242	-0.082 [0.067] N=946
Legumes consumed at least weekly	-0.049 [0.046] N=2,002	-0.025 [0.050] N=1,788	-0.013 [0.057] N=1,529	-0.033 [0.066] N=1,242	-0.060 [0.087] N=946
Animal products consumed at least weekly	-0.012 [0.030] N=2,002	-0.003 [0.033] N=1,788	0.000 [0.037] N=1,529	-0.032 [0.043] N=1,242	-0.034 [0.054] N=946
Sweets consumed at least weekly	-0.022 [0.050] N=2,002	-0.014 [0.055] N=1,788	-0.015 [0.062] N=1,529	-0.031 [0.072] N=1,242	-0.159 [0.098] N=946
Snack foods consumed at least weekly	-0.017 [0.047] N=2,002	-0.017 [0.052] N=1,788	-0.009 [0.058] N=1,529	-0.010 [0.068] N=1,242	-0.087 [0.092] N=946
Packaged soft drinks consumed at least weekly	-0.069 [0.058] N=2,002	-0.051 [0.061] N=1,788	-0.043 [0.071] N=1,529	-0.019 [0.082] N=1,242	-0.023 [0.111] N=946
Grains consumed at least weekly	-0.025 [0.027] N=2,002	-0.022 [0.030] N=1,788	-0.014 [0.032] N=1,529	-0.038 [0.035] N=1,242	**-0.132** [0.052] N=946**
Child was ever breastfed	0.003 [0.025] N=2,190	-0.013 [0.027] N=1,958	0.008 [0.029] N=1,672	0.005 [0.033] N=1,362	0.001 [0.040] N=1,034

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=2,055	0.017 [0.021] N=2,177	0.018 [0.022] N=1,974	0.015 [0.025] N=1,736	0.002 [0.024] N=1,464	0.002 [0.029] N=1,192
Vegetables consumed at least weekly	0.902 P=1,967	0.043 [0.029] N=2,177	0.047 [0.031] N=1,974	**0.059* [0.033] N=1,736**	0.038 [0.036] N=1,464	0.010 [0.042] N=1,192
Meat fish or poultry consumed at least weekly	0.794 P=1,739	0.037 [0.034] N=2,177	**0.058* [0.034] N=1,974**	0.054 [0.036] N=1,736	0.049 [0.039] N=1,464	0.045 [0.046] N=1,192
Legumes consumed at least weekly	0.795 P=1,745	-0.022 [0.034] N=2,177	-0.003 [0.036] N=1,974	0.003 [0.038] N=1,736	-0.020 [0.042] N=1,464	-0.027 [0.049] N=1,192
Animal products consumed at least weekly	0.920 P=2,011	0.038 [0.027] N=2,177	**0.049* [0.028] N=1,974**	**0.058* [0.030] N=1,736**	0.046 [0.032] N=1,464	0.062 [0.037] N=1,192
Sweets consumed at least weekly	0.721 P=1,576	-0.028 [0.037] N=2,177	-0.022 [0.039] N=1,974	-0.026 [0.042] N=1,736	-0.032 [0.044] N=1,464	-0.071 [0.053] N=1,192
Snack foods consumed at least weekly	0.598 P=1,299	-0.019 [0.034] N=2,177	-0.018 [0.037] N=1,974	-0.018 [0.039] N=1,736	-0.015 [0.040] N=1,464	-0.032 [0.048] N=1,192
Packaged soft drinks consumed at least weekly	0.375 P=810	-0.037 [0.041] N=2,177	-0.021 [0.042] N=1,974	-0.008 [0.044] N=1,736	0.008 [0.049] N=1,464	0.012 [0.059] N=1,192

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Grains consumed at least weekly	0.917 P=2,002	0.033 [0.027] N=2,177	0.042 [0.029] N=1,974	**0.052* [0.031] N=1,736**	0.052 [0.035] N=1,464	0.037 [0.041] N=1,192
Child was ever breastfed	0.962 P=2,286	-0.013 [0.016] N=2,376	-0.023 [0.017] N=2,158	-0.012 [0.017] N=1,895	-0.018 [0.018] N=1,603	-0.018 [0.019] N=1,301

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.005 [0.029] N=1,873	-0.006 [0.032] N=1,670	-0.010 [0.040] N=1,432	-0.030 [0.038] N=1,160	-0.047 [0.059] N=888
Vegetables consumed at least weekly	-0.004 [0.040] N=1,873	-0.004 [0.043] N=1,670	0.008 [0.049] N=1,432	-0.042 [0.057] N=1,160	**-0.146* [0.076] N=888**
Meat fish or poultry consumed at least weekly	-0.029 [0.046] N=1,873	0.004 [0.047] N=1,670	-0.018 [0.051] N=1,432	-0.064 [0.056] N=1,160	**-0.127* [0.070] N=888**
Legumes consumed at least weekly	-0.043 [0.048] N=1,873	-0.013 [0.052] N=1,670	0.005 [0.058] N=1,432	-0.025 [0.070] N=1,160	-0.058 [0.090] N=888
Animal products consumed at least weekly	-0.023 [0.033] N=1,873	-0.010 [0.036] N=1,670	-0.001 [0.038] N=1,432	-0.041 [0.042] N=1,160	-0.052 [0.054] N=888
Sweets consumed at least weekly	-0.034 [0.051] N=1,873	-0.025 [0.056] N=1,670	-0.037 [0.063] N=1,432	-0.061 [0.073] N=1,160	**-0.193* [0.102] N=888**
Snack foods consumed at least weekly	-0.014 [0.050] N=1,873	-0.012 [0.056] N=1,670	-0.015 [0.062] N=1,432	-0.016 [0.070] N=1,160	-0.062 [0.091] N=888
Packaged soft drinks consumed at least weekly	-0.081 [0.058] N=1,873	-0.061 [0.061] N=1,670	-0.053 [0.069] N=1,432	-0.026 [0.080] N=1,160	-0.020 [0.111] N=888
Grains consumed at least weekly	-0.017 [0.029] N=1,873	-0.013 [0.033] N=1,670	0.001 [0.035] N=1,432	-0.030 [0.039] N=1,160	**-0.142** [0.055] N=888**
Child was ever breastfed	-0.003 [0.026] N=2,045	-0.022 [0.028] N=1,827	0.001 [0.030] N=1,564	-0.008 [0.034] N=1,272	-0.014 [0.041] N=970

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=2,055	0.016 [0.021] N=2,177	0.018 [0.022] N=1,974	0.014 [0.026] N=1,736	0.001 [0.024] N=1,464	0.002 [0.029] N=1,192
Vegetables consumed at least weekly	0.902 P=1,967	0.045 [0.029] N=2,177	0.048 [0.031] N=1,974	**0.059* [0.033] N=1,736**	0.039 [0.036] N=1,464	0.011 [0.042] N=1,192
Meat fish or poultry consumed at least weekly	0.794 P=1,739	0.038 [0.034] N=2,177	**0.059* [0.034] N=1,974**	0.053 [0.036] N=1,736	0.048 [0.039] N=1,464	0.046 [0.045] N=1,192
Legumes consumed at least weekly	0.795 P=1,745	-0.019 [0.034] N=2,177	-0.000 [0.035] N=1,974	0.005 [0.038] N=1,736	-0.018 [0.042] N=1,464	-0.026 [0.048] N=1,192
Animal products consumed at least weekly	0.920 P=2,011	0.038 [0.027] N=2,177	**0.049* [0.028] N=1,974**	**0.058* [0.029] N=1,736**	0.046 [0.032] N=1,464	**0.063* [0.037] N=1,192**
Sweets consumed at least weekly	0.721 P=1,576	-0.028 [0.037] N=2,177	-0.022 [0.039] N=1,974	-0.026 [0.042] N=1,736	-0.033 [0.044] N=1,464	-0.071 [0.053] N=1,192
Snack foods consumed at least weekly	0.598 P=1,299	-0.018 [0.033] N=2,177	-0.016 [0.037] N=1,974	-0.016 [0.038] N=1,736	-0.014 [0.040] N=1,464	-0.031 [0.047] N=1,192
Packaged soft drinks consumed at least weekly	0.375 P=810	-0.035 [0.041] N=2,177	-0.018 [0.042] N=1,974	-0.006 [0.044] N=1,736	0.011 [0.049] N=1,464	0.015 [0.058] N=1,192
Grains consumed at least weekly	0.917 P=2,002	0.033 [0.027] N=2,177	0.041 [0.029] N=1,974	**0.052* [0.031] N=1,736**	0.052 [0.035] N=1,464	0.037 [0.041] N=1,192
Child was ever breastfed	0.962 P=2,286	-0.014 [0.016] N=2,376	-0.024 [0.017] N=2,158	-0.014 [0.018] N=1,895	-0.019 [0.019] N=1,603	-0.020 [0.020] N=1,301

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.007 [0.029] N=1,873	-0.008 [0.033] N=1,670	-0.012 [0.040] N=1,432	-0.033 [0.039] N=1,160	-0.052 [0.060] N=888
Vegetables consumed at least weekly	-0.004 [0.040] N=1,873	-0.004 [0.043] N=1,670	0.007 [0.049] N=1,432	-0.043 [0.057] N=1,160	**-0.149* [0.076] N=888**
Meat fish or poultry consumed at least weekly	-0.030 [0.046] N=1,873	0.003 [0.047] N=1,670	-0.022 [0.050] N=1,432	-0.068 [0.055] N=1,160	**-0.130* [0.070] N=888**
Legumes consumed at least weekly	-0.042 [0.048] N=1,873	-0.013 [0.052] N=1,670	0.005 [0.058] N=1,432	-0.025 [0.069] N=1,160	-0.065 [0.089] N=888
Animal products consumed at least weekly	-0.022 [0.033] N=1,873	-0.010 [0.036] N=1,670	-0.003 [0.038] N=1,432	-0.041 [0.042] N=1,160	-0.056 [0.053] N=888
Sweets consumed at least weekly	-0.035 [0.051] N=1,873	-0.024 [0.056] N=1,670	-0.037 [0.063] N=1,432	-0.060 [0.073] N=1,160	**-0.196* [0.102] N=888**
Snack foods consumed at least weekly	-0.014 [0.049] N=1,873	-0.012 [0.056] N=1,670	-0.015 [0.062] N=1,432	-0.015 [0.070] N=1,160	-0.071 [0.094] N=888
Packaged soft drinks consumed at least weekly	-0.081 [0.058] N=1,873	-0.059 [0.061] N=1,670	-0.052 [0.069] N=1,432	-0.025 [0.081] N=1,160	-0.031 [0.112] N=888
Grains consumed at least weekly	-0.017 [0.029] N=1,873	-0.013 [0.033] N=1,670	0.000 [0.035] N=1,432	-0.031 [0.039] N=1,160	**-0.143** [0.055] N=888**
Child was ever breastfed	-0.001 [0.026] N=2,045	-0.021 [0.028] N=1,827	0.000 [0.030] N=1,564	-0.007 [0.034] N=1,272	-0.013 [0.041] N=970

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 71 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.