Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-6

Food outcomes require an age above six months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.860 P=2,338	0.018 [0.027] N=2,722	0.020 [0.029] N=2,507	0.038 [0.031] N=2,248	0.023 [0.035] N=1,939	0.015 [0.037] N=1,596
Vegetables consumed daily or several times weekly	0.771 P=2,105	0.001 [0.033] N=2,722	0.002 [0.035] N=2,507	0.000 [0.037] N=2,248	-0.014 [0.040] N=1,939	-0.054 [0.044] N=1,596
Meat fish or poultry consumed daily or several times weekly	0.588 P=1,612	0.037 [0.045] N=2,722	0.029 [0.047] N=2,507	0.028 [0.052] N=2,248	0.048 [0.058] N=1,939	0.036 [0.065] N=1,596
Legumes consumed daily or several times weekly	0.568 P=1,548	-0.033 [0.040] N=2,722	-0.043 [0.042] N=2,507	-0.024 [0.045] N=2,248	0.017 [0.050] N=1,939	0.001 [0.057] N=1,596
Animal products consumed daily or several times weekly	0.860 P=2,341	0.043 [0.028] N=2,722	0.048 [0.030] N=2,507	0.025 [0.031] N=2,248	0.034 [0.035] N=1,939	0.006 [0.037] N=1,596
Sweets consumed daily or several times weekly	0.559 P=1,522	-0.055 [0.035] N=2,722	**-0.068* [0.037] N=2,507**	-0.052 [0.039] N=2,248	-0.052 [0.042] N=1,939	-0.031 [0.049] N=1,596
Snack foods consumed daily or several times weekly	0.420 P=1,129	-0.016 [0.032] N=2,722	-0.025 [0.034] N=2,507	-0.026 [0.036] N=2,248	-0.009 [0.038] N=1,939	-0.027 [0.045] N=1,596
Packaged soft drinks consumed daily or several times weekly	0.262 P=695	**-0.053* [0.032] N=2,722**	**-0.057* [0.034] N=2,507**	-0.050 [0.036] N=2,248	-0.063 [0.039] N=1,939	**-0.085* [0.047] N=1,596**
Grains consumed daily or several times weekly	0.839 P=2,276	0.000 [0.028] N=2,722	-0.003 [0.029] N=2,507	-0.003 [0.031] N=2,248	0.002 [0.033] N=1,939	-0.010 [0.037] N=1,596

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.040 [0.038] N=2,290	0.047 [0.042] N=2,075	**0.087* [0.050] N=1,816**	0.073 [0.063] N=1,507	0.079 [0.080] N=1,164
Vegetables consumed daily or several times weekly	0.032 [0.046] N=2,290	0.042 [0.053] N=2,075	0.054 [0.058] N=1,816	0.037 [0.069] N=1,507	-0.025 [0.084] N=1,164
Meat fish or poultry consumed daily or several times weekly	0.008 [0.053] N=2,290	-0.008 [0.055] N=2,075	-0.018 [0.064] N=1,816	-0.006 [0.075] N=1,507	-0.083 [0.098] N=1,164
Legumes consumed daily or several times weekly	-0.042 [0.055] N=2,290	-0.052 [0.060] N=2,075	-0.007 [0.065] N=1,816	0.086 [0.078] N=1,507	0.072 [0.105] N=1,164
Animal products consumed daily or several times weekly	**0.080** [0.041] N=2,290**	**0.100** [0.045] N=2,075**	0.067 [0.051] N=1,816	**0.107* [0.061] N=1,507**	0.050 [0.067] N=1,164
Sweets consumed daily or several times weekly	-0.065 [0.050] N=2,290	-0.088 [0.055] N=2,075	-0.065 [0.060] N=1,816	-0.064 [0.067] N=1,507	-0.004 [0.092] N=1,164
Snack foods consumed daily or several times weekly	-0.009 [0.045] N=2,290	-0.022 [0.049] N=2,075	-0.024 [0.054] N=1,816	0.008 [0.065] N=1,507	-0.046 [0.087] N=1,164
Packaged soft drinks consumed daily or several times weekly	-0.043 [0.044] N=2,290	-0.048 [0.047] N=2,075	-0.032 [0.054] N=1,816	-0.067 [0.062] N=1,507	-0.142 [0.085] N=1,164
Grains consumed daily or several times weekly	0.017 [0.042] N=2,290	0.016 [0.045] N=2,075	0.025 [0.051] N=1,816	0.042 [0.062] N=1,507	0.027 [0.089] N=1,164

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.860 P=2,338	0.018 [0.027] N=2,722	0.019 [0.029] N=2,507	0.037 [0.031] N=2,248	0.023 [0.035] N=1,939	0.016 [0.037] N=1,596
Vegetables consumed daily or several times weekly	0.771 P=2,105	0.001 [0.033] N=2,722	0.001 [0.035] N=2,507	-0.000 [0.037] N=2,248	-0.014 [0.040] N=1,939	-0.054 [0.044] N=1,596

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Meat fish or poultry consumed daily or several times weekly	0.588 P=1,612	0.036 [0.045] N=2,722	0.028 [0.048] N=2,507	0.027 [0.052] N=2,248	0.048 [0.058] N=1,939	0.036 [0.065] N=1,596
Legumes consumed daily or several times weekly	0.568 P=1,548	-0.034 [0.040] N=2,722	-0.043 [0.043] N=2,507	-0.025 [0.045] N=2,248	0.017 [0.050] N=1,939	0.002 [0.057] N=1,596
Animal products consumed daily or several times weekly	0.860 P=2,341	0.042 [0.028] N=2,722	0.047 [0.030] N=2,507	0.024 [0.031] N=2,248	0.034 [0.035] N=1,939	0.006 [0.036] N=1,596
Sweets consumed daily or several times weekly	0.559 P=1,522	-0.055 [0.035] N=2,722	**-0.068* [0.037] N=2,507**	-0.052 [0.039] N=2,248	-0.052 [0.042] N=1,939	-0.031 [0.049] N=1,596
Snack foods consumed daily or several times weekly	0.420 P=1,129	-0.016 [0.032] N=2,722	-0.026 [0.034] N=2,507	-0.026 [0.036] N=2,248	-0.009 [0.038] N=1,939	-0.027 [0.045] N=1,596
Packaged soft drinks consumed daily or several times weekly	0.262 P=695	-0.053 [0.032] N=2,722	**-0.057* [0.034] N=2,507**	-0.049 [0.036] N=2,248	-0.063 [0.039] N=1,939	**-0.085* [0.047] N=1,596**
Grains consumed daily or several times weekly	0.839 P=2,276	0.000 [0.028] N=2,722	-0.004 [0.029] N=2,507	-0.004 [0.031] N=2,248	0.002 [0.033] N=1,939	-0.010 [0.037] N=1,596

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.040 [0.038] N=2,290	0.047 [0.042] N=2,075	**0.087* [0.050] N=1,816**	0.073 [0.063] N=1,507	0.083 [0.079] N=1,164
Vegetables consumed daily or several times weekly	0.032 [0.046] N=2,290	0.042 [0.053] N=2,075	0.054 [0.058] N=1,816	0.037 [0.069] N=1,507	-0.026 [0.084] N=1,164
Meat fish or poultry consumed daily or several times weekly	0.008 [0.053] N=2,290	-0.008 [0.054] N=2,075	-0.018 [0.064] N=1,816	-0.006 [0.075] N=1,507	-0.084 [0.097] N=1,164
Legumes consumed daily or several times weekly	-0.042 [0.055] N=2,290	-0.052 [0.060] N=2,075	-0.006 [0.065] N=1,816	0.087 [0.078] N=1,507	0.074 [0.104] N=1,164
Animal products consumed daily or several times weekly	**0.081** [0.040] N=2,290**	**0.100** [0.044] N=2,075**	0.068 [0.050] N=1,816	**0.108* [0.060] N=1,507**	0.054 [0.066] N=1,164
Sweets consumed daily or several times weekly	-0.065 [0.050] N=2,290	-0.088 [0.055] N=2,075	-0.065 [0.060] N=1,816	-0.065 [0.066] N=1,507	-0.007 [0.091] N=1,164
Snack foods consumed daily or several times weekly	-0.009 [0.045] N=2,290	-0.022 [0.049] N=2,075	-0.024 [0.054] N=1,816	0.008 [0.065] N=1,507	-0.047 [0.087] N=1,164
Packaged soft drinks consumed daily or several times weekly	-0.043 [0.044] N=2,290	-0.048 [0.047] N=2,075	-0.033 [0.054] N=1,816	-0.068 [0.062] N=1,507	**-0.144* [0.085] N=1,164**
Grains consumed daily or several times weekly	0.017 [0.042] N=2,290	0.016 [0.045] N=2,075	0.025 [0.051] N=1,816	0.042 [0.062] N=1,507	0.026 [0.088] N=1,164

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.860 P=2,338	0.004 [0.027] N=2,722	0.005 [0.029] N=2,507	0.021 [0.031] N=2,248	0.004 [0.034] N=1,939	-0.006 [0.037] N=1,596
Vegetables consumed daily or several times weekly	0.771 P=2,105	-0.009 [0.033] N=2,722	-0.009 [0.036] N=2,507	-0.012 [0.037] N=2,248	-0.028 [0.041] N=1,939	-0.071 [0.044] N=1,596
Meat fish or poultry consumed daily or several times weekly	0.588 P=1,612	0.012 [0.046] N=2,722	0.004 [0.049] N=2,507	0.001 [0.053] N=2,248	0.019 [0.059] N=1,939	0.005 [0.067] N=1,596
Legumes consumed daily or several times weekly	0.568 P=1,548	-0.045 [0.040] N=2,722	-0.055 [0.042] N=2,507	-0.036 [0.044] N=2,248	0.004 [0.050] N=1,939	-0.009 [0.057] N=1,596
Animal products consumed daily or several times weekly	0.860 P=2,341	0.034 [0.029] N=2,722	0.039 [0.030] N=2,507	0.013 [0.032] N=2,248	0.022 [0.035] N=1,939	-0.007 [0.037] N=1,596
Sweets consumed daily or several times weekly	0.559 P=1,522	**-0.062* [0.035] N=2,722**	**-0.075** [0.037] N=2,507**	-0.060 [0.039] N=2,248	-0.058 [0.042] N=1,939	-0.037 [0.049] N=1,596

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Snack foods consumed daily or several times weekly	0.420 P=1,129	-0.015 [0.032] N=2,722	-0.024 [0.034] N=2,507	-0.027 [0.036] N=2,248	-0.005 [0.038] N=1,939	-0.022 [0.045] N=1,596
Packaged soft drinks consumed daily or several times weekly	0.262 P=695	-0.047 [0.032] N=2,722	-0.050 [0.033] N=2,507	-0.043 [0.036] N=2,248	-0.051 [0.038] N=1,939	-0.072 [0.047] N=1,596
Grains consumed daily or several times weekly	0.839 P=2,276	-0.003 [0.028] N=2,722	-0.006 [0.029] N=2,507	-0.007 [0.031] N=2,248	-0.001 [0.034] N=1,939	-0.012 [0.038] N=1,596

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.027 [0.038] N=2,290	0.033 [0.042] N=2,075	0.070 [0.048] N=1,816	0.055 [0.062] N=1,507	0.058 [0.080] N=1,164
Vegetables consumed daily or several times weekly	0.023 [0.047] N=2,290	0.032 [0.053] N=2,075	0.043 [0.058] N=1,816	0.025 [0.070] N=1,507	-0.041 [0.087] N=1,164
Meat fish or poultry consumed daily or several times weekly	-0.012 [0.052] N=2,290	-0.030 [0.056] N=2,075	-0.041 [0.066] N=1,816	-0.035 [0.078] N=1,507	-0.125 [0.104] N=1,164
Legumes consumed daily or several times weekly	-0.051 [0.055] N=2,290	-0.062 [0.060] N=2,075	-0.017 [0.064] N=1,816	0.077 [0.077] N=1,507	0.065 [0.104] N=1,164
Animal products consumed daily or several times weekly	**0.073* [0.039] N=2,290**	**0.092** [0.043] N=2,075**	0.057 [0.048] N=1,816	**0.099* [0.058] N=1,507**	0.047 [0.064] N=1,164
Sweets consumed daily or several times weekly	-0.072 [0.050] N=2,290	**-0.096* [0.055] N=2,075**	-0.074 [0.060] N=1,816	-0.071 [0.065] N=1,507	-0.018 [0.089] N=1,164
Snack foods consumed daily or several times weekly	-0.009 [0.044] N=2,290	-0.021 [0.049] N=2,075	-0.024 [0.054] N=1,816	0.012 [0.065] N=1,507	-0.045 [0.086] N=1,164
Packaged soft drinks consumed daily or several times weekly	-0.039 [0.043] N=2,290	-0.041 [0.047] N=2,075	-0.026 [0.053] N=1,816	-0.055 [0.060] N=1,507	-0.131 [0.083] N=1,164
Grains consumed daily or several times weekly	0.013 [0.042] N=2,290	0.013 [0.045] N=2,075	0.021 [0.051] N=1,816	0.038 [0.062] N=1,507	0.020 [0.089] N=1,164

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.860 P=2,338	0.005 [0.027] N=2,722	0.006 [0.029] N=2,507	0.019 [0.031] N=2,248	0.003 [0.034] N=1,939	-0.007 [0.037] N=1,596
Vegetables consumed daily or several times weekly	0.771 P=2,105	-0.008 [0.033] N=2,722	-0.008 [0.036] N=2,507	-0.012 [0.037] N=2,248	-0.029 [0.041] N=1,939	-0.070 [0.044] N=1,596
Meat fish or poultry consumed daily or several times weekly	0.588 P=1,612	0.015 [0.046] N=2,722	0.008 [0.049] N=2,507	0.002 [0.053] N=2,248	0.018 [0.059] N=1,939	0.004 [0.068] N=1,596
Legumes consumed daily or several times weekly	0.568 P=1,548	-0.043 [0.040] N=2,722	-0.052 [0.043] N=2,507	-0.034 [0.045] N=2,248	0.005 [0.050] N=1,939	-0.008 [0.057] N=1,596
Animal products consumed daily or several times weekly	0.860 P=2,341	0.033 [0.029] N=2,722	0.038 [0.030] N=2,507	0.013 [0.031] N=2,248	0.022 [0.035] N=1,939	-0.005 [0.037] N=1,596
Sweets consumed daily or several times weekly	0.559 P=1,522	**-0.060* [0.035] N=2,722**	**-0.073* [0.037] N=2,507**	-0.057 [0.039] N=2,248	-0.055 [0.042] N=1,939	-0.033 [0.049] N=1,596
Snack foods consumed daily or several times weekly	0.420 P=1,129	-0.014 [0.032] N=2,722	-0.022 [0.034] N=2,507	-0.025 [0.036] N=2,248	-0.004 [0.038] N=1,939	-0.020 [0.044] N=1,596
Packaged soft drinks consumed daily or several times weekly	0.262 P=695	-0.045 [0.031] N=2,722	-0.048 [0.033] N=2,507	-0.039 [0.035] N=2,248	-0.048 [0.037] N=1,939	-0.069 [0.045] N=1,596
Grains consumed daily or several times weekly	0.839 P=2,276	0.001 [0.028] N=2,722	-0.001 [0.029] N=2,507	-0.001 [0.031] N=2,248	0.003 [0.034] N=1,939	-0.006 [0.038] N=1,596

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.030 [0.036] N=2,290	0.036 [0.041] N=2,075	0.071 [0.047] N=1,816	0.054 [0.059] N=1,507	0.050 [0.078] N=1,164
Vegetables consumed daily or several times weekly	0.026 [0.047] N=2,290	0.034 [0.053] N=2,075	0.042 [0.058] N=1,816	0.019 [0.070] N=1,507	-0.055 [0.087] N=1,164
Meat fish or poultry consumed daily or several times weekly	-0.009 [0.052] N=2,290	-0.026 [0.055] N=2,075	-0.044 [0.065] N=1,816	-0.043 [0.077] N=1,507	-0.142 [0.103] N=1,164
Legumes consumed daily or several times weekly	-0.048 [0.055] N=2,290	-0.060 [0.060] N=2,075	-0.018 [0.065] N=1,816	0.073 [0.078] N=1,507	0.055 [0.104] N=1,164
Animal products consumed daily or several times weekly	**0.076* [0.040] N=2,290**	**0.094** [0.044] N=2,075**	0.059 [0.049] N=1,816	**0.102* [0.059] N=1,507**	0.046 [0.066] N=1,164
Sweets consumed daily or several times weekly	-0.068 [0.050] N=2,290	**-0.094* [0.054] N=2,075**	-0.075 [0.059] N=1,816	-0.077 [0.064] N=1,507	-0.033 [0.089] N=1,164
Snack foods consumed daily or several times weekly	-0.007 [0.044] N=2,290	-0.021 [0.049] N=2,075	-0.024 [0.053] N=1,816	0.009 [0.064] N=1,507	-0.054 [0.084] N=1,164
Packaged soft drinks consumed daily or several times weekly	-0.037 [0.043] N=2,290	-0.041 [0.046] N=2,075	-0.024 [0.053] N=1,816	-0.056 [0.060] N=1,507	-0.130 [0.081] N=1,164
Grains consumed daily or several times weekly	0.016 [0.042] N=2,290	0.015 [0.045] N=2,075	0.023 [0.051] N=1,816	0.038 [0.062] N=1,507	0.014 [0.089] N=1,164

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.858 P=2,180	0.003 [0.027] N=2,542	-0.001 [0.029] N=2,347	0.017 [0.031] N=2,100	0.001 [0.035] N=1,815	-0.016 [0.036] N=1,491
Vegetables consumed daily or several times weekly	0.771 P=1,968	-0.007 [0.034] N=2,542	-0.008 [0.036] N=2,347	-0.007 [0.037] N=2,100	-0.023 [0.041] N=1,815	-0.069 [0.044] N=1,491
Meat fish or poultry consumed daily or several times weekly	0.588 P=1,503	0.029 [0.045] N=2,542	0.017 [0.047] N=2,347	0.010 [0.051] N=2,100	0.018 [0.055] N=1,815	-0.002 [0.063] N=1,491
Legumes consumed daily or several times weekly	0.564 P=1,436	-0.039 [0.040] N=2,542	-0.056 [0.042] N=2,347	-0.039 [0.044] N=2,100	0.002 [0.049] N=1,815	-0.014 [0.056] N=1,491
Animal products consumed daily or several times weekly	0.863 P=2,194	0.045 [0.029] N=2,542	0.046 [0.031] N=2,347	0.020 [0.032] N=2,100	0.020 [0.035] N=1,815	-0.010 [0.036] N=1,491
Sweets consumed daily or several times weekly	0.561 P=1,425	-0.056 [0.037] N=2,542	**-0.074* [0.039] N=2,347**	-0.056 [0.041] N=2,100	-0.060 [0.045] N=1,815	-0.041 [0.052] N=1,491
Snack foods consumed daily or several times weekly	0.423 P=1,062	-0.020 [0.034] N=2,542	-0.030 [0.036] N=2,347	-0.027 [0.037] N=2,100	-0.015 [0.040] N=1,815	-0.027 [0.048] N=1,491
Packaged soft drinks consumed daily or several times weekly	0.266 P=659	-0.047 [0.033] N=2,542	-0.054 [0.034] N=2,347	-0.042 [0.037] N=2,100	**-0.067* [0.040] N=1,815**	**-0.086* [0.049] N=1,491**
Grains consumed daily or several times weekly	0.839 P=2,125	-0.001 [0.030] N=2,542	-0.008 [0.031] N=2,347	-0.009 [0.033] N=2,100	-0.006 [0.036] N=1,815	-0.023 [0.040] N=1,491

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.033 [0.038] N=2,139	0.032 [0.042] N=1,944	0.071 [0.049] N=1,697	0.056 [0.062] N=1,412	0.054 [0.078] N=1,088
Vegetables consumed daily or several times weekly	0.035 [0.047] N=2,139	0.044 [0.053] N=1,944	0.062 [0.058] N=1,697	0.049 [0.070] N=1,412	-0.019 [0.083] N=1,088
Meat fish or poultry consumed daily or several times weekly	0.018 [0.055] N=2,139	-0.002 [0.057] N=1,944	-0.017 [0.067] N=1,697	-0.024 [0.079] N=1,412	-0.110 [0.103] N=1,088
Legumes consumed daily or several times weekly	-0.036 [0.055] N=2,139	-0.059 [0.060] N=1,944	-0.016 [0.065] N=1,697	0.080 [0.079] N=1,412	0.062 [0.108] N=1,088

Outcome	8 years	7 years	6 years	5 years	4 years
Animal products consumed daily or several times weekly	**0.099** [0.042] N=2,139**	**0.114** [0.046] N=1,944**	0.079 [0.051] N=1,697	0.102 [0.061] N=1,412	0.057 [0.069] N=1,088
Sweets consumed daily or several times weekly	-0.068 [0.050] N=2,139	**-0.099* [0.055] N=1,944**	-0.076 [0.062] N=1,697	-0.084 [0.067] N=1,412	-0.037 [0.091] N=1,088
Snack foods consumed daily or several times weekly	-0.011 [0.048] N=2,139	-0.023 [0.052] N=1,944	-0.019 [0.056] N=1,697	0.007 [0.066] N=1,412	-0.034 [0.089] N=1,088
Packaged soft drinks consumed daily or several times weekly	-0.033 [0.045] N=2,139	-0.042 [0.047] N=1,944	-0.018 [0.055] N=1,697	-0.076 [0.061] N=1,412	-0.142 [0.088] N=1,088
Grains consumed daily or several times weekly	0.024 [0.043] N=2,139	0.019 [0.046] N=1,944	0.024 [0.052] N=1,697	0.038 [0.064] N=1,412	0.009 [0.090] N=1,088

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.858 P=2,180	0.005 [0.028] N=2,542	0.001 [0.029] N=2,347	0.021 [0.032] N=2,100	0.005 [0.035] N=1,815	-0.007 [0.037] N=1,491
Vegetables consumed daily or several times weekly	0.771 P=1,968	-0.008 [0.034] N=2,542	-0.009 [0.036] N=2,347	-0.008 [0.038] N=2,100	-0.024 [0.041] N=1,815	-0.068 [0.044] N=1,491
Meat fish or poultry consumed daily or several times weekly	0.588 P=1,503	0.033 [0.045] N=2,542	0.021 [0.047] N=2,347	0.017 [0.051] N=2,100	0.026 [0.056] N=1,815	0.006 [0.062] N=1,491
Legumes consumed daily or several times weekly	0.564 P=1,436	-0.037 [0.040] N=2,542	-0.055 [0.042] N=2,347	-0.037 [0.044] N=2,100	0.004 [0.050] N=1,815	-0.011 [0.057] N=1,491
Animal products consumed daily or several times weekly	0.863 P=2,194	0.046 [0.029] N=2,542	0.047 [0.031] N=2,347	0.022 [0.031] N=2,100	0.022 [0.035] N=1,815	-0.008 [0.036] N=1,491
Sweets consumed daily or several times weekly	0.561 P=1,425	-0.055 [0.037] N=2,542	**-0.072* [0.039] N=2,347**	-0.052 [0.041] N=2,100	-0.056 [0.044] N=1,815	-0.034 [0.051] N=1,491
Snack foods consumed daily or several times weekly	0.423 P=1,062	-0.018 [0.033] N=2,542	-0.028 [0.035] N=2,347	-0.026 [0.037] N=2,100	-0.015 [0.040] N=1,815	-0.031 [0.047] N=1,491
Packaged soft drinks consumed daily or several times weekly	0.266 P=659	-0.046 [0.033] N=2,542	-0.052 [0.035] N=2,347	-0.042 [0.037] N=2,100	**-0.069* [0.040] N=1,815**	**-0.090* [0.049] N=1,491**
Grains consumed daily or several times weekly	0.839 P=2,125	-0.001 [0.030] N=2,542	-0.007 [0.031] N=2,347	-0.008 [0.033] N=2,100	-0.005 [0.036] N=1,815	-0.022 [0.040] N=1,491

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.034 [0.039] N=2,139	0.032 [0.043] N=1,944	0.077 [0.050] N=1,697	0.063 [0.064] N=1,412	0.063 [0.080] N=1,088
Vegetables consumed daily or several times weekly	0.034 [0.047] N=2,139	0.042 [0.053] N=1,944	0.062 [0.057] N=1,697	0.050 [0.069] N=1,412	-0.012 [0.082] N=1,088
Meat fish or poultry consumed daily or several times weekly	0.019 [0.054] N=2,139	-0.001 [0.056] N=1,944	-0.013 [0.066] N=1,697	-0.017 [0.077] N=1,412	-0.106 [0.101] N=1,088
Legumes consumed daily or several times weekly	-0.034 [0.055] N=2,139	-0.057 [0.060] N=1,944	-0.012 [0.066] N=1,697	0.085 [0.078] N=1,412	0.066 [0.107] N=1,088
Animal products consumed daily or several times weekly	**0.098** [0.042] N=2,139**	**0.113** [0.046] N=1,944**	0.082 [0.051] N=1,697	**0.105* [0.061] N=1,412**	0.057 [0.068] N=1,088
Sweets consumed daily or several times weekly	-0.070 [0.051] N=2,139	**-0.101* [0.056] N=1,944**	-0.073 [0.062] N=1,697	-0.080 [0.066] N=1,412	-0.030 [0.090] N=1,088
Snack foods consumed daily or several times weekly	-0.010 [0.048] N=2,139	-0.020 [0.052] N=1,944	-0.016 [0.056] N=1,697	0.010 [0.065] N=1,412	-0.034 [0.088] N=1,088
Packaged soft drinks consumed daily or several times weekly	-0.030 [0.045] N=2,139	-0.038 [0.048] N=1,944	-0.015 [0.055] N=1,697	-0.076 [0.061] N=1,412	-0.147 [0.088] N=1,088
Grains consumed daily or several times weekly	0.023 [0.043] N=2,139	0.018 [0.047] N=1,944	0.024 [0.053] N=1,697	0.040 [0.065] N=1,412	0.011 [0.092] N=1,088

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.865 P=2,361	-0.017 [0.029] N=2,727	-0.011 [0.030] N=2,486	-0.012 [0.033] N=2,189	-0.016 [0.035] N=1,856	-0.009 [0.039] N=1,506
Vegetables consumed daily or several times weekly	0.773 P=2,117	0.014 [0.036] N=2,727	0.029 [0.038] N=2,486	0.054 [0.042] N=2,189	0.040 [0.046] N=1,856	0.058 [0.052] N=1,506
Meat fish or poultry consumed daily or several times weekly	0.587 P=1,611	0.056 [0.040] N=2,727	**0.074* [0.041] N=2,486**	0.064 [0.045] N=2,189	0.074 [0.051] N=1,856	0.061 [0.059] N=1,506
Legumes consumed daily or several times weekly	0.570 P=1,563	0.001 [0.045] N=2,727	0.017 [0.048] N=2,486	0.018 [0.052] N=2,189	-0.016 [0.055] N=1,856	-0.028 [0.062] N=1,506
Animal products consumed daily or several times weekly	0.862 P=2,354	0.028 [0.026] N=2,727	0.037 [0.027] N=2,486	0.037 [0.029] N=2,189	0.042 [0.032] N=1,856	0.059 [0.036] N=1,506
Sweets consumed daily or several times weekly	0.587 P=1,605	-0.031 [0.037] N=2,727	-0.036 [0.040] N=2,486	-0.013 [0.044] N=2,189	-0.019 [0.047] N=1,856	-0.069 [0.052] N=1,506
Snack foods consumed daily or several times weekly	0.436 P=1,181	0.034 [0.038] N=2,727	0.025 [0.041] N=2,486	0.017 [0.043] N=2,189	0.029 [0.047] N=1,856	-0.019 [0.054] N=1,506
Packaged soft drinks consumed daily or several times weekly	0.266 P=713	0.019 [0.034] N=2,727	0.024 [0.036] N=2,486	0.032 [0.039] N=2,189	0.039 [0.043] N=1,856	0.005 [0.049] N=1,506
Grains consumed daily or several times weekly	0.845 P=2,305	**0.054* [0.028] N=2,727**	**0.060** [0.029] N=2,486**	**0.076** [0.031] N=2,189**	**0.087** [0.035] N=1,856**	**0.068* [0.039] N=1,506**

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.048 [0.043] N=2,341	-0.043 [0.047] N=2,100	-0.047 [0.055] N=1,803	-0.050 [0.065] N=1,470	-0.043 [0.085] N=1,120
Vegetables consumed daily or several times weekly	-0.029 [0.050] N=2,341	-0.010 [0.055] N=2,100	0.024 [0.065] N=1,803	-0.006 [0.076] N=1,470	0.024 [0.104] N=1,120
Meat fish or poultry consumed daily or several times weekly	0.018 [0.051] N=2,341	0.051 [0.053] N=2,100	0.024 [0.061] N=1,803	0.019 [0.078] N=1,470	-0.038 [0.088] N=1,120
Legumes consumed daily or several times weekly	0.073 [0.062] N=2,341	**0.114* [0.067] N=2,100**	**0.139* [0.077] N=1,803**	0.121 [0.093] N=1,470	0.161 [0.122] N=1,120
Animal products consumed daily or several times weekly	-0.002 [0.034] N=2,341	0.010 [0.036] N=2,100	0.005 [0.040] N=1,803	0.015 [0.047] N=1,470	0.047 [0.059] N=1,120
Sweets consumed daily or several times weekly	0.002 [0.050] N=2,341	-0.003 [0.055] N=2,100	0.050 [0.066] N=1,803	0.065 [0.074] N=1,470	-0.013 [0.091] N=1,120
Snack foods consumed daily or several times weekly	0.056 [0.052] N=2,341	0.041 [0.058] N=2,100	0.021 [0.066] N=1,803	0.061 [0.079] N=1,470	-0.043 [0.097] N=1,120
Packaged soft drinks consumed daily or several times weekly	0.007 [0.045] N=2,341	0.014 [0.049] N=2,100	0.018 [0.058] N=1,803	0.035 [0.071] N=1,470	-0.048 [0.087] N=1,120
Grains consumed daily or several times weekly	0.019 [0.036] N=2,341	0.019 [0.037] N=2,100	0.040 [0.039] N=1,803	0.044 [0.046] N=1,470	-0.044 [0.061] N=1,120

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.865 P=2,361	-0.018 [0.028] N=2,727	-0.012 [0.030] N=2,486	-0.012 [0.032] N=2,189	-0.016 [0.035] N=1,856	-0.010 [0.039] N=1,506
Vegetables consumed daily or several times weekly	0.773 P=2,117	0.013 [0.036] N=2,727	0.028 [0.038] N=2,486	0.053 [0.042] N=2,189	0.038 [0.046] N=1,856	0.054 [0.052] N=1,506
Meat fish or poultry consumed daily or several times weekly	0.587 P=1,611	0.054 [0.039] N=2,727	**0.073* [0.041] N=2,486**	0.062 [0.045] N=2,189	0.072 [0.051] N=1,856	0.059 [0.058] N=1,506

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Legumes consumed daily or several times weekly	0.570 P=1,563	0.000 [0.045] N=2,727	0.017 [0.048] N=2,486	0.018 [0.052] N=2,189	-0.017 [0.055] N=1,856	-0.028 [0.062] N=1,506
Animal products consumed daily or several times weekly	0.862 P=2,354	0.027 [0.026] N=2,727	0.036 [0.027] N=2,486	0.036 [0.029] N=2,189	0.041 [0.032] N=1,856	0.057 [0.036] N=1,506
Sweets consumed daily or several times weekly	0.587 P=1,605	-0.033 [0.037] N=2,727	-0.038 [0.040] N=2,486	-0.014 [0.044] N=2,189	-0.020 [0.047] N=1,856	-0.071 [0.052] N=1,506
Snack foods consumed daily or several times weekly	0.436 P=1,181	0.032 [0.038] N=2,727	0.023 [0.041] N=2,486	0.016 [0.043] N=2,189	0.029 [0.047] N=1,856	-0.021 [0.054] N=1,506
Packaged soft drinks consumed daily or several times weekly	0.266 P=713	0.019 [0.034] N=2,727	0.024 [0.036] N=2,486	0.032 [0.039] N=2,189	0.038 [0.043] N=1,856	0.005 [0.049] N=1,506
Grains consumed daily or several times weekly	0.845 P=2,305	**0.054* [0.028] N=2,727**	**0.060** [0.029] N=2,486**	**0.077** [0.031] N=2,189**	**0.088** [0.035] N=1,856**	**0.070* [0.040] N=1,506**

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.048 [0.043] N=2,341	-0.044 [0.047] N=2,100	-0.048 [0.055] N=1,803	-0.050 [0.065] N=1,470	-0.045 [0.085] N=1,120
Vegetables consumed daily or several times weekly	-0.030 [0.050] N=2,341	-0.010 [0.054] N=2,100	0.024 [0.064] N=1,803	-0.007 [0.075] N=1,470	0.019 [0.104] N=1,120
Meat fish or poultry consumed daily or several times weekly	0.017 [0.051] N=2,341	0.050 [0.053] N=2,100	0.023 [0.061] N=1,803	0.019 [0.078] N=1,470	-0.039 [0.088] N=1,120
Legumes consumed daily or several times weekly	0.073 [0.062] N=2,341	**0.114* [0.067] N=2,100**	**0.139* [0.077] N=1,803**	0.121 [0.093] N=1,470	0.161 [0.122] N=1,120
Animal products consumed daily or several times weekly	-0.003 [0.034] N=2,341	0.009 [0.036] N=2,100	0.004 [0.039] N=1,803	0.015 [0.046] N=1,470	0.044 [0.058] N=1,120
Sweets consumed daily or several times weekly	0.000 [0.050] N=2,341	-0.004 [0.056] N=2,100	0.049 [0.066] N=1,803	0.065 [0.074] N=1,470	-0.016 [0.091] N=1,120
Snack foods consumed daily or several times weekly	0.054 [0.052] N=2,341	0.039 [0.059] N=2,100	0.020 [0.067] N=1,803	0.061 [0.079] N=1,470	-0.048 [0.098] N=1,120
Packaged soft drinks consumed daily or several times weekly	0.006 [0.045] N=2,341	0.014 [0.049] N=2,100	0.017 [0.058] N=1,803	0.035 [0.071] N=1,470	-0.050 [0.088] N=1,120
Grains consumed daily or several times weekly	0.018 [0.035] N=2,341	0.019 [0.037] N=2,100	0.040 [0.039] N=1,803	0.045 [0.046] N=1,470	-0.041 [0.061] N=1,120

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.865 P=2,361	-0.019 [0.028] N=2,727	-0.012 [0.029] N=2,486	-0.010 [0.032] N=2,189	-0.012 [0.034] N=1,856	-0.005 [0.039] N=1,506
Vegetables consumed daily or several times weekly	0.773 P=2,117	0.013 [0.036] N=2,727	0.028 [0.038] N=2,486	0.055 [0.042] N=2,189	0.041 [0.046] N=1,856	0.056 [0.053] N=1,506
Meat fish or poultry consumed daily or several times weekly	0.587 P=1,611	0.052 [0.038] N=2,727	**0.072* [0.039] N=2,486**	0.067 [0.042] N=2,189	**0.079* [0.047] N=1,856**	0.068 [0.054] N=1,506
Legumes consumed daily or several times weekly	0.570 P=1,563	-0.000 [0.046] N=2,727	0.016 [0.049] N=2,486	0.020 [0.053] N=2,189	-0.013 [0.056] N=1,856	-0.024 [0.062] N=1,506
Animal products consumed daily or several times weekly	0.862 P=2,354	0.026 [0.025] N=2,727	0.035 [0.026] N=2,486	0.037 [0.028] N=2,189	0.043 [0.031] N=1,856	**0.059* [0.035] N=1,506**
Sweets consumed daily or several times weekly	0.587 P=1,605	-0.033 [0.036] N=2,727	-0.038 [0.039] N=2,486	-0.013 [0.043] N=2,189	-0.019 [0.045] N=1,856	-0.070 [0.050] N=1,506
Snack foods consumed daily or several times weekly	0.436 P=1,181	0.032 [0.038] N=2,727	0.023 [0.041] N=2,486	0.016 [0.043] N=2,189	0.027 [0.047] N=1,856	-0.023 [0.054] N=1,506

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Packaged soft drinks consumed daily or several times weekly	0.266 P=713	0.018 [0.034] N=2,727	0.022 [0.036] N=2,486	0.030 [0.040] N=2,189	0.034 [0.044] N=1,856	-0.001 [0.051] N=1,506
Grains consumed daily or several times weekly	0.845 P=2,305	**0.053* [0.028] N=2,727**	**0.060** [0.029] N=2,486**	**0.077** [0.030] N=2,189**	**0.088** [0.035] N=1,856**	**0.070* [0.040] N=1,506**

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.048 [0.043] N=2,341	-0.043 [0.047] N=2,100	-0.040 [0.054] N=1,803	-0.044 [0.064] N=1,470	-0.037 [0.086] N=1,120
Vegetables consumed daily or several times weekly	-0.028 [0.049] N=2,341	-0.008 [0.054] N=2,100	0.031 [0.064] N=1,803	0.001 [0.075] N=1,470	0.029 [0.107] N=1,120
Meat fish or poultry consumed daily or several times weekly	0.020 [0.051] N=2,341	0.051 [0.053] N=2,100	0.039 [0.060] N=1,803	0.035 [0.076] N=1,470	-0.018 [0.087] N=1,120
Legumes consumed daily or several times weekly	0.074 [0.064] N=2,341	0.113 [0.069] N=2,100	**0.146* [0.080] N=1,803**	0.129 [0.095] N=1,470	0.172 [0.125] N=1,120
Animal products consumed daily or several times weekly	-0.003 [0.033] N=2,341	0.007 [0.036] N=2,100	0.007 [0.040] N=1,803	0.017 [0.047] N=1,470	0.048 [0.059] N=1,120
Sweets consumed daily or several times weekly	-0.000 [0.050] N=2,341	-0.005 [0.056] N=2,100	0.052 [0.066] N=1,803	0.065 [0.074] N=1,470	-0.017 [0.093] N=1,120
Snack foods consumed daily or several times weekly	0.052 [0.052] N=2,341	0.035 [0.058] N=2,100	0.016 [0.066] N=1,803	0.052 [0.079] N=1,470	-0.062 [0.098] N=1,120
Packaged soft drinks consumed daily or several times weekly	0.002 [0.044] N=2,341	0.007 [0.047] N=2,100	0.010 [0.056] N=1,803	0.022 [0.068] N=1,470	-0.068 [0.085] N=1,120
Grains consumed daily or several times weekly	0.017 [0.036] N=2,341	0.018 [0.037] N=2,100	0.041 [0.040] N=1,803	0.042 [0.047] N=1,470	-0.045 [0.062] N=1,120

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.865 P=2,361	-0.021 [0.028] N=2,727	-0.013 [0.030] N=2,486	-0.011 [0.032] N=2,189	-0.015 [0.034] N=1,856	-0.010 [0.039] N=1,506
Vegetables consumed daily or several times weekly	0.773 P=2,117	0.011 [0.036] N=2,727	0.027 [0.038] N=2,486	0.053 [0.042] N=2,189	0.039 [0.045] N=1,856	0.055 [0.052] N=1,506
Meat fish or poultry consumed daily or several times weekly	0.587 P=1,611	0.050 [0.037] N=2,727	**0.071* [0.039] N=2,486**	0.062 [0.041] N=2,189	0.073 [0.046] N=1,856	0.059 [0.053] N=1,506
Legumes consumed daily or several times weekly	0.570 P=1,563	-0.002 [0.046] N=2,727	0.015 [0.049] N=2,486	0.017 [0.053] N=2,189	-0.016 [0.056] N=1,856	-0.026 [0.062] N=1,506
Animal products consumed daily or several times weekly	0.862 P=2,354	0.026 [0.026] N=2,727	0.036 [0.027] N=2,486	0.037 [0.028] N=2,189	0.043 [0.031] N=1,856	0.057 [0.035] N=1,506
Sweets consumed daily or several times weekly	0.587 P=1,605	-0.033 [0.038] N=2,727	-0.039 [0.040] N=2,486	-0.014 [0.044] N=2,189	-0.019 [0.047] N=1,856	-0.069 [0.052] N=1,506
Snack foods consumed daily or several times weekly	0.436 P=1,181	0.034 [0.038] N=2,727	0.024 [0.041] N=2,486	0.016 [0.044] N=2,189	0.031 [0.047] N=1,856	-0.021 [0.053] N=1,506
Packaged soft drinks consumed daily or several times weekly	0.266 P=713	0.021 [0.034] N=2,727	0.025 [0.036] N=2,486	0.032 [0.039] N=2,189	0.040 [0.044] N=1,856	0.005 [0.050] N=1,506
Grains consumed daily or several times weekly	0.845 P=2,305	**0.052* [0.028] N=2,727**	**0.059** [0.029] N=2,486**	**0.076** [0.030] N=2,189**	**0.088** [0.035] N=1,856**	**0.070* [0.040] N=1,506**

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.049 [0.044] N=2,341	-0.041 [0.048] N=2,100	-0.037 [0.056] N=1,803	-0.040 [0.066] N=1,470	-0.038 [0.089] N=1,120

Outcome	8 years	7 years	6 years	5 years	4 years
Vegetables consumed daily or several times weekly	-0.032 [0.050] N=2,341	-0.009 [0.054] N=2,100	0.029 [0.065] N=1,803	-0.002 [0.075] N=1,470	0.022 [0.106] N=1,120
Meat fish or poultry consumed daily or several times weekly	0.016 [0.052] N=2,341	0.054 [0.055] N=2,100	0.036 [0.061] N=1,803	0.032 [0.077] N=1,470	-0.028 [0.086] N=1,120
Legumes consumed daily or several times weekly	0.071 [0.064] N=2,341	**0.114* [0.069] N=2,100**	**0.144* [0.079] N=1,803**	0.126 [0.096] N=1,470	0.166 [0.125] N=1,120
Animal products consumed daily or several times weekly	-0.005 [0.034] N=2,341	0.008 [0.036] N=2,100	0.005 [0.040] N=1,803	0.016 [0.048] N=1,470	0.045 [0.060] N=1,120
Sweets consumed daily or several times weekly	0.000 [0.051] N=2,341	-0.004 [0.057] N=2,100	0.054 [0.067] N=1,803	0.069 [0.077] N=1,470	-0.017 [0.097] N=1,120
Snack foods consumed daily or several times weekly	0.054 [0.052] N=2,341	0.038 [0.059] N=2,100	0.019 [0.066] N=1,803	0.061 [0.079] N=1,470	-0.052 [0.098] N=1,120
Packaged soft drinks consumed daily or several times weekly	0.006 [0.045] N=2,341	0.012 [0.048] N=2,100	0.012 [0.057] N=1,803	0.032 [0.070] N=1,470	-0.059 [0.087] N=1,120
Grains consumed daily or several times weekly	0.017 [0.035] N=2,341	0.018 [0.037] N=2,100	0.039 [0.039] N=1,803	0.042 [0.046] N=1,470	-0.044 [0.062] N=1,120

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.864 P=2,208	-0.019 [0.028] N=2,554	-0.010 [0.030] N=2,327	-0.003 [0.032] N=2,052	-0.009 [0.034] N=1,735	-0.010 [0.038] N=1,412
Vegetables consumed daily or several times weekly	0.774 P=1,986	0.007 [0.037] N=2,554	0.025 [0.040] N=2,327	0.055 [0.043] N=2,052	0.038 [0.047] N=1,735	0.043 [0.055] N=1,412
Meat fish or poultry consumed daily or several times weekly	0.585 P=1,503	0.060 [0.040] N=2,554	**0.078* [0.041] N=2,327**	**0.078* [0.045] N=2,052**	0.079 [0.051] N=1,735	0.065 [0.058] N=1,412
Legumes consumed daily or several times weekly	0.567 P=1,457	0.003 [0.046] N=2,554	0.022 [0.049] N=2,327	0.026 [0.054] N=2,052	-0.019 [0.057] N=1,735	-0.046 [0.064] N=1,412
Animal products consumed daily or several times weekly	0.864 P=2,211	0.030 [0.027] N=2,554	0.039 [0.028] N=2,327	0.043 [0.029] N=2,052	0.044 [0.032] N=1,735	0.054 [0.037] N=1,412
Sweets consumed daily or several times weekly	0.592 P=1,514	-0.049 [0.038] N=2,554	-0.058 [0.040] N=2,327	-0.035 [0.045] N=2,052	-0.048 [0.047] N=1,735	**-0.108** [0.053] N=1,412**
Snack foods consumed daily or several times weekly	0.442 P=1,120	0.017 [0.038] N=2,554	0.004 [0.041] N=2,327	-0.009 [0.043] N=2,052	0.005 [0.047] N=1,735	-0.046 [0.052] N=1,412
Packaged soft drinks consumed daily or several times weekly	0.271 P=682	0.008 [0.035] N=2,554	0.011 [0.037] N=2,327	0.016 [0.040] N=2,052	0.023 [0.044] N=1,735	-0.016 [0.050] N=1,412
Grains consumed daily or several times weekly	0.845 P=2,158	**0.061** [0.029] N=2,554**	**0.068** [0.030] N=2,327**	**0.085*** [0.032] N=2,052**	**0.095** [0.037] N=1,735**	0.072 [0.043] N=1,412

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.049 [0.043] N=2,193	-0.038 [0.046] N=1,966	-0.029 [0.053] N=1,691	-0.037 [0.061] N=1,374	-0.044 [0.078] N=1,051
Vegetables consumed daily or several times weekly	-0.037 [0.050] N=2,193	-0.013 [0.054] N=1,966	0.030 [0.064] N=1,691	-0.011 [0.074] N=1,374	-0.008 [0.103] N=1,051
Meat fish or poultry consumed daily or several times weekly	0.012 [0.053] N=2,193	0.045 [0.055] N=1,966	0.035 [0.063] N=1,691	0.006 [0.083] N=1,374	-0.076 [0.094] N=1,051
Legumes consumed daily or several times weekly	0.078 [0.064] N=2,193	**0.127* [0.069] N=1,966**	**0.163** [0.080] N=1,691**	0.136 [0.097] N=1,374	0.157 [0.129] N=1,051
Animal products consumed daily or several times weekly	0.001 [0.034] N=2,193	0.016 [0.036] N=1,966	0.019 [0.038] N=1,691	0.021 [0.044] N=1,374	0.037 [0.055] N=1,051
Sweets consumed daily or several times weekly	-0.005 [0.051] N=2,193	-0.012 [0.056] N=1,966	0.038 [0.066] N=1,691	0.042 [0.074] N=1,374	-0.053 [0.097] N=1,051

Outcome	8 years	7 years	6 years	5 years	4 years
Snack foods consumed daily or several times weekly	0.044 [0.054] N=2,193	0.024 [0.061] N=1,966	-0.005 [0.069] N=1,691	0.034 [0.082] N=1,374	-0.081 [0.102] N=1,051
Packaged soft drinks consumed daily or several times weekly	-0.005 [0.047] N=2,193	-0.000 [0.051] N=1,966	-0.004 [0.059] N=1,691	0.020 [0.072] N=1,374	-0.070 [0.090] N=1,051
Grains consumed daily or several times weekly	0.027 [0.035] N=2,193	0.028 [0.038] N=1,966	0.053 [0.039] N=1,691	0.054 [0.046] N=1,374	-0.050 [0.064] N=1,051

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.864 P=2,208	-0.018 [0.029] N=2,554	-0.009 [0.030] N=2,327	-0.004 [0.032] N=2,052	-0.010 [0.034] N=1,735	-0.010 [0.039] N=1,412
Vegetables consumed daily or several times weekly	0.774 P=1,986	0.011 [0.037] N=2,554	0.028 [0.039] N=2,327	0.058 [0.043] N=2,052	0.041 [0.047] N=1,735	0.046 [0.054] N=1,412
Meat fish or poultry consumed daily or several times weekly	0.585 P=1,503	0.058 [0.040] N=2,554	**0.077* [0.042] N=2,327**	0.074 [0.045] N=2,052	0.075 [0.052] N=1,735	0.062 [0.059] N=1,412
Legumes consumed daily or several times weekly	0.567 P=1,457	0.004 [0.046] N=2,554	0.023 [0.049] N=2,327	0.026 [0.053] N=2,052	-0.019 [0.057] N=1,735	-0.047 [0.064] N=1,412
Animal products consumed daily or several times weekly	0.864 P=2,211	0.030 [0.026] N=2,554	0.038 [0.027] N=2,327	0.042 [0.029] N=2,052	0.042 [0.032] N=1,735	0.054 [0.036] N=1,412
Sweets consumed daily or several times weekly	0.592 P=1,514	-0.049 [0.038] N=2,554	-0.058 [0.041] N=2,327	-0.036 [0.045] N=2,052	-0.050 [0.048] N=1,735	**-0.111** [0.055] N=1,412**
Snack foods consumed daily or several times weekly	0.442 P=1,120	0.019 [0.038] N=2,554	0.006 [0.041] N=2,327	-0.007 [0.043] N=2,052	0.005 [0.047] N=1,735	-0.046 [0.053] N=1,412
Packaged soft drinks consumed daily or several times weekly	0.271 P=682	0.009 [0.035] N=2,554	0.013 [0.037] N=2,327	0.017 [0.040] N=2,052	0.025 [0.044] N=1,735	-0.014 [0.050] N=1,412
Grains consumed daily or several times weekly	0.845 P=2,158	**0.062** [0.029] N=2,554**	**0.068** [0.030] N=2,327**	**0.085*** [0.032] N=2,052**	**0.096** [0.037] N=1,735**	0.072 [0.043] N=1,412

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.051 [0.043] N=2,193	-0.040 [0.047] N=1,966	-0.032 [0.053] N=1,691	-0.041 [0.061] N=1,374	-0.055 [0.078] N=1,051
Vegetables consumed daily or several times weekly	-0.037 [0.050] N=2,193	-0.013 [0.054] N=1,966	0.029 [0.064] N=1,691	-0.013 [0.075] N=1,374	-0.019 [0.103] N=1,051
Meat fish or poultry consumed daily or several times weekly	0.011 [0.053] N=2,193	0.044 [0.055] N=1,966	0.030 [0.062] N=1,691	0.002 [0.080] N=1,374	-0.077 [0.093] N=1,051
Legumes consumed daily or several times weekly	0.078 [0.064] N=2,193	**0.127* [0.069] N=1,966**	**0.161** [0.080] N=1,691**	0.134 [0.097] N=1,374	0.143 [0.129] N=1,051
Animal products consumed daily or several times weekly	0.003 [0.034] N=2,193	0.017 [0.036] N=1,966	0.019 [0.038] N=1,691	0.023 [0.044] N=1,374	0.039 [0.054] N=1,051
Sweets consumed daily or several times weekly	-0.006 [0.051] N=2,193	-0.013 [0.057] N=1,966	0.038 [0.066] N=1,691	0.040 [0.076] N=1,374	-0.063 [0.099] N=1,051
Snack foods consumed daily or several times weekly	0.044 [0.054] N=2,193	0.024 [0.061] N=1,966	-0.006 [0.069] N=1,691	0.032 [0.083] N=1,374	-0.092 [0.103] N=1,051
Packaged soft drinks consumed daily or several times weekly	-0.003 [0.047] N=2,193	0.002 [0.051] N=1,966	-0.002 [0.060] N=1,691	0.021 [0.073] N=1,374	-0.078 [0.092] N=1,051
Grains consumed daily or several times weekly	0.028 [0.036] N=2,193	0.030 [0.038] N=1,966	0.053 [0.039] N=1,691	0.056 [0.046] N=1,374	-0.046 [0.065] N=1,051

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 83 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes

reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.