Table 9 Reduced Form Effects on Weekly Nutrition for Ages 0-6

Food outcomes require an age above six months and recorded codes 1-9. Ever breastfed uses recorded codes 1 and 2. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=2,568	-0.007 [0.019] N=2,722	0.002 [0.019] N=2,507	0.005 [0.021] N=2,248	0.003 [0.024] N=1,939	-0.009 [0.027] N=1,596
Vegetables consumed at least weekly	0.901 P=2,453	-0.002 [0.023] N=2,722	0.001 [0.023] N=2,507	-0.003 [0.024] N=2,248	-0.013 [0.026] N=1,939	-0.038 [0.029] N=1,596
Meat fish or poultry consumed at least weekly	0.801 P=2,189	0.025 [0.038] N=2,722	0.032 [0.040] N=2,507	0.035 [0.044] N=2,248	0.031 [0.049] N=1,939	0.016 [0.056] N=1,596
Legumes consumed at least weekly	0.803 P=2,190	-0.033 [0.031] N=2,722	-0.039 [0.032] N=2,507	-0.032 [0.033] N=2,248	-0.034 [0.037] N=1,939	-0.064 [0.042] N=1,596
Animal products consumed at least weekly	0.920 P=2,511	0.012 [0.023] N=2,722	0.014 [0.024] N=2,507	-0.000 [0.026] N=2,248	0.007 [0.029] N=1,939	-0.004 [0.034] N=1,596
Sweets consumed at least weekly	0.716 P=1,949	-0.042 [0.028] N=2,722	-0.034 [0.029] N=2,507	-0.012 [0.031] N=2,248	-0.024 [0.033] N=1,939	-0.009 [0.039] N=1,596
Snack foods consumed at least weekly	0.596 P=1,613	**-0.063**** **[0.030]** **N=2,722**	-0.051 [0.032] N=2,507	**-0.057*** **[0.033]** **N=2,248**	-0.059 [0.037] N=1,939	**-0.086**** **[0.041]** **N=1,596**
Packaged soft drinks consumed at least weekly	0.380 P=1,019	-0.053 [0.040] N=2,722	-0.051 [0.042] N=2,507	-0.062 [0.045] N=2,248	-0.076 [0.049] N=1,939	-0.079 [0.062] N=1,596
Grains consumed at least weekly	0.918 P=2,500	0.013 [0.020] N=2,722	0.019 [0.021] N=2,507	0.008 [0.022] N=2,248	0.011 [0.024] N=1,939	-0.004 [0.028] N=1,596
Child was ever breastfed	0.962 P=2,619	0.004 [0.012] N=2,726	0.006 [0.013] N=2,527	0.005 [0.014] N=2,276	0.008 [0.016] N=1,953	-0.001 [0.016] N=1,607

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.013 [0.027] N=2,290	0.002 [0.029] N=2,075	0.009 [0.034] N=1,816	0.009 [0.042] N=1,507	-0.027 [0.056] N=1,164
Vegetables consumed at least weekly	-0.002 [0.036] N=2,290	0.008 [0.039] N=2,075	0.008 [0.042] N=1,816	-0.011 [0.050] N=1,507	-0.070 [0.063] N=1,164
Meat fish or poultry consumed at least weekly	0.017 [0.043] N=2,290	0.026 [0.045] N=2,075	0.028 [0.053] N=1,816	0.005 [0.061] N=1,507	-0.061 [0.079] N=1,164
Legumes consumed at least weekly	0.000 [0.046] N=2,290	-0.002 [0.050] N=2,075	0.029 [0.053] N=1,816	0.049 [0.065] N=1,507	0.006 [0.087] N=1,164
Animal products consumed at least weekly	0.029 [0.030] N=2,290	0.036 [0.032] N=2,075	0.010 [0.035] N=1,816	0.033 [0.042] N=1,507	0.009 [0.052] N=1,164
Sweets consumed at least weekly	-0.043 [0.036] N=2,290	-0.030 [0.039] N=2,075	0.007 [0.044] N=1,816	-0.020 [0.048] N=1,507	0.025 [0.065] N=1,164
Snack foods consumed at least weekly	-0.052 [0.041] N=2,290	-0.027 [0.046] N=2,075	-0.036 [0.049] N=1,816	-0.045 [0.060] N=1,507	**-0.119* [0.069]** **N=1,164**
Packaged soft drinks consumed at least weekly	-0.055 [0.048] N=2,290	-0.053 [0.050] N=2,075	-0.082 [0.055] N=1,816	**-0.130**** **[0.062]** **N=1,507**	**-0.186**** **[0.084]** **N=1,164**
Grains consumed at least weekly	0.034 [0.031] N=2,290	0.049 [0.034] N=2,075	0.036 [0.038] N=1,816	0.050 [0.047] N=1,507	0.028 [0.070] N=1,164
Child was ever breastfed	0.014 [0.019] N=2,299	0.020 [0.021] N=2,100	0.022 [0.024] N=1,849	0.026 [0.030] N=1,526	0.016 [0.038] N=1,180

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=2,568	-0.007 [0.019] N=2,722	0.002 [0.020] N=2,507	0.004 [0.021] N=2,248	0.003 [0.024] N=1,939	-0.009 [0.028] N=1,596
Vegetables consumed at least weekly	0.901 P=2,453	-0.003 [0.023] N=2,722	0.001 [0.023] N=2,507	-0.003 [0.024] N=2,248	-0.014 [0.026] N=1,939	-0.038 [0.029] N=1,596
Meat fish or poultry consumed at least weekly	0.801 P=2,189	0.025 [0.038] N=2,722	0.031 [0.040] N=2,507	0.034 [0.044] N=2,248	0.030 [0.049] N=1,939	0.016 [0.056] N=1,596
Legumes consumed at least weekly	0.803 P=2,190	-0.034 [0.031] N=2,722	-0.040 [0.032] N=2,507	-0.033 [0.033] N=2,248	-0.035 [0.036] N=1,939	-0.063 [0.042] N=1,596
Animal products consumed at least weekly	0.920 P=2,511	0.011 [0.023] N=2,722	0.013 [0.025] N=2,507	-0.001 [0.026] N=2,248	0.006 [0.029] N=1,939	-0.004 [0.034] N=1,596
Sweets consumed at least weekly	0.716 P=1,949	-0.042 [0.028] N=2,722	-0.035 [0.029] N=2,507	-0.013 [0.031] N=2,248	-0.024 [0.033] N=1,939	-0.009 [0.039] N=1,596
Snack foods consumed at least weekly	0.596 P=1,613	**-0.063** [0.030] N=2,722**	-0.051 [0.032] N=2,507	**-0.057* [0.033] N=2,248**	-0.058 [0.037] N=1,939	**-0.086** [0.041] N=1,596**
Packaged soft drinks consumed at least weekly	0.380 P=1,019	-0.053 [0.040] N=2,722	-0.050 [0.042] N=2,507	-0.062 [0.045] N=2,248	-0.076 [0.050] N=1,939	-0.080 [0.062] N=1,596
Grains consumed at least weekly	0.918 P=2,500	0.013 [0.020] N=2,722	0.019 [0.021] N=2,507	0.008 [0.022] N=2,248	0.011 [0.024] N=1,939	-0.004 [0.028] N=1,596
Child was ever breastfed	0.962 P=2,619	0.003 [0.012] N=2,726	0.006 [0.013] N=2,527	0.005 [0.014] N=2,276	0.008 [0.016] N=1,953	-0.000 [0.016] N=1,607

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.013 [0.027] N=2,290	0.002 [0.029] N=2,075	0.009 [0.034] N=1,816	0.009 [0.042] N=1,507	-0.025 [0.056] N=1,164
Vegetables consumed at least weekly	-0.002 [0.036] N=2,290	0.008 [0.039] N=2,075	0.008 [0.042] N=1,816	-0.010 [0.050] N=1,507	-0.069 [0.063] N=1,164
Meat fish or poultry consumed at least weekly	0.017 [0.043] N=2,290	0.026 [0.045] N=2,075	0.028 [0.053] N=1,816	0.006 [0.060] N=1,507	-0.059 [0.078] N=1,164
Legumes consumed at least weekly	0.000 [0.046] N=2,290	-0.002 [0.050] N=2,075	0.029 [0.052] N=1,816	0.050 [0.064] N=1,507	0.012 [0.085] N=1,164
Animal products consumed at least weekly	0.029 [0.030] N=2,290	0.035 [0.032] N=2,075	0.010 [0.035] N=1,816	0.034 [0.041] N=1,507	0.013 [0.051] N=1,164
Sweets consumed at least weekly	-0.043 [0.036] N=2,290	-0.030 [0.039] N=2,075	0.007 [0.044] N=1,816	-0.020 [0.048] N=1,507	0.028 [0.064] N=1,164
Snack foods consumed at least weekly	-0.052 [0.041] N=2,290	-0.028 [0.046] N=2,075	-0.036 [0.049] N=1,816	-0.045 [0.060] N=1,507	**-0.119* [0.069] N=1,164**
Packaged soft drinks consumed at least weekly	-0.055 [0.048] N=2,290	-0.052 [0.050] N=2,075	-0.082 [0.055] N=1,816	**-0.131** [0.062] N=1,507**	**-0.191** [0.083] N=1,164**
Grains consumed at least weekly	0.034 [0.031] N=2,290	0.049 [0.034] N=2,075	0.036 [0.038] N=1,816	0.050 [0.047] N=1,507	0.027 [0.069] N=1,164
Child was ever breastfed	0.014 [0.019] N=2,299	0.020 [0.021] N=2,100	0.022 [0.024] N=1,849	0.026 [0.030] N=1,526	0.015 [0.037] N=1,180

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=2,568	-0.012 [0.019] N=2,722	-0.004 [0.019] N=2,507	-0.003 [0.021] N=2,248	-0.005 [0.024] N=1,939	-0.018 [0.028] N=1,596

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Vegetables consumed at least weekly	0.901 P=2,453	-0.008 [0.023] N=2,722	-0.005 [0.023] N=2,507	-0.010 [0.024] N=2,248	-0.022 [0.026] N=1,939	-0.049 [0.030] N=1,596
Meat fish or poultry consumed at least weekly	0.801 P=2,189	0.008 [0.037] N=2,722	0.014 [0.039] N=2,507	0.017 [0.044] N=2,248	0.011 [0.049] N=1,939	-0.006 [0.056] N=1,596
Legumes consumed at least weekly	0.803 P=2,190	-0.039 [0.031] N=2,722	-0.046 [0.032] N=2,507	-0.039 [0.033] N=2,248	-0.042 [0.037] N=1,939	**-0.070* [0.042] N=1,596**
Animal products consumed at least weekly	0.920 P=2,511	0.009 [0.024] N=2,722	0.010 [0.025] N=2,507	-0.005 [0.026] N=2,248	0.001 [0.030] N=1,939	-0.011 [0.034] N=1,596
Sweets consumed at least weekly	0.716 P=1,949	**-0.046* [0.028] N=2,722**	-0.039 [0.030] N=2,507	-0.018 [0.031] N=2,248	-0.029 [0.033] N=1,939	-0.015 [0.039] N=1,596
Snack foods consumed at least weekly	0.596 P=1,613	**-0.062** [0.030] N=2,722**	-0.049 [0.032] N=2,507	**-0.056* [0.033] N=2,248**	-0.055 [0.037] N=1,939	**-0.083** [0.041] N=1,596**
Packaged soft drinks consumed at least weekly	0.380 P=1,019	-0.046 [0.040] N=2,722	-0.042 [0.042] N=2,507	-0.054 [0.045] N=2,248	-0.064 [0.049] N=1,939	-0.066 [0.062] N=1,596
Grains consumed at least weekly	0.918 P=2,500	0.010 [0.020] N=2,722	0.016 [0.021] N=2,507	0.006 [0.022] N=2,248	0.008 [0.024] N=1,939	-0.007 [0.028] N=1,596
Child was ever breastfed	0.962 P=2,619	0.000 [0.012] N=2,726	0.002 [0.013] N=2,527	0.001 [0.014] N=2,276	0.004 [0.016] N=1,953	-0.003 [0.017] N=1,607

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.017 [0.027] N=2,290	-0.002 [0.028] N=2,075	0.004 [0.032] N=1,816	0.006 [0.040] N=1,507	-0.029 [0.055] N=1,164
Vegetables consumed at least weekly	-0.005 [0.036] N=2,290	0.005 [0.039] N=2,075	0.004 [0.042] N=1,816	-0.014 [0.050] N=1,507	-0.073 [0.065] N=1,164
Meat fish or poultry consumed at least weekly	0.004 [0.042] N=2,290	0.013 [0.045] N=2,075	0.015 [0.053] N=1,816	-0.008 [0.060] N=1,507	-0.075 [0.079] N=1,164
Legumes consumed at least weekly	-0.004 [0.045] N=2,290	-0.007 [0.049] N=2,075	0.024 [0.052] N=1,816	0.045 [0.065] N=1,507	0.010 [0.087] N=1,164
Animal products consumed at least weekly	0.027 [0.030] N=2,290	0.033 [0.031] N=2,075	0.007 [0.035] N=1,816	0.030 [0.041] N=1,507	0.012 [0.051] N=1,164
Sweets consumed at least weekly	-0.046 [0.037] N=2,290	-0.034 [0.039] N=2,075	0.003 [0.045] N=1,816	-0.022 [0.048] N=1,507	0.025 [0.064] N=1,164
Snack foods consumed at least weekly	-0.051 [0.040] N=2,290	-0.025 [0.044] N=2,075	-0.033 [0.048] N=1,816	-0.038 [0.057] N=1,507	**-0.111* [0.066] N=1,164**
Packaged soft drinks consumed at least weekly	-0.048 [0.047] N=2,290	-0.042 [0.049] N=2,075	-0.069 [0.055] N=1,816	**-0.113* [0.062] N=1,507**	**-0.170** [0.082] N=1,164**
Grains consumed at least weekly	0.031 [0.031] N=2,290	0.046 [0.034] N=2,075	0.032 [0.038] N=1,816	0.044 [0.046] N=1,507	0.018 [0.069] N=1,164
Child was ever breastfed	0.012 [0.019] N=2,299	0.017 [0.021] N=2,100	0.018 [0.024] N=1,849	0.023 [0.030] N=1,526	0.013 [0.038] N=1,180

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=2,568	-0.013 [0.019] N=2,722	-0.005 [0.020] N=2,507	-0.005 [0.021] N=2,248	-0.007 [0.024] N=1,939	-0.020 [0.028] N=1,596
Vegetables consumed at least weekly	0.901 P=2,453	-0.009 [0.023] N=2,722	-0.006 [0.024] N=2,507	-0.011 [0.025] N=2,248	-0.022 [0.026] N=1,939	-0.048 [0.030] N=1,596

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Meat fish or poultry consumed at least weekly	0.801 P=2,189	0.010 [0.037] N=2,722	0.016 [0.040] N=2,507	0.014 [0.044] N=2,248	0.008 [0.049] N=1,939	-0.010 [0.056] N=1,596
Legumes consumed at least weekly	0.803 P=2,190	-0.041 [0.032] N=2,722	-0.048 [0.033] N=2,507	-0.044 [0.034] N=2,248	-0.046 [0.037] N=1,939	**-0.072* [0.043] N=1,596**
Animal products consumed at least weekly	0.920 P=2,511	0.006 [0.024] N=2,722	0.008 [0.025] N=2,507	-0.008 [0.026] N=2,248	-0.001 [0.029] N=1,939	-0.010 [0.034] N=1,596
Sweets consumed at least weekly	0.716 P=1,949	-0.045 [0.028] N=2,722	-0.038 [0.029] N=2,507	-0.019 [0.031] N=2,248	-0.029 [0.032] N=1,939	-0.013 [0.038] N=1,596
Snack foods consumed at least weekly	0.596 P=1,613	**-0.062** [0.030] N=2,722**	-0.050 [0.032] N=2,507	**-0.059* [0.033] N=2,248**	-0.057 [0.037] N=1,939	**-0.084** [0.041] N=1,596**
Packaged soft drinks consumed at least weekly	0.380 P=1,019	-0.045 [0.039] N=2,722	-0.043 [0.041] N=2,507	-0.055 [0.044] N=2,248	-0.063 [0.049] N=1,939	-0.065 [0.060] N=1,596
Grains consumed at least weekly	0.918 P=2,500	0.012 [0.020] N=2,722	0.018 [0.021] N=2,507	0.007 [0.023] N=2,248	0.009 [0.024] N=1,939	-0.004 [0.029] N=1,596
Child was ever breastfed	0.962 P=2,619	-0.000 [0.013] N=2,726	0.002 [0.013] N=2,527	0.000 [0.014] N=2,276	0.003 [0.016] N=1,953	-0.005 [0.017] N=1,607

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.016 [0.026] N=2,290	-0.002 [0.029] N=2,075	0.003 [0.033] N=1,816	0.006 [0.040] N=1,507	-0.030 [0.055] N=1,164
Vegetables consumed at least weekly	-0.003 [0.035] N=2,290	0.004 [0.039] N=2,075	0.003 [0.042] N=1,816	-0.014 [0.049] N=1,507	-0.071 [0.063] N=1,164
Meat fish or poultry consumed at least weekly	0.007 [0.042] N=2,290	0.013 [0.045] N=2,075	0.009 [0.052] N=1,816	-0.014 [0.060] N=1,507	-0.084 [0.078] N=1,164
Legumes consumed at least weekly	-0.002 [0.046] N=2,290	-0.007 [0.049] N=2,075	0.021 [0.052] N=1,816	0.049 [0.064] N=1,507	0.014 [0.087] N=1,164
Animal products consumed at least weekly	0.028 [0.030] N=2,290	0.033 [0.032] N=2,075	0.006 [0.035] N=1,816	0.031 [0.041] N=1,507	0.009 [0.053] N=1,164
Sweets consumed at least weekly	-0.043 [0.036] N=2,290	-0.033 [0.038] N=2,075	0.001 [0.043] N=1,816	-0.022 [0.047] N=1,507	0.024 [0.064] N=1,164
Snack foods consumed at least weekly	-0.050 [0.040] N=2,290	-0.026 [0.044] N=2,075	-0.036 [0.047] N=1,816	-0.036 [0.056] N=1,507	**-0.112* [0.065] N=1,164**
Packaged soft drinks consumed at least weekly	-0.046 [0.047] N=2,290	-0.043 [0.048] N=2,075	-0.070 [0.054] N=1,816	**-0.111* [0.062] N=1,507**	**-0.166** [0.082] N=1,164**
Grains consumed at least weekly	0.032 [0.030] N=2,290	0.047 [0.034] N=2,075	0.032 [0.038] N=1,816	0.044 [0.046] N=1,507	0.015 [0.066] N=1,164
Child was ever breastfed	0.013 [0.019] N=2,299	0.018 [0.022] N=2,100	0.019 [0.024] N=1,849	0.024 [0.030] N=1,526	0.012 [0.038] N=1,180

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.944 P=2,398	-0.014 [0.019] N=2,542	-0.009 [0.020] N=2,347	-0.007 [0.022] N=2,100	-0.008 [0.025] N=1,815	-0.025 [0.028] N=1,491
Vegetables consumed at least weekly	0.903 P=2,296	-0.009 [0.022] N=2,542	-0.007 [0.023] N=2,347	-0.012 [0.024] N=2,100	-0.020 [0.025] N=1,815	-0.045 [0.029] N=1,491
Meat fish or poultry consumed at least weekly	0.800 P=2,041	0.010 [0.036] N=2,542	0.009 [0.037] N=2,347	0.004 [0.040] N=2,100	-0.004 [0.045] N=1,815	-0.025 [0.051] N=1,491

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Legumes consumed at least weekly	0.802 P=2,043	-0.044 [0.031] N=2,542	**-0.057* [0.033] N=2,347**	**-0.055* [0.033] N=2,100**	-0.058 [0.037] N=1,815	**-0.089** [0.042] N=1,491**
Animal products consumed at least weekly	0.922 P=2,351	0.014 [0.024] N=2,542	0.013 [0.025] N=2,347	-0.003 [0.026] N=2,100	-0.001 [0.029] N=1,815	-0.011 [0.033] N=1,491
Sweets consumed at least weekly	0.721 P=1,828	-0.037 [0.028] N=2,542	-0.037 [0.030] N=2,347	-0.019 [0.031] N=2,100	-0.031 [0.033] N=1,815	-0.015 [0.040] N=1,491
Snack foods consumed at least weekly	0.602 P=1,519	**-0.058* [0.031] N=2,542**	-0.050 [0.033] N=2,347	**-0.059* [0.035] N=2,100**	-0.062 [0.039] N=1,815	**-0.085* [0.044] N=1,491**
Packaged soft drinks consumed at least weekly	0.386 P=968	-0.044 [0.040] N=2,542	-0.044 [0.042] N=2,347	-0.057 [0.045] N=2,100	-0.080 [0.050] N=1,815	-0.080 [0.063] N=1,491
Grains consumed at least weekly	0.919 P=2,337	0.007 [0.021] N=2,542	0.012 [0.022] N=2,347	-0.003 [0.023] N=2,100	0.002 [0.025] N=1,815	-0.016 [0.029] N=1,491
Child was ever breastfed	0.961 P=2,441	0.001 [0.013] N=2,542	0.005 [0.014] N=2,361	0.003 [0.015] N=2,121	0.007 [0.017] N=1,828	-0.004 [0.018] N=1,503

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.016 [0.028] N=2,139	-0.008 [0.031] N=1,944	-0.003 [0.036] N=1,697	-0.002 [0.044] N=1,412	-0.049 [0.058] N=1,088
Vegetables consumed at least weekly	-0.003 [0.036] N=2,139	0.004 [0.039] N=1,944	0.002 [0.042] N=1,697	-0.011 [0.050] N=1,412	-0.067 [0.062] N=1,088
Meat fish or poultry consumed at least weekly	0.020 [0.044] N=2,139	0.020 [0.046] N=1,944	0.012 [0.053] N=1,697	-0.013 [0.061] N=1,412	-0.089 [0.079] N=1,088
Legumes consumed at least weekly	0.004 [0.046] N=2,139	-0.008 [0.050] N=1,944	0.012 [0.052] N=1,697	0.033 [0.065] N=1,412	-0.019 [0.086] N=1,088
Animal products consumed at least weekly	0.038 [0.030] N=2,139	0.038 [0.032] N=1,944	0.010 [0.036] N=1,697	0.023 [0.042] N=1,412	0.003 [0.053] N=1,088
Sweets consumed at least weekly	-0.034 [0.036] N=2,139	-0.033 [0.038] N=1,944	-0.005 [0.044] N=1,697	-0.033 [0.047] N=1,412	0.009 [0.063] N=1,088
Snack foods consumed at least weekly	-0.045 [0.042] N=2,139	-0.027 [0.046] N=1,944	-0.045 [0.050] N=1,697	-0.062 [0.059] N=1,412	**-0.132* [0.069] N=1,088**
Packaged soft drinks consumed at least weekly	-0.044 [0.049] N=2,139	-0.045 [0.049] N=1,944	-0.078 [0.055] N=1,697	**-0.147** [0.060] N=1,412**	**-0.200** [0.087] N=1,088**
Grains consumed at least weekly	0.030 [0.032] N=2,139	0.042 [0.035] N=1,944	0.021 [0.039] N=1,697	0.037 [0.048] N=1,412	0.004 [0.069] N=1,088
Child was ever breastfed	0.012 [0.020] N=2,144	0.020 [0.022] N=1,963	0.020 [0.025] N=1,723	0.028 [0.030] N=1,430	0.011 [0.038] N=1,105

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.944 P=2,398	-0.013 [0.019] N=2,542	-0.008 [0.020] N=2,347	-0.005 [0.022] N=2,100	-0.006 [0.024] N=1,815	-0.020 [0.028] N=1,491
Vegetables consumed at least weekly	0.903 P=2,296	-0.009 [0.022] N=2,542	-0.007 [0.023] N=2,347	-0.012 [0.023] N=2,100	-0.020 [0.025] N=1,815	-0.044 [0.028] N=1,491
Meat fish or poultry consumed at least weekly	0.800 P=2,041	0.011 [0.036] N=2,542	0.011 [0.037] N=2,347	0.008 [0.040] N=2,100	0.001 [0.045] N=1,815	-0.017 [0.051] N=1,491
Legumes consumed at least weekly	0.802 P=2,043	-0.046 [0.031] N=2,542	**-0.058* [0.033] N=2,347**	**-0.056* [0.033] N=2,100**	-0.059 [0.037] N=1,815	**-0.089** [0.042] N=1,491**

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Animal products consumed at least weekly	0.922 P=2,351	0.015 [0.024] N=2,542	0.013 [0.025] N=2,347	-0.003 [0.026] N=2,100	0.000 [0.029] N=1,815	-0.010 [0.033] N=1,491
Sweets consumed at least weekly	0.721 P=1,828	-0.036 [0.028] N=2,542	-0.036 [0.030] N=2,347	-0.016 [0.031] N=2,100	-0.027 [0.033] N=1,815	-0.010 [0.039] N=1,491
Snack foods consumed at least weekly	0.602 P=1,519	**-0.057* [0.031] N=2,542**	-0.048 [0.033] N=2,347	**-0.058* [0.035] N=2,100**	-0.062 [0.039] N=1,815	**-0.087** [0.043] N=1,491**
Packaged soft drinks consumed at least weekly	0.386 P=968	-0.041 [0.041] N=2,542	-0.040 [0.042] N=2,347	-0.057 [0.046] N=2,100	-0.081 [0.050] N=1,815	-0.083 [0.063] N=1,491
Grains consumed at least weekly	0.919 P=2,337	0.007 [0.021] N=2,542	0.013 [0.022] N=2,347	-0.002 [0.023] N=2,100	0.003 [0.025] N=1,815	-0.014 [0.029] N=1,491
Child was ever breastfed	0.961 P=2,441	0.001 [0.013] N=2,542	0.003 [0.014] N=2,361	0.002 [0.015] N=2,121	0.008 [0.017] N=1,828	-0.003 [0.018] N=1,503

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.016 [0.028] N=2,139	-0.008 [0.031] N=1,944	-0.001 [0.036] N=1,697	0.001 [0.044] N=1,412	-0.044 [0.057] N=1,088
Vegetables consumed at least weekly	-0.004 [0.036] N=2,139	0.003 [0.039] N=1,944	0.003 [0.041] N=1,697	-0.010 [0.049] N=1,412	-0.064 [0.061] N=1,088
Meat fish or poultry consumed at least weekly	0.019 [0.044] N=2,139	0.020 [0.046] N=1,944	0.013 [0.053] N=1,697	-0.011 [0.060] N=1,412	-0.083 [0.078] N=1,088
Legumes consumed at least weekly	0.003 [0.046] N=2,139	-0.009 [0.050] N=1,944	0.012 [0.052] N=1,697	0.033 [0.065] N=1,412	-0.013 [0.084] N=1,088
Animal products consumed at least weekly	0.038 [0.030] N=2,139	0.038 [0.032] N=1,944	0.012 [0.035] N=1,697	0.024 [0.042] N=1,412	0.005 [0.052] N=1,088
Sweets consumed at least weekly	-0.036 [0.037] N=2,139	-0.036 [0.039] N=1,944	-0.004 [0.045] N=1,697	-0.032 [0.047] N=1,412	0.011 [0.064] N=1,088
Snack foods consumed at least weekly	-0.046 [0.042] N=2,139	-0.027 [0.046] N=1,944	-0.044 [0.050] N=1,697	-0.062 [0.059] N=1,412	**-0.134* [0.069] N=1,088**
Packaged soft drinks consumed at least weekly	-0.041 [0.049] N=2,139	-0.040 [0.050] N=1,944	-0.077 [0.055] N=1,697	**-0.148** [0.060] N=1,412**	**-0.201** [0.085] N=1,088**
Grains consumed at least weekly	0.029 [0.032] N=2,139	0.042 [0.035] N=1,944	0.021 [0.040] N=1,697	0.037 [0.049] N=1,412	0.007 [0.071] N=1,088
Child was ever breastfed	0.011 [0.020] N=2,144	0.019 [0.023] N=1,963	0.021 [0.025] N=1,723	0.030 [0.031] N=1,430	0.014 [0.040] N=1,105

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.945 P=2,578	0.004 [0.018] N=2,727	0.007 [0.019] N=2,486	0.004 [0.021] N=2,189	0.005 [0.021] N=1,856	0.005 [0.025] N=1,506
Vegetables consumed at least weekly	0.901 P=2,458	0.036 [0.025] N=2,727	0.042 [0.026] N=2,486	**0.049* [0.028] N=2,189**	0.039 [0.030] N=1,856	0.028 [0.034] N=1,506
Meat fish or poultry consumed at least weekly	0.800 P=2,194	0.030 [0.033] N=2,727	0.049 [0.033] N=2,486	0.047 [0.037] N=2,189	0.061 [0.039] N=1,856	0.055 [0.046] N=1,506
Legumes consumed at least weekly	0.805 P=2,207	0.000 [0.030] N=2,727	0.015 [0.032] N=2,486	0.020 [0.034] N=2,189	0.012 [0.037] N=1,856	0.011 [0.043] N=1,506
Animal products consumed at least weekly	0.919 P=2,518	0.033 [0.022] N=2,727	**0.045* [0.023] N=2,486**	**0.046* [0.025] N=2,189**	0.041 [0.028] N=1,856	**0.061* [0.032] N=1,506**
Sweets consumed at least weekly	0.735 P=2,014	-0.000 [0.033] N=2,727	0.005 [0.035] N=2,486	0.012 [0.038] N=2,189	0.010 [0.040] N=1,856	-0.020 [0.045] N=1,506
Snack foods consumed at least weekly	0.612 P=1,669	0.012 [0.030] N=2,727	0.022 [0.032] N=2,486	0.032 [0.033] N=2,189	0.047 [0.035] N=1,856	0.014 [0.042] N=1,506
Packaged soft drinks consumed at least weekly	0.385 P=1,043	-0.006 [0.037] N=2,727	0.009 [0.038] N=2,486	0.022 [0.040] N=2,189	0.031 [0.044] N=1,856	0.038 [0.052] N=1,506
Grains consumed at least weekly	0.920 P=2,516	0.019 [0.022] N=2,727	0.030 [0.024] N=2,486	0.037 [0.025] N=2,189	0.044 [0.028] N=1,856	0.030 [0.034] N=1,506
Child was ever breastfed	0.960 P=2,501	-0.006 [0.017] N=2,606	-0.014 [0.018] N=2,369	-0.003 [0.019] N=2,073	-0.006 [0.019] N=1,756	-0.005 [0.020] N=1,422

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.019 [0.024] N=2,341	-0.021 [0.027] N=2,100	-0.026 [0.031] N=1,803	-0.016 [0.033] N=1,470	-0.033 [0.049] N=1,120
Vegetables consumed at least weekly	0.002 [0.036] N=2,341	0.007 [0.040] N=2,100	0.014 [0.045] N=1,803	-0.008 [0.053] N=1,470	-0.055 [0.069] N=1,120
Meat fish or poultry consumed at least weekly	-0.043 [0.039] N=2,341	-0.017 [0.041] N=2,100	-0.039 [0.044] N=1,803	-0.035 [0.050] N=1,470	-0.087 [0.068] N=1,120
Legumes consumed at least weekly	-0.023 [0.041] N=2,341	-0.004 [0.045] N=2,100	0.009 [0.053] N=1,803	0.005 [0.061] N=1,470	-0.013 [0.079] N=1,120
Animal products consumed at least weekly	-0.019 [0.027] N=2,341	-0.006 [0.030] N=2,100	-0.010 [0.033] N=1,803	-0.032 [0.039] N=1,470	-0.024 [0.048] N=1,120
Sweets consumed at least weekly	-0.016 [0.043] N=2,341	-0.010 [0.047] N=2,100	-0.003 [0.053] N=1,803	-0.011 [0.061] N=1,470	-0.109 [0.078] N=1,120
Snack foods consumed at least weekly	-0.006 [0.044] N=2,341	0.007 [0.048] N=2,100	0.020 [0.053] N=1,803	0.053 [0.063] N=1,470	-0.023 [0.084] N=1,120
Packaged soft drinks consumed at least weekly	-0.034 [0.053] N=2,341	-0.014 [0.056] N=2,100	0.000 [0.064] N=1,803	0.015 [0.076] N=1,470	0.035 [0.098] N=1,120
Grains consumed at least weekly	-0.021 [0.025] N=2,341	-0.010 [0.027] N=2,100	0.000 [0.029] N=1,803	-0.003 [0.033] N=1,470	**-0.079* [0.046] N=1,120**
Child was ever breastfed	0.001 [0.028] N=2,242	-0.015 [0.030] N=2,005	0.010 [0.032] N=1,709	0.006 [0.036] N=1,392	0.009 [0.045] N=1,058

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.945 P=2,578	0.005 [0.018] N=2,727	0.007 [0.019] N=2,486	0.004 [0.021] N=2,189	0.005 [0.021] N=1,856	0.006 [0.025] N=1,506
Vegetables consumed at least weekly	0.901 P=2,458	0.036 [0.025] N=2,727	0.042 [0.026] N=2,486	**0.049* [0.028] N=2,189**	0.038 [0.030] N=1,856	0.026 [0.034] N=1,506
Meat fish or poultry consumed at least weekly	0.800 P=2,194	0.029 [0.033] N=2,727	0.048 [0.033] N=2,486	0.046 [0.037] N=2,189	0.060 [0.039] N=1,856	0.055 [0.046] N=1,506

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Legumes consumed at least weekly	0.805 P=2,207	-0.000 [0.030] N=2,727	0.014 [0.032] N=2,486	0.019 [0.034] N=2,189	0.012 [0.037] N=1,856	0.012 [0.042] N=1,506
Animal products consumed at least weekly	0.919 P=2,518	0.031 [0.022] N=2,727	**0.043* [0.023] N=2,486**	**0.045* [0.025] N=2,189**	0.040 [0.028] N=1,856	**0.059* [0.032] N=1,506**
Sweets consumed at least weekly	0.735 P=2,014	-0.002 [0.033] N=2,727	0.003 [0.035] N=2,486	0.010 [0.038] N=2,189	0.009 [0.040] N=1,856	-0.021 [0.045] N=1,506
Snack foods consumed at least weekly	0.612 P=1,669	0.011 [0.030] N=2,727	0.021 [0.032] N=2,486	0.031 [0.033] N=2,189	0.047 [0.035] N=1,856	0.013 [0.042] N=1,506
Packaged soft drinks consumed at least weekly	0.385 P=1,043	-0.006 [0.037] N=2,727	0.009 [0.038] N=2,486	0.022 [0.040] N=2,189	0.031 [0.044] N=1,856	0.037 [0.052] N=1,506
Grains consumed at least weekly	0.920 P=2,516	0.019 [0.022] N=2,727	0.030 [0.024] N=2,486	0.038 [0.025] N=2,189	0.044 [0.028] N=1,856	0.032 [0.034] N=1,506
Child was ever breastfed	0.960 P=2,501	-0.006 [0.017] N=2,606	-0.014 [0.018] N=2,369	-0.003 [0.018] N=2,073	-0.006 [0.019] N=1,756	-0.006 [0.020] N=1,422

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.019 [0.024] N=2,341	-0.021 [0.027] N=2,100	-0.026 [0.031] N=1,803	-0.016 [0.033] N=1,470	-0.032 [0.049] N=1,120
Vegetables consumed at least weekly	0.001 [0.036] N=2,341	0.006 [0.040] N=2,100	0.013 [0.045] N=1,803	-0.008 [0.053] N=1,470	-0.057 [0.069] N=1,120
Meat fish or poultry consumed at least weekly	-0.044 [0.039] N=2,341	-0.017 [0.041] N=2,100	-0.039 [0.044] N=1,803	-0.035 [0.050] N=1,470	-0.089 [0.068] N=1,120
Legumes consumed at least weekly	-0.024 [0.041] N=2,341	-0.004 [0.045] N=2,100	0.008 [0.053] N=1,803	0.005 [0.061] N=1,470	-0.012 [0.080] N=1,120
Animal products consumed at least weekly	-0.021 [0.027] N=2,341	-0.007 [0.029] N=2,100	-0.011 [0.032] N=1,803	-0.032 [0.039] N=1,470	-0.029 [0.047] N=1,120
Sweets consumed at least weekly	-0.017 [0.043] N=2,341	-0.011 [0.048] N=2,100	-0.004 [0.053] N=1,803	-0.011 [0.061] N=1,470	-0.110 [0.078] N=1,120
Snack foods consumed at least weekly	-0.008 [0.044] N=2,341	0.005 [0.048] N=2,100	0.019 [0.053] N=1,803	0.053 [0.064] N=1,470	-0.027 [0.085] N=1,120
Packaged soft drinks consumed at least weekly	-0.034 [0.054] N=2,341	-0.014 [0.056] N=2,100	0.000 [0.064] N=1,803	0.015 [0.076] N=1,470	0.032 [0.099] N=1,120
Grains consumed at least weekly	-0.021 [0.025] N=2,341	-0.010 [0.027] N=2,100	0.001 [0.029] N=1,803	-0.002 [0.032] N=1,470	-0.076 [0.046] N=1,120
Child was ever breastfed	0.001 [0.027] N=2,242	-0.014 [0.030] N=2,005	0.010 [0.032] N=1,709	0.008 [0.036] N=1,392	0.009 [0.045] N=1,058

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.945 P=2,578	0.004 [0.017] N=2,727	0.006 [0.018] N=2,486	0.005 [0.020] N=2,189	0.006 [0.020] N=1,856	0.007 [0.024] N=1,506
Vegetables consumed at least weekly	0.901 P=2,458	0.035 [0.025] N=2,727	0.041 [0.026] N=2,486	**0.049* [0.027] N=2,189**	0.039 [0.030] N=1,856	0.027 [0.034] N=1,506
Meat fish or poultry consumed at least weekly	0.800 P=2,194	0.027 [0.031] N=2,727	0.046 [0.032] N=2,486	0.049 [0.034] N=2,189	**0.064* [0.036] N=1,856**	0.060 [0.042] N=1,506
Legumes consumed at least weekly	0.805 P=2,207	-0.001 [0.030] N=2,727	0.014 [0.032] N=2,486	0.020 [0.034] N=2,189	0.014 [0.037] N=1,856	0.013 [0.042] N=1,506
Animal products consumed at least weekly	0.919 P=2,518	0.031 [0.022] N=2,727	**0.042* [0.023] N=2,486**	**0.045* [0.024] N=2,189**	0.040 [0.027] N=1,856	**0.059* [0.031] N=1,506**

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Sweets consumed at least weekly	0.735 P=2,014	-0.002 [0.033] N=2,727	0.003 [0.035] N=2,486	0.011 [0.037] N=2,189	0.009 [0.039] N=1,856	-0.020 [0.044] N=1,506
Snack foods consumed at least weekly	0.612 P=1,669	0.010 [0.030] N=2,727	0.021 [0.032] N=2,486	0.030 [0.032] N=2,189	0.044 [0.034] N=1,856	0.010 [0.041] N=1,506
Packaged soft drinks consumed at least weekly	0.385 P=1,043	-0.007 [0.038] N=2,727	0.006 [0.039] N=2,486	0.019 [0.041] N=2,189	0.026 [0.046] N=1,856	0.030 [0.055] N=1,506
Grains consumed at least weekly	0.920 P=2,516	0.019 [0.022] N=2,727	0.030 [0.024] N=2,486	0.038 [0.025] N=2,189	0.045 [0.028] N=1,856	0.033 [0.033] N=1,506
Child was ever breastfed	0.960 P=2,501	-0.006 [0.017] N=2,606	-0.013 [0.018] N=2,369	-0.001 [0.018] N=2,073	-0.004 [0.019] N=1,756	-0.005 [0.020] N=1,422

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.019 [0.024] N=2,341	-0.021 [0.026] N=2,100	-0.024 [0.031] N=1,803	-0.015 [0.034] N=1,470	-0.029 [0.049] N=1,120
Vegetables consumed at least weekly	0.001 [0.036] N=2,341	0.004 [0.039] N=2,100	0.015 [0.044] N=1,803	-0.007 [0.052] N=1,470	-0.054 [0.069] N=1,120
Meat fish or poultry consumed at least weekly	-0.044 [0.038] N=2,341	-0.019 [0.039] N=2,100	-0.031 [0.043] N=1,803	-0.028 [0.048] N=1,470	-0.079 [0.063] N=1,120
Legumes consumed at least weekly	-0.022 [0.042] N=2,341	-0.003 [0.046] N=2,100	0.011 [0.054] N=1,803	0.010 [0.062] N=1,470	-0.009 [0.081] N=1,120
Animal products consumed at least weekly	-0.020 [0.026] N=2,341	-0.010 [0.029] N=2,100	-0.010 [0.032] N=1,803	-0.032 [0.039] N=1,470	-0.030 [0.046] N=1,120
Sweets consumed at least weekly	-0.019 [0.043] N=2,341	-0.013 [0.048] N=2,100	-0.003 [0.053] N=1,803	-0.013 [0.061] N=1,470	-0.116 [0.079] N=1,120
Snack foods consumed at least weekly	-0.010 [0.044] N=2,341	0.002 [0.048] N=2,100	0.014 [0.053] N=1,803	0.044 [0.063] N=1,470	-0.042 [0.085] N=1,120
Packaged soft drinks consumed at least weekly	-0.040 [0.053] N=2,341	-0.024 [0.054] N=2,100	-0.011 [0.063] N=1,803	-0.003 [0.074] N=1,470	0.008 [0.098] N=1,120
Grains consumed at least weekly	-0.021 [0.025] N=2,341	-0.011 [0.027] N=2,100	0.001 [0.029] N=1,803	-0.003 [0.033] N=1,470	-0.076 [0.046] N=1,120
Child was ever breastfed	0.002 [0.027] N=2,242	-0.013 [0.030] N=2,005	0.014 [0.032] N=1,709	0.013 [0.036] N=1,392	0.015 [0.044] N=1,058

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.945 P=2,578	0.003 [0.017] N=2,727	0.006 [0.018] N=2,486	0.004 [0.020] N=2,189	0.004 [0.020] N=1,856	0.004 [0.024] N=1,506
Vegetables consumed at least weekly	0.901 P=2,458	0.035 [0.024] N=2,727	0.042 [0.026] N=2,486	**0.049* [0.027] N=2,189**	0.038 [0.029] N=1,856	0.026 [0.033] N=1,506
Meat fish or poultry consumed at least weekly	0.800 P=2,194	0.025 [0.031] N=2,727	0.045 [0.032] N=2,486	0.046 [0.034] N=2,189	0.058 [0.036] N=1,856	0.050 [0.043] N=1,506
Legumes consumed at least weekly	0.805 P=2,207	-0.002 [0.030] N=2,727	0.012 [0.032] N=2,486	0.018 [0.034] N=2,189	0.009 [0.037] N=1,856	0.008 [0.042] N=1,506
Animal products consumed at least weekly	0.919 P=2,518	0.031 [0.022] N=2,727	**0.043* [0.023] N=2,486**	**0.046* [0.024] N=2,189**	0.041 [0.027] N=1,856	**0.058* [0.030] N=1,506**
Sweets consumed at least weekly	0.735 P=2,014	-0.002 [0.033] N=2,727	0.002 [0.035] N=2,486	0.010 [0.038] N=2,189	0.008 [0.040] N=1,856	-0.022 [0.045] N=1,506
Snack foods consumed at least weekly	0.612 P=1,669	0.013 [0.029] N=2,727	0.022 [0.032] N=2,486	0.031 [0.032] N=2,189	0.047 [0.034] N=1,856	0.012 [0.041] N=1,506
Packaged soft drinks consumed at least weekly	0.385 P=1,043	0.001 [0.037] N=2,727	0.014 [0.038] N=2,486	0.025 [0.040] N=2,189	0.036 [0.045] N=1,856	0.040 [0.053] N=1,506

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Grains consumed at least weekly	0.920 P=2,516	0.018 [0.022] N=2,727	0.029 [0.024] N=2,486	0.037 [0.025] N=2,189	0.044 [0.028] N=1,856	0.031 [0.033] N=1,506
Child was ever breastfed	0.960 P=2,501	-0.005 [0.017] N=2,606	-0.014 [0.018] N=2,369	-0.001 [0.018] N=2,073	-0.005 [0.019] N=1,756	-0.006 [0.020] N=1,422

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.020 [0.024] N=2,341	-0.020 [0.026] N=2,100	-0.022 [0.031] N=1,803	-0.014 [0.034] N=1,470	-0.031 [0.049] N=1,120
Vegetables consumed at least weekly	0.001 [0.036] N=2,341	0.007 [0.039] N=2,100	0.018 [0.044] N=1,803	-0.005 [0.052] N=1,470	-0.053 [0.068] N=1,120
Meat fish or poultry consumed at least weekly	-0.044 [0.038] N=2,341	-0.015 [0.041] N=2,100	-0.030 [0.044] N=1,803	-0.028 [0.050] N=1,470	-0.085 [0.066] N=1,120
Legumes consumed at least weekly	-0.023 [0.042] N=2,341	-0.003 [0.045] N=2,100	0.013 [0.053] N=1,803	0.009 [0.061] N=1,470	-0.005 [0.079] N=1,120
Animal products consumed at least weekly	-0.020 [0.026] N=2,341	-0.005 [0.029] N=2,100	-0.006 [0.032] N=1,803	-0.027 [0.039] N=1,470	-0.025 [0.047] N=1,120
Sweets consumed at least weekly	-0.017 [0.044] N=2,341	-0.010 [0.048] N=2,100	0.000 [0.053] N=1,803	-0.009 [0.062] N=1,470	-0.110 [0.080] N=1,120
Snack foods consumed at least weekly	-0.007 [0.044] N=2,341	0.004 [0.048] N=2,100	0.019 [0.052] N=1,803	0.054 [0.063] N=1,470	-0.029 [0.085] N=1,120
Packaged soft drinks consumed at least weekly	-0.032 [0.053] N=2,341	-0.016 [0.055] N=2,100	-0.006 [0.064] N=1,803	0.012 [0.075] N=1,470	0.025 [0.099] N=1,120
Grains consumed at least weekly	-0.022 [0.025] N=2,341	-0.011 [0.027] N=2,100	0.001 [0.029] N=1,803	-0.002 [0.032] N=1,470	**-0.076* [0.046] N=1,120**
Child was ever breastfed	0.003 [0.027] N=2,242	-0.013 [0.030] N=2,005	0.014 [0.031] N=1,709	0.013 [0.035] N=1,392	0.011 [0.043] N=1,058

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.945 P=2,414	0.002 [0.018] N=2,554	0.005 [0.020] N=2,327	0.006 [0.022] N=2,052	0.002 [0.021] N=1,735	-0.001 [0.026] N=1,412
Vegetables consumed at least weekly	0.903 P=2,310	0.030 [0.026] N=2,554	0.037 [0.027] N=2,327	**0.052* [0.028] N=2,052**	0.037 [0.031] N=1,735	0.013 [0.035] N=1,412
Meat fish or poultry consumed at least weekly	0.799 P=2,052	0.032 [0.035] N=2,554	0.049 [0.035] N=2,327	0.053 [0.038] N=2,052	0.055 [0.040] N=1,735	0.047 [0.048] N=1,412
Legumes consumed at least weekly	0.805 P=2,066	0.001 [0.032] N=2,554	0.018 [0.034] N=2,327	0.025 [0.036] N=2,052	0.012 [0.039] N=1,735	0.003 [0.045] N=1,412
Animal products consumed at least weekly	0.922 P=2,365	0.028 [0.024] N=2,554	**0.042* [0.025] N=2,327**	**0.047* [0.026] N=2,052**	0.040 [0.029] N=1,735	0.053 [0.033] N=1,412
Sweets consumed at least weekly	0.743 P=1,905	-0.019 [0.032] N=2,554	-0.014 [0.034] N=2,327	-0.012 [0.037] N=2,052	-0.019 [0.039] N=1,735	-0.053 [0.046] N=1,412
Snack foods consumed at least weekly	0.621 P=1,584	0.002 [0.030] N=2,554	0.007 [0.033] N=2,327	0.010 [0.034] N=2,052	0.024 [0.035] N=1,735	-0.011 [0.042] N=1,412
Packaged soft drinks consumed at least weekly	0.393 P=999	-0.016 [0.038] N=2,554	-0.004 [0.039] N=2,327	0.004 [0.041] N=2,052	0.014 [0.046] N=1,735	0.012 [0.055] N=1,412
Grains consumed at least weekly	0.922 P=2,360	0.024 [0.024] N=2,554	0.036 [0.026] N=2,327	**0.046* [0.027] N=2,052**	0.050 [0.030] N=1,735	0.034 [0.036] N=1,412
Child was ever breastfed	0.960 P=2,340	-0.006 [0.017] N=2,437	-0.016 [0.019] N=2,214	-0.001 [0.019] N=1,941	-0.007 [0.019] N=1,642	-0.005 [0.021] N=1,334

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.022 [0.025] N=2,193	-0.022 [0.027] N=1,966	-0.018 [0.032] N=1,691	-0.018 [0.033] N=1,374	-0.042 [0.049] N=1,051
Vegetables consumed at least weekly	-0.009 [0.036] N=2,193	-0.002 [0.040] N=1,966	0.019 [0.044] N=1,691	-0.014 [0.052] N=1,374	-0.092 [0.066] N=1,051
Meat fish or poultry consumed at least weekly	-0.042 [0.042] N=2,193	-0.017 [0.044] N=1,966	-0.028 [0.047] N=1,691	-0.055 [0.052] N=1,374	**-0.125* [0.065] N=1,051**
Legumes consumed at least weekly	-0.015 [0.044] N=2,193	0.010 [0.048] N=1,966	0.032 [0.055] N=1,691	0.022 [0.064] N=1,374	-0.003 [0.082] N=1,051
Animal products consumed at least weekly	-0.026 [0.028] N=2,193	-0.009 [0.031] N=1,966	-0.004 [0.033] N=1,691	-0.030 [0.038] N=1,374	-0.042 [0.046] N=1,051
Sweets consumed at least weekly	-0.027 [0.044] N=2,193	-0.021 [0.049] N=1,966	-0.020 [0.054] N=1,691	-0.037 [0.062] N=1,374	**-0.147* [0.085] N=1,051**
Snack foods consumed at least weekly	0.004 [0.046] N=2,193	0.012 [0.051] N=1,966	0.016 [0.056] N=1,691	0.050 [0.064] N=1,374	-0.016 [0.084] N=1,051
Packaged soft drinks consumed at least weekly	-0.034 [0.053] N=2,193	-0.018 [0.056] N=1,966	-0.010 [0.063] N=1,691	0.011 [0.075] N=1,374	0.028 [0.099] N=1,051
Grains consumed at least weekly	-0.015 [0.026] N=2,193	-0.002 [0.029] N=1,966	0.016 [0.031] N=1,691	0.008 [0.035] N=1,374	**-0.080* [0.048] N=1,051**
Child was ever breastfed	-0.003 [0.027] N=2,097	-0.023 [0.030] N=1,874	0.006 [0.031] N=1,601	-0.001 [0.035] N=1,302	-0.004 [0.043] N=994

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.945 P=2,414	0.001 [0.019] N=2,554	0.004 [0.020] N=2,327	0.005 [0.023] N=2,052	0.001 [0.022] N=1,735	-0.001 [0.026] N=1,412
Vegetables consumed at least weekly	0.903 P=2,310	0.032 [0.026] N=2,554	0.039 [0.027] N=2,327	**0.053* [0.028] N=2,052**	0.038 [0.030] N=1,735	0.014 [0.035] N=1,412
Meat fish or poultry consumed at least weekly	0.799 P=2,052	0.031 [0.035] N=2,554	0.049 [0.035] N=2,327	0.052 [0.038] N=2,052	0.054 [0.041] N=1,735	0.048 [0.048] N=1,412
Legumes consumed at least weekly	0.805 P=2,066	0.004 [0.032] N=2,554	0.020 [0.033] N=2,327	0.027 [0.036] N=2,052	0.014 [0.039] N=1,735	0.005 [0.045] N=1,412
Animal products consumed at least weekly	0.922 P=2,365	0.029 [0.023] N=2,554	**0.042* [0.024] N=2,327**	**0.048* [0.026] N=2,052**	0.041 [0.029] N=1,735	**0.056* [0.033] N=1,412**
Sweets consumed at least weekly	0.743 P=1,905	-0.020 [0.032] N=2,554	-0.015 [0.034] N=2,327	-0.013 [0.037] N=2,052	-0.020 [0.039] N=1,735	-0.054 [0.045] N=1,412
Snack foods consumed at least weekly	0.621 P=1,584	0.002 [0.030] N=2,554	0.008 [0.032] N=2,327	0.011 [0.033] N=2,052	0.024 [0.035] N=1,735	-0.009 [0.042] N=1,412
Packaged soft drinks consumed at least weekly	0.393 P=999	-0.014 [0.037] N=2,554	-0.002 [0.038] N=2,327	0.006 [0.040] N=2,052	0.016 [0.045] N=1,735	0.015 [0.054] N=1,412
Grains consumed at least weekly	0.922 P=2,360	0.024 [0.024] N=2,554	0.036 [0.026] N=2,327	**0.046* [0.027] N=2,052**	**0.051* [0.030] N=1,735**	0.034 [0.036] N=1,412
Child was ever breastfed	0.960 P=2,340	-0.007 [0.018] N=2,437	-0.017 [0.019] N=2,214	-0.003 [0.019] N=1,941	-0.008 [0.020] N=1,642	-0.007 [0.022] N=1,334

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.024 [0.025] N=2,193	-0.024 [0.028] N=1,966	-0.021 [0.033] N=1,691	-0.021 [0.034] N=1,374	-0.047 [0.049] N=1,051
Vegetables consumed at least weekly	-0.008 [0.037] N=2,193	-0.002 [0.040] N=1,966	0.018 [0.044] N=1,691	-0.014 [0.052] N=1,374	-0.096 [0.066] N=1,051

Outcome	8 years	7 years	6 years	5 years	4 years
Meat fish or poultry consumed at least weekly	-0.044 [0.041] N=2,193	-0.018 [0.044] N=1,966	-0.031 [0.046] N=1,691	-0.058 [0.051] N=1,374	**-0.125* [0.065] N=1,051**
Legumes consumed at least weekly	-0.013 [0.044] N=2,193	0.011 [0.047] N=1,966	0.033 [0.055] N=1,691	0.023 [0.064] N=1,374	-0.008 [0.082] N=1,051
Animal products consumed at least weekly	-0.025 [0.028] N=2,193	-0.008 [0.031] N=1,966	-0.003 [0.033] N=1,691	-0.029 [0.038] N=1,374	-0.041 [0.045] N=1,051
Sweets consumed at least weekly	-0.029 [0.044] N=2,193	-0.021 [0.049] N=1,966	-0.022 [0.054] N=1,691	-0.038 [0.063] N=1,374	**-0.154* [0.085] N=1,051**
Snack foods consumed at least weekly	0.001 [0.045] N=2,193	0.010 [0.051] N=1,966	0.014 [0.055] N=1,691	0.048 [0.064] N=1,374	-0.025 [0.086] N=1,051
Packaged soft drinks consumed at least weekly	-0.034 [0.053] N=2,193	-0.018 [0.056] N=1,966	-0.011 [0.063] N=1,691	0.010 [0.076] N=1,374	0.017 [0.100] N=1,051
Grains consumed at least weekly	-0.015 [0.026] N=2,193	-0.002 [0.029] N=1,966	0.016 [0.031] N=1,691	0.008 [0.035] N=1,374	**-0.081* [0.048] N=1,051**
Child was ever breastfed	-0.002 [0.027] N=2,097	-0.022 [0.030] N=1,874	0.006 [0.031] N=1,601	-0.000 [0.035] N=1,302	-0.003 [0.043] N=994

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 83 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.