# Table 10 Reduced Form Effects on Frequent Nutrition for Ages 1-3: Oldest Child

Age reference: 10 October 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

## Father RDD primary analysis

*Specification 1 Monthly child-age fixed effects  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.847 P=1,371 | 0.020 [0.034] N=1,618 | 0.025 [0.036] N=1,493 | 0.038 [0.038] N=1,340 | 0.022 [0.040] N=1,140 | 0.024 [0.043] N=936 |
| Vegetables consumed daily or several times weekly | 0.762 P=1,234 | 0.021 [0.042] N=1,618 | 0.024 [0.044] N=1,493 | 0.019 [0.047] N=1,340 | -0.008 [0.049] N=1,140 | -0.055 [0.054] N=936 |
| Meat fish or poultry consumed daily or several times weekly | 0.581 P=939 | 0.025 [0.053] N=1,618 | 0.023 [0.057] N=1,493 | 0.008 [0.061] N=1,340 | 0.032 [0.068] N=1,140 | 0.011 [0.073] N=936 |
| Legumes consumed daily or several times weekly | 0.581 P=932 | -0.000 [0.051] N=1,618 | 0.008 [0.054] N=1,493 | 0.014 [0.055] N=1,340 | 0.059 [0.061] N=1,140 | 0.046 [0.068] N=936 |
| Animal products consumed daily or several times weekly | 0.859 P=1,389 | **0.087** [0.036] N=1,618** | **0.081** [0.038] N=1,493** | 0.060 [0.040] N=1,340 | **0.078* [0.044] N=1,140** | 0.054 [0.048] N=936 |
| Sweets consumed daily or several times weekly | 0.550 P=894 | -0.057 [0.049] N=1,618 | -0.063 [0.051] N=1,493 | -0.064 [0.052] N=1,340 | -0.032 [0.054] N=1,140 | -0.018 [0.062] N=936 |
| Snack foods consumed daily or several times weekly | 0.409 P=658 | 0.026 [0.047] N=1,618 | 0.011 [0.049] N=1,493 | 0.012 [0.053] N=1,340 | 0.045 [0.057] N=1,140 | 0.028 [0.063] N=936 |
| Packaged soft drinks consumed daily or several times weekly | 0.242 P=383 | 0.001 [0.043] N=1,618 | 0.011 [0.046] N=1,493 | 0.007 [0.049] N=1,340 | 0.019 [0.054] N=1,140 | -0.020 [0.059] N=936 |
| Grains consumed daily or several times weekly | 0.854 P=1,377 | 0.039 [0.037] N=1,618 | 0.059 [0.039] N=1,493 | 0.035 [0.041] N=1,340 | 0.044 [0.045] N=1,140 | 0.016 [0.051] N=936 |

*Specification 1 Monthly child-age fixed effects  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.038 [0.049] N=1,378 | 0.055 [0.052] N=1,253 | 0.082 [0.060] N=1,100 | 0.060 [0.076] N=900 | 0.102 [0.100] N=696 |
| Vegetables consumed daily or several times weekly | 0.050 [0.060] N=1,378 | 0.068 [0.066] N=1,253 | 0.075 [0.069] N=1,100 | 0.029 [0.083] N=900 | -0.071 [0.106] N=696 |
| Meat fish or poultry consumed daily or several times weekly | 0.002 [0.070] N=1,378 | -0.007 [0.078] N=1,253 | -0.045 [0.083] N=1,100 | -0.019 [0.108] N=900 | -0.091 [0.121] N=696 |
| Legumes consumed daily or several times weekly | -0.015 [0.071] N=1,378 | -0.001 [0.079] N=1,253 | 0.009 [0.084] N=1,100 | 0.113 [0.107] N=900 | 0.093 [0.130] N=696 |
| Animal products consumed daily or several times weekly | **0.106** [0.052] N=1,378** | **0.099* [0.056] N=1,253** | 0.054 [0.063] N=1,100 | 0.096 [0.078] N=900 | 0.035 [0.094] N=696 |
| Sweets consumed daily or several times weekly | -0.100 [0.065] N=1,378 | -0.112 [0.071] N=1,253 | -0.123 [0.076] N=1,100 | -0.058 [0.088] N=900 | -0.028 [0.119] N=696 |
| Snack foods consumed daily or several times weekly | -0.015 [0.063] N=1,378 | -0.048 [0.067] N=1,253 | -0.057 [0.076] N=1,100 | 0.007 [0.097] N=900 | -0.110 [0.109] N=696 |
| Packaged soft drinks consumed daily or several times weekly | -0.007 [0.057] N=1,378 | 0.013 [0.062] N=1,253 | 0.013 [0.072] N=1,100 | 0.049 [0.091] N=900 | -0.049 [0.113] N=696 |
| Grains consumed daily or several times weekly | **0.097* [0.058] N=1,378** | **0.150** [0.063] N=1,253** | 0.118 [0.071] N=1,100 | **0.174** [0.088] N=900** | 0.165 [0.119] N=696 |

*Specification 2 Monthly fixed effects and female  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.847 P=1,371 | 0.019 [0.034] N=1,618 | 0.025 [0.036] N=1,493 | 0.038 [0.038] N=1,340 | 0.022 [0.040] N=1,140 | 0.024 [0.043] N=936 |
| Vegetables consumed daily or several times weekly | 0.762 P=1,234 | 0.020 [0.042] N=1,618 | 0.024 [0.044] N=1,493 | 0.019 [0.047] N=1,340 | -0.008 [0.049] N=1,140 | -0.055 [0.054] N=936 |
| Meat fish or poultry consumed daily or several times weekly | 0.581 P=939 | 0.025 [0.053] N=1,618 | 0.023 [0.057] N=1,493 | 0.009 [0.061] N=1,340 | 0.032 [0.068] N=1,140 | 0.010 [0.073] N=936 |
| Legumes consumed daily or several times weekly | 0.581 P=932 | -0.001 [0.052] N=1,618 | 0.008 [0.054] N=1,493 | 0.014 [0.055] N=1,340 | 0.060 [0.062] N=1,140 | 0.046 [0.068] N=936 |
| Animal products consumed daily or several times weekly | 0.859 P=1,389 | **0.086** [0.036] N=1,618** | **0.081** [0.038] N=1,493** | 0.061 [0.041] N=1,340 | **0.078* [0.045] N=1,140** | 0.054 [0.048] N=936 |
| Sweets consumed daily or several times weekly | 0.550 P=894 | -0.058 [0.049] N=1,618 | -0.063 [0.051] N=1,493 | -0.064 [0.052] N=1,340 | -0.032 [0.054] N=1,140 | -0.019 [0.062] N=936 |
| Snack foods consumed daily or several times weekly | 0.409 P=658 | 0.025 [0.047] N=1,618 | 0.011 [0.049] N=1,493 | 0.012 [0.053] N=1,340 | 0.045 [0.058] N=1,140 | 0.028 [0.063] N=936 |
| Packaged soft drinks consumed daily or several times weekly | 0.242 P=383 | 0.001 [0.043] N=1,618 | 0.011 [0.046] N=1,493 | 0.007 [0.050] N=1,340 | 0.019 [0.054] N=1,140 | -0.020 [0.060] N=936 |
| Grains consumed daily or several times weekly | 0.854 P=1,377 | 0.039 [0.037] N=1,618 | 0.059 [0.039] N=1,493 | 0.035 [0.041] N=1,340 | 0.043 [0.045] N=1,140 | 0.015 [0.051] N=936 |

*Specification 2 Monthly fixed effects and female  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.038 [0.049] N=1,378 | 0.056 [0.052] N=1,253 | 0.084 [0.060] N=1,100 | 0.062 [0.076] N=900 | 0.104 [0.100] N=696 |
| Vegetables consumed daily or several times weekly | 0.050 [0.060] N=1,378 | 0.068 [0.066] N=1,253 | 0.076 [0.068] N=1,100 | 0.031 [0.083] N=900 | -0.072 [0.106] N=696 |
| Meat fish or poultry consumed daily or several times weekly | 0.002 [0.070] N=1,378 | -0.007 [0.078] N=1,253 | -0.045 [0.083] N=1,100 | -0.021 [0.108] N=900 | -0.097 [0.121] N=696 |
| Legumes consumed daily or several times weekly | -0.014 [0.072] N=1,378 | 0.001 [0.079] N=1,253 | 0.011 [0.084] N=1,100 | 0.116 [0.106] N=900 | 0.094 [0.130] N=696 |
| Animal products consumed daily or several times weekly | **0.106** [0.051] N=1,378** | **0.102* [0.056] N=1,253** | 0.058 [0.063] N=1,100 | 0.101 [0.077] N=900 | 0.039 [0.093] N=696 |
| Sweets consumed daily or several times weekly | -0.100 [0.066] N=1,378 | -0.111 [0.071] N=1,253 | -0.121 [0.076] N=1,100 | -0.057 [0.087] N=900 | -0.032 [0.119] N=696 |
| Snack foods consumed daily or several times weekly | -0.014 [0.063] N=1,378 | -0.046 [0.067] N=1,253 | -0.055 [0.076] N=1,100 | 0.010 [0.097] N=900 | -0.108 [0.110] N=696 |
| Packaged soft drinks consumed daily or several times weekly | -0.007 [0.057] N=1,378 | 0.014 [0.062] N=1,253 | 0.011 [0.072] N=1,100 | 0.048 [0.091] N=900 | -0.051 [0.113] N=696 |
| Grains consumed daily or several times weekly | **0.097* [0.058] N=1,378** | **0.150** [0.063] N=1,253** | 0.118 [0.071] N=1,100 | **0.172* [0.088] N=900** | 0.159 [0.120] N=696 |

*Specification 3 Monthly fixed effects female and household income groups No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.847 P=1,371 | -0.004 [0.035] N=1,618 | -0.001 [0.036] N=1,493 | 0.014 [0.038] N=1,340 | -0.004 [0.041] N=1,140 | -0.003 [0.043] N=936 |
| Vegetables consumed daily or several times weekly | 0.762 P=1,234 | 0.003 [0.043] N=1,618 | 0.002 [0.044] N=1,493 | -0.001 [0.047] N=1,340 | -0.028 [0.049] N=1,140 | -0.079 [0.054] N=936 |
| Meat fish or poultry consumed daily or several times weekly | 0.581 P=939 | -0.011 [0.051] N=1,618 | -0.019 [0.054] N=1,493 | -0.029 [0.058] N=1,340 | -0.009 [0.065] N=1,140 | -0.034 [0.071] N=936 |
| Legumes consumed daily or several times weekly | 0.581 P=932 | -0.022 [0.052] N=1,618 | -0.015 [0.054] N=1,493 | -0.006 [0.055] N=1,340 | 0.042 [0.061] N=1,140 | 0.030 [0.068] N=936 |
| Animal products consumed daily or several times weekly | 0.859 P=1,389 | **0.072* [0.037] N=1,618** | **0.065* [0.039] N=1,493** | 0.045 [0.042] N=1,340 | 0.064 [0.045] N=1,140 | 0.037 [0.049] N=936 |
| Sweets consumed daily or several times weekly | 0.550 P=894 | -0.069 [0.049] N=1,618 | -0.076 [0.051] N=1,493 | -0.077 [0.052] N=1,340 | -0.043 [0.054] N=1,140 | -0.030 [0.063] N=936 |
| Snack foods consumed daily or several times weekly | 0.409 P=658 | 0.027 [0.047] N=1,618 | 0.013 [0.049] N=1,493 | 0.011 [0.053] N=1,340 | 0.047 [0.057] N=1,140 | 0.035 [0.063] N=936 |
| Packaged soft drinks consumed daily or several times weekly | 0.242 P=383 | 0.008 [0.042] N=1,618 | 0.021 [0.045] N=1,493 | 0.013 [0.049] N=1,340 | 0.026 [0.054] N=1,140 | -0.008 [0.059] N=936 |
| Grains consumed daily or several times weekly | 0.854 P=1,377 | 0.031 [0.038] N=1,618 | 0.052 [0.039] N=1,493 | 0.028 [0.041] N=1,340 | 0.035 [0.046] N=1,140 | 0.010 [0.052] N=936 |

*Specification 3 Monthly fixed effects female and household income groups 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.019 [0.051] N=1,378 | 0.030 [0.055] N=1,253 | 0.064 [0.062] N=1,100 | 0.045 [0.081] N=900 | 0.083 [0.111] N=696 |
| Vegetables consumed daily or several times weekly | 0.037 [0.060] N=1,378 | 0.050 [0.065] N=1,253 | 0.062 [0.068] N=1,100 | 0.022 [0.084] N=900 | -0.085 [0.107] N=696 |
| Meat fish or poultry consumed daily or several times weekly | -0.025 [0.068] N=1,378 | -0.045 [0.076] N=1,253 | -0.072 [0.083] N=1,100 | -0.049 [0.108] N=900 | -0.130 [0.128] N=696 |
| Legumes consumed daily or several times weekly | -0.031 [0.072] N=1,378 | -0.020 [0.079] N=1,253 | -0.005 [0.085] N=1,100 | 0.101 [0.107] N=900 | 0.080 [0.130] N=696 |
| Animal products consumed daily or several times weekly | **0.095* [0.050] N=1,378** | 0.086 [0.054] N=1,253 | 0.045 [0.062] N=1,100 | 0.096 [0.076] N=900 | 0.037 [0.091] N=696 |
| Sweets consumed daily or several times weekly | -0.109 [0.067] N=1,378 | **-0.123* [0.072] N=1,253** | **-0.133* [0.076] N=1,100** | -0.065 [0.086] N=900 | -0.037 [0.118] N=696 |
| Snack foods consumed daily or several times weekly | -0.016 [0.062] N=1,378 | -0.047 [0.066] N=1,253 | -0.060 [0.075] N=1,100 | 0.005 [0.095] N=900 | -0.106 [0.110] N=696 |
| Packaged soft drinks consumed daily or several times weekly | -0.003 [0.056] N=1,378 | 0.021 [0.061] N=1,253 | 0.014 [0.071] N=1,100 | 0.051 [0.090] N=900 | -0.044 [0.115] N=696 |
| Grains consumed daily or several times weekly | 0.090 [0.058] N=1,378 | **0.143** [0.063] N=1,253** | 0.111 [0.072] N=1,100 | **0.160* [0.089] N=900** | 0.148 [0.123] N=696 |

*Specification 4 Monthly fixed effects female and per-person income groups No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.847 P=1,371 | -0.010 [0.034] N=1,618 | -0.008 [0.036] N=1,493 | 0.004 [0.038] N=1,340 | -0.011 [0.041] N=1,140 | -0.013 [0.043] N=936 |
| Vegetables consumed daily or several times weekly | 0.762 P=1,234 | 0.001 [0.042] N=1,618 | 0.004 [0.044] N=1,493 | -0.001 [0.046] N=1,340 | -0.029 [0.048] N=1,140 | -0.080 [0.053] N=936 |
| Meat fish or poultry consumed daily or several times weekly | 0.581 P=939 | -0.016 [0.050] N=1,618 | -0.025 [0.053] N=1,493 | -0.037 [0.056] N=1,340 | -0.017 [0.063] N=1,140 | -0.048 [0.068] N=936 |
| Legumes consumed daily or several times weekly | 0.581 P=932 | -0.018 [0.052] N=1,618 | -0.010 [0.054] N=1,493 | -0.005 [0.054] N=1,340 | 0.043 [0.061] N=1,140 | 0.028 [0.068] N=936 |
| Animal products consumed daily or several times weekly | 0.859 P=1,389 | **0.070* [0.037] N=1,618** | **0.065* [0.039] N=1,493** | 0.045 [0.042] N=1,340 | 0.063 [0.046] N=1,140 | 0.037 [0.049] N=936 |
| Sweets consumed daily or several times weekly | 0.550 P=894 | -0.071 [0.049] N=1,618 | -0.080 [0.051] N=1,493 | -0.083 [0.052] N=1,340 | -0.045 [0.054] N=1,140 | -0.035 [0.062] N=936 |
| Snack foods consumed daily or several times weekly | 0.409 P=658 | 0.027 [0.047] N=1,618 | 0.012 [0.049] N=1,493 | 0.008 [0.053] N=1,340 | 0.047 [0.057] N=1,140 | 0.031 [0.062] N=936 |
| Packaged soft drinks consumed daily or several times weekly | 0.242 P=383 | 0.010 [0.042] N=1,618 | 0.022 [0.045] N=1,493 | 0.015 [0.049] N=1,340 | 0.030 [0.053] N=1,140 | -0.004 [0.057] N=936 |
| Grains consumed daily or several times weekly | 0.854 P=1,377 | 0.034 [0.037] N=1,618 | 0.056 [0.039] N=1,493 | 0.032 [0.041] N=1,340 | 0.041 [0.045] N=1,140 | 0.016 [0.052] N=936 |

*Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.015 [0.050] N=1,378 | 0.028 [0.053] N=1,253 | 0.063 [0.059] N=1,100 | 0.047 [0.078] N=900 | 0.076 [0.106] N=696 |
| Vegetables consumed daily or several times weekly | 0.034 [0.060] N=1,378 | 0.049 [0.066] N=1,253 | 0.061 [0.068] N=1,100 | 0.012 [0.085] N=900 | -0.110 [0.108] N=696 |
| Meat fish or poultry consumed daily or several times weekly | -0.030 [0.069] N=1,378 | -0.048 [0.076] N=1,253 | -0.076 [0.082] N=1,100 | -0.060 [0.108] N=900 | -0.162 [0.131] N=696 |
| Legumes consumed daily or several times weekly | -0.030 [0.073] N=1,378 | -0.018 [0.080] N=1,253 | -0.004 [0.085] N=1,100 | 0.101 [0.109] N=900 | 0.065 [0.134] N=696 |
| Animal products consumed daily or several times weekly | **0.095* [0.051] N=1,378** | 0.090 [0.056] N=1,253 | 0.049 [0.064] N=1,100 | 0.094 [0.078] N=900 | 0.034 [0.096] N=696 |
| Sweets consumed daily or several times weekly | -0.104 [0.066] N=1,378 | **-0.120* [0.071] N=1,253** | **-0.130* [0.075] N=1,100** | -0.051 [0.086] N=900 | -0.033 [0.117] N=696 |
| Snack foods consumed daily or several times weekly | -0.010 [0.063] N=1,378 | -0.044 [0.067] N=1,253 | -0.056 [0.076] N=1,100 | 0.019 [0.096] N=900 | -0.093 [0.109] N=696 |
| Packaged soft drinks consumed daily or several times weekly | 0.001 [0.056] N=1,378 | 0.024 [0.062] N=1,253 | 0.018 [0.072] N=1,100 | 0.057 [0.090] N=900 | -0.028 [0.113] N=696 |
| Grains consumed daily or several times weekly | 0.089 [0.057] N=1,378 | **0.144** [0.062] N=1,253** | 0.112 [0.071] N=1,100 | **0.163* [0.088] N=900** | 0.147 [0.121] N=696 |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.844 P=1,275 | 0.006 [0.037] N=1,511 | 0.007 [0.039] N=1,401 | 0.022 [0.041] N=1,255 | 0.014 [0.043] N=1,071 | 0.013 [0.047] N=881 |
| Vegetables consumed daily or several times weekly | 0.760 P=1,150 | 0.008 [0.045] N=1,511 | 0.009 [0.047] N=1,401 | 0.008 [0.050] N=1,255 | -0.016 [0.052] N=1,071 | -0.064 [0.058] N=881 |
| Meat fish or poultry consumed daily or several times weekly | 0.581 P=876 | 0.031 [0.053] N=1,511 | 0.027 [0.056] N=1,401 | 0.011 [0.059] N=1,255 | 0.024 [0.066] N=1,071 | -0.009 [0.070] N=881 |
| Legumes consumed daily or several times weekly | 0.575 P=862 | 0.006 [0.050] N=1,511 | 0.009 [0.052] N=1,401 | 0.020 [0.053] N=1,255 | 0.066 [0.059] N=1,071 | 0.047 [0.066] N=881 |
| Animal products consumed daily or several times weekly | 0.862 P=1,302 | **0.090** [0.037] N=1,511** | **0.085** [0.038] N=1,401** | 0.066 [0.041] N=1,255 | 0.072 [0.044] N=1,071 | 0.045 [0.047] N=881 |
| Sweets consumed daily or several times weekly | 0.550 P=835 | -0.047 [0.051] N=1,511 | -0.053 [0.054] N=1,401 | -0.056 [0.055] N=1,255 | -0.024 [0.057] N=1,071 | -0.015 [0.064] N=881 |
| Snack foods consumed daily or several times weekly | 0.410 P=616 | 0.026 [0.049] N=1,511 | 0.021 [0.051] N=1,401 | 0.027 [0.055] N=1,255 | 0.054 [0.059] N=1,071 | 0.048 [0.064] N=881 |
| Packaged soft drinks consumed daily or several times weekly | 0.245 P=363 | 0.022 [0.041] N=1,511 | 0.034 [0.043] N=1,401 | 0.030 [0.048] N=1,255 | 0.037 [0.052] N=1,071 | 0.012 [0.057] N=881 |
| Grains consumed daily or several times weekly | 0.853 P=1,284 | 0.045 [0.039] N=1,511 | 0.064 [0.041] N=1,401 | 0.038 [0.042] N=1,255 | 0.047 [0.047] N=1,071 | 0.016 [0.055] N=881 |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.033 [0.051] N=1,286 | 0.045 [0.055] N=1,176 | 0.074 [0.062] N=1,030 | 0.065 [0.079] N=846 | 0.102 [0.103] N=656 |
| Vegetables consumed daily or several times weekly | 0.052 [0.062] N=1,286 | 0.070 [0.069] N=1,176 | 0.082 [0.071] N=1,030 | 0.043 [0.086] N=846 | -0.056 [0.111] N=656 |
| Meat fish or poultry consumed daily or several times weekly | 0.031 [0.073] N=1,286 | 0.020 [0.080] N=1,176 | -0.008 [0.087] N=1,030 | -0.005 [0.110] N=846 | -0.086 [0.127] N=656 |
| Legumes consumed daily or several times weekly | 0.005 [0.073] N=1,286 | 0.013 [0.081] N=1,176 | 0.037 [0.087] N=1,030 | 0.149 [0.106] N=846 | 0.133 [0.131] N=656 |
| Animal products consumed daily or several times weekly | **0.122** [0.054] N=1,286** | **0.120** [0.058] N=1,176** | 0.085 [0.065] N=1,030 | 0.108 [0.078] N=846 | 0.054 [0.097] N=656 |
| Sweets consumed daily or several times weekly | -0.087 [0.068] N=1,286 | -0.095 [0.076] N=1,176 | -0.120 [0.080] N=1,030 | -0.060 [0.094] N=846 | -0.076 [0.129] N=656 |
| Snack foods consumed daily or several times weekly | -0.020 [0.067] N=1,286 | -0.034 [0.073] N=1,176 | -0.037 [0.083] N=1,030 | 0.012 [0.104] N=846 | -0.094 [0.123] N=656 |
| Packaged soft drinks consumed daily or several times weekly | 0.015 [0.056] N=1,286 | 0.039 [0.060] N=1,176 | 0.038 [0.071] N=1,030 | 0.065 [0.088] N=846 | 0.005 [0.112] N=656 |
| Grains consumed daily or several times weekly | **0.117* [0.061] N=1,286** | **0.167** [0.065] N=1,176** | **0.129* [0.074] N=1,030** | **0.183** [0.092] N=846** | 0.179 [0.126] N=656 |

*Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.844 P=1,275 | 0.004 [0.036] N=1,511 | 0.005 [0.038] N=1,401 | 0.020 [0.040] N=1,255 | 0.011 [0.042] N=1,071 | 0.008 [0.045] N=881 |
| Vegetables consumed daily or several times weekly | 0.760 P=1,150 | 0.005 [0.044] N=1,511 | 0.007 [0.047] N=1,401 | 0.004 [0.049] N=1,255 | -0.022 [0.051] N=1,071 | -0.069 [0.057] N=881 |
| Meat fish or poultry consumed daily or several times weekly | 0.581 P=876 | 0.032 [0.053] N=1,511 | 0.029 [0.056] N=1,401 | 0.016 [0.060] N=1,255 | 0.029 [0.067] N=1,071 | 0.003 [0.071] N=881 |
| Legumes consumed daily or several times weekly | 0.575 P=862 | 0.002 [0.051] N=1,511 | 0.006 [0.053] N=1,401 | 0.019 [0.054] N=1,255 | 0.066 [0.059] N=1,071 | 0.049 [0.065] N=881 |
| Animal products consumed daily or several times weekly | 0.862 P=1,302 | **0.089** [0.037] N=1,511** | **0.084** [0.038] N=1,401** | 0.066 [0.041] N=1,255 | 0.072 [0.044] N=1,071 | 0.050 [0.047] N=881 |
| Sweets consumed daily or several times weekly | 0.550 P=835 | -0.047 [0.050] N=1,511 | -0.053 [0.053] N=1,401 | -0.055 [0.054] N=1,255 | -0.023 [0.056] N=1,071 | -0.013 [0.062] N=881 |
| Snack foods consumed daily or several times weekly | 0.410 P=616 | 0.023 [0.048] N=1,511 | 0.018 [0.051] N=1,401 | 0.023 [0.055] N=1,255 | 0.048 [0.059] N=1,071 | 0.036 [0.063] N=881 |
| Packaged soft drinks consumed daily or several times weekly | 0.245 P=363 | 0.019 [0.042] N=1,511 | 0.030 [0.044] N=1,401 | 0.026 [0.049] N=1,255 | 0.032 [0.053] N=1,071 | -0.001 [0.058] N=881 |
| Grains consumed daily or several times weekly | 0.853 P=1,284 | 0.044 [0.039] N=1,511 | 0.063 [0.040] N=1,401 | 0.037 [0.042] N=1,255 | 0.043 [0.047] N=1,071 | 0.010 [0.054] N=881 |

*Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.028 [0.051] N=1,286 | 0.041 [0.054] N=1,176 | 0.073 [0.061] N=1,030 | 0.064 [0.078] N=846 | 0.095 [0.102] N=656 |
| Vegetables consumed daily or several times weekly | 0.048 [0.062] N=1,286 | 0.067 [0.068] N=1,176 | 0.084 [0.071] N=1,030 | 0.044 [0.085] N=846 | -0.048 [0.109] N=656 |
| Meat fish or poultry consumed daily or several times weekly | 0.025 [0.073] N=1,286 | 0.015 [0.080] N=1,176 | -0.014 [0.086] N=1,030 | -0.008 [0.110] N=846 | -0.082 [0.122] N=656 |
| Legumes consumed daily or several times weekly | -0.003 [0.073] N=1,286 | 0.003 [0.081] N=1,176 | 0.030 [0.087] N=1,030 | 0.140 [0.106] N=846 | 0.122 [0.131] N=656 |
| Animal products consumed daily or several times weekly | **0.117** [0.054] N=1,286** | **0.115** [0.058] N=1,176** | 0.079 [0.065] N=1,030 | 0.102 [0.078] N=846 | 0.054 [0.097] N=656 |
| Sweets consumed daily or several times weekly | -0.097 [0.068] N=1,286 | -0.111 [0.076] N=1,176 | -0.128 [0.079] N=1,030 | -0.062 [0.092] N=846 | -0.062 [0.127] N=656 |
| Snack foods consumed daily or several times weekly | -0.026 [0.066] N=1,286 | -0.043 [0.072] N=1,176 | -0.042 [0.082] N=1,030 | 0.010 [0.102] N=846 | -0.095 [0.120] N=656 |
| Packaged soft drinks consumed daily or several times weekly | 0.013 [0.056] N=1,286 | 0.037 [0.060] N=1,176 | 0.037 [0.071] N=1,030 | 0.062 [0.088] N=846 | -0.007 [0.110] N=656 |
| Grains consumed daily or several times weekly | **0.113* [0.061] N=1,286** | **0.165** [0.065] N=1,176** | **0.133* [0.074] N=1,030** | **0.185** [0.092] N=846** | 0.173 [0.126] N=656 |

## Mother RDD secondary analysis

*Specification 1 Monthly child-age fixed effects  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.853 P=1,236 | 0.000 [0.045] N=1,446 | 0.002 [0.047] N=1,316 | 0.018 [0.052] N=1,150 | 0.010 [0.056] N=964 | 0.013 [0.065] N=770 |
| Vegetables consumed daily or several times weekly | 0.763 P=1,107 | -0.023 [0.054] N=1,446 | -0.012 [0.057] N=1,316 | 0.021 [0.061] N=1,150 | 0.017 [0.067] N=964 | 0.024 [0.079] N=770 |
| Meat fish or poultry consumed daily or several times weekly | 0.579 P=843 | 0.032 [0.055] N=1,446 | 0.039 [0.058] N=1,316 | 0.055 [0.061] N=1,150 | 0.082 [0.069] N=964 | 0.079 [0.077] N=770 |
| Legumes consumed daily or several times weekly | 0.589 P=849 | -0.030 [0.065] N=1,446 | -0.019 [0.068] N=1,316 | -0.034 [0.071] N=1,150 | -0.059 [0.078] N=964 | -0.040 [0.091] N=770 |
| Animal products consumed daily or several times weekly | 0.858 P=1,239 | 0.040 [0.038] N=1,446 | 0.042 [0.041] N=1,316 | 0.053 [0.042] N=1,150 | 0.052 [0.045] N=964 | 0.073 [0.050] N=770 |
| Sweets consumed daily or several times weekly | 0.569 P=824 | -0.053 [0.059] N=1,446 | -0.059 [0.061] N=1,316 | -0.035 [0.068] N=1,150 | -0.047 [0.073] N=964 | -0.107 [0.082] N=770 |
| Snack foods consumed daily or several times weekly | 0.426 P=608 | -0.009 [0.057] N=1,446 | -0.021 [0.059] N=1,316 | -0.017 [0.063] N=1,150 | 0.007 [0.068] N=964 | -0.063 [0.075] N=770 |
| Packaged soft drinks consumed daily or several times weekly | 0.237 P=338 | 0.023 [0.040] N=1,446 | 0.011 [0.042] N=1,316 | 0.037 [0.045] N=1,150 | 0.045 [0.050] N=964 | -0.013 [0.053] N=770 |
| Grains consumed daily or several times weekly | 0.853 P=1,232 | **0.087* [0.047] N=1,446** | **0.087* [0.049] N=1,316** | **0.092* [0.052] N=1,150** | 0.080 [0.059] N=964 | 0.052 [0.066] N=770 |

*Specification 1 Monthly child-age fixed effects  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | -0.040 [0.064] N=1,259 | -0.049 [0.071] N=1,129 | -0.037 [0.083] N=963 | -0.049 [0.090] N=777 | -0.059 [0.128] N=583 |
| Vegetables consumed daily or several times weekly | -0.075 [0.073] N=1,259 | -0.066 [0.080] N=1,129 | -0.023 [0.092] N=963 | -0.030 [0.102] N=777 | -0.017 [0.147] N=583 |
| Meat fish or poultry consumed daily or several times weekly | -0.026 [0.067] N=1,259 | -0.024 [0.074] N=1,129 | -0.018 [0.082] N=963 | 0.012 [0.100] N=777 | -0.014 [0.123] N=583 |
| Legumes consumed daily or several times weekly | 0.036 [0.084] N=1,259 | 0.058 [0.091] N=1,129 | 0.054 [0.098] N=963 | 0.048 [0.118] N=777 | 0.172 [0.154] N=583 |
| Animal products consumed daily or several times weekly | 0.013 [0.053] N=1,259 | 0.012 [0.058] N=1,129 | 0.021 [0.059] N=963 | 0.015 [0.065] N=777 | 0.063 [0.080] N=583 |
| Sweets consumed daily or several times weekly | 0.014 [0.076] N=1,259 | 0.009 [0.082] N=1,129 | 0.080 [0.091] N=963 | 0.080 [0.104] N=777 | -0.021 [0.127] N=583 |
| Snack foods consumed daily or several times weekly | 0.058 [0.076] N=1,259 | 0.040 [0.083] N=1,129 | 0.066 [0.093] N=963 | 0.146 [0.106] N=777 | 0.044 [0.134] N=583 |
| Packaged soft drinks consumed daily or several times weekly | -0.000 [0.063] N=1,259 | -0.023 [0.068] N=1,129 | 0.028 [0.078] N=963 | 0.047 [0.096] N=777 | -0.105 [0.115] N=583 |
| Grains consumed daily or several times weekly | **0.095* [0.054] N=1,259** | 0.092 [0.056] N=1,129 | 0.097 [0.060] N=963 | 0.066 [0.072] N=777 | -0.047 [0.093] N=583 |

*Specification 2 Monthly fixed effects and female  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.853 P=1,236 | 0.001 [0.045] N=1,446 | 0.002 [0.047] N=1,316 | 0.018 [0.052] N=1,150 | 0.010 [0.056] N=964 | 0.013 [0.065] N=770 |
| Vegetables consumed daily or several times weekly | 0.763 P=1,107 | -0.022 [0.054] N=1,446 | -0.011 [0.056] N=1,316 | 0.022 [0.061] N=1,150 | 0.017 [0.067] N=964 | 0.023 [0.079] N=770 |
| Meat fish or poultry consumed daily or several times weekly | 0.579 P=843 | 0.033 [0.055] N=1,446 | 0.040 [0.058] N=1,316 | 0.056 [0.061] N=1,150 | 0.082 [0.069] N=964 | 0.078 [0.078] N=770 |
| Legumes consumed daily or several times weekly | 0.589 P=849 | -0.029 [0.065] N=1,446 | -0.019 [0.068] N=1,316 | -0.034 [0.071] N=1,150 | -0.059 [0.078] N=964 | -0.039 [0.091] N=770 |
| Animal products consumed daily or several times weekly | 0.858 P=1,239 | 0.042 [0.038] N=1,446 | 0.043 [0.040] N=1,316 | 0.054 [0.042] N=1,150 | 0.052 [0.045] N=964 | 0.072 [0.050] N=770 |
| Sweets consumed daily or several times weekly | 0.569 P=824 | -0.052 [0.059] N=1,446 | -0.058 [0.061] N=1,316 | -0.035 [0.068] N=1,150 | -0.047 [0.073] N=964 | -0.107 [0.082] N=770 |
| Snack foods consumed daily or several times weekly | 0.426 P=608 | -0.008 [0.057] N=1,446 | -0.020 [0.059] N=1,316 | -0.016 [0.063] N=1,150 | 0.007 [0.068] N=964 | -0.063 [0.075] N=770 |
| Packaged soft drinks consumed daily or several times weekly | 0.237 P=338 | 0.023 [0.040] N=1,446 | 0.011 [0.042] N=1,316 | 0.037 [0.045] N=1,150 | 0.045 [0.050] N=964 | -0.013 [0.053] N=770 |
| Grains consumed daily or several times weekly | 0.853 P=1,232 | **0.087* [0.047] N=1,446** | **0.087* [0.049] N=1,316** | **0.092* [0.052] N=1,150** | 0.080 [0.059] N=964 | 0.053 [0.066] N=770 |

*Specification 2 Monthly fixed effects and female  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | -0.039 [0.064] N=1,259 | -0.048 [0.071] N=1,129 | -0.035 [0.083] N=963 | -0.049 [0.090] N=777 | -0.056 [0.128] N=583 |
| Vegetables consumed daily or several times weekly | -0.072 [0.072] N=1,259 | -0.063 [0.079] N=1,129 | -0.020 [0.091] N=963 | -0.026 [0.101] N=777 | -0.008 [0.147] N=583 |
| Meat fish or poultry consumed daily or several times weekly | -0.023 [0.067] N=1,259 | -0.020 [0.074] N=1,129 | -0.012 [0.081] N=963 | 0.016 [0.099] N=777 | -0.008 [0.123] N=583 |
| Legumes consumed daily or several times weekly | 0.038 [0.084] N=1,259 | 0.060 [0.091] N=1,129 | 0.056 [0.098] N=963 | 0.050 [0.118] N=777 | 0.171 [0.153] N=583 |
| Animal products consumed daily or several times weekly | 0.018 [0.052] N=1,259 | 0.017 [0.057] N=1,129 | 0.026 [0.058] N=963 | 0.019 [0.064] N=777 | 0.070 [0.079] N=583 |
| Sweets consumed daily or several times weekly | 0.017 [0.076] N=1,259 | 0.012 [0.082] N=1,129 | 0.083 [0.091] N=963 | 0.080 [0.105] N=777 | -0.017 [0.128] N=583 |
| Snack foods consumed daily or several times weekly | 0.062 [0.076] N=1,259 | 0.043 [0.083] N=1,129 | 0.069 [0.093] N=963 | 0.147 [0.106] N=777 | 0.049 [0.133] N=583 |
| Packaged soft drinks consumed daily or several times weekly | -0.001 [0.063] N=1,259 | -0.024 [0.068] N=1,129 | 0.026 [0.078] N=963 | 0.045 [0.096] N=777 | -0.105 [0.114] N=583 |
| Grains consumed daily or several times weekly | **0.095* [0.055] N=1,259** | 0.091 [0.057] N=1,129 | 0.094 [0.060] N=963 | 0.060 [0.072] N=777 | -0.054 [0.094] N=583 |

*Specification 3 Monthly fixed effects female and household income groups No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.853 P=1,236 | -0.004 [0.042] N=1,446 | -0.001 [0.045] N=1,316 | 0.022 [0.049] N=1,150 | 0.010 [0.052] N=964 | 0.014 [0.061] N=770 |
| Vegetables consumed daily or several times weekly | 0.763 P=1,107 | -0.025 [0.052] N=1,446 | -0.013 [0.055] N=1,316 | 0.025 [0.058] N=1,150 | 0.017 [0.064] N=964 | 0.024 [0.076] N=770 |
| Meat fish or poultry consumed daily or several times weekly | 0.579 P=843 | 0.024 [0.055] N=1,446 | 0.036 [0.057] N=1,316 | 0.061 [0.059] N=1,150 | 0.082 [0.066] N=964 | 0.080 [0.074] N=770 |
| Legumes consumed daily or several times weekly | 0.589 P=849 | -0.035 [0.066] N=1,446 | -0.023 [0.069] N=1,316 | -0.032 [0.071] N=1,150 | -0.058 [0.077] N=964 | -0.038 [0.089] N=770 |
| Animal products consumed daily or several times weekly | 0.858 P=1,239 | 0.038 [0.038] N=1,446 | 0.041 [0.040] N=1,316 | 0.055 [0.042] N=1,150 | 0.051 [0.045] N=964 | 0.073 [0.049] N=770 |
| Sweets consumed daily or several times weekly | 0.569 P=824 | -0.054 [0.058] N=1,446 | -0.059 [0.061] N=1,316 | -0.033 [0.067] N=1,150 | -0.047 [0.073] N=964 | -0.107 [0.080] N=770 |
| Snack foods consumed daily or several times weekly | 0.426 P=608 | -0.004 [0.057] N=1,446 | -0.018 [0.059] N=1,316 | -0.016 [0.063] N=1,150 | 0.007 [0.068] N=964 | -0.064 [0.075] N=770 |
| Packaged soft drinks consumed daily or several times weekly | 0.237 P=338 | 0.025 [0.040] N=1,446 | 0.011 [0.042] N=1,316 | 0.036 [0.044] N=1,150 | 0.044 [0.049] N=964 | -0.015 [0.052] N=770 |
| Grains consumed daily or several times weekly | 0.853 P=1,232 | **0.085* [0.047] N=1,446** | **0.086* [0.049] N=1,316** | **0.093* [0.053] N=1,150** | 0.080 [0.059] N=964 | 0.053 [0.066] N=770 |

*Specification 3 Monthly fixed effects female and household income groups 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | -0.038 [0.063] N=1,259 | -0.043 [0.069] N=1,129 | -0.018 [0.081] N=963 | -0.037 [0.090] N=777 | -0.038 [0.127] N=583 |
| Vegetables consumed daily or several times weekly | -0.070 [0.072] N=1,259 | -0.057 [0.079] N=1,129 | -0.003 [0.090] N=963 | -0.009 [0.101] N=777 | 0.013 [0.149] N=583 |
| Meat fish or poultry consumed daily or several times weekly | -0.027 [0.068] N=1,259 | -0.017 [0.075] N=1,129 | 0.009 [0.080] N=963 | 0.031 [0.100] N=777 | 0.014 [0.121] N=583 |
| Legumes consumed daily or several times weekly | 0.030 [0.085] N=1,259 | 0.053 [0.092] N=1,129 | 0.057 [0.100] N=963 | 0.048 [0.118] N=777 | 0.168 [0.153] N=583 |
| Animal products consumed daily or several times weekly | 0.015 [0.051] N=1,259 | 0.016 [0.057] N=1,129 | 0.031 [0.059] N=963 | 0.019 [0.066] N=777 | 0.068 [0.079] N=583 |
| Sweets consumed daily or several times weekly | 0.015 [0.076] N=1,259 | 0.011 [0.082] N=1,129 | 0.086 [0.091] N=963 | 0.082 [0.104] N=777 | -0.014 [0.126] N=583 |
| Snack foods consumed daily or several times weekly | 0.067 [0.075] N=1,259 | 0.045 [0.083] N=1,129 | 0.066 [0.092] N=963 | 0.146 [0.103] N=777 | 0.051 [0.131] N=583 |
| Packaged soft drinks consumed daily or several times weekly | -0.006 [0.062] N=1,259 | -0.031 [0.068] N=1,129 | 0.015 [0.077] N=963 | 0.036 [0.093] N=777 | -0.106 [0.112] N=583 |
| Grains consumed daily or several times weekly | **0.093* [0.054] N=1,259** | 0.090 [0.057] N=1,129 | 0.097 [0.060] N=963 | 0.053 [0.074] N=777 | -0.064 [0.095] N=583 |

*Specification 4 Monthly fixed effects female and per-person income groups  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.853 P=1,236 | -0.001 [0.044] N=1,446 | 0.003 [0.047] N=1,316 | 0.022 [0.051] N=1,150 | 0.006 [0.055] N=964 | 0.012 [0.063] N=770 |
| Vegetables consumed daily or several times weekly | 0.763 P=1,107 | -0.028 [0.054] N=1,446 | -0.014 [0.056] N=1,316 | 0.021 [0.060] N=1,150 | 0.010 [0.066] N=964 | 0.019 [0.077] N=770 |
| Meat fish or poultry consumed daily or several times weekly | 0.579 P=843 | 0.026 [0.054] N=1,446 | 0.042 [0.057] N=1,316 | 0.064 [0.059] N=1,150 | 0.082 [0.065] N=964 | 0.080 [0.072] N=770 |
| Legumes consumed daily or several times weekly | 0.589 P=849 | -0.036 [0.067] N=1,446 | -0.024 [0.070] N=1,316 | -0.036 [0.072] N=1,150 | -0.062 [0.079] N=964 | -0.038 [0.091] N=770 |
| Animal products consumed daily or several times weekly | 0.858 P=1,239 | 0.047 [0.039] N=1,446 | 0.049 [0.041] N=1,316 | 0.060 [0.043] N=1,150 | 0.054 [0.047] N=964 | 0.078 [0.052] N=770 |
| Sweets consumed daily or several times weekly | 0.569 P=824 | -0.046 [0.060] N=1,446 | -0.053 [0.062] N=1,316 | -0.030 [0.068] N=1,150 | -0.045 [0.073] N=964 | -0.103 [0.082] N=770 |
| Snack foods consumed daily or several times weekly | 0.426 P=608 | 0.002 [0.056] N=1,446 | -0.013 [0.059] N=1,316 | -0.012 [0.062] N=1,150 | 0.014 [0.067] N=964 | -0.056 [0.074] N=770 |
| Packaged soft drinks consumed daily or several times weekly | 0.237 P=338 | 0.033 [0.040] N=1,446 | 0.017 [0.042] N=1,316 | 0.040 [0.044] N=1,150 | 0.050 [0.049] N=964 | -0.006 [0.053] N=770 |
| Grains consumed daily or several times weekly | 0.853 P=1,232 | **0.084* [0.048] N=1,446** | **0.083* [0.049] N=1,316** | 0.085 [0.053] N=1,150 | 0.072 [0.060] N=964 | 0.047 [0.067] N=770 |

*Specification 4 Monthly fixed effects female and per-person income groups  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | -0.038 [0.065] N=1,259 | -0.042 [0.071] N=1,129 | -0.023 [0.085] N=963 | -0.054 [0.096] N=777 | -0.069 [0.132] N=583 |
| Vegetables consumed daily or several times weekly | -0.078 [0.072] N=1,259 | -0.063 [0.079] N=1,129 | -0.015 [0.091] N=963 | -0.034 [0.101] N=777 | -0.021 [0.147] N=583 |
| Meat fish or poultry consumed daily or several times weekly | -0.024 [0.068] N=1,259 | -0.008 [0.074] N=1,129 | 0.014 [0.081] N=963 | 0.028 [0.101] N=777 | -0.010 [0.118] N=583 |
| Legumes consumed daily or several times weekly | 0.031 [0.085] N=1,259 | 0.056 [0.093] N=1,129 | 0.056 [0.100] N=963 | 0.047 [0.118] N=777 | 0.163 [0.152] N=583 |
| Animal products consumed daily or several times weekly | 0.023 [0.051] N=1,259 | 0.021 [0.057] N=1,129 | 0.029 [0.057] N=963 | 0.014 [0.066] N=777 | 0.066 [0.081] N=583 |
| Sweets consumed daily or several times weekly | 0.022 [0.076] N=1,259 | 0.016 [0.082] N=1,129 | 0.087 [0.090] N=963 | 0.076 [0.102] N=777 | -0.029 [0.122] N=583 |
| Snack foods consumed daily or several times weekly | 0.071 [0.074] N=1,259 | 0.047 [0.082] N=1,129 | 0.067 [0.090] N=963 | 0.143 [0.102] N=777 | 0.042 [0.128] N=583 |
| Packaged soft drinks consumed daily or several times weekly | 0.007 [0.062] N=1,259 | -0.024 [0.067] N=1,129 | 0.019 [0.076] N=963 | 0.036 [0.092] N=777 | -0.111 [0.112] N=583 |
| Grains consumed daily or several times weekly | **0.090* [0.054] N=1,259** | 0.084 [0.057] N=1,129 | 0.082 [0.061] N=963 | 0.036 [0.075] N=777 | -0.078 [0.099] N=583 |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.851 P=1,151 | -0.001 [0.047] N=1,350 | 0.004 [0.050] N=1,227 | 0.026 [0.054] N=1,076 | 0.013 [0.058] N=901 | 0.012 [0.067] N=723 |
| Vegetables consumed daily or several times weekly | 0.762 P=1,034 | -0.024 [0.056] N=1,350 | -0.009 [0.060] N=1,227 | 0.018 [0.064] N=1,076 | 0.001 [0.071] N=901 | -0.006 [0.084] N=723 |
| Meat fish or poultry consumed daily or several times weekly | 0.580 P=787 | 0.029 [0.057] N=1,350 | 0.035 [0.060] N=1,227 | 0.055 [0.064] N=1,076 | 0.064 [0.073] N=901 | 0.060 [0.084] N=723 |
| Legumes consumed daily or several times weekly | 0.586 P=789 | -0.045 [0.065] N=1,350 | -0.033 [0.068] N=1,227 | -0.054 [0.071] N=1,076 | -0.085 [0.079] N=901 | -0.079 [0.092] N=723 |
| Animal products consumed daily or several times weekly | 0.859 P=1,160 | 0.046 [0.040] N=1,350 | 0.052 [0.043] N=1,227 | 0.058 [0.045] N=1,076 | 0.054 [0.048] N=901 | 0.083 [0.054] N=723 |
| Sweets consumed daily or several times weekly | 0.573 P=774 | -0.064 [0.060] N=1,350 | -0.076 [0.063] N=1,227 | -0.054 [0.070] N=1,076 | -0.075 [0.077] N=901 | -0.138 [0.087] N=723 |
| Snack foods consumed daily or several times weekly | 0.431 P=574 | -0.024 [0.059] N=1,350 | -0.045 [0.062] N=1,227 | -0.046 [0.065] N=1,076 | -0.024 [0.070] N=901 | -0.097 [0.077] N=723 |
| Packaged soft drinks consumed daily or several times weekly | 0.244 P=325 | 0.007 [0.043] N=1,350 | -0.010 [0.045] N=1,227 | 0.013 [0.049] N=1,076 | 0.020 [0.056] N=901 | -0.043 [0.059] N=723 |
| Grains consumed daily or several times weekly | 0.851 P=1,149 | **0.089* [0.048] N=1,350** | **0.086* [0.050] N=1,227** | 0.088 [0.053] N=1,076 | 0.078 [0.061] N=901 | 0.052 [0.069] N=723 |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | -0.031 [0.069] N=1,174 | -0.030 [0.075] N=1,051 | -0.002 [0.088] N=900 | -0.025 [0.098] N=725 | -0.046 [0.135] N=547 |
| Vegetables consumed daily or several times weekly | -0.063 [0.075] N=1,174 | -0.045 [0.082] N=1,051 | -0.010 [0.093] N=900 | -0.040 [0.104] N=725 | -0.074 [0.149] N=547 |
| Meat fish or poultry consumed daily or several times weekly | -0.018 [0.075] N=1,174 | -0.013 [0.083] N=1,051 | 0.009 [0.091] N=900 | 0.010 [0.113] N=725 | -0.032 [0.144] N=547 |
| Legumes consumed daily or several times weekly | 0.029 [0.087] N=1,174 | 0.053 [0.092] N=1,051 | 0.048 [0.101] N=900 | 0.038 [0.124] N=725 | 0.107 [0.160] N=547 |
| Animal products consumed daily or several times weekly | 0.029 [0.057] N=1,174 | 0.036 [0.063] N=1,051 | 0.045 [0.063] N=900 | 0.033 [0.073] N=725 | 0.091 [0.091] N=547 |
| Sweets consumed daily or several times weekly | 0.014 [0.078] N=1,174 | -0.001 [0.084] N=1,051 | 0.065 [0.092] N=900 | 0.046 [0.109] N=725 | -0.065 [0.137] N=547 |
| Snack foods consumed daily or several times weekly | 0.043 [0.080] N=1,174 | 0.010 [0.088] N=1,051 | 0.021 [0.099] N=900 | 0.092 [0.115] N=725 | -0.020 [0.140] N=547 |
| Packaged soft drinks consumed daily or several times weekly | -0.025 [0.066] N=1,174 | -0.055 [0.072] N=1,051 | -0.017 [0.082] N=900 | -0.004 [0.102] N=725 | -0.190 [0.116] N=547 |
| Grains consumed daily or several times weekly | **0.104* [0.056] N=1,174** | **0.099* [0.059] N=1,051** | 0.099 [0.064] N=900 | 0.068 [0.078] N=725 | -0.045 [0.104] N=547 |

*Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | 0.851 P=1,151 | 0.001 [0.046] N=1,350 | 0.006 [0.049] N=1,227 | 0.028 [0.054] N=1,076 | 0.011 [0.058] N=901 | 0.009 [0.067] N=723 |
| Vegetables consumed daily or several times weekly | 0.762 P=1,034 | -0.022 [0.056] N=1,350 | -0.009 [0.059] N=1,227 | 0.019 [0.064] N=1,076 | 0.001 [0.071] N=901 | -0.006 [0.085] N=723 |
| Meat fish or poultry consumed daily or several times weekly | 0.580 P=787 | 0.031 [0.056] N=1,350 | 0.039 [0.059] N=1,227 | 0.057 [0.063] N=1,076 | 0.064 [0.071] N=901 | 0.058 [0.082] N=723 |
| Legumes consumed daily or several times weekly | 0.586 P=789 | -0.045 [0.066] N=1,350 | -0.031 [0.069] N=1,227 | -0.053 [0.071] N=1,076 | -0.091 [0.079] N=901 | -0.087 [0.092] N=723 |
| Animal products consumed daily or several times weekly | 0.859 P=1,160 | 0.047 [0.040] N=1,350 | 0.053 [0.043] N=1,227 | 0.060 [0.045] N=1,076 | 0.054 [0.048] N=901 | 0.081 [0.054] N=723 |
| Sweets consumed daily or several times weekly | 0.573 P=774 | -0.066 [0.061] N=1,350 | -0.077 [0.064] N=1,227 | -0.056 [0.072] N=1,076 | -0.078 [0.081] N=901 | -0.140 [0.090] N=723 |
| Snack foods consumed daily or several times weekly | 0.431 P=574 | -0.023 [0.058] N=1,350 | -0.045 [0.061] N=1,227 | -0.046 [0.065] N=1,076 | -0.026 [0.071] N=901 | -0.099 [0.077] N=723 |
| Packaged soft drinks consumed daily or several times weekly | 0.244 P=325 | 0.007 [0.043] N=1,350 | -0.011 [0.045] N=1,227 | 0.013 [0.048] N=1,076 | 0.017 [0.055] N=901 | -0.047 [0.059] N=723 |
| Grains consumed daily or several times weekly | 0.851 P=1,149 | **0.089* [0.048] N=1,350** | **0.086* [0.050] N=1,227** | 0.088 [0.053] N=1,076 | 0.078 [0.061] N=901 | 0.052 [0.069] N=723 |

*Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Fruit consumed daily or several times weekly | -0.029 [0.070] N=1,174 | -0.032 [0.076] N=1,051 | -0.004 [0.088] N=900 | -0.030 [0.097] N=725 | -0.049 [0.135] N=547 |
| Vegetables consumed daily or several times weekly | -0.061 [0.074] N=1,174 | -0.047 [0.082] N=1,051 | -0.010 [0.093] N=900 | -0.041 [0.103] N=725 | -0.068 [0.149] N=547 |
| Meat fish or poultry consumed daily or several times weekly | -0.016 [0.075] N=1,174 | -0.009 [0.082] N=1,051 | 0.011 [0.090] N=900 | 0.006 [0.112] N=725 | -0.036 [0.141] N=547 |
| Legumes consumed daily or several times weekly | 0.032 [0.088] N=1,174 | 0.062 [0.094] N=1,051 | 0.054 [0.102] N=900 | 0.029 [0.124] N=725 | 0.110 [0.161] N=547 |
| Animal products consumed daily or several times weekly | 0.032 [0.057] N=1,174 | 0.038 [0.063] N=1,051 | 0.048 [0.064] N=900 | 0.037 [0.073] N=725 | 0.099 [0.090] N=547 |
| Sweets consumed daily or several times weekly | 0.015 [0.078] N=1,174 | 0.001 [0.084] N=1,051 | 0.068 [0.092] N=900 | 0.051 [0.109] N=725 | -0.057 [0.134] N=547 |
| Snack foods consumed daily or several times weekly | 0.043 [0.080] N=1,174 | 0.006 [0.088] N=1,051 | 0.019 [0.099] N=900 | 0.094 [0.114] N=725 | -0.023 [0.139] N=547 |
| Packaged soft drinks consumed daily or several times weekly | -0.026 [0.067] N=1,174 | -0.059 [0.073] N=1,051 | -0.017 [0.082] N=900 | -0.007 [0.101] N=725 | -0.191 [0.120] N=547 |
| Grains consumed daily or several times weekly | **0.105* [0.055] N=1,174** | **0.099* [0.058] N=1,051** | 0.101 [0.063] N=900 | 0.070 [0.077] N=725 | -0.042 [0.102] N=547 |

*Notes:* Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.