Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 1-3: Oldest Child

Age reference: 10 October 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.795 P=1,143	0.058 [0.041] N=1,422	0.069 [0.043] N=1,317	0.042 [0.046] N=1,182	0.027 [0.048] N=1,009	0.002 [0.056] N=834
Not underweight WAZ at least -2	0.949 P=1,522	-0.017 [0.019] N=1,609	-0.006 [0.020] N=1,485	-0.006 [0.021] N=1,331	-0.009 [0.024] N=1,133	-0.029 [0.031] N=930
Neither wasted nor overweight WHZ -2 to +2	0.692 P=968	0.037 [0.047] N=1,396	0.039 [0.048] N=1,299	0.043 [0.052] N=1,167	0.034 [0.060] N=997	0.045 [0.063] N=820
Neither low nor high BMIZ -2 to +2	0.653 P=897	0.041 [0.045] N=1,364	0.050 [0.047] N=1,269	0.041 [0.051] N=1,136	0.022 [0.057] N=969	0.011 [0.058] N=800
Strict normal HAZ -2 to +3	0.713 P=1,027	0.064 [0.047] N=1,422	0.076 [0.049] N=1,317	0.039 [0.052] N=1,182	0.014 [0.056] N=1,009	0.028 [0.064] N=834
Strict normal WAZ -2 to +1	0.661 P=1,065	-0.044 [0.051] N=1,609	-0.046 [0.055] N=1,485	-0.080 [0.056] N=1,331	-0.078 [0.064] N=1,133	-0.059 [0.066] N=930
Strict normal WHZ -2 to +1	0.530 P=744	0.044 [0.049] N=1,396	0.041 [0.051] N=1,299	0.050 [0.056] N=1,167	0.046 [0.063] N=997	0.062 [0.068] N=820
Strict normal BMIZ -2 to +1	0.515 P=712	0.028 [0.047] N=1,364	0.020 [0.049] N=1,269	0.025 [0.053] N=1,136	0.003 [0.060] N=969	0.013 [0.062] N=800
Above-normal height HAZ above +3	0.082 P=116	-0.006 [0.027] N=1,422	-0.006 [0.030] N=1,317	0.003 [0.034] N=1,182	0.013 [0.033] N=1,009	-0.026 [0.034] N=834
Above-normal weight WAZ above +1	0.287 P=457	0.027 [0.052] N=1,609	0.041 [0.055] N=1,485	0.074 [0.057] N=1,331	0.070 [0.066] N=1,133	0.030 [0.070] N=930
Above-normal WHZ above +1	0.359 P=490	-0.014 [0.050] N=1,396	-0.019 [0.054] N=1,299	-0.030 [0.060] N=1,167	-0.030 [0.068] N=997	-0.030 [0.073] N=820
Above-normal BMIZ above +1	0.361 P=479	-0.016 [0.048] N=1,364	-0.014 [0.052] N=1,269	-0.035 [0.060] N=1,136	-0.047 [0.067] N=969	-0.048 [0.071] N=800

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.022 [0.056] N=1,203	0.035 [0.061] N=1,098	-0.016 [0.066] N=963	-0.054 [0.073] N=790	-0.174 [0.106] N=615
Not underweight WAZ at least -2	-0.031 [0.024] N=1,370	-0.015 [0.027] N=1,246	-0.015 [0.029] N=1,092	-0.029 [0.036] N=894	**-0.118** [0.056] N=691**
Neither wasted nor overweight WHZ -2 to +2	0.029 [0.063] N=1,178	0.029 [0.064] N=1,081	0.043 [0.074] N=949	0.031 [0.094] N=779	0.071 [0.101] N=602
Neither low nor high BMIZ -2 to +2	0.044 [0.064] N=1,154	0.061 [0.066] N=1,059	0.054 [0.078] N=926	0.033 [0.100] N=759	0.022 [0.104] N=590
Strict normal HAZ -2 to +3	0.011 [0.064] N=1,203	0.019 [0.069] N=1,098	-0.060 [0.077] N=963	**-0.150* [0.088] N=790**	-0.167 [0.124] N=615
Strict normal WAZ -2 to +1	0.025 [0.067] N=1,370	0.031 [0.076] N=1,246	-0.017 [0.079] N=1,092	-0.006 [0.105] N=894	0.092 [0.114] N=691
Strict normal WHZ -2 to +1	0.047 [0.069] N=1,178	0.038 [0.076] N=1,081	0.072 [0.088] N=949	0.075 [0.107] N=779	0.137 [0.121] N=602
Strict normal BMIZ -2 to +1	0.048 [0.070] N=1,154	0.033 [0.075] N=1,059	0.056 [0.088] N=926	0.034 [0.111] N=759	0.106 [0.124] N=590
Above-normal height HAZ above +3	0.011 [0.039] N=1,203	0.016 [0.046] N=1,098	0.044 [0.058] N=963	0.096 [0.062] N=790	-0.007 [0.072] N=615
Above-normal weight WAZ above +1	-0.057 [0.063] N=1,370	-0.046 [0.070] N=1,246	0.002 [0.073] N=1,092	-0.023 [0.101] N=894	**-0.210* [0.106] N=691**
Above-normal WHZ above +1	-0.019 [0.064] N=1,178	-0.025 [0.073] N=1,081	-0.067 [0.087] N=949	-0.081 [0.109] N=779	-0.110 [0.119] N=602
Above-normal BMIZ above +1	-0.005 [0.065] N=1,154	0.007 [0.074] N=1,059	-0.047 [0.091] N=926	-0.086 [0.111] N=759	-0.137 [0.119] N=590

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.795 P=1,143	0.058 [0.041] N=1,422	0.069 [0.043] N=1,317	0.042 [0.046] N=1,182	0.027 [0.048] N=1,009	0.002 [0.056] N=834
Not underweight WAZ at least -2	0.949 P=1,522	-0.017 [0.019] N=1,609	-0.006 [0.020] N=1,485	-0.006 [0.021] N=1,331	-0.008 [0.024] N=1,133	-0.029 [0.031] N=930
Neither wasted nor overweight WHZ -2 to +2	0.692 P=968	0.036 [0.047] N=1,396	0.037 [0.048] N=1,299	0.042 [0.052] N=1,167	0.033 [0.060] N=997	0.043 [0.064] N=820
Neither low nor high BMIZ -2 to +2	0.653 P=897	0.040 [0.045] N=1,364	0.049 [0.047] N=1,269	0.040 [0.051] N=1,136	0.020 [0.057] N=969	0.008 [0.057] N=800
Strict normal HAZ -2 to +3	0.713 P=1,027	0.064 [0.046] N=1,422	0.076 [0.048] N=1,317	0.040 [0.051] N=1,182	0.014 [0.055] N=1,009	0.028 [0.064] N=834
Strict normal WAZ -2 to +1	0.661 P=1,065	-0.044 [0.051] N=1,609	-0.046 [0.055] N=1,485	-0.080 [0.056] N=1,331	-0.078 [0.064] N=1,133	-0.059 [0.066] N=930
Strict normal WHZ -2 to +1	0.530 P=744	0.043 [0.049] N=1,396	0.040 [0.052] N=1,299	0.049 [0.056] N=1,167	0.045 [0.063] N=997	0.061 [0.068] N=820
Strict normal BMIZ -2 to +1	0.515 P=712	0.028 [0.047] N=1,364	0.020 [0.049] N=1,269	0.024 [0.054] N=1,136	0.002 [0.060] N=969	0.012 [0.062] N=800
Above-normal height HAZ above +3	0.082 P=116	-0.006 [0.027] N=1,422	-0.006 [0.030] N=1,317	0.003 [0.034] N=1,182	0.013 [0.033] N=1,009	-0.026 [0.033] N=834
Above-normal weight WAZ above +1	0.287 P=457	0.027 [0.052] N=1,609	0.040 [0.055] N=1,485	0.074 [0.057] N=1,331	0.070 [0.066] N=1,133	0.030 [0.070] N=930
Above-normal WHZ above +1	0.359 P=490	-0.014 [0.050] N=1,396	-0.020 [0.054] N=1,299	-0.030 [0.060] N=1,167	-0.031 [0.068] N=997	-0.031 [0.073] N=820
Above-normal BMIZ above +1	0.361 P=479	-0.017 [0.048] N=1,364	-0.015 [0.052] N=1,269	-0.035 [0.059] N=1,136	-0.048 [0.067] N=969	-0.051 [0.071] N=800

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.022 [0.056] N=1,203	0.035 [0.061] N=1,098	-0.016 [0.066] N=963	-0.056 [0.072] N=790	**-0.178* [0.106] N=615**
Not underweight WAZ at least -2	-0.031 [0.024] N=1,370	-0.015 [0.027] N=1,246	-0.015 [0.029] N=1,092	-0.028 [0.035] N=894	**-0.116** [0.055] N=691**
Neither wasted nor overweight WHZ -2 to +2	0.028 [0.063] N=1,178	0.028 [0.064] N=1,081	0.044 [0.074] N=949	0.030 [0.094] N=779	0.071 [0.100] N=602
Neither low nor high BMIZ -2 to +2	0.044 [0.064] N=1,154	0.061 [0.066] N=1,059	0.056 [0.079] N=926	0.034 [0.101] N=759	0.021 [0.104] N=590
Strict normal HAZ -2 to +3	0.011 [0.064] N=1,203	0.020 [0.069] N=1,098	-0.057 [0.076] N=963	**-0.149* [0.088] N=790**	-0.167 [0.123] N=615
Strict normal WAZ -2 to +1	0.025 [0.068] N=1,370	0.031 [0.075] N=1,246	-0.016 [0.079] N=1,092	-0.007 [0.104] N=894	0.091 [0.113] N=691
Strict normal WHZ -2 to +1	0.047 [0.069] N=1,178	0.038 [0.076] N=1,081	0.072 [0.088] N=949	0.075 [0.107] N=779	0.137 [0.121] N=602
Strict normal BMIZ -2 to +1	0.048 [0.070] N=1,154	0.033 [0.075] N=1,059	0.057 [0.088] N=926	0.034 [0.111] N=759	0.107 [0.123] N=590
Above-normal height HAZ above +3	0.011 [0.039] N=1,203	0.015 [0.045] N=1,098	0.042 [0.057] N=963	0.093 [0.061] N=790	-0.011 [0.070] N=615
Above-normal weight WAZ above +1	-0.057 [0.063] N=1,370	-0.046 [0.069] N=1,246	0.001 [0.072] N=1,092	-0.021 [0.101] N=894	**-0.207* [0.105] N=691**
Above-normal WHZ above +1	-0.020 [0.064] N=1,178	-0.026 [0.072] N=1,081	-0.067 [0.087] N=949	-0.082 [0.108] N=779	-0.110 [0.120] N=602
Above-normal BMIZ above +1	-0.005 [0.065] N=1,154	0.007 [0.073] N=1,059	-0.046 [0.090] N=926	-0.086 [0.110] N=759	-0.138 [0.119] N=590

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.795 P=1,143	0.051 [0.041] N=1,422	0.057 [0.043] N=1,317	0.033 [0.045] N=1,182	0.019 [0.048] N=1,009	-0.011 [0.055] N=834
Not underweight WAZ at least -2	0.949 P=1,522	-0.022 [0.018] N=1,609	-0.013 [0.019] N=1,485	-0.013 [0.020] N=1,331	-0.016 [0.023] N=1,133	-0.038 [0.030] N=930
Neither wasted nor overweight WHZ -2 to +2	0.692 P=968	0.028 [0.046] N=1,396	0.024 [0.047] N=1,299	0.031 [0.052] N=1,167	0.024 [0.060] N=997	0.036 [0.063] N=820
Neither low nor high BMIZ -2 to +2	0.653 P=897	0.032 [0.044] N=1,364	0.036 [0.046] N=1,269	0.029 [0.049] N=1,136	0.012 [0.056] N=969	-0.000 [0.056] N=800
Strict normal HAZ -2 to +3	0.713 P=1,027	0.053 [0.046] N=1,422	0.059 [0.048] N=1,317	0.027 [0.050] N=1,182	0.002 [0.054] N=1,009	0.012 [0.063] N=834
Strict normal WAZ -2 to +1	0.661 P=1,065	-0.039 [0.050] N=1,609	-0.045 [0.054] N=1,485	-0.079 [0.055] N=1,331	-0.078 [0.064] N=1,133	-0.058 [0.066] N=930
Strict normal WHZ -2 to +1	0.530 P=744	0.037 [0.049] N=1,396	0.028 [0.052] N=1,299	0.038 [0.056] N=1,167	0.035 [0.063] N=997	0.055 [0.068] N=820
Strict normal BMIZ -2 to +1	0.515 P=712	0.023 [0.048] N=1,364	0.009 [0.050] N=1,269	0.016 [0.054] N=1,136	-0.005 [0.061] N=969	0.009 [0.063] N=800
Above-normal height HAZ above +3	0.082 P=116	-0.002 [0.027] N=1,422	-0.002 [0.029] N=1,317	0.006 [0.034] N=1,182	0.017 [0.033] N=1,009	-0.023 [0.034] N=834
Above-normal weight WAZ above +1	0.287 P=457	0.016 [0.050] N=1,609	0.032 [0.054] N=1,485	0.066 [0.056] N=1,331	0.062 [0.065] N=1,133	0.019 [0.068] N=930
Above-normal WHZ above +1	0.359 P=490	-0.016 [0.051] N=1,396	-0.017 [0.054] N=1,299	-0.028 [0.060] N=1,167	-0.027 [0.068] N=997	-0.030 [0.073] N=820
Above-normal BMIZ above +1	0.361 P=479	-0.017 [0.049] N=1,364	-0.012 [0.053] N=1,269	-0.033 [0.060] N=1,136	-0.045 [0.067] N=969	-0.049 [0.071] N=800

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.018 [0.057] N=1,203	0.020 [0.062] N=1,098	-0.024 [0.067] N=963	-0.056 [0.072] N=790	**-0.186* [0.105] N=615**
Not underweight WAZ at least -2	-0.035 [0.024] N=1,370	-0.022 [0.026] N=1,246	-0.020 [0.028] N=1,092	-0.033 [0.035] N=894	**-0.122** [0.055] N=691**
Neither wasted nor overweight WHZ -2 to +2	0.018 [0.063] N=1,178	0.010 [0.065] N=1,081	0.032 [0.074] N=949	0.016 [0.093] N=779	0.045 [0.096] N=602
Neither low nor high BMIZ -2 to +2	0.035 [0.063] N=1,154	0.043 [0.066] N=1,059	0.045 [0.077] N=926	0.020 [0.100] N=759	-0.004 [0.101] N=590
Strict normal HAZ -2 to +3	0.005 [0.063] N=1,203	0.003 [0.068] N=1,098	-0.066 [0.076] N=963	**-0.150* [0.087] N=790**	-0.179 [0.122] N=615
Strict normal WAZ -2 to +1	0.030 [0.067] N=1,370	0.031 [0.075] N=1,246	-0.016 [0.079] N=1,092	-0.006 [0.105] N=894	0.097 [0.112] N=691
Strict normal WHZ -2 to +1	0.037 [0.069] N=1,178	0.017 [0.076] N=1,081	0.055 [0.088] N=949	0.052 [0.108] N=779	0.106 [0.125] N=602
Strict normal BMIZ -2 to +1	0.038 [0.070] N=1,154	0.010 [0.077] N=1,059	0.041 [0.089] N=926	0.015 [0.113] N=759	0.083 [0.128] N=590
Above-normal height HAZ above +3	0.013 [0.038] N=1,203	0.017 [0.045] N=1,098	0.042 [0.057] N=963	0.094 [0.062] N=790	-0.007 [0.073] N=615
Above-normal weight WAZ above +1	-0.065 [0.062] N=1,370	-0.053 [0.068] N=1,246	-0.005 [0.072] N=1,092	-0.028 [0.103] N=894	**-0.219** [0.105] N=691**
Above-normal WHZ above +1	-0.016 [0.066] N=1,178	-0.014 [0.075] N=1,081	-0.056 [0.088] N=949	-0.069 [0.110] N=779	-0.097 [0.125] N=602
Above-normal BMIZ above +1	-0.001 [0.066] N=1,154	0.019 [0.075] N=1,059	-0.036 [0.091] N=926	-0.077 [0.112] N=759	-0.130 [0.123] N=590

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.795 P=1,143	0.036 [0.041] N=1,422	0.040 [0.043] N=1,317	0.014 [0.045] N=1,182	-0.004 [0.047] N=1,009	-0.037 [0.055] N=834
Not underweight WAZ at least -2	0.949 P=1,522	-0.025 [0.018] N=1,609	-0.016 [0.020] N=1,485	-0.016 [0.021] N=1,331	-0.019 [0.023] N=1,133	-0.043 [0.030] N=930
Neither wasted nor overweight WHZ -2 to +2	0.692 P=968	0.024 [0.047] N=1,396	0.023 [0.048] N=1,299	0.031 [0.052] N=1,167	0.022 [0.060] N=997	0.042 [0.063] N=820
Neither low nor high BMIZ -2 to +2	0.653 P=897	0.026 [0.045] N=1,364	0.034 [0.046] N=1,269	0.027 [0.050] N=1,136	0.005 [0.056] N=969	0.001 [0.057] N=800
Strict normal HAZ -2 to +3	0.713 P=1,027	0.038 [0.046] N=1,422	0.043 [0.048] N=1,317	0.007 [0.050] N=1,182	-0.023 [0.054] N=1,009	-0.015 [0.063] N=834
Strict normal WAZ -2 to +1	0.661 P=1,065	-0.041 [0.051] N=1,609	-0.047 [0.055] N=1,485	-0.083 [0.056] N=1,331	-0.078 [0.064] N=1,133	-0.055 [0.067] N=930
Strict normal WHZ -2 to +1	0.530 P=744	0.031 [0.049] N=1,396	0.026 [0.052] N=1,299	0.037 [0.056] N=1,167	0.031 [0.063] N=997	0.056 [0.068] N=820
Strict normal BMIZ -2 to +1	0.515 P=712	0.016 [0.047] N=1,364	0.006 [0.050] N=1,269	0.012 [0.053] N=1,136	-0.012 [0.059] N=969	0.006 [0.061] N=800
Above-normal height HAZ above +3	0.082 P=116	-0.003 [0.027] N=1,422	-0.002 [0.030] N=1,317	0.007 [0.034] N=1,182	0.019 [0.034] N=1,009	-0.022 [0.035] N=834
Above-normal weight WAZ above +1	0.287 P=457	0.016 [0.050] N=1,609	0.031 [0.054] N=1,485	0.066 [0.056] N=1,331	0.059 [0.065] N=1,133	0.013 [0.069] N=930
Above-normal WHZ above +1	0.359 P=490	-0.006 [0.050] N=1,396	-0.010 [0.053] N=1,299	-0.023 [0.059] N=1,167	-0.020 [0.068] N=997	-0.025 [0.073] N=820
Above-normal BMIZ above +1	0.361 P=479	-0.008 [0.048] N=1,364	-0.004 [0.052] N=1,269	-0.027 [0.059] N=1,136	-0.037 [0.066] N=969	-0.042 [0.070] N=800

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.013 [0.057] N=1,203	0.019 [0.063] N=1,098	-0.021 [0.068] N=963	-0.051 [0.075] N=790	**-0.188* [0.108] N=615**
Not underweight WAZ at least -2	-0.038 [0.024] N=1,370	-0.023 [0.027] N=1,246	-0.022 [0.029] N=1,092	-0.035 [0.036] N=894	**-0.124** [0.057] N=691**
Neither wasted nor overweight WHZ -2 to +2	0.011 [0.063] N=1,178	0.010 [0.064] N=1,081	0.030 [0.074] N=949	0.008 [0.092] N=779	0.025 [0.097] N=602
Neither low nor high BMIZ -2 to +2	0.026 [0.065] N=1,154	0.044 [0.067] N=1,059	0.042 [0.079] N=926	0.010 [0.100] N=759	-0.038 [0.104] N=590
Strict normal HAZ -2 to +3	0.002 [0.065] N=1,203	0.004 [0.070] N=1,098	-0.062 [0.078] N=963	-0.141 [0.091] N=790	-0.170 [0.131] N=615
Strict normal WAZ -2 to +1	0.033 [0.067] N=1,370	0.035 [0.075] N=1,246	-0.012 [0.079] N=1,092	0.005 [0.104] N=894	0.100 [0.111] N=691
Strict normal WHZ -2 to +1	0.031 [0.069] N=1,178	0.022 [0.075] N=1,081	0.057 [0.086] N=949	0.043 [0.104] N=779	0.076 [0.122] N=602
Strict normal BMIZ -2 to +1	0.032 [0.070] N=1,154	0.019 [0.076] N=1,059	0.046 [0.087] N=926	0.007 [0.108] N=759	0.055 [0.124] N=590
Above-normal height HAZ above +3	0.011 [0.039] N=1,203	0.015 [0.045] N=1,098	0.041 [0.057] N=963	0.090 [0.063] N=790	-0.018 [0.075] N=615
Above-normal weight WAZ above +1	-0.071 [0.062] N=1,370	-0.058 [0.069] N=1,246	-0.010 [0.072] N=1,092	-0.039 [0.101] N=894	**-0.224** [0.102] N=691**
Above-normal WHZ above +1	-0.015 [0.064] N=1,178	-0.018 [0.073] N=1,081	-0.059 [0.086] N=949	-0.059 [0.107] N=779	-0.066 [0.121] N=602
Above-normal BMIZ above +1	-0.001 [0.065] N=1,154	0.013 [0.074] N=1,059	-0.040 [0.089] N=926	-0.066 [0.108] N=759	-0.100 [0.118] N=590

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.795 P=1,068	0.049 [0.045] N=1,329	0.056 [0.047] N=1,237	0.030 [0.049] N=1,107	0.013 [0.052] N=949	-0.016 [0.059] N=784
Not underweight WAZ at least -2	0.948 P=1,419	-0.015 [0.020] N=1,502	-0.004 [0.021] N=1,393	-0.003 [0.023] N=1,246	-0.005 [0.025] N=1,064	-0.021 [0.034] N=875
Neither wasted nor overweight WHZ -2 to +2	0.690 P=903	0.034 [0.049] N=1,303	0.037 [0.049] N=1,220	0.040 [0.054] N=1,094	0.031 [0.061] N=939	0.034 [0.066] N=772
Neither low nor high BMIZ -2 to +2	0.653 P=838	0.035 [0.048] N=1,272	0.049 [0.049] N=1,190	0.041 [0.055] N=1,064	0.028 [0.063] N=912	0.014 [0.066] N=752
Strict normal HAZ -2 to +3	0.714 P=962	0.062 [0.051] N=1,329	0.071 [0.053] N=1,237	0.038 [0.056] N=1,107	0.009 [0.061] N=949	0.016 [0.069] N=784
Strict normal WAZ -2 to +1	0.659 P=990	-0.052 [0.054] N=1,502	-0.049 [0.058] N=1,393	-0.082 [0.060] N=1,246	-0.076 [0.068] N=1,064	-0.055 [0.073] N=875
Strict normal WHZ -2 to +1	0.530 P=695	0.026 [0.052] N=1,303	0.028 [0.054] N=1,220	0.037 [0.060] N=1,094	0.033 [0.068] N=939	0.032 [0.073] N=772
Strict normal BMIZ -2 to +1	0.517 P=667	0.015 [0.050] N=1,272	0.016 [0.052] N=1,190	0.024 [0.058] N=1,064	0.012 [0.067] N=912	0.012 [0.071] N=752
Above-normal height HAZ above +3	0.081 P=106	-0.012 [0.029] N=1,329	-0.015 [0.032] N=1,237	-0.008 [0.036] N=1,107	0.004 [0.035] N=949	-0.032 [0.036] N=784
Above-normal weight WAZ above +1	0.289 P=429	0.037 [0.054] N=1,502	0.046 [0.057] N=1,393	0.079 [0.060] N=1,246	0.071 [0.069] N=1,064	0.034 [0.074] N=875
Above-normal WHZ above +1	0.360 P=457	0.011 [0.054] N=1,303	0.003 [0.057] N=1,220	-0.011 [0.063] N=1,094	-0.010 [0.072] N=939	0.008 [0.079] N=772
Above-normal BMIZ above +1	0.361 P=445	0.011 [0.052] N=1,272	0.006 [0.055] N=1,190	-0.018 [0.062] N=1,064	-0.032 [0.072] N=912	-0.017 [0.076] N=752

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.019 [0.060] N=1,124	0.031 [0.066] N=1,032	-0.016 [0.071] N=902	-0.054 [0.078] N=744	-0.152 [0.117] N=579
Not underweight WAZ at least -2	-0.038 [0.025] N=1,278	-0.022 [0.027] N=1,169	-0.022 [0.029] N=1,022	-0.037 [0.033] N=840	**-0.118** [0.056] N=651**
Neither wasted nor overweight WHZ -2 to +2	0.030 [0.069] N=1,099	0.040 [0.069] N=1,016	0.054 [0.080] N=890	0.066 [0.101] N=735	0.109 [0.105] N=568
Neither low nor high BMIZ -2 to +2	0.032 [0.068] N=1,076	0.057 [0.069] N=994	0.049 [0.085] N=868	0.048 [0.108] N=716	0.041 [0.106] N=556
Strict normal HAZ -2 to +3	0.013 [0.069] N=1,124	0.024 [0.073] N=1,032	-0.050 [0.082] N=902	-0.141 [0.096] N=744	-0.136 [0.134] N=579
Strict normal WAZ -2 to +1	0.023 [0.070] N=1,278	0.038 [0.077] N=1,169	-0.003 [0.083] N=1,022	0.004 [0.107] N=840	0.102 [0.119] N=651
Strict normal WHZ -2 to +1	0.047 [0.075] N=1,099	0.052 [0.080] N=1,016	0.092 [0.095] N=890	0.105 [0.115] N=735	0.171 [0.126] N=568
Strict normal BMIZ -2 to +1	0.026 [0.073] N=1,076	0.029 [0.078] N=994	0.058 [0.093] N=868	0.055 [0.117] N=716	0.134 [0.127] N=556
Above-normal height HAZ above +3	0.006 [0.039] N=1,124	0.007 [0.046] N=1,032	0.033 [0.057] N=902	0.087 [0.063] N=744	-0.016 [0.073] N=579
Above-normal weight WAZ above +1	-0.060 [0.066] N=1,278	-0.060 [0.071] N=1,169	-0.018 [0.077] N=1,022	-0.041 [0.104] N=840	**-0.220* [0.112] N=651**
Above-normal WHZ above +1	-0.019 [0.069] N=1,099	-0.037 [0.076] N=1,016	-0.088 [0.090] N=890	-0.096 [0.116] N=735	-0.108 [0.128] N=568
Above-normal BMIZ above +1	0.009 [0.068] N=1,076	0.000 [0.075] N=994	-0.057 [0.092] N=868	-0.102 [0.116] N=716	-0.150 [0.125] N=556

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.795 P=1,068	0.048 [0.044] N=1,329	0.055 [0.047] N=1,237	0.028 [0.049] N=1,107	0.010 [0.052] N=949	-0.015 [0.059] N=784
Not underweight WAZ at least -2	0.948 P=1,419	-0.016 [0.020] N=1,502	-0.004 [0.021] N=1,393	-0.004 [0.023] N=1,246	-0.006 [0.025] N=1,064	-0.023 [0.034] N=875
Neither wasted nor overweight WHZ -2 to +2	0.690 P=903	0.033 [0.049] N=1,303	0.036 [0.049] N=1,220	0.041 [0.055] N=1,094	0.037 [0.062] N=939	0.045 [0.066] N=772
Neither low nor high BMIZ -2 to +2	0.653 P=838	0.033 [0.048] N=1,272	0.049 [0.048] N=1,190	0.043 [0.054] N=1,064	0.033 [0.061] N=912	0.025 [0.063] N=752
Strict normal HAZ -2 to +3	0.714 P=962	0.063 [0.050] N=1,329	0.072 [0.052] N=1,237	0.038 [0.055] N=1,107	0.009 [0.060] N=949	0.024 [0.069] N=784
Strict normal WAZ -2 to +1	0.659 P=990	-0.052 [0.054] N=1,502	-0.050 [0.058] N=1,393	-0.083 [0.060] N=1,246	-0.080 [0.068] N=1,064	-0.061 [0.072] N=875
Strict normal WHZ -2 to +1	0.530 P=695	0.026 [0.052] N=1,303	0.029 [0.054] N=1,220	0.043 [0.060] N=1,094	0.042 [0.067] N=939	0.054 [0.071] N=772
Strict normal BMIZ -2 to +1	0.517 P=667	0.012 [0.050] N=1,272	0.015 [0.052] N=1,190	0.026 [0.058] N=1,064	0.014 [0.066] N=912	0.025 [0.069] N=752
Above-normal height HAZ above +3	0.081 P=106	-0.015 [0.029] N=1,329	-0.017 [0.031] N=1,237	-0.009 [0.036] N=1,107	0.001 [0.036] N=949	-0.039 [0.037] N=784
Above-normal weight WAZ above +1	0.289 P=429	0.036 [0.054] N=1,502	0.046 [0.057] N=1,393	0.079 [0.060] N=1,246	0.073 [0.069] N=1,064	0.038 [0.074] N=875
Above-normal WHZ above +1	0.360 P=457	0.008 [0.054] N=1,303	-0.001 [0.056] N=1,220	-0.017 [0.063] N=1,094	-0.017 [0.072] N=939	-0.007 [0.079] N=772
Above-normal BMIZ above +1	0.361 P=445	0.011 [0.051] N=1,272	0.004 [0.054] N=1,190	-0.020 [0.062] N=1,064	-0.035 [0.072] N=912	-0.029 [0.076] N=752

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.024 [0.060] N=1,124	0.033 [0.066] N=1,032	-0.015 [0.070] N=902	-0.050 [0.078] N=744	-0.151 [0.116] N=579
Not underweight WAZ at least -2	-0.037 [0.025] N=1,278	-0.020 [0.027] N=1,169	-0.021 [0.029] N=1,022	-0.038 [0.033] N=840	**-0.121** [0.055] N=651**
Neither wasted nor overweight WHZ -2 to +2	0.033 [0.067] N=1,099	0.040 [0.067] N=1,016	0.052 [0.079] N=890	0.059 [0.099] N=735	0.112 [0.106] N=568
Neither low nor high BMIZ -2 to +2	0.031 [0.067] N=1,076	0.055 [0.067] N=994	0.046 [0.083] N=868	0.043 [0.107] N=716	0.044 [0.104] N=556
Strict normal HAZ -2 to +3	0.017 [0.069] N=1,124	0.026 [0.073] N=1,032	-0.046 [0.080] N=902	-0.131 [0.095] N=744	-0.121 [0.131] N=579
Strict normal WAZ -2 to +1	0.021 [0.070] N=1,278	0.036 [0.077] N=1,169	-0.005 [0.083] N=1,022	0.006 [0.107] N=840	0.107 [0.119] N=651
Strict normal WHZ -2 to +1	0.039 [0.074] N=1,099	0.044 [0.079] N=1,016	0.085 [0.094] N=890	0.103 [0.115] N=735	0.180 [0.124] N=568
Strict normal BMIZ -2 to +1	0.021 [0.072] N=1,076	0.023 [0.076] N=994	0.054 [0.093] N=868	0.049 [0.117] N=716	0.128 [0.124] N=556
Above-normal height HAZ above +3	0.006 [0.039] N=1,124	0.007 [0.045] N=1,032	0.031 [0.057] N=902	0.081 [0.063] N=744	-0.030 [0.073] N=579
Above-normal weight WAZ above +1	-0.057 [0.066] N=1,278	-0.056 [0.071] N=1,169	-0.015 [0.077] N=1,022	-0.043 [0.105] N=840	**-0.228** [0.113] N=651**
Above-normal WHZ above +1	-0.010 [0.069] N=1,099	-0.026 [0.076] N=1,016	-0.079 [0.090] N=890	-0.096 [0.117] N=735	-0.116 [0.130] N=568
Above-normal BMIZ above +1	0.015 [0.068] N=1,076	0.010 [0.075] N=994	-0.050 [0.092] N=868	-0.096 [0.117] N=716	-0.141 [0.125] N=556

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.808 P=1,033	-0.009 [0.050] N=1,279	-0.019 [0.051] N=1,155	-0.012 [0.053] N=1,010	-0.029 [0.059] N=855	-0.015 [0.065] N=687
Not underweight WAZ at least -2	0.952 P=1,366	-0.018 [0.022] N=1,439	-0.007 [0.023] N=1,310	-0.013 [0.025] N=1,144	-0.003 [0.026] N=960	0.016 [0.028] N=768
Neither wasted nor overweight WHZ -2 to +2	0.700 P=875	**-0.114* [0.058] N=1,263**	**-0.101* [0.060] N=1,144**	**-0.124* [0.063] N=1,002**	-0.077 [0.069] N=844	-0.077 [0.072] N=680
Neither low nor high BMIZ -2 to +2	0.665 P=812	**-0.144** [0.059] N=1,226**	**-0.125** [0.062] N=1,111**	**-0.131** [0.066] N=974**	-0.091 [0.070] N=821	-0.112 [0.073] N=665
Strict normal HAZ -2 to +3	0.722 P=927	0.012 [0.053] N=1,279	-0.001 [0.055] N=1,155	-0.007 [0.058] N=1,010	0.001 [0.063] N=855	-0.011 [0.070] N=687
Strict normal WAZ -2 to +1	0.662 P=947	-0.022 [0.048] N=1,439	-0.033 [0.051] N=1,310	-0.018 [0.054] N=1,144	-0.016 [0.058] N=960	0.011 [0.066] N=768
Strict normal WHZ -2 to +1	0.529 P=657	**-0.134** [0.057] N=1,263**	**-0.144** [0.059] N=1,144**	**-0.156** [0.063] N=1,002**	-0.091 [0.069] N=844	**-0.128* [0.075] N=680**
Strict normal BMIZ -2 to +1	0.520 P=633	-0.090 [0.058] N=1,226	-0.084 [0.059] N=1,111	-0.070 [0.064] N=974	-0.018 [0.069] N=821	-0.060 [0.074] N=665
Above-normal height HAZ above +3	0.086 P=106	-0.021 [0.036] N=1,279	-0.018 [0.037] N=1,155	-0.005 [0.040] N=1,010	-0.030 [0.041] N=855	-0.004 [0.046] N=687
Above-normal weight WAZ above +1	0.291 P=419	0.003 [0.044] N=1,439	0.025 [0.047] N=1,310	0.005 [0.048] N=1,144	0.013 [0.050] N=960	0.004 [0.058] N=768
Above-normal WHZ above +1	0.361 P=464	**0.122** [0.055] N=1,263**	**0.138** [0.057] N=1,144**	**0.131** [0.061] N=1,002**	**0.133** [0.066] N=844**	**0.158** [0.074] N=680**
Above-normal BMIZ above +1	0.355 P=441	0.073 [0.058] N=1,226	0.074 [0.060] N=1,111	0.050 [0.065] N=974	0.044 [0.074] N=821	0.075 [0.084] N=665

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.034 [0.081] N=1,107	-0.050 [0.087] N=983	-0.050 [0.097] N=838	-0.110 [0.122] N=683	-0.075 [0.147] N=515
Not underweight WAZ at least -2	-0.027 [0.034] N=1,253	-0.009 [0.036] N=1,124	-0.018 [0.041] N=958	0.006 [0.045] N=774	0.056 [0.047] N=582
Neither wasted nor overweight WHZ -2 to +2	**-0.199*** [0.067] N=1,095**	**-0.179** [0.071] N=976**	**-0.246*** [0.082] N=834**	-0.164 [0.103] N=676	-0.144 [0.112] N=512
Neither low nor high BMIZ -2 to +2	**-0.202*** [0.069] N=1,067**	**-0.172** [0.074] N=952**	**-0.208** [0.084] N=815**	-0.134 [0.101] N=662	-0.176 [0.110] N=506
Strict normal HAZ -2 to +3	-0.001 [0.079] N=1,107	-0.015 [0.086] N=983	-0.035 [0.093] N=838	-0.029 [0.115] N=683	-0.041 [0.141] N=515
Strict normal WAZ -2 to +1	-0.005 [0.073] N=1,253	-0.022 [0.079] N=1,124	0.007 [0.085] N=958	0.021 [0.094] N=774	0.098 [0.111] N=582
Strict normal WHZ -2 to +1	**-0.171** [0.077] N=1,095**	**-0.192** [0.083] N=976**	**-0.236** [0.093] N=834**	-0.114 [0.113] N=676	-0.190 [0.140] N=512
Strict normal BMIZ -2 to +1	-0.135 [0.085] N=1,067	-0.128 [0.090] N=952	-0.132 [0.103] N=815	-0.031 [0.124] N=662	-0.136 [0.150] N=506
Above-normal height HAZ above +3	-0.034 [0.047] N=1,107	-0.035 [0.050] N=983	-0.015 [0.059] N=838	-0.081 [0.061] N=683	-0.035 [0.076] N=515
Above-normal weight WAZ above +1	-0.022 [0.064] N=1,253	0.014 [0.071] N=1,124	-0.026 [0.075] N=958	-0.015 [0.081] N=774	-0.041 [0.101] N=582
Above-normal WHZ above +1	0.096 [0.077] N=1,095	0.124 [0.082] N=976	0.121 [0.093] N=834	0.133 [0.102] N=676	0.173 [0.126] N=512
Above-normal BMIZ above +1	0.045 [0.084] N=1,067	0.049 [0.089] N=952	0.016 [0.100] N=815	0.006 [0.120] N=662	0.067 [0.153] N=506

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.808 P=1,033	-0.010 [0.050] N=1,279	-0.019 [0.051] N=1,155	-0.012 [0.053] N=1,010	-0.030 [0.059] N=855	-0.015 [0.065] N=687
Not underweight WAZ at least -2	0.952 P=1,366	-0.018 [0.022] N=1,439	-0.007 [0.023] N=1,310	-0.013 [0.025] N=1,144	-0.003 [0.026] N=960	0.015 [0.028] N=768
Neither wasted nor overweight WHZ -2 to +2	0.700 P=875	**-0.112* [0.058] N=1,263**	-0.098 [0.060] N=1,144	**-0.120* [0.064] N=1,002**	-0.075 [0.069] N=844	-0.077 [0.073] N=680
Neither low nor high BMIZ -2 to +2	0.665 P=812	**-0.141** [0.058] N=1,226**	**-0.121** [0.061] N=1,111**	**-0.127* [0.065] N=974**	-0.090 [0.069] N=821	-0.113 [0.073] N=665
Strict normal HAZ -2 to +3	0.722 P=927	0.012 [0.053] N=1,279	-0.001 [0.056] N=1,155	-0.007 [0.058] N=1,010	0.000 [0.063] N=855	-0.011 [0.070] N=687
Strict normal WAZ -2 to +1	0.662 P=947	-0.021 [0.048] N=1,439	-0.032 [0.051] N=1,310	-0.018 [0.054] N=1,144	-0.016 [0.057] N=960	0.011 [0.066] N=768
Strict normal WHZ -2 to +1	0.529 P=657	**-0.132** [0.057] N=1,263**	**-0.141** [0.059] N=1,144**	**-0.152** [0.063] N=1,002**	-0.091 [0.070] N=844	**-0.128* [0.075] N=680**
Strict normal BMIZ -2 to +1	0.520 P=633	-0.089 [0.057] N=1,226	-0.081 [0.058] N=1,111	-0.067 [0.063] N=974	-0.018 [0.069] N=821	-0.060 [0.074] N=665
Above-normal height HAZ above +3	0.086 P=106	-0.022 [0.036] N=1,279	-0.019 [0.037] N=1,155	-0.004 [0.040] N=1,010	-0.030 [0.041] N=855	-0.004 [0.046] N=687
Above-normal weight WAZ above +1	0.291 P=419	0.003 [0.043] N=1,439	0.025 [0.046] N=1,310	0.005 [0.048] N=1,144	0.013 [0.050] N=960	0.004 [0.058] N=768
Above-normal WHZ above +1	0.361 P=464	**0.123** [0.055] N=1,263**	**0.139** [0.056] N=1,144**	**0.131** [0.061] N=1,002**	**0.134** [0.066] N=844**	**0.158** [0.074] N=680**
Above-normal BMIZ above +1	0.355 P=441	0.074 [0.058] N=1,226	0.075 [0.060] N=1,111	0.050 [0.064] N=974	0.045 [0.074] N=821	0.075 [0.085] N=665

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.034 [0.082] N=1,107	-0.048 [0.087] N=983	-0.046 [0.098] N=838	-0.110 [0.123] N=683	-0.076 [0.149] N=515
Not underweight WAZ at least -2	-0.026 [0.034] N=1,253	-0.008 [0.036] N=1,124	-0.018 [0.042] N=958	0.007 [0.045] N=774	0.059 [0.048] N=582
Neither wasted nor overweight WHZ -2 to +2	**-0.192*** [0.067] N=1,095**	**-0.170** [0.071] N=976**	**-0.233*** [0.083] N=834**	-0.151 [0.103] N=676	-0.128 [0.113] N=512
Neither low nor high BMIZ -2 to +2	**-0.195*** [0.069] N=1,067**	**-0.162** [0.074] N=952**	**-0.192** [0.083] N=815**	-0.122 [0.101] N=662	-0.165 [0.111] N=506
Strict normal HAZ -2 to +3	0.004 [0.079] N=1,107	-0.009 [0.087] N=983	-0.031 [0.094] N=838	-0.029 [0.115] N=683	-0.039 [0.142] N=515
Strict normal WAZ -2 to +1	-0.004 [0.072] N=1,253	-0.021 [0.078] N=1,124	0.007 [0.084] N=958	0.021 [0.094] N=774	0.096 [0.110] N=582
Strict normal WHZ -2 to +1	**-0.166** [0.077] N=1,095**	**-0.184** [0.082] N=976**	**-0.223** [0.093] N=834**	-0.112 [0.112] N=676	-0.192 [0.138] N=512
Strict normal BMIZ -2 to +1	-0.131 [0.085] N=1,067	-0.119 [0.090] N=952	-0.118 [0.103] N=815	-0.026 [0.124] N=662	-0.135 [0.149] N=506
Above-normal height HAZ above +3	-0.038 [0.047] N=1,107	-0.039 [0.050] N=983	-0.015 [0.060] N=838	-0.082 [0.061] N=683	-0.038 [0.077] N=515
Above-normal weight WAZ above +1	-0.022 [0.064] N=1,253	0.013 [0.070] N=1,124	-0.025 [0.074] N=958	-0.014 [0.080] N=774	-0.036 [0.098] N=582
Above-normal WHZ above +1	0.099 [0.077] N=1,095	0.127 [0.082] N=976	0.122 [0.093] N=834	0.143 [0.102] N=676	0.197 [0.126] N=512
Above-normal BMIZ above +1	0.051 [0.084] N=1,067	0.052 [0.089] N=952	0.017 [0.100] N=815	0.014 [0.119] N=662	0.086 [0.152] N=506

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.808 P=1,033	-0.011 [0.049] N=1,279	-0.019 [0.051] N=1,155	-0.011 [0.053] N=1,010	-0.029 [0.058] N=855	-0.015 [0.063] N=687
Not underweight WAZ at least -2	0.952 P=1,366	-0.019 [0.023] N=1,439	-0.007 [0.023] N=1,310	-0.012 [0.025] N=1,144	-0.003 [0.026] N=960	0.015 [0.028] N=768
Neither wasted nor overweight WHZ -2 to +2	0.700 P=875	**-0.113* [0.058] N=1,263**	-0.097 [0.060] N=1,144	**-0.120* [0.064] N=1,002**	-0.075 [0.070] N=844	-0.075 [0.074] N=680
Neither low nor high BMIZ -2 to +2	0.665 P=812	**-0.144** [0.059] N=1,226**	**-0.123** [0.062] N=1,111**	**-0.128* [0.066] N=974**	-0.091 [0.070] N=821	-0.115 [0.074] N=665
Strict normal HAZ -2 to +3	0.722 P=927	0.009 [0.053] N=1,279	-0.001 [0.055] N=1,155	-0.007 [0.057] N=1,010	-0.000 [0.062] N=855	-0.011 [0.068] N=687
Strict normal WAZ -2 to +1	0.662 P=947	-0.020 [0.049] N=1,439	-0.031 [0.052] N=1,310	-0.019 [0.054] N=1,144	-0.016 [0.057] N=960	0.011 [0.066] N=768
Strict normal WHZ -2 to +1	0.529 P=657	**-0.133** [0.057] N=1,263**	**-0.141** [0.059] N=1,144**	**-0.152** [0.064] N=1,002**	-0.091 [0.070] N=844	**-0.127* [0.075] N=680**
Strict normal BMIZ -2 to +1	0.520 P=633	-0.092 [0.058] N=1,226	-0.083 [0.058] N=1,111	-0.070 [0.063] N=974	-0.021 [0.068] N=821	-0.064 [0.073] N=665
Above-normal height HAZ above +3	0.086 P=106	-0.021 [0.035] N=1,279	-0.017 [0.037] N=1,155	-0.004 [0.040] N=1,010	-0.029 [0.041] N=855	-0.004 [0.046] N=687
Above-normal weight WAZ above +1	0.291 P=419	0.001 [0.044] N=1,439	0.024 [0.047] N=1,310	0.007 [0.049] N=1,144	0.013 [0.050] N=960	0.004 [0.058] N=768
Above-normal WHZ above +1	0.361 P=464	**0.122** [0.055] N=1,263**	**0.138** [0.056] N=1,144**	**0.132** [0.061] N=1,002**	**0.134** [0.066] N=844**	**0.159** [0.073] N=680**
Above-normal BMIZ above +1	0.355 P=441	0.075 [0.058] N=1,226	0.075 [0.060] N=1,111	0.051 [0.064] N=974	0.045 [0.073] N=821	0.078 [0.084] N=665

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.027 [0.081] N=1,107	-0.041 [0.087] N=983	-0.035 [0.097] N=838	-0.094 [0.122] N=683	-0.058 [0.149] N=515
Not underweight WAZ at least -2	-0.025 [0.035] N=1,253	-0.005 [0.037] N=1,124	-0.012 [0.042] N=958	0.013 [0.046] N=774	0.066 [0.051] N=582
Neither wasted nor overweight WHZ -2 to +2	**-0.194*** [0.068] N=1,095**	**-0.170** [0.073] N=976**	**-0.231*** [0.085] N=834**	-0.147 [0.106] N=676	-0.122 [0.118] N=512
Neither low nor high BMIZ -2 to +2	**-0.198*** [0.070] N=1,067**	**-0.163** [0.075] N=952**	**-0.191** [0.086] N=815**	-0.121 [0.104] N=662	-0.162 [0.116] N=506
Strict normal HAZ -2 to +3	0.010 [0.080] N=1,107	-0.000 [0.087] N=983	-0.020 [0.094] N=838	-0.014 [0.117] N=683	-0.022 [0.146] N=515
Strict normal WAZ -2 to +1	0.006 [0.075] N=1,253	-0.012 [0.080] N=1,124	0.013 [0.087] N=958	0.032 [0.097] N=774	0.106 [0.116] N=582
Strict normal WHZ -2 to +1	**-0.161** [0.079] N=1,095**	**-0.177** [0.084] N=976**	**-0.216** [0.096] N=834**	-0.103 [0.117] N=676	-0.182 [0.145] N=512
Strict normal BMIZ -2 to +1	-0.124 [0.087] N=1,067	-0.113 [0.092] N=952	-0.111 [0.106] N=815	-0.017 [0.129] N=662	-0.131 [0.155] N=506
Above-normal height HAZ above +3	-0.038 [0.047] N=1,107	-0.041 [0.051] N=983	-0.015 [0.059] N=838	-0.080 [0.059] N=683	-0.035 [0.077] N=515
Above-normal weight WAZ above +1	-0.031 [0.066] N=1,253	0.007 [0.072] N=1,124	-0.026 [0.076] N=958	-0.018 [0.083] N=774	-0.040 [0.101] N=582
Above-normal WHZ above +1	0.092 [0.078] N=1,095	0.121 [0.084] N=976	0.115 [0.096] N=834	0.134 [0.105] N=676	0.188 [0.130] N=512
Above-normal BMIZ above +1	0.044 [0.085] N=1,067	0.047 [0.090] N=952	0.009 [0.101] N=815	0.006 [0.122] N=662	0.084 [0.155] N=506

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.808 P=1,033	-0.005 [0.049] N=1,279	-0.011 [0.051] N=1,155	-0.003 [0.054] N=1,010	-0.025 [0.059] N=855	-0.012 [0.064] N=687
Not underweight WAZ at least -2	0.952 P=1,366	-0.018 [0.023] N=1,439	-0.006 [0.023] N=1,310	-0.010 [0.025] N=1,144	-0.001 [0.027] N=960	0.021 [0.029] N=768
Neither wasted nor overweight WHZ -2 to +2	0.700 P=875	**-0.112* [0.057] N=1,263**	**-0.098* [0.058] N=1,144**	**-0.124** [0.062] N=1,002**	-0.079 [0.068] N=844	-0.077 [0.071] N=680
Neither low nor high BMIZ -2 to +2	0.665 P=812	**-0.140** [0.058] N=1,226**	**-0.119* [0.061] N=1,111**	**-0.127* [0.065] N=974**	-0.091 [0.069] N=821	-0.111 [0.072] N=665
Strict normal HAZ -2 to +3	0.722 P=927	0.018 [0.053] N=1,279	0.010 [0.055] N=1,155	0.004 [0.058] N=1,010	0.007 [0.063] N=855	-0.004 [0.069] N=687
Strict normal WAZ -2 to +1	0.662 P=947	-0.018 [0.049] N=1,439	-0.030 [0.051] N=1,310	-0.014 [0.054] N=1,144	-0.010 [0.057] N=960	0.024 [0.064] N=768
Strict normal WHZ -2 to +1	0.529 P=657	**-0.129** [0.056] N=1,263**	**-0.138** [0.058] N=1,144**	**-0.152** [0.063] N=1,002**	-0.091 [0.069] N=844	**-0.127* [0.073] N=680**
Strict normal BMIZ -2 to +1	0.520 P=633	-0.080 [0.057] N=1,226	-0.072 [0.058] N=1,111	-0.061 [0.063] N=974	-0.013 [0.068] N=821	-0.054 [0.073] N=665
Above-normal height HAZ above +3	0.086 P=106	-0.023 [0.036] N=1,279	-0.022 [0.038] N=1,155	-0.007 [0.041] N=1,010	-0.032 [0.042] N=855	-0.007 [0.047] N=687
Above-normal weight WAZ above +1	0.291 P=419	0.000 [0.044] N=1,439	0.023 [0.047] N=1,310	0.004 [0.048] N=1,144	0.009 [0.050] N=960	-0.003 [0.057] N=768
Above-normal WHZ above +1	0.361 P=464	**0.114** [0.054] N=1,263**	**0.130** [0.056] N=1,144**	**0.125** [0.060] N=1,002**	**0.131** [0.066] N=844**	**0.158** [0.073] N=680**
Above-normal BMIZ above +1	0.355 P=441	0.063 [0.058] N=1,226	0.063 [0.059] N=1,111	0.040 [0.063] N=974	0.038 [0.072] N=821	0.072 [0.083] N=665

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.025 [0.080] N=1,107	-0.034 [0.086] N=983	-0.026 [0.098] N=838	-0.091 [0.125] N=683	-0.069 [0.150] N=515
Not underweight WAZ at least -2	-0.026 [0.035] N=1,253	-0.006 [0.036] N=1,124	-0.011 [0.043] N=958	0.013 [0.046] N=774	0.072 [0.050] N=582
Neither wasted nor overweight WHZ -2 to +2	**-0.191*** [0.067] N=1,095**	**-0.170** [0.072] N=976**	**-0.237*** [0.084] N=834**	-0.149 [0.105] N=676	-0.124 [0.115] N=512
Neither low nor high BMIZ -2 to +2	**-0.193*** [0.070] N=1,067**	**-0.160** [0.076] N=952**	**-0.193** [0.086] N=815**	-0.121 [0.103] N=662	-0.167 [0.114] N=506
Strict normal HAZ -2 to +3	0.016 [0.079] N=1,107	0.011 [0.086] N=983	-0.006 [0.093] N=838	-0.004 [0.118] N=683	-0.022 [0.146] N=515
Strict normal WAZ -2 to +1	-0.001 [0.074] N=1,253	-0.019 [0.079] N=1,124	0.015 [0.085] N=958	0.036 [0.095] N=774	0.126 [0.109] N=582
Strict normal WHZ -2 to +1	**-0.163** [0.078] N=1,095**	**-0.181** [0.083] N=976**	**-0.226** [0.095] N=834**	-0.111 [0.116] N=676	-0.194 [0.141] N=512
Strict normal BMIZ -2 to +1	-0.122 [0.086] N=1,067	-0.112 [0.091] N=952	-0.116 [0.105] N=815	-0.021 [0.127] N=662	-0.134 [0.154] N=506
Above-normal height HAZ above +3	-0.041 [0.047] N=1,107	-0.045 [0.051] N=983	-0.020 [0.059] N=838	-0.088 [0.060] N=683	-0.047 [0.077] N=515
Above-normal weight WAZ above +1	-0.025 [0.065] N=1,253	0.013 [0.071] N=1,124	-0.026 [0.075] N=958	-0.023 [0.081] N=774	-0.055 [0.095] N=582
Above-normal WHZ above +1	0.089 [0.077] N=1,095	0.117 [0.082] N=976	0.113 [0.094] N=834	0.137 [0.105] N=676	0.204 [0.132] N=512
Above-normal BMIZ above +1	0.038 [0.083] N=1,067	0.039 [0.088] N=952	0.004 [0.099] N=815	0.006 [0.121] N=662	0.093 [0.158] N=506

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.806 P=964	-0.017 [0.052] N=1,195	-0.033 [0.053] N=1,078	-0.023 [0.056] N=947	-0.042 [0.060] N=799	-0.040 [0.066] N=644
Not underweight WAZ at least -2	0.951 P=1,273	-0.021 [0.023] N=1,343	-0.008 [0.024] N=1,221	-0.012 [0.026] N=1,070	-0.004 [0.028] N=897	0.008 [0.031] N=721
Neither wasted nor overweight WHZ -2 to +2	0.698 P=816	**-0.130** [0.059] N=1,179**	**-0.118* [0.061] N=1,067**	**-0.142** [0.064] N=937**	-0.100 [0.070] N=788	-0.103 [0.073] N=638
Neither low nor high BMIZ -2 to +2	0.667 P=761	**-0.141** [0.059] N=1,144**	**-0.120* [0.061] N=1,036**	**-0.122* [0.065] N=911**	-0.081 [0.071] N=767	-0.105 [0.074] N=624
Strict normal HAZ -2 to +3	0.723 P=869	0.007 [0.058] N=1,195	-0.011 [0.060] N=1,078	-0.014 [0.062] N=947	-0.005 [0.067] N=799	-0.026 [0.074] N=644
Strict normal WAZ -2 to +1	0.662 P=884	-0.040 [0.050] N=1,343	-0.052 [0.053] N=1,221	-0.019 [0.056] N=1,070	-0.015 [0.061] N=897	0.012 [0.068] N=721
Strict normal WHZ -2 to +1	0.532 P=617	**-0.158*** [0.058] N=1,179**	**-0.174*** [0.059] N=1,067**	**-0.181*** [0.064] N=937**	**-0.117* [0.070] N=788**	**-0.147** [0.074] N=638**
Strict normal BMIZ -2 to +1	0.522 P=593	**-0.100* [0.059] N=1,144**	-0.097 [0.059] N=1,036	-0.075 [0.064] N=911	-0.026 [0.069] N=767	-0.059 [0.074] N=624
Above-normal height HAZ above +3	0.084 P=95	-0.025 [0.036] N=1,195	-0.022 [0.038] N=1,078	-0.009 [0.041] N=947	-0.036 [0.042] N=799	-0.014 [0.047] N=644
Above-normal weight WAZ above +1	0.290 P=389	0.019 [0.046] N=1,343	0.044 [0.049] N=1,221	0.007 [0.050] N=1,070	0.011 [0.053] N=897	-0.004 [0.059] N=721
Above-normal WHZ above +1	0.357 P=429	**0.148*** [0.055] N=1,179**	**0.172*** [0.058] N=1,067**	**0.157** [0.062] N=937**	**0.150** [0.067] N=788**	**0.166** [0.074] N=638**
Above-normal BMIZ above +1	0.354 P=409	0.087 [0.060] N=1,144	0.096 [0.062] N=1,036	0.062 [0.066] N=911	0.047 [0.074] N=767	0.064 [0.085] N=624

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.017 [0.087] N=1,033	-0.040 [0.094] N=916	-0.031 [0.104] N=785	-0.081 [0.129] N=637	-0.054 [0.160] N=482
Not underweight WAZ at least -2	-0.029 [0.036] N=1,168	-0.006 [0.038] N=1,046	-0.013 [0.044] N=895	0.013 [0.049] N=722	0.058 [0.052] N=546
Neither wasted nor overweight WHZ -2 to +2	**-0.205*** [0.074] N=1,020**	**-0.180** [0.079] N=908**	**-0.241*** [0.089] N=778**	-0.152 [0.115] N=629	-0.137 [0.130] N=479
Neither low nor high BMIZ -2 to +2	**-0.216*** [0.072] N=993**	**-0.179** [0.078] N=885**	**-0.202** [0.083] N=760**	-0.119 [0.104] N=616	-0.170 [0.115] N=473
Strict normal HAZ -2 to +3	0.011 [0.086] N=1,033	-0.010 [0.095] N=916	-0.024 [0.101] N=785	-0.001 [0.125] N=637	-0.011 [0.160] N=482
Strict normal WAZ -2 to +1	-0.042 [0.075] N=1,168	-0.058 [0.082] N=1,046	0.000 [0.088] N=895	0.009 [0.099] N=722	0.074 [0.118] N=546
Strict normal WHZ -2 to +1	**-0.202** [0.079] N=1,020**	**-0.231*** [0.084] N=908**	**-0.262*** [0.096] N=778**	-0.146 [0.117] N=629	-0.212 [0.151] N=479
Strict normal BMIZ -2 to +1	**-0.169* [0.088] N=993**	**-0.168* [0.093] N=885**	-0.152 [0.106] N=760	-0.064 [0.126] N=616	-0.158 [0.161] N=473
Above-normal height HAZ above +3	-0.028 [0.045] N=1,033	-0.030 [0.049] N=916	-0.007 [0.058] N=785	-0.080 [0.061] N=637	-0.043 [0.079] N=482
Above-normal weight WAZ above +1	0.013 [0.067] N=1,168	0.052 [0.073] N=1,046	-0.013 [0.078] N=895	0.004 [0.085] N=722	-0.016 [0.102] N=546
Above-normal WHZ above +1	**0.138* [0.081] N=1,020**	**0.180** [0.087] N=908**	**0.165* [0.099] N=778**	0.173 [0.108] N=629	0.215 [0.138] N=479
Above-normal BMIZ above +1	0.081 [0.090] N=993	0.097 [0.097] N=885	0.048 [0.110] N=760	0.043 [0.128] N=616	0.089 [0.169] N=473

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.806 P=964	-0.021 [0.052] N=1,195	-0.034 [0.053] N=1,078	-0.023 [0.055] N=947	-0.045 [0.060] N=799	-0.044 [0.067] N=644
Not underweight WAZ at least -2	0.951 P=1,273	-0.022 [0.023] N=1,343	-0.008 [0.024] N=1,221	-0.012 [0.026] N=1,070	-0.005 [0.028] N=897	0.007 [0.031] N=721
Neither wasted nor overweight WHZ -2 to +2	0.698 P=816	**-0.127** [0.060] N=1,179**	**-0.115* [0.061] N=1,067**	**-0.137** [0.064] N=937**	-0.095 [0.070] N=788	-0.101 [0.073] N=638
Neither low nor high BMIZ -2 to +2	0.667 P=761	**-0.139** [0.059] N=1,144**	**-0.117* [0.062] N=1,036**	**-0.119* [0.065] N=911**	-0.078 [0.072] N=767	-0.103 [0.074] N=624
Strict normal HAZ -2 to +3	0.723 P=869	0.006 [0.057] N=1,195	-0.010 [0.060] N=1,078	-0.013 [0.062] N=947	-0.003 [0.067] N=799	-0.025 [0.074] N=644
Strict normal WAZ -2 to +1	0.662 P=884	-0.041 [0.049] N=1,343	-0.051 [0.053] N=1,221	-0.021 [0.056] N=1,070	-0.017 [0.060] N=897	0.010 [0.068] N=721
Strict normal WHZ -2 to +1	0.532 P=617	**-0.156*** [0.058] N=1,179**	**-0.171*** [0.059] N=1,067**	**-0.177*** [0.064] N=937**	**-0.115* [0.069] N=788**	**-0.146* [0.074] N=638**
Strict normal BMIZ -2 to +1	0.522 P=593	**-0.100* [0.058] N=1,144**	-0.096 [0.059] N=1,036	-0.073 [0.063] N=911	-0.026 [0.068] N=767	-0.061 [0.073] N=624
Above-normal height HAZ above +3	0.084 P=95	-0.027 [0.037] N=1,195	-0.024 [0.039] N=1,078	-0.011 [0.041] N=947	-0.042 [0.043] N=799	-0.019 [0.048] N=644
Above-normal weight WAZ above +1	0.290 P=389	0.020 [0.045] N=1,343	0.043 [0.049] N=1,221	0.009 [0.050] N=1,070	0.013 [0.053] N=897	-0.003 [0.059] N=721
Above-normal WHZ above +1	0.357 P=429	**0.150*** [0.055] N=1,179**	**0.172*** [0.057] N=1,067**	**0.157** [0.062] N=937**	**0.154** [0.067] N=788**	**0.170** [0.075] N=638**
Above-normal BMIZ above +1	0.354 P=409	0.090 [0.061] N=1,144	0.097 [0.062] N=1,036	0.063 [0.067] N=911	0.053 [0.075] N=767	0.070 [0.087] N=624

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.021 [0.087] N=1,033	-0.040 [0.093] N=916	-0.030 [0.104] N=785	-0.091 [0.129] N=637	-0.068 [0.160] N=482
Not underweight WAZ at least -2	-0.029 [0.036] N=1,168	-0.008 [0.038] N=1,046	-0.015 [0.044] N=895	0.009 [0.049] N=722	0.051 [0.054] N=546
Neither wasted nor overweight WHZ -2 to +2	**-0.207*** [0.073] N=1,020**	**-0.184** [0.078] N=908**	**-0.243*** [0.088] N=778**	-0.153 [0.114] N=629	-0.138 [0.129] N=479
Neither low nor high BMIZ -2 to +2	**-0.219*** [0.072] N=993**	**-0.183** [0.077] N=885**	**-0.205** [0.082] N=760**	-0.118 [0.104] N=616	-0.165 [0.113] N=473
Strict normal HAZ -2 to +3	0.009 [0.085] N=1,033	-0.009 [0.095] N=916	-0.022 [0.100] N=785	-0.004 [0.124] N=637	-0.020 [0.157] N=482
Strict normal WAZ -2 to +1	-0.042 [0.075] N=1,168	-0.057 [0.082] N=1,046	-0.002 [0.088] N=895	0.005 [0.098] N=722	0.067 [0.117] N=546
Strict normal WHZ -2 to +1	**-0.203** [0.079] N=1,020**	**-0.230*** [0.084] N=908**	**-0.261*** [0.095] N=778**	-0.146 [0.116] N=629	-0.203 [0.150] N=479
Strict normal BMIZ -2 to +1	**-0.173* [0.088] N=993**	**-0.173* [0.093] N=885**	-0.158 [0.106] N=760	-0.069 [0.127] N=616	-0.161 [0.160] N=473
Above-normal height HAZ above +3	-0.030 [0.046] N=1,033	-0.031 [0.050] N=916	-0.008 [0.059] N=785	-0.087 [0.061] N=637	-0.048 [0.078] N=482
Above-normal weight WAZ above +1	0.013 [0.067] N=1,168	0.049 [0.073] N=1,046	-0.013 [0.077] N=895	0.004 [0.084] N=722	-0.016 [0.103] N=546
Above-normal WHZ above +1	**0.139* [0.081] N=1,020**	**0.176** [0.086] N=908**	0.161 [0.099] N=778	**0.179* [0.106] N=629**	0.208 [0.136] N=479
Above-normal BMIZ above +1	0.084 [0.090] N=993	0.097 [0.096] N=885	0.049 [0.108] N=760	0.051 [0.128] N=616	0.094 [0.167] N=473

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.