Table 10 Reduced Form Effects on Frequent Nutrition for Ages 1-3: Oldest Child

Age reference: 16 December 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,349	0.026 [0.035] N=1,603	0.031 [0.036] N=1,478	0.042 [0.038] N=1,333	0.022 [0.040] N=1,134	0.015 [0.043] N=930
Vegetables consumed daily or several times weekly	0.762 P=1,223	0.033 [0.044] N=1,603	0.037 [0.046] N=1,478	0.028 [0.049] N=1,333	0.002 [0.052] N=1,134	-0.044 [0.057] N=930
Meat fish or poultry consumed daily or several times weekly	0.578 P=925	0.040 [0.054] N=1,603	0.048 [0.057] N=1,478	0.020 [0.061] N=1,333	0.033 [0.069] N=1,134	0.016 [0.076] N=930
Legumes consumed daily or several times weekly	0.568 P=904	0.021 [0.051] N=1,603	0.039 [0.053] N=1,478	0.045 [0.053] N=1,333	0.083 [0.061] N=1,134	0.068 [0.068] N=930
Animal products consumed daily or several times weekly	0.851 P=1,362	**0.094** [0.037] N=1,603**	**0.092** [0.038] N=1,478**	**0.078* [0.040] N=1,333**	**0.089** [0.043] N=1,134**	0.069 [0.047] N=930
Sweets consumed daily or several times weekly	0.520 P=835	-0.045 [0.045] N=1,603	-0.049 [0.047] N=1,478	-0.054 [0.047] N=1,333	-0.042 [0.048] N=1,134	-0.023 [0.056] N=930
Snack foods consumed daily or several times weekly	0.385 P=611	0.028 [0.045] N=1,603	0.012 [0.048] N=1,478	0.019 [0.051] N=1,333	0.044 [0.054] N=1,134	0.032 [0.059] N=930
Packaged soft drinks consumed daily or several times weekly	0.221 P=345	0.005 [0.045] N=1,603	0.013 [0.048] N=1,478	0.010 [0.052] N=1,333	0.012 [0.056] N=1,134	-0.020 [0.063] N=930
Grains consumed daily or several times weekly	0.833 P=1,331	0.053 [0.040] N=1,603	**0.074* [0.041] N=1,478**	0.044 [0.043] N=1,333	0.046 [0.046] N=1,134	0.022 [0.052] N=930

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.057 [0.051] N=1,365	0.075 [0.054] N=1,240	0.101 [0.061] N=1,095	0.074 [0.076] N=896	0.086 [0.101] N=692
Vegetables consumed daily or several times weekly	0.066 [0.062] N=1,365	0.082 [0.068] N=1,240	0.076 [0.073] N=1,095	0.033 [0.086] N=896	-0.084 [0.107] N=692
Meat fish or poultry consumed daily or several times weekly	0.013 [0.071] N=1,365	0.018 [0.078] N=1,240	-0.041 [0.086] N=1,095	-0.044 [0.109] N=896	-0.111 [0.132] N=692
Legumes consumed daily or several times weekly	0.003 [0.072] N=1,365	0.035 [0.078] N=1,240	0.040 [0.083] N=1,095	0.138 [0.104] N=896	0.149 [0.142] N=692
Animal products consumed daily or several times weekly	**0.109* [0.056] N=1,365**	**0.108* [0.061] N=1,240**	0.080 [0.069] N=1,095	0.119 [0.081] N=896	0.063 [0.099] N=692
Sweets consumed daily or several times weekly	-0.068 [0.062] N=1,365	-0.075 [0.067] N=1,240	-0.090 [0.073] N=1,095	-0.058 [0.083] N=896	-0.004 [0.117] N=692
Snack foods consumed daily or several times weekly	-0.006 [0.061] N=1,365	-0.039 [0.067] N=1,240	-0.035 [0.074] N=1,095	0.016 [0.092] N=896	-0.058 [0.110] N=692
Packaged soft drinks consumed daily or several times weekly	-0.000 [0.055] N=1,365	0.017 [0.060] N=1,240	0.017 [0.068] N=1,095	0.033 [0.083] N=896	-0.034 [0.100] N=692
Grains consumed daily or several times weekly	**0.111* [0.063] N=1,365**	**0.165** [0.068] N=1,240**	0.124 [0.077] N=1,095	**0.161* [0.094] N=896**	0.159 [0.130] N=692

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,349	0.025 [0.035] N=1,603	0.031 [0.036] N=1,478	0.042 [0.038] N=1,333	0.022 [0.040] N=1,134	0.015 [0.043] N=930
Vegetables consumed daily or several times weekly	0.762 P=1,223	0.033 [0.044] N=1,603	0.037 [0.046] N=1,478	0.027 [0.049] N=1,333	0.002 [0.052] N=1,134	-0.045 [0.057] N=930
Meat fish or poultry consumed daily or several times weekly	0.578 P=925	0.040 [0.054] N=1,603	0.048 [0.057] N=1,478	0.021 [0.061] N=1,333	0.034 [0.069] N=1,134	0.016 [0.076] N=930
Legumes consumed daily or several times weekly	0.568 P=904	0.020 [0.051] N=1,603	0.039 [0.053] N=1,478	0.046 [0.054] N=1,333	0.084 [0.061] N=1,134	0.069 [0.068] N=930
Animal products consumed daily or several times weekly	0.851 P=1,362	**0.094** [0.037] N=1,603**	**0.093** [0.038] N=1,478**	**0.080** [0.040] N=1,333**	**0.091** [0.044] N=1,134**	0.069 [0.047] N=930
Sweets consumed daily or several times weekly	0.520 P=835	-0.045 [0.045] N=1,603	-0.049 [0.047] N=1,478	-0.053 [0.047] N=1,333	-0.041 [0.048] N=1,134	-0.023 [0.056] N=930
Snack foods consumed daily or several times weekly	0.385 P=611	0.028 [0.046] N=1,603	0.013 [0.049] N=1,478	0.020 [0.051] N=1,333	0.045 [0.055] N=1,134	0.032 [0.059] N=930
Packaged soft drinks consumed daily or several times weekly	0.221 P=345	0.005 [0.045] N=1,603	0.013 [0.048] N=1,478	0.009 [0.052] N=1,333	0.012 [0.056] N=1,134	-0.020 [0.063] N=930
Grains consumed daily or several times weekly	0.833 P=1,331	0.053 [0.040] N=1,603	**0.074* [0.041] N=1,478**	0.044 [0.043] N=1,333	0.045 [0.046] N=1,134	0.022 [0.052] N=930

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.057 [0.051] N=1,365	0.077 [0.054] N=1,240	**0.103* [0.062] N=1,095**	0.076 [0.076] N=896	0.088 [0.101] N=692
Vegetables consumed daily or several times weekly	0.065 [0.062] N=1,365	0.082 [0.068] N=1,240	0.075 [0.073] N=1,095	0.031 [0.087] N=896	-0.088 [0.108] N=692
Meat fish or poultry consumed daily or several times weekly	0.013 [0.071] N=1,365	0.018 [0.078] N=1,240	-0.040 [0.086] N=1,095	-0.044 [0.110] N=896	-0.113 [0.132] N=692
Legumes consumed daily or several times weekly	0.004 [0.072] N=1,365	0.036 [0.078] N=1,240	0.044 [0.083] N=1,095	0.141 [0.104] N=896	0.150 [0.142] N=692
Animal products consumed daily or several times weekly	**0.110* [0.056] N=1,365**	**0.111* [0.061] N=1,240**	0.085 [0.069] N=1,095	0.123 [0.080] N=896	0.066 [0.099] N=692
Sweets consumed daily or several times weekly	-0.068 [0.062] N=1,365	-0.074 [0.067] N=1,240	-0.086 [0.073] N=1,095	-0.056 [0.082] N=896	-0.005 [0.116] N=692
Snack foods consumed daily or several times weekly	-0.006 [0.062] N=1,365	-0.037 [0.068] N=1,240	-0.031 [0.074] N=1,095	0.020 [0.093] N=896	-0.055 [0.111] N=692
Packaged soft drinks consumed daily or several times weekly	-0.000 [0.055] N=1,365	0.017 [0.060] N=1,240	0.015 [0.067] N=1,095	0.032 [0.083] N=896	-0.036 [0.100] N=692
Grains consumed daily or several times weekly	**0.111* [0.063] N=1,365**	**0.165** [0.068] N=1,240**	0.124 [0.077] N=1,095	**0.159* [0.094] N=896**	0.155 [0.131] N=692

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,349	0.004 [0.035] N=1,603	0.007 [0.037] N=1,478	0.021 [0.039] N=1,333	0.003 [0.040] N=1,134	-0.003 [0.043] N=930
Vegetables consumed daily or several times weekly	0.762 P=1,223	0.017 [0.044] N=1,603	0.019 [0.046] N=1,478	0.011 [0.048] N=1,333	-0.012 [0.052] N=1,134	-0.060 [0.057] N=930
Meat fish or poultry consumed daily or several times weekly	0.578 P=925	0.007 [0.052] N=1,603	0.009 [0.055] N=1,478	-0.012 [0.059] N=1,333	0.005 [0.067] N=1,134	-0.011 [0.074] N=930
Legumes consumed daily or several times weekly	0.568 P=904	0.002 [0.051] N=1,603	0.019 [0.053] N=1,478	0.029 [0.053] N=1,333	0.070 [0.060] N=1,134	0.057 [0.068] N=930
Animal products consumed daily or several times weekly	0.851 P=1,362	**0.081** [0.037] N=1,603**	**0.077** [0.038] N=1,478**	0.066 [0.041] N=1,333	**0.079* [0.044] N=1,134**	0.056 [0.047] N=930
Sweets consumed daily or several times weekly	0.520 P=835	-0.054 [0.046] N=1,603	-0.058 [0.047] N=1,478	-0.062 [0.048] N=1,333	-0.048 [0.048] N=1,134	-0.030 [0.057] N=930
Snack foods consumed daily or several times weekly	0.385 P=611	0.029 [0.046] N=1,603	0.013 [0.048] N=1,478	0.017 [0.051] N=1,333	0.044 [0.055] N=1,134	0.034 [0.060] N=930
Packaged soft drinks consumed daily or several times weekly	0.221 P=345	0.012 [0.043] N=1,603	0.023 [0.046] N=1,478	0.015 [0.050] N=1,333	0.018 [0.055] N=1,134	-0.012 [0.060] N=930
Grains consumed daily or several times weekly	0.833 P=1,331	0.045 [0.040] N=1,603	0.067 [0.042] N=1,478	0.038 [0.044] N=1,333	0.039 [0.047] N=1,134	0.018 [0.053] N=930

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.038 [0.053] N=1,365	0.051 [0.058] N=1,240	0.085 [0.065] N=1,095	0.069 [0.083] N=896	0.086 [0.114] N=692
Vegetables consumed daily or several times weekly	0.051 [0.062] N=1,365	0.062 [0.067] N=1,240	0.060 [0.072] N=1,095	0.027 [0.088] N=896	-0.086 [0.110] N=692
Meat fish or poultry consumed daily or several times weekly	-0.017 [0.068] N=1,365	-0.023 [0.076] N=1,240	-0.069 [0.084] N=1,095	-0.059 [0.109] N=896	-0.117 [0.138] N=692
Legumes consumed daily or several times weekly	-0.012 [0.073] N=1,365	0.015 [0.079] N=1,240	0.029 [0.084] N=1,095	0.133 [0.104] N=896	0.147 [0.143] N=692
Animal products consumed daily or several times weekly	**0.098* [0.054] N=1,365**	0.095 [0.058] N=1,240	0.073 [0.067] N=1,095	0.126 [0.078] N=896	0.079 [0.097] N=692
Sweets consumed daily or several times weekly	-0.075 [0.063] N=1,365	-0.083 [0.068] N=1,240	-0.093 [0.073] N=1,095	-0.057 [0.082] N=896	-0.003 [0.117] N=692
Snack foods consumed daily or several times weekly	-0.005 [0.061] N=1,365	-0.035 [0.067] N=1,240	-0.032 [0.074] N=1,095	0.018 [0.092] N=896	-0.057 [0.111] N=692
Packaged soft drinks consumed daily or several times weekly	0.006 [0.054] N=1,365	0.026 [0.058] N=1,240	0.021 [0.066] N=1,095	0.037 [0.081] N=896	-0.034 [0.098] N=692
Grains consumed daily or several times weekly	0.103 [0.063] N=1,365	**0.159** [0.068] N=1,240**	0.119 [0.078] N=1,095	0.150 [0.096] N=896	0.148 [0.134] N=692

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,349	-0.001 [0.034] N=1,603	0.002 [0.036] N=1,478	0.012 [0.038] N=1,333	-0.004 [0.040] N=1,134	-0.012 [0.042] N=930
Vegetables consumed daily or several times weekly	0.762 P=1,223	0.015 [0.044] N=1,603	0.021 [0.046] N=1,478	0.011 [0.048] N=1,333	-0.014 [0.052] N=1,134	-0.060 [0.056] N=930
Meat fish or poultry consumed daily or several times weekly	0.578 P=925	-0.000 [0.051] N=1,603	0.001 [0.054] N=1,478	-0.022 [0.057] N=1,333	-0.007 [0.065] N=1,134	-0.027 [0.072] N=930
Legumes consumed daily or several times weekly	0.568 P=904	0.003 [0.051] N=1,603	0.021 [0.053] N=1,478	0.029 [0.053] N=1,333	0.070 [0.060] N=1,134	0.056 [0.067] N=930
Animal products consumed daily or several times weekly	0.851 P=1,362	**0.079** [0.037] N=1,603**	**0.079** [0.039] N=1,478**	0.066 [0.041] N=1,333	**0.076* [0.044] N=1,134**	0.053 [0.047] N=930
Sweets consumed daily or several times weekly	0.520 P=835	-0.054 [0.046] N=1,603	-0.061 [0.047] N=1,478	-0.067 [0.048] N=1,333	-0.049 [0.048] N=1,134	-0.035 [0.057] N=930
Snack foods consumed daily or several times weekly	0.385 P=611	0.031 [0.045] N=1,603	0.016 [0.048] N=1,478	0.018 [0.051] N=1,333	0.046 [0.054] N=1,134	0.034 [0.058] N=930
Packaged soft drinks consumed daily or several times weekly	0.221 P=345	0.015 [0.043] N=1,603	0.025 [0.046] N=1,478	0.017 [0.050] N=1,333	0.021 [0.054] N=1,134	-0.009 [0.058] N=930
Grains consumed daily or several times weekly	0.833 P=1,331	0.049 [0.040] N=1,603	**0.072* [0.041] N=1,478**	0.044 [0.043] N=1,333	0.045 [0.046] N=1,134	0.024 [0.052] N=930

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.034 [0.052] N=1,365	0.048 [0.056] N=1,240	0.080 [0.063] N=1,095	0.064 [0.081] N=896	0.071 [0.112] N=692
Vegetables consumed daily or several times weekly	0.047 [0.062] N=1,365	0.060 [0.068] N=1,240	0.057 [0.073] N=1,095	0.012 [0.089] N=896	-0.117 [0.113] N=692
Meat fish or poultry consumed daily or several times weekly	-0.024 [0.069] N=1,365	-0.029 [0.075] N=1,240	-0.077 [0.084] N=1,095	-0.081 [0.108] N=896	-0.158 [0.138] N=692
Legumes consumed daily or several times weekly	-0.014 [0.074] N=1,365	0.015 [0.080] N=1,240	0.026 [0.084] N=1,095	0.127 [0.107] N=896	0.128 [0.147] N=692
Animal products consumed daily or several times weekly	**0.098* [0.055] N=1,365**	**0.101* [0.060] N=1,240**	0.075 [0.069] N=1,095	0.119 [0.080] N=896	0.067 [0.103] N=692
Sweets consumed daily or several times weekly	-0.069 [0.063] N=1,365	-0.082 [0.067] N=1,240	-0.094 [0.072] N=1,095	-0.050 [0.082] N=896	-0.000 [0.118] N=692
Snack foods consumed daily or several times weekly	0.000 [0.061] N=1,365	-0.034 [0.067] N=1,240	-0.031 [0.074] N=1,095	0.028 [0.092] N=896	-0.040 [0.110] N=692
Packaged soft drinks consumed daily or several times weekly	0.013 [0.054] N=1,365	0.032 [0.059] N=1,240	0.026 [0.067] N=1,095	0.044 [0.082] N=896	-0.017 [0.098] N=692
Grains consumed daily or several times weekly	**0.103* [0.062] N=1,365**	**0.159** [0.067] N=1,240**	0.119 [0.076] N=1,095	0.149 [0.094] N=896	0.137 [0.132] N=692

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,248	0.011 [0.038] N=1,488	0.011 [0.039] N=1,378	0.026 [0.041] N=1,241	0.013 [0.042] N=1,060	-0.003 [0.045] N=869
Vegetables consumed daily or several times weekly	0.760 P=1,134	0.018 [0.047] N=1,488	0.021 [0.050] N=1,378	0.016 [0.052] N=1,241	-0.005 [0.056] N=1,060	-0.056 [0.062] N=869
Meat fish or poultry consumed daily or several times weekly	0.579 P=860	0.046 [0.052] N=1,488	0.051 [0.054] N=1,378	0.024 [0.058] N=1,241	0.021 [0.065] N=1,060	-0.012 [0.071] N=869
Legumes consumed daily or several times weekly	0.565 P=833	0.024 [0.050] N=1,488	0.036 [0.052] N=1,378	0.049 [0.053] N=1,241	0.088 [0.059] N=1,060	0.060 [0.066] N=869
Animal products consumed daily or several times weekly	0.854 P=1,269	**0.094** [0.038] N=1,488**	**0.091** [0.039] N=1,378**	**0.079* [0.040] N=1,241**	**0.077* [0.043] N=1,060**	0.049 [0.046] N=869
Sweets consumed daily or several times weekly	0.524 P=780	-0.036 [0.048] N=1,488	-0.040 [0.051] N=1,378	-0.046 [0.051] N=1,241	-0.033 [0.052] N=1,060	-0.022 [0.061] N=869
Snack foods consumed daily or several times weekly	0.388 P=572	0.028 [0.049] N=1,488	0.022 [0.052] N=1,378	0.035 [0.055] N=1,241	0.054 [0.059] N=1,060	0.050 [0.065] N=869
Packaged soft drinks consumed daily or several times weekly	0.225 P=327	0.027 [0.044] N=1,488	0.038 [0.047] N=1,378	0.035 [0.051] N=1,241	0.034 [0.054] N=1,060	0.013 [0.061] N=869
Grains consumed daily or several times weekly	0.832 P=1,234	0.050 [0.041] N=1,488	0.068 [0.042] N=1,378	0.034 [0.044] N=1,241	0.038 [0.047] N=1,060	0.007 [0.053] N=869

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.054 [0.053] N=1,265	0.062 [0.057] N=1,155	0.091 [0.064] N=1,018	0.077 [0.079] N=837	0.073 [0.105] N=646
Vegetables consumed daily or several times weekly	0.060 [0.065] N=1,265	0.072 [0.071] N=1,155	0.070 [0.076] N=1,018	0.038 [0.091] N=837	-0.078 [0.114] N=646
Meat fish or poultry consumed daily or several times weekly	0.049 [0.073] N=1,265	0.053 [0.080] N=1,155	0.005 [0.089] N=1,018	-0.023 [0.112] N=837	-0.105 [0.135] N=646
Legumes consumed daily or several times weekly	0.023 [0.076] N=1,265	0.047 [0.082] N=1,155	0.068 [0.088] N=1,018	0.174 [0.106] N=837	0.172 [0.145] N=646
Animal products consumed daily or several times weekly	**0.124** [0.058] N=1,265**	**0.124* [0.063] N=1,155**	0.101 [0.071] N=1,018	0.124 [0.082] N=837	0.070 [0.105] N=646
Sweets consumed daily or several times weekly	-0.057 [0.066] N=1,265	-0.062 [0.073] N=1,155	-0.086 [0.076] N=1,018	-0.059 [0.088] N=837	-0.041 [0.126] N=646
Snack foods consumed daily or several times weekly	-0.011 [0.066] N=1,265	-0.024 [0.073] N=1,155	-0.008 [0.081] N=1,018	0.030 [0.098] N=837	-0.037 [0.122] N=646
Packaged soft drinks consumed daily or several times weekly	0.024 [0.054] N=1,265	0.046 [0.058] N=1,155	0.045 [0.066] N=1,018	0.054 [0.079] N=837	0.018 [0.097] N=646
Grains consumed daily or several times weekly	**0.121* [0.065] N=1,265**	**0.169** [0.069] N=1,155**	0.117 [0.077] N=1,018	0.155 [0.095] N=837	0.139 [0.132] N=646

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,248	0.007 [0.037] N=1,488	0.008 [0.038] N=1,378	0.024 [0.040] N=1,241	0.009 [0.041] N=1,060	-0.009 [0.043] N=869
Vegetables consumed daily or several times weekly	0.760 P=1,134	0.015 [0.047] N=1,488	0.017 [0.049] N=1,378	0.012 [0.051] N=1,241	-0.009 [0.055] N=1,060	-0.060 [0.060] N=869
Meat fish or poultry consumed daily or several times weekly	0.579 P=860	0.045 [0.052] N=1,488	0.051 [0.055] N=1,378	0.028 [0.058] N=1,241	0.025 [0.066] N=1,060	-0.003 [0.071] N=869
Legumes consumed daily or several times weekly	0.565 P=833	0.020 [0.051] N=1,488	0.032 [0.053] N=1,378	0.046 [0.054] N=1,241	0.084 [0.059] N=1,060	0.058 [0.065] N=869
Animal products consumed daily or several times weekly	0.854 P=1,269	**0.092** [0.037] N=1,488**	**0.089** [0.038] N=1,378**	**0.077* [0.040] N=1,241**	**0.078* [0.043] N=1,060**	0.052 [0.045] N=869
Sweets consumed daily or several times weekly	0.524 P=780	-0.037 [0.048] N=1,488	-0.041 [0.050] N=1,378	-0.045 [0.050] N=1,241	-0.034 [0.051] N=1,060	-0.022 [0.060] N=869
Snack foods consumed daily or several times weekly	0.388 P=572	0.024 [0.048] N=1,488	0.018 [0.051] N=1,378	0.032 [0.054] N=1,241	0.048 [0.059] N=1,060	0.038 [0.064] N=869
Packaged soft drinks consumed daily or several times weekly	0.225 P=327	0.024 [0.045] N=1,488	0.034 [0.048] N=1,378	0.031 [0.052] N=1,241	0.028 [0.056] N=1,060	0.002 [0.063] N=869
Grains consumed daily or several times weekly	0.832 P=1,234	0.049 [0.041] N=1,488	0.067 [0.042] N=1,378	0.033 [0.044] N=1,241	0.034 [0.047] N=1,060	-0.000 [0.052] N=869

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.046 [0.053] N=1,265	0.056 [0.057] N=1,155	0.092 [0.064] N=1,018	0.077 [0.078] N=837	0.068 [0.103] N=646
Vegetables consumed daily or several times weekly	0.055 [0.064] N=1,265	0.069 [0.070] N=1,155	0.071 [0.075] N=1,018	0.039 [0.090] N=837	-0.076 [0.111] N=646
Meat fish or poultry consumed daily or several times weekly	0.040 [0.072] N=1,265	0.045 [0.078] N=1,155	-0.000 [0.087] N=1,018	-0.026 [0.110] N=837	-0.098 [0.131] N=646
Legumes consumed daily or several times weekly	0.017 [0.075] N=1,265	0.040 [0.081] N=1,155	0.065 [0.088] N=1,018	0.171 [0.105] N=837	0.171 [0.144] N=646
Animal products consumed daily or several times weekly	**0.119** [0.058] N=1,265**	**0.119* [0.063] N=1,155**	0.098 [0.070] N=1,018	0.119 [0.082] N=837	0.072 [0.104] N=646
Sweets consumed daily or several times weekly	-0.069 [0.066] N=1,265	-0.078 [0.073] N=1,155	-0.095 [0.076] N=1,018	-0.061 [0.087] N=837	-0.033 [0.126] N=646
Snack foods consumed daily or several times weekly	-0.019 [0.065] N=1,265	-0.032 [0.072] N=1,155	-0.011 [0.080] N=1,018	0.029 [0.098] N=837	-0.041 [0.121] N=646
Packaged soft drinks consumed daily or several times weekly	0.020 [0.054] N=1,265	0.041 [0.058] N=1,155	0.044 [0.066] N=1,018	0.053 [0.079] N=837	0.012 [0.096] N=646
Grains consumed daily or several times weekly	**0.118* [0.064] N=1,265**	**0.167** [0.069] N=1,155**	0.122 [0.078] N=1,018	0.158 [0.096] N=837	0.134 [0.132] N=646

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,213	0.022 [0.045] N=1,427	0.028 [0.047] N=1,293	0.040 [0.052] N=1,132	0.038 [0.056] N=950	0.055 [0.066] N=767
Vegetables consumed daily or several times weekly	0.765 P=1,095	-0.017 [0.056] N=1,427	0.002 [0.058] N=1,293	0.027 [0.063] N=1,132	0.030 [0.070] N=950	0.046 [0.082] N=767
Meat fish or poultry consumed daily or several times weekly	0.572 P=822	0.072 [0.057] N=1,427	0.068 [0.060] N=1,293	0.069 [0.065] N=1,132	0.095 [0.073] N=950	0.094 [0.083] N=767
Legumes consumed daily or several times weekly	0.575 P=817	0.001 [0.066] N=1,427	0.010 [0.068] N=1,293	-0.003 [0.071] N=1,132	-0.044 [0.078] N=950	-0.021 [0.093] N=767
Animal products consumed daily or several times weekly	0.852 P=1,215	0.038 [0.038] N=1,427	0.044 [0.040] N=1,293	0.058 [0.042] N=1,132	0.044 [0.044] N=950	0.074 [0.051] N=767
Sweets consumed daily or several times weekly	0.531 P=759	-0.062 [0.057] N=1,427	-0.073 [0.059] N=1,293	-0.052 [0.065] N=1,132	-0.073 [0.070] N=950	**-0.132* [0.077] N=767**
Snack foods consumed daily or several times weekly	0.397 P=558	-0.027 [0.049] N=1,427	-0.043 [0.052] N=1,293	-0.049 [0.055] N=1,132	-0.042 [0.059] N=950	**-0.110* [0.066] N=767**
Packaged soft drinks consumed daily or several times weekly	0.216 P=301	0.012 [0.040] N=1,427	0.002 [0.042] N=1,293	0.034 [0.043] N=1,132	0.031 [0.049] N=950	-0.040 [0.054] N=767
Grains consumed daily or several times weekly	0.833 P=1,187	0.078 [0.051] N=1,427	0.081 [0.052] N=1,293	0.087 [0.056] N=1,132	0.079 [0.063] N=950	0.056 [0.070] N=767

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.022 [0.063] N=1,236	-0.021 [0.067] N=1,102	-0.010 [0.079] N=941	-0.009 [0.085] N=759	0.014 [0.119] N=576
Vegetables consumed daily or several times weekly	-0.073 [0.071] N=1,236	-0.056 [0.079] N=1,102	-0.024 [0.093] N=941	-0.013 [0.102] N=759	0.005 [0.147] N=576
Meat fish or poultry consumed daily or several times weekly	0.022 [0.067] N=1,236	0.008 [0.072] N=1,102	-0.018 [0.079] N=941	0.009 [0.092] N=759	-0.039 [0.113] N=576
Legumes consumed daily or several times weekly	0.091 [0.081] N=1,236	0.107 [0.086] N=1,102	0.102 [0.091] N=941	0.063 [0.104] N=759	0.188 [0.128] N=576
Animal products consumed daily or several times weekly	-0.003 [0.051] N=1,236	0.003 [0.057] N=1,102	0.023 [0.058] N=941	-0.008 [0.064] N=759	0.043 [0.075] N=576
Sweets consumed daily or several times weekly	-0.002 [0.073] N=1,236	-0.013 [0.078] N=1,102	0.044 [0.087] N=941	0.033 [0.101] N=759	-0.076 [0.132] N=576
Snack foods consumed daily or several times weekly	0.026 [0.067] N=1,236	0.006 [0.073] N=1,102	0.004 [0.082] N=941	0.051 [0.096] N=759	-0.079 [0.124] N=576
Packaged soft drinks consumed daily or several times weekly	-0.023 [0.063] N=1,236	-0.046 [0.068] N=1,102	0.004 [0.075] N=941	-0.006 [0.095] N=759	**-0.228* [0.115] N=576**
Grains consumed daily or several times weekly	0.051 [0.059] N=1,236	0.046 [0.060] N=1,102	0.047 [0.064] N=941	0.012 [0.080] N=759	-0.115 [0.101] N=576

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,213	0.022 [0.045] N=1,427	0.028 [0.047] N=1,293	0.041 [0.051] N=1,132	0.037 [0.056] N=950	0.054 [0.065] N=767
Vegetables consumed daily or several times weekly	0.765 P=1,095	-0.017 [0.055] N=1,427	0.002 [0.058] N=1,293	0.028 [0.063] N=1,132	0.030 [0.070] N=950	0.044 [0.082] N=767
Meat fish or poultry consumed daily or several times weekly	0.572 P=822	0.073 [0.057] N=1,427	0.069 [0.060] N=1,293	0.070 [0.064] N=1,132	0.094 [0.072] N=950	0.092 [0.083] N=767
Legumes consumed daily or several times weekly	0.575 P=817	0.002 [0.066] N=1,427	0.011 [0.068] N=1,293	-0.003 [0.071] N=1,132	-0.044 [0.078] N=950	-0.021 [0.093] N=767
Animal products consumed daily or several times weekly	0.852 P=1,215	0.040 [0.037] N=1,427	0.046 [0.040] N=1,293	0.059 [0.042] N=1,132	0.043 [0.044] N=950	0.072 [0.051] N=767
Sweets consumed daily or several times weekly	0.531 P=759	-0.061 [0.057] N=1,427	-0.072 [0.059] N=1,293	-0.051 [0.065] N=1,132	-0.074 [0.070] N=950	**-0.133* [0.076] N=767**
Snack foods consumed daily or several times weekly	0.397 P=558	-0.026 [0.049] N=1,427	-0.042 [0.052] N=1,293	-0.049 [0.055] N=1,132	-0.042 [0.060] N=950	**-0.111* [0.065] N=767**
Packaged soft drinks consumed daily or several times weekly	0.216 P=301	0.013 [0.040] N=1,427	0.002 [0.042] N=1,293	0.034 [0.043] N=1,132	0.031 [0.049] N=950	-0.041 [0.053] N=767
Grains consumed daily or several times weekly	0.833 P=1,187	0.078 [0.051] N=1,427	0.081 [0.052] N=1,293	0.087 [0.056] N=1,132	0.080 [0.064] N=950	0.057 [0.071] N=767

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.021 [0.062] N=1,236	-0.020 [0.067] N=1,102	-0.008 [0.079] N=941	-0.009 [0.085] N=759	0.017 [0.119] N=576
Vegetables consumed daily or several times weekly	-0.071 [0.071] N=1,236	-0.054 [0.079] N=1,102	-0.021 [0.092] N=941	-0.010 [0.101] N=759	0.011 [0.147] N=576
Meat fish or poultry consumed daily or several times weekly	0.024 [0.067] N=1,236	0.011 [0.072] N=1,102	-0.015 [0.078] N=941	0.010 [0.091] N=759	-0.037 [0.113] N=576
Legumes consumed daily or several times weekly	0.093 [0.082] N=1,236	0.109 [0.086] N=1,102	0.104 [0.092] N=941	0.065 [0.104] N=759	0.189 [0.128] N=576
Animal products consumed daily or several times weekly	0.001 [0.050] N=1,236	0.008 [0.056] N=1,102	0.027 [0.057] N=941	-0.005 [0.063] N=759	0.048 [0.074] N=576
Sweets consumed daily or several times weekly	0.000 [0.074] N=1,236	-0.010 [0.078] N=1,102	0.046 [0.087] N=941	0.034 [0.101] N=759	-0.074 [0.132] N=576
Snack foods consumed daily or several times weekly	0.030 [0.066] N=1,236	0.009 [0.073] N=1,102	0.006 [0.082] N=941	0.052 [0.095] N=759	-0.077 [0.123] N=576
Packaged soft drinks consumed daily or several times weekly	-0.024 [0.063] N=1,236	-0.047 [0.068] N=1,102	0.003 [0.074] N=941	-0.007 [0.095] N=759	**-0.227* [0.115] N=576**
Grains consumed daily or several times weekly	0.051 [0.059] N=1,236	0.045 [0.061] N=1,102	0.044 [0.065] N=941	0.008 [0.080] N=759	-0.120 [0.101] N=576

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,213	0.015 [0.042] N=1,427	0.023 [0.044] N=1,293	0.042 [0.048] N=1,132	0.038 [0.053] N=950	0.053 [0.061] N=767
Vegetables consumed daily or several times weekly	0.765 P=1,095	-0.022 [0.054] N=1,427	-0.001 [0.056] N=1,293	0.029 [0.061] N=1,132	0.031 [0.067] N=950	0.044 [0.079] N=767
Meat fish or poultry consumed daily or several times weekly	0.572 P=822	0.061 [0.055] N=1,427	0.062 [0.058] N=1,293	0.073 [0.062] N=1,132	0.097 [0.068] N=950	0.093 [0.077] N=767
Legumes consumed daily or several times weekly	0.575 P=817	-0.005 [0.065] N=1,427	0.007 [0.068] N=1,293	-0.002 [0.071] N=1,132	-0.042 [0.077] N=950	-0.020 [0.092] N=767
Animal products consumed daily or several times weekly	0.852 P=1,215	0.035 [0.037] N=1,427	0.044 [0.039] N=1,293	0.060 [0.041] N=1,132	0.044 [0.043] N=950	0.073 [0.049] N=767
Sweets consumed daily or several times weekly	0.531 P=759	-0.063 [0.056] N=1,427	-0.073 [0.059] N=1,293	-0.051 [0.064] N=1,132	-0.074 [0.069] N=950	**-0.135* [0.076] N=767**
Snack foods consumed daily or several times weekly	0.397 P=558	-0.023 [0.049] N=1,427	-0.041 [0.052] N=1,293	-0.049 [0.055] N=1,132	-0.044 [0.060] N=950	**-0.114* [0.065] N=767**
Packaged soft drinks consumed daily or several times weekly	0.216 P=301	0.017 [0.040] N=1,427	0.004 [0.042] N=1,293	0.034 [0.043] N=1,132	0.028 [0.048] N=950	-0.045 [0.052] N=767
Grains consumed daily or several times weekly	0.833 P=1,187	0.076 [0.051] N=1,427	0.078 [0.052] N=1,293	0.087 [0.056] N=1,132	0.078 [0.064] N=950	0.056 [0.070] N=767

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.025 [0.062] N=1,236	-0.020 [0.066] N=1,102	0.005 [0.078] N=941	0.000 [0.089] N=759	0.030 [0.123] N=576
Vegetables consumed daily or several times weekly	-0.073 [0.071] N=1,236	-0.052 [0.078] N=1,102	-0.007 [0.092] N=941	0.005 [0.103] N=759	0.030 [0.150] N=576
Meat fish or poultry consumed daily or several times weekly	0.017 [0.067] N=1,236	0.009 [0.072] N=1,102	0.001 [0.077] N=941	0.024 [0.091] N=759	-0.020 [0.106] N=576
Legumes consumed daily or several times weekly	0.085 [0.082] N=1,236	0.102 [0.087] N=1,102	0.103 [0.094] N=941	0.067 [0.104] N=759	0.192 [0.127] N=576
Animal products consumed daily or several times weekly	-0.003 [0.049] N=1,236	0.006 [0.055] N=1,102	0.032 [0.057] N=941	-0.005 [0.064] N=759	0.048 [0.074] N=576
Sweets consumed daily or several times weekly	-0.001 [0.073] N=1,236	-0.012 [0.077] N=1,102	0.047 [0.086] N=941	0.033 [0.102] N=759	-0.074 [0.132] N=576
Snack foods consumed daily or several times weekly	0.036 [0.066] N=1,236	0.012 [0.073] N=1,102	0.004 [0.082] N=941	0.050 [0.095] N=759	-0.075 [0.123] N=576
Packaged soft drinks consumed daily or several times weekly	-0.021 [0.063] N=1,236	-0.047 [0.068] N=1,102	-0.003 [0.074] N=941	-0.015 [0.093] N=759	**-0.230** [0.112] N=576**
Grains consumed daily or several times weekly	0.046 [0.058] N=1,236	0.040 [0.060] N=1,102	0.044 [0.064] N=941	-0.001 [0.081] N=759	-0.129 [0.103] N=576

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,213	0.019 [0.043] N=1,427	0.027 [0.045] N=1,293	0.042 [0.050] N=1,132	0.031 [0.055] N=950	0.045 [0.063] N=767
Vegetables consumed daily or several times weekly	0.765 P=1,095	-0.025 [0.055] N=1,427	-0.003 [0.057] N=1,293	0.024 [0.062] N=1,132	0.021 [0.068] N=950	0.034 [0.079] N=767
Meat fish or poultry consumed daily or several times weekly	0.572 P=822	0.065 [0.054] N=1,427	0.067 [0.057] N=1,293	0.073 [0.060] N=1,132	0.091 [0.067] N=950	0.082 [0.075] N=767
Legumes consumed daily or several times weekly	0.575 P=817	-0.004 [0.066] N=1,427	0.006 [0.068] N=1,293	-0.007 [0.072] N=1,132	-0.049 [0.078] N=950	-0.023 [0.092] N=767
Animal products consumed daily or several times weekly	0.852 P=1,215	0.044 [0.037] N=1,427	0.051 [0.040] N=1,293	0.067 [0.042] N=1,132	0.046 [0.045] N=950	0.075 [0.051] N=767
Sweets consumed daily or several times weekly	0.531 P=759	-0.054 [0.058] N=1,427	-0.066 [0.060] N=1,293	-0.045 [0.066] N=1,132	-0.070 [0.071] N=950	-0.126 [0.078] N=767
Snack foods consumed daily or several times weekly	0.397 P=558	-0.015 [0.050] N=1,427	-0.033 [0.052] N=1,293	-0.042 [0.056] N=1,132	-0.035 [0.060] N=950	-0.100 [0.066] N=767
Packaged soft drinks consumed daily or several times weekly	0.216 P=301	0.025 [0.040] N=1,427	0.013 [0.042] N=1,293	0.043 [0.043] N=1,132	0.042 [0.048] N=950	-0.027 [0.053] N=767
Grains consumed daily or several times weekly	0.833 P=1,187	0.076 [0.051] N=1,427	0.077 [0.052] N=1,293	0.084 [0.057] N=1,132	0.075 [0.065] N=950	0.055 [0.072] N=767

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.020 [0.063] N=1,236	-0.017 [0.068] N=1,102	0.003 [0.082] N=941	-0.017 [0.097] N=759	-0.011 [0.128] N=576
Vegetables consumed daily or several times weekly	-0.079 [0.071] N=1,236	-0.056 [0.078] N=1,102	-0.019 [0.093] N=941	-0.021 [0.104] N=759	-0.009 [0.148] N=576
Meat fish or poultry consumed daily or several times weekly	0.025 [0.066] N=1,236	0.020 [0.071] N=1,102	0.004 [0.076] N=941	0.015 [0.093] N=759	-0.061 [0.105] N=576
Legumes consumed daily or several times weekly	0.087 [0.083] N=1,236	0.102 [0.088] N=1,102	0.099 [0.093] N=941	0.054 [0.105] N=759	0.168 [0.125] N=576
Animal products consumed daily or several times weekly	0.004 [0.048] N=1,236	0.011 [0.054] N=1,102	0.033 [0.055] N=941	-0.010 [0.064] N=759	0.038 [0.075] N=576
Sweets consumed daily or several times weekly	0.010 [0.073] N=1,236	-0.004 [0.078] N=1,102	0.055 [0.085] N=941	0.033 [0.101] N=759	-0.078 [0.127] N=576
Snack foods consumed daily or several times weekly	0.042 [0.066] N=1,236	0.018 [0.073] N=1,102	0.013 [0.081] N=941	0.058 [0.094] N=759	-0.066 [0.121] N=576
Packaged soft drinks consumed daily or several times weekly	-0.011 [0.062] N=1,236	-0.038 [0.067] N=1,102	0.009 [0.074] N=941	-0.001 [0.092] N=759	**-0.212* [0.114] N=576**
Grains consumed daily or several times weekly	0.045 [0.057] N=1,236	0.034 [0.060] N=1,102	0.032 [0.065] N=941	-0.017 [0.083] N=759	-0.146 [0.106] N=576

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,123	0.024 [0.046] N=1,324	0.035 [0.048] N=1,198	0.060 [0.052] N=1,054	0.045 [0.056] N=885	0.055 [0.066] N=717
Vegetables consumed daily or several times weekly	0.765 P=1,017	-0.017 [0.058] N=1,324	0.006 [0.061] N=1,198	0.032 [0.065] N=1,054	0.017 [0.072] N=885	0.016 [0.086] N=717
Meat fish or poultry consumed daily or several times weekly	0.574 P=764	0.073 [0.059] N=1,324	0.068 [0.063] N=1,198	0.078 [0.067] N=1,054	0.080 [0.077] N=885	0.076 [0.088] N=717
Legumes consumed daily or several times weekly	0.574 P=757	0.002 [0.066] N=1,324	0.015 [0.068] N=1,198	-0.001 [0.072] N=1,054	-0.060 [0.079] N=885	-0.046 [0.095] N=717
Animal products consumed daily or several times weekly	0.854 P=1,131	0.051 [0.039] N=1,324	0.059 [0.042] N=1,198	**0.075* [0.044] N=1,054**	0.044 [0.046] N=885	0.076 [0.053] N=717
Sweets consumed daily or several times weekly	0.539 P=713	-0.068 [0.059] N=1,324	-0.084 [0.062] N=1,198	-0.064 [0.069] N=1,054	-0.098 [0.076] N=885	**-0.159* [0.084] N=717**
Snack foods consumed daily or several times weekly	0.404 P=527	-0.041 [0.050] N=1,324	-0.063 [0.054] N=1,198	-0.075 [0.057] N=1,054	-0.070 [0.060] N=885	**-0.134** [0.067] N=717**
Packaged soft drinks consumed daily or several times weekly	0.223 P=290	-0.001 [0.042] N=1,324	-0.017 [0.044] N=1,198	0.013 [0.045] N=1,054	0.011 [0.053] N=885	-0.063 [0.058] N=717
Grains consumed daily or several times weekly	0.831 P=1,100	**0.090* [0.051] N=1,324**	**0.089* [0.053] N=1,198**	0.091 [0.057] N=1,054	0.079 [0.065] N=885	0.052 [0.073] N=717

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.008 [0.068] N=1,143	0.005 [0.072] N=1,017	0.041 [0.083] N=873	0.020 [0.090] N=704	0.018 [0.123] N=536
Vegetables consumed daily or several times weekly	-0.057 [0.073] N=1,143	-0.029 [0.081] N=1,017	0.005 [0.093] N=873	-0.018 [0.102] N=704	-0.055 [0.149] N=536
Meat fish or poultry consumed daily or several times weekly	0.037 [0.074] N=1,143	0.027 [0.080] N=1,017	0.019 [0.086] N=873	0.006 [0.102] N=704	-0.065 [0.130] N=536
Legumes consumed daily or several times weekly	0.109 [0.083] N=1,143	0.138 [0.087] N=1,017	0.139 [0.093] N=873	0.083 [0.107] N=704	0.184 [0.133] N=536
Animal products consumed daily or several times weekly	0.020 [0.056] N=1,143	0.033 [0.063] N=1,017	0.058 [0.063] N=873	-0.001 [0.071] N=704	0.051 [0.087] N=536
Sweets consumed daily or several times weekly	0.004 [0.077] N=1,143	-0.014 [0.082] N=1,017	0.040 [0.091] N=873	0.006 [0.109] N=704	-0.117 [0.146] N=536
Snack foods consumed daily or several times weekly	0.008 [0.069] N=1,143	-0.021 [0.077] N=1,017	-0.041 [0.086] N=873	-0.005 [0.103] N=704	-0.139 [0.129] N=536
Packaged soft drinks consumed daily or several times weekly	-0.049 [0.066] N=1,143	-0.080 [0.071] N=1,017	-0.038 [0.078] N=873	-0.054 [0.100] N=704	**-0.309** [0.117] N=536**
Grains consumed daily or several times weekly	0.076 [0.060] N=1,143	0.068 [0.063] N=1,017	0.063 [0.068] N=873	0.020 [0.086] N=704	-0.118 [0.114] N=536

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,123	0.025 [0.046] N=1,324	0.037 [0.048] N=1,198	0.060 [0.052] N=1,054	0.045 [0.056] N=885	0.053 [0.066] N=717
Vegetables consumed daily or several times weekly	0.765 P=1,017	-0.015 [0.057] N=1,324	0.006 [0.060] N=1,198	0.034 [0.065] N=1,054	0.018 [0.072] N=885	0.015 [0.086] N=717
Meat fish or poultry consumed daily or several times weekly	0.574 P=764	0.074 [0.058] N=1,324	0.072 [0.062] N=1,198	0.080 [0.066] N=1,054	0.082 [0.075] N=885	0.075 [0.086] N=717
Legumes consumed daily or several times weekly	0.574 P=757	-0.001 [0.066] N=1,324	0.013 [0.069] N=1,198	-0.004 [0.072] N=1,054	-0.067 [0.080] N=885	-0.053 [0.095] N=717
Animal products consumed daily or several times weekly	0.854 P=1,131	0.050 [0.039] N=1,324	0.059 [0.042] N=1,198	**0.075* [0.044] N=1,054**	0.045 [0.046] N=885	0.077 [0.052] N=717
Sweets consumed daily or several times weekly	0.539 P=713	-0.070 [0.060] N=1,324	-0.086 [0.063] N=1,198	-0.067 [0.070] N=1,054	-0.101 [0.077] N=885	**-0.162* [0.086] N=717**
Snack foods consumed daily or several times weekly	0.404 P=527	-0.040 [0.050] N=1,324	-0.063 [0.053] N=1,198	-0.075 [0.056] N=1,054	-0.071 [0.061] N=885	**-0.137** [0.067] N=717**
Packaged soft drinks consumed daily or several times weekly	0.223 P=290	-0.003 [0.042] N=1,324	-0.018 [0.044] N=1,198	0.012 [0.045] N=1,054	0.007 [0.051] N=885	-0.069 [0.057] N=717
Grains consumed daily or several times weekly	0.831 P=1,100	**0.089* [0.051] N=1,324**	**0.088* [0.053] N=1,198**	0.090 [0.057] N=1,054	0.079 [0.065] N=885	0.052 [0.072] N=717

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.007 [0.068] N=1,143	0.004 [0.072] N=1,017	0.038 [0.083] N=873	0.014 [0.090] N=704	0.014 [0.124] N=536
Vegetables consumed daily or several times weekly	-0.055 [0.073] N=1,143	-0.030 [0.080] N=1,017	0.006 [0.092] N=873	-0.018 [0.101] N=704	-0.048 [0.147] N=536
Meat fish or poultry consumed daily or several times weekly	0.039 [0.074] N=1,143	0.033 [0.079] N=1,017	0.023 [0.085] N=873	0.007 [0.100] N=704	-0.062 [0.130] N=536
Legumes consumed daily or several times weekly	0.109 [0.084] N=1,143	0.141 [0.088] N=1,017	0.140 [0.094] N=873	0.070 [0.108] N=704	0.183 [0.136] N=536
Animal products consumed daily or several times weekly	0.021 [0.056] N=1,143	0.035 [0.063] N=1,017	0.062 [0.063] N=873	0.005 [0.071] N=704	0.059 [0.085] N=536
Sweets consumed daily or several times weekly	0.005 [0.077] N=1,143	-0.012 [0.082] N=1,017	0.042 [0.091] N=873	0.011 [0.109] N=704	-0.110 [0.144] N=536
Snack foods consumed daily or several times weekly	0.008 [0.069] N=1,143	-0.025 [0.077] N=1,017	-0.044 [0.086] N=873	-0.003 [0.102] N=704	-0.146 [0.129] N=536
Packaged soft drinks consumed daily or several times weekly	-0.050 [0.067] N=1,143	-0.082 [0.072] N=1,017	-0.039 [0.078] N=873	-0.055 [0.100] N=704	**-0.310** [0.121] N=536**
Grains consumed daily or several times weekly	0.075 [0.060] N=1,143	0.068 [0.062] N=1,017	0.064 [0.068] N=873	0.022 [0.085] N=704	-0.114 [0.112] N=536

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.