Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 1-3: Oldest Child

Age reference: 16 December 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.741 P=1,052	0.065 [0.042] N=1,404	0.070 [0.045] N=1,301	0.056 [0.048] N=1,174	0.061 [0.051] N=1,002	0.015 [0.055] N=824
Not underweight WAZ at least -2	0.928 P=1,477	-0.031 [0.022] N=1,594	-0.027 [0.024] N=1,470	-0.025 [0.026] N=1,324	-0.032 [0.029] N=1,127	**-0.060* [0.035] N=924**
Neither wasted nor overweight WHZ -2 to +2	0.694 P=959	0.025 [0.049] N=1,378	0.023 [0.050] N=1,281	0.044 [0.054] N=1,156	0.040 [0.060] N=986	0.065 [0.065] N=809
Neither low nor high BMIZ -2 to +2	0.651 P=879	0.011 [0.049] N=1,344	0.013 [0.052] N=1,250	0.022 [0.055] N=1,126	0.011 [0.062] N=960	0.015 [0.068] N=791
Strict normal HAZ -2 to +3	0.675 P=961	0.062 [0.043] N=1,404	0.071 [0.047] N=1,301	0.051 [0.049] N=1,174	0.029 [0.052] N=1,002	0.008 [0.058] N=824
Strict normal WAZ -2 to +1	0.706 P=1,133	-0.045 [0.048] N=1,594	-0.061 [0.052] N=1,470	-0.081 [0.055] N=1,324	-0.089 [0.059] N=1,127	-0.105 [0.066] N=924
Strict normal WHZ -2 to +1	0.532 P=735	0.031 [0.053] N=1,378	0.027 [0.056] N=1,281	0.040 [0.061] N=1,156	0.032 [0.068] N=986	0.045 [0.076] N=809
Strict normal BMIZ -2 to +1	0.513 P=695	0.009 [0.051] N=1,344	0.004 [0.054] N=1,250	0.019 [0.059] N=1,126	0.003 [0.067] N=960	-0.003 [0.076] N=791
Above-normal height HAZ above +3	0.066 P=91	0.004 [0.028] N=1,404	-0.001 [0.030] N=1,301	0.006 [0.035] N=1,174	0.033 [0.037] N=1,002	0.007 [0.040] N=824
Above-normal weight WAZ above +1	0.222 P=344	0.015 [0.045] N=1,594	0.033 [0.048] N=1,470	0.057 [0.050] N=1,324	0.056 [0.054] N=1,127	0.045 [0.061] N=924
Above-normal WHZ above +1	0.357 P=484	0.005 [0.052] N=1,378	0.002 [0.056] N=1,281	-0.010 [0.063] N=1,156	-0.012 [0.071] N=986	-0.002 [0.079] N=809
Above-normal BMIZ above +1	0.367 P=483	0.022 [0.050] N=1,344	0.026 [0.055] N=1,250	0.001 [0.062] N=1,126	-0.015 [0.070] N=960	0.006 [0.081] N=791

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.090 [0.061] N=1,187	0.098 [0.068] N=1,084	0.089 [0.077] N=957	0.131 [0.086] N=785	0.058 [0.114] N=607
Not underweight WAZ at least -2	-0.014 [0.031] N=1,357	-0.008 [0.034] N=1,233	0.000 [0.039] N=1,087	-0.010 [0.049] N=890	-0.094 [0.065] N=687
Neither wasted nor overweight WHZ -2 to +2	0.025 [0.065] N=1,164	0.022 [0.068] N=1,067	0.071 [0.077] N=942	0.071 [0.097] N=772	**0.181* [0.106] N=595**
Neither low nor high BMIZ -2 to +2	0.026 [0.067] N=1,137	0.030 [0.071] N=1,043	0.065 [0.081] N=919	0.059 [0.103] N=753	0.126 [0.116] N=584
Strict normal HAZ -2 to +3	0.105 [0.064] N=1,187	**0.124* [0.072] N=1,084**	0.110 [0.078] N=957	0.088 [0.095] N=785	0.103 [0.127] N=607
Strict normal WAZ -2 to +1	0.021 [0.064] N=1,357	0.007 [0.072] N=1,233	-0.021 [0.079] N=1,087	-0.020 [0.091] N=890	-0.031 [0.102] N=687
Strict normal WHZ -2 to +1	0.049 [0.072] N=1,164	0.043 [0.079] N=1,067	0.087 [0.092] N=942	0.083 [0.108] N=772	0.165 [0.130] N=595
Strict normal BMIZ -2 to +1	0.025 [0.068] N=1,137	0.016 [0.074] N=1,043	0.062 [0.087] N=919	0.045 [0.103] N=753	0.087 [0.119] N=584
Above-normal height HAZ above +3	-0.014 [0.035] N=1,187	-0.026 [0.040] N=1,084	-0.020 [0.051] N=957	0.043 [0.059] N=785	-0.044 [0.073] N=607
Above-normal weight WAZ above +1	-0.034 [0.060] N=1,357	-0.015 [0.067] N=1,233	0.021 [0.071] N=1,087	0.010 [0.084] N=890	-0.063 [0.091] N=687
Above-normal WHZ above +1	-0.007 [0.066] N=1,164	-0.014 [0.075] N=1,067	-0.055 [0.091] N=942	-0.070 [0.111] N=772	-0.087 [0.130] N=595
Above-normal BMIZ above +1	0.035 [0.063] N=1,137	0.048 [0.073] N=1,043	-0.007 [0.091] N=919	-0.048 [0.105] N=753	-0.030 [0.124] N=584

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.741 P=1,052	0.065 [0.042] N=1,404	0.070 [0.045] N=1,301	0.057 [0.048] N=1,174	0.061 [0.051] N=1,002	0.015 [0.055] N=824
Not underweight WAZ at least -2	0.928 P=1,477	-0.031 [0.022] N=1,594	-0.027 [0.024] N=1,470	-0.024 [0.026] N=1,324	-0.032 [0.030] N=1,127	**-0.060* [0.035] N=924**
Neither wasted nor overweight WHZ -2 to +2	0.694 P=959	0.024 [0.049] N=1,378	0.022 [0.050] N=1,281	0.044 [0.054] N=1,156	0.039 [0.061] N=986	0.063 [0.066] N=809
Neither low nor high BMIZ -2 to +2	0.651 P=879	0.011 [0.049] N=1,344	0.013 [0.052] N=1,250	0.022 [0.056] N=1,126	0.010 [0.063] N=960	0.014 [0.069] N=791
Strict normal HAZ -2 to +3	0.675 P=961	0.061 [0.043] N=1,404	0.071 [0.046] N=1,301	0.051 [0.048] N=1,174	0.028 [0.051] N=1,002	0.007 [0.058] N=824
Strict normal WAZ -2 to +1	0.706 P=1,133	-0.046 [0.049] N=1,594	-0.060 [0.053] N=1,470	-0.079 [0.055] N=1,324	-0.087 [0.059] N=1,127	-0.105 [0.067] N=924
Strict normal WHZ -2 to +1	0.532 P=735	0.030 [0.053] N=1,378	0.026 [0.056] N=1,281	0.040 [0.061] N=1,156	0.031 [0.068] N=986	0.044 [0.077] N=809
Strict normal BMIZ -2 to +1	0.513 P=695	0.008 [0.052] N=1,344	0.003 [0.055] N=1,250	0.019 [0.060] N=1,126	0.002 [0.068] N=960	-0.004 [0.077] N=791
Above-normal height HAZ above +3	0.066 P=91	0.004 [0.028] N=1,404	-0.001 [0.030] N=1,301	0.006 [0.035] N=1,174	0.033 [0.037] N=1,002	0.007 [0.040] N=824
Above-normal weight WAZ above +1	0.222 P=344	0.015 [0.045] N=1,594	0.033 [0.048] N=1,470	0.056 [0.050] N=1,324	0.056 [0.055] N=1,127	0.045 [0.061] N=924
Above-normal WHZ above +1	0.357 P=484	0.005 [0.052] N=1,378	0.001 [0.056] N=1,281	-0.010 [0.063] N=1,156	-0.013 [0.071] N=986	-0.003 [0.079] N=809
Above-normal BMIZ above +1	0.367 P=483	0.021 [0.050] N=1,344	0.025 [0.054] N=1,250	0.001 [0.062] N=1,126	-0.016 [0.070] N=960	0.004 [0.080] N=791

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.091 [0.061] N=1,187	0.098 [0.068] N=1,084	0.090 [0.077] N=957	0.129 [0.086] N=785	0.056 [0.114] N=607
Not underweight WAZ at least -2	-0.013 [0.030] N=1,357	-0.006 [0.033] N=1,233	0.004 [0.038] N=1,087	-0.007 [0.049] N=890	-0.089 [0.065] N=687
Neither wasted nor overweight WHZ -2 to +2	0.025 [0.065] N=1,164	0.021 [0.068] N=1,067	0.072 [0.079] N=942	0.071 [0.099] N=772	**0.180* [0.108] N=595**
Neither low nor high BMIZ -2 to +2	0.026 [0.067] N=1,137	0.030 [0.071] N=1,043	0.067 [0.083] N=919	0.059 [0.104] N=753	0.125 [0.118] N=584
Strict normal HAZ -2 to +3	0.105 [0.064] N=1,187	**0.125* [0.071] N=1,084**	0.112 [0.077] N=957	0.089 [0.095] N=785	0.104 [0.127] N=607
Strict normal WAZ -2 to +1	0.021 [0.064] N=1,357	0.009 [0.072] N=1,233	-0.015 [0.078] N=1,087	-0.016 [0.091] N=890	-0.027 [0.101] N=687
Strict normal WHZ -2 to +1	0.048 [0.072] N=1,164	0.043 [0.080] N=1,067	0.088 [0.093] N=942	0.083 [0.109] N=772	0.164 [0.130] N=595
Strict normal BMIZ -2 to +1	0.025 [0.068] N=1,137	0.016 [0.074] N=1,043	0.064 [0.088] N=919	0.046 [0.104] N=753	0.088 [0.118] N=584
Above-normal height HAZ above +3	-0.015 [0.035] N=1,187	-0.027 [0.040] N=1,084	-0.022 [0.051] N=957	0.041 [0.059] N=785	-0.047 [0.072] N=607
Above-normal weight WAZ above +1	-0.034 [0.060] N=1,357	-0.015 [0.067] N=1,233	0.019 [0.071] N=1,087	0.009 [0.084] N=890	-0.062 [0.091] N=687
Above-normal WHZ above +1	-0.008 [0.066] N=1,164	-0.015 [0.075] N=1,067	-0.054 [0.091] N=942	-0.071 [0.110] N=772	-0.088 [0.129] N=595
Above-normal BMIZ above +1	0.035 [0.062] N=1,137	0.048 [0.072] N=1,043	-0.006 [0.090] N=919	-0.047 [0.104] N=753	-0.033 [0.122] N=584

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.741 P=1,052	0.057 [0.041] N=1,404	0.056 [0.044] N=1,301	0.048 [0.047] N=1,174	0.056 [0.049] N=1,002	0.005 [0.053] N=824
Not underweight WAZ at least -2	0.928 P=1,477	**-0.038* [0.022] N=1,594**	-0.036 [0.023] N=1,470	-0.032 [0.025] N=1,324	-0.039 [0.028] N=1,127	**-0.068** [0.033] N=924**
Neither wasted nor overweight WHZ -2 to +2	0.694 P=959	0.017 [0.049] N=1,378	0.011 [0.050] N=1,281	0.035 [0.054] N=1,156	0.033 [0.061] N=986	0.058 [0.067] N=809
Neither low nor high BMIZ -2 to +2	0.651 P=879	0.005 [0.048] N=1,344	0.000 [0.051] N=1,250	0.011 [0.055] N=1,126	0.002 [0.062] N=960	0.008 [0.068] N=791
Strict normal HAZ -2 to +3	0.675 P=961	0.050 [0.042] N=1,404	0.054 [0.046] N=1,301	0.039 [0.048] N=1,174	0.020 [0.050] N=1,002	-0.005 [0.056] N=824
Strict normal WAZ -2 to +1	0.706 P=1,133	-0.046 [0.049] N=1,594	-0.064 [0.053] N=1,470	-0.084 [0.056] N=1,324	-0.092 [0.060] N=1,127	-0.109 [0.068] N=924
Strict normal WHZ -2 to +1	0.532 P=735	0.025 [0.053] N=1,378	0.016 [0.056] N=1,281	0.030 [0.061] N=1,156	0.022 [0.068] N=986	0.038 [0.077] N=809
Strict normal BMIZ -2 to +1	0.513 P=695	0.003 [0.051] N=1,344	-0.007 [0.054] N=1,250	0.010 [0.060] N=1,126	-0.006 [0.067] N=960	-0.010 [0.076] N=791
Above-normal height HAZ above +3	0.066 P=91	0.006 [0.028] N=1,404	0.002 [0.031] N=1,301	0.008 [0.036] N=1,174	0.035 [0.037] N=1,002	0.010 [0.040] N=824
Above-normal weight WAZ above +1	0.222 P=344	0.008 [0.044] N=1,594	0.028 [0.048] N=1,470	0.051 [0.050] N=1,324	0.053 [0.055] N=1,127	0.041 [0.061] N=924
Above-normal WHZ above +1	0.357 P=484	0.004 [0.053] N=1,378	0.004 [0.057] N=1,281	-0.007 [0.063] N=1,156	-0.007 [0.070] N=986	0.000 [0.079] N=809
Above-normal BMIZ above +1	0.367 P=483	0.021 [0.050] N=1,344	0.027 [0.055] N=1,250	0.002 [0.062] N=1,126	-0.012 [0.069] N=960	0.007 [0.080] N=791

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.084 [0.061] N=1,187	0.081 [0.068] N=1,084	0.080 [0.077] N=957	0.133 [0.085] N=785	0.060 [0.109] N=607
Not underweight WAZ at least -2	-0.019 [0.029] N=1,357	-0.016 [0.033] N=1,233	-0.003 [0.037] N=1,087	-0.009 [0.049] N=890	-0.086 [0.066] N=687
Neither wasted nor overweight WHZ -2 to +2	0.018 [0.065] N=1,164	0.006 [0.070] N=1,067	0.064 [0.080] N=942	0.065 [0.100] N=772	0.171 [0.108] N=595
Neither low nor high BMIZ -2 to +2	0.020 [0.066] N=1,137	0.014 [0.072] N=1,043	0.056 [0.083] N=919	0.051 [0.106] N=753	0.116 [0.120] N=584
Strict normal HAZ -2 to +3	0.097 [0.063] N=1,187	0.105 [0.070] N=1,084	0.102 [0.077] N=957	0.095 [0.093] N=785	0.108 [0.126] N=607
Strict normal WAZ -2 to +1	0.021 [0.064] N=1,357	0.003 [0.072] N=1,233	-0.021 [0.078] N=1,087	-0.021 [0.091] N=890	-0.027 [0.102] N=687
Strict normal WHZ -2 to +1	0.042 [0.073] N=1,164	0.027 [0.081] N=1,067	0.076 [0.094] N=942	0.073 [0.111] N=772	0.154 [0.136] N=595
Strict normal BMIZ -2 to +1	0.018 [0.068] N=1,137	-0.002 [0.075] N=1,043	0.050 [0.089] N=919	0.035 [0.107] N=753	0.078 [0.125] N=584
Above-normal height HAZ above +3	-0.013 [0.035] N=1,187	-0.024 [0.039] N=1,084	-0.022 [0.051] N=957	0.038 [0.059] N=785	-0.047 [0.074] N=607
Above-normal weight WAZ above +1	-0.040 [0.060] N=1,357	-0.018 [0.066] N=1,233	0.018 [0.071] N=1,087	0.012 [0.084] N=890	-0.059 [0.092] N=687
Above-normal WHZ above +1	-0.006 [0.068] N=1,164	-0.008 [0.077] N=1,067	-0.046 [0.092] N=942	-0.066 [0.111] N=772	-0.084 [0.131] N=595
Above-normal BMIZ above +1	0.038 [0.064] N=1,137	0.056 [0.074] N=1,043	0.001 [0.091] N=919	-0.044 [0.105] N=753	-0.029 [0.125] N=584

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.741 P=1,052	0.047 [0.041] N=1,404	0.047 [0.044] N=1,301	0.036 [0.046] N=1,174	0.041 [0.048] N=1,002	-0.006 [0.052] N=824
Not underweight WAZ at least -2	0.928 P=1,477	**-0.041* [0.022] N=1,594**	**-0.040* [0.023] N=1,470**	-0.036 [0.025] N=1,324	-0.044 [0.029] N=1,127	**-0.074** [0.034] N=924**
Neither wasted nor overweight WHZ -2 to +2	0.694 P=959	0.015 [0.049] N=1,378	0.011 [0.051] N=1,281	0.035 [0.055] N=1,156	0.034 [0.062] N=986	0.064 [0.068] N=809
Neither low nor high BMIZ -2 to +2	0.651 P=879	0.000 [0.049] N=1,344	0.002 [0.052] N=1,250	0.010 [0.056] N=1,126	-0.002 [0.062] N=960	0.012 [0.070] N=791
Strict normal HAZ -2 to +3	0.675 P=961	0.039 [0.043] N=1,404	0.042 [0.046] N=1,301	0.024 [0.048] N=1,174	0.001 [0.049] N=1,002	-0.019 [0.057] N=824
Strict normal WAZ -2 to +1	0.706 P=1,133	-0.048 [0.049] N=1,594	-0.065 [0.053] N=1,470	-0.085 [0.056] N=1,324	-0.092 [0.060] N=1,127	-0.106 [0.069] N=924
Strict normal WHZ -2 to +1	0.532 P=735	0.023 [0.053] N=1,378	0.018 [0.057] N=1,281	0.031 [0.061] N=1,156	0.024 [0.068] N=986	0.044 [0.077] N=809
Strict normal BMIZ -2 to +1	0.513 P=695	0.001 [0.051] N=1,344	-0.004 [0.054] N=1,250	0.010 [0.059] N=1,126	-0.007 [0.067] N=960	-0.008 [0.076] N=791
Above-normal height HAZ above +3	0.066 P=91	0.008 [0.028] N=1,404	0.005 [0.031] N=1,301	0.012 [0.036] N=1,174	0.039 [0.037] N=1,002	0.012 [0.041] N=824
Above-normal weight WAZ above +1	0.222 P=344	0.007 [0.044] N=1,594	0.026 [0.047] N=1,470	0.049 [0.050] N=1,324	0.048 [0.054] N=1,127	0.032 [0.062] N=924
Above-normal WHZ above +1	0.357 P=484	0.007 [0.052] N=1,378	0.003 [0.056] N=1,281	-0.007 [0.062] N=1,156	-0.008 [0.071] N=986	-0.002 [0.079] N=809
Above-normal BMIZ above +1	0.367 P=483	0.024 [0.050] N=1,344	0.027 [0.054] N=1,250	0.003 [0.061] N=1,126	-0.010 [0.069] N=960	0.008 [0.080] N=791

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.079 [0.062] N=1,187	0.080 [0.069] N=1,084	0.082 [0.077] N=957	0.133 [0.086] N=785	0.051 [0.113] N=607
Not underweight WAZ at least -2	-0.023 [0.030] N=1,357	-0.018 [0.033] N=1,233	-0.007 [0.038] N=1,087	-0.013 [0.050] N=890	-0.091 [0.068] N=687
Neither wasted nor overweight WHZ -2 to +2	0.012 [0.065] N=1,164	0.009 [0.069] N=1,067	0.065 [0.079] N=942	0.061 [0.098] N=772	0.156 [0.107] N=595
Neither low nor high BMIZ -2 to +2	0.012 [0.068] N=1,137	0.020 [0.072] N=1,043	0.060 [0.084] N=919	0.050 [0.105] N=753	0.093 [0.119] N=584
Strict normal HAZ -2 to +3	0.093 [0.064] N=1,187	0.104 [0.071] N=1,084	0.102 [0.077] N=957	0.095 [0.094] N=785	0.106 [0.130] N=607
Strict normal WAZ -2 to +1	0.021 [0.064] N=1,357	0.004 [0.072] N=1,233	-0.021 [0.078] N=1,087	-0.021 [0.091] N=890	-0.036 [0.102] N=687
Strict normal WHZ -2 to +1	0.039 [0.073] N=1,164	0.037 [0.081] N=1,067	0.083 [0.093] N=942	0.071 [0.108] N=772	0.138 [0.134] N=595
Strict normal BMIZ -2 to +1	0.017 [0.069] N=1,137	0.016 [0.075] N=1,043	0.066 [0.088] N=919	0.042 [0.104] N=753	0.070 [0.123] N=584
Above-normal height HAZ above +3	-0.014 [0.035] N=1,187	-0.024 [0.040] N=1,084	-0.021 [0.052] N=957	0.039 [0.060] N=785	-0.054 [0.073] N=607
Above-normal weight WAZ above +1	-0.044 [0.059] N=1,357	-0.022 [0.066] N=1,233	0.014 [0.070] N=1,087	0.009 [0.082] N=890	-0.055 [0.089] N=687
Above-normal WHZ above +1	-0.007 [0.067] N=1,164	-0.015 [0.076] N=1,067	-0.052 [0.091] N=942	-0.059 [0.110] N=772	-0.063 [0.129] N=595
Above-normal BMIZ above +1	0.036 [0.063] N=1,137	0.046 [0.073] N=1,043	-0.007 [0.089] N=919	-0.041 [0.103] N=753	-0.012 [0.123] N=584

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.740 P=981	0.053 [0.045] N=1,309	0.059 [0.047] N=1,219	0.047 [0.049] N=1,098	0.054 [0.053] N=943	0.011 [0.057] N=774
Not underweight WAZ at least -2	0.928 P=1,371	-0.024 [0.023] N=1,480	-0.021 [0.025] N=1,371	-0.017 [0.027] N=1,233	-0.024 [0.030] N=1,054	-0.049 [0.038] N=864
Neither wasted nor overweight WHZ -2 to +2	0.694 P=893	0.018 [0.050] N=1,281	0.016 [0.051] N=1,198	0.037 [0.056] N=1,080	0.037 [0.063] N=927	0.049 [0.068] N=759
Neither low nor high BMIZ -2 to +2	0.651 P=820	-0.005 [0.051] N=1,249	0.001 [0.053] N=1,168	0.013 [0.059] N=1,052	0.011 [0.066] N=903	0.006 [0.074] N=742
Strict normal HAZ -2 to +3	0.676 P=900	0.056 [0.047] N=1,309	0.066 [0.050] N=1,219	0.046 [0.051] N=1,098	0.029 [0.055] N=943	0.009 [0.061] N=774
Strict normal WAZ -2 to +1	0.703 P=1,048	-0.045 [0.050] N=1,480	-0.056 [0.054] N=1,371	-0.072 [0.056] N=1,233	-0.081 [0.061] N=1,054	-0.101 [0.070] N=864
Strict normal WHZ -2 to +1	0.531 P=683	0.010 [0.055] N=1,281	0.008 [0.058] N=1,198	0.021 [0.063] N=1,080	0.015 [0.070] N=927	0.006 [0.077] N=759
Strict normal BMIZ -2 to +1	0.516 P=650	-0.016 [0.053] N=1,249	-0.016 [0.057] N=1,168	0.000 [0.062] N=1,052	-0.014 [0.070] N=903	-0.039 [0.078] N=742
Above-normal height HAZ above +3	0.064 P=81	-0.004 [0.029] N=1,309	-0.007 [0.032] N=1,219	0.002 [0.036] N=1,098	0.025 [0.036] N=943	0.002 [0.038] N=774
Above-normal weight WAZ above +1	0.224 P=323	0.021 [0.046] N=1,480	0.036 [0.049] N=1,371	0.055 [0.052] N=1,233	0.056 [0.056] N=1,054	0.051 [0.063] N=864
Above-normal WHZ above +1	0.358 P=451	0.036 [0.054] N=1,281	0.030 [0.058] N=1,198	0.016 [0.064] N=1,080	0.013 [0.072] N=927	0.041 [0.081] N=759
Above-normal BMIZ above +1	0.366 P=447	0.055 [0.051] N=1,249	0.053 [0.055] N=1,168	0.027 [0.062] N=1,052	0.012 [0.070] N=903	0.051 [0.079] N=742

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.086 [0.064] N=1,105	0.101 [0.070] N=1,015	0.096 [0.078] N=894	0.143 [0.088] N=739	0.078 [0.116] N=570
Not underweight WAZ at least -2	-0.010 [0.031] N=1,258	-0.005 [0.034] N=1,149	0.003 [0.039] N=1,011	-0.013 [0.046] N=832	-0.093 [0.071] N=642
Neither wasted nor overweight WHZ -2 to +2	0.031 [0.068] N=1,080	0.034 [0.070] N=997	0.090 [0.084] N=879	0.120 [0.101] N=726	**0.227** [0.110] N=558**
Neither low nor high BMIZ -2 to +2	0.012 [0.068] N=1,055	0.028 [0.072] N=974	0.067 [0.087] N=858	0.091 [0.107] N=709	0.159 [0.113] N=548
Strict normal HAZ -2 to +3	0.111 [0.067] N=1,105	**0.135* [0.073] N=1,015**	0.120 [0.078] N=894	0.111 [0.097] N=739	0.134 [0.125] N=570
Strict normal WAZ -2 to +1	0.034 [0.063] N=1,258	0.029 [0.070] N=1,149	0.010 [0.078] N=1,011	0.000 [0.091] N=832	-0.010 [0.108] N=642
Strict normal WHZ -2 to +1	0.057 [0.076] N=1,080	0.062 [0.082] N=997	0.114 [0.097] N=879	0.127 [0.115] N=726	0.194 [0.130] N=558
Strict normal BMIZ -2 to +1	0.017 [0.070] N=1,055	0.021 [0.076] N=974	0.073 [0.092] N=858	0.074 [0.110] N=709	0.101 [0.119] N=548
Above-normal height HAZ above +3	-0.025 [0.037] N=1,105	-0.034 [0.041] N=1,015	-0.024 [0.052] N=894	0.032 [0.060] N=739	-0.056 [0.070] N=570
Above-normal weight WAZ above +1	-0.044 [0.061] N=1,258	-0.034 [0.066] N=1,149	-0.007 [0.073] N=1,011	-0.014 [0.087] N=832	-0.084 [0.098] N=642
Above-normal WHZ above +1	-0.003 [0.069] N=1,080	-0.020 [0.077] N=997	-0.069 [0.093] N=879	-0.089 [0.117] N=726	-0.070 [0.135] N=558
Above-normal BMIZ above +1	0.048 [0.065] N=1,055	0.046 [0.074] N=974	-0.014 [0.091] N=858	-0.061 [0.110] N=709	-0.016 [0.128] N=548

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.740 P=981	0.050 [0.045] N=1,309	0.056 [0.047] N=1,219	0.044 [0.049] N=1,098	0.049 [0.053] N=943	0.000 [0.057] N=774
Not underweight WAZ at least -2	0.928 P=1,371	-0.026 [0.023] N=1,480	-0.022 [0.025] N=1,371	-0.019 [0.027] N=1,233	-0.029 [0.030] N=1,054	-0.058 [0.038] N=864
Neither wasted nor overweight WHZ -2 to +2	0.694 P=893	0.017 [0.050] N=1,281	0.015 [0.051] N=1,198	0.038 [0.057] N=1,080	0.040 [0.063] N=927	0.057 [0.067] N=759
Neither low nor high BMIZ -2 to +2	0.651 P=820	-0.007 [0.050] N=1,249	0.002 [0.053] N=1,168	0.015 [0.058] N=1,052	0.014 [0.065] N=903	0.015 [0.071] N=742
Strict normal HAZ -2 to +3	0.676 P=900	0.055 [0.047] N=1,309	0.065 [0.049] N=1,219	0.045 [0.050] N=1,098	0.028 [0.055] N=943	0.008 [0.062] N=774
Strict normal WAZ -2 to +1	0.703 P=1,048	-0.046 [0.050] N=1,480	-0.059 [0.054] N=1,371	-0.076 [0.056] N=1,233	-0.088 [0.061] N=1,054	-0.112 [0.069] N=864
Strict normal WHZ -2 to +1	0.531 P=683	0.008 [0.054] N=1,281	0.008 [0.057] N=1,198	0.025 [0.063] N=1,080	0.021 [0.069] N=927	0.025 [0.075] N=759
Strict normal BMIZ -2 to +1	0.516 P=650	-0.020 [0.053] N=1,249	-0.017 [0.057] N=1,168	0.002 [0.062] N=1,052	-0.010 [0.070] N=903	-0.023 [0.076] N=742
Above-normal height HAZ above +3	0.064 P=81	-0.006 [0.029] N=1,309	-0.009 [0.031] N=1,219	-0.001 [0.036] N=1,098	0.020 [0.038] N=943	-0.008 [0.042] N=774
Above-normal weight WAZ above +1	0.224 P=323	0.021 [0.046] N=1,480	0.036 [0.049] N=1,371	0.056 [0.051] N=1,233	0.059 [0.056] N=1,054	0.054 [0.062] N=864
Above-normal WHZ above +1	0.358 P=451	0.035 [0.053] N=1,281	0.028 [0.057] N=1,198	0.012 [0.064] N=1,080	0.008 [0.072] N=927	0.030 [0.080] N=759
Above-normal BMIZ above +1	0.366 P=447	0.056 [0.051] N=1,249	0.052 [0.055] N=1,168	0.026 [0.062] N=1,052	0.009 [0.070] N=903	0.041 [0.078] N=742

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.085 [0.064] N=1,105	0.097 [0.071] N=1,015	0.097 [0.078] N=894	0.141 [0.089] N=739	0.075 [0.119] N=570
Not underweight WAZ at least -2	-0.007 [0.031] N=1,258	-0.001 [0.034] N=1,149	0.008 [0.039] N=1,011	-0.009 [0.046] N=832	-0.097 [0.069] N=642
Neither wasted nor overweight WHZ -2 to +2	0.029 [0.067] N=1,080	0.030 [0.069] N=997	0.086 [0.083] N=879	0.113 [0.100] N=726	**0.230** [0.110] N=558**
Neither low nor high BMIZ -2 to +2	0.006 [0.068] N=1,055	0.022 [0.071] N=974	0.063 [0.086] N=858	0.088 [0.106] N=709	0.165 [0.112] N=548
Strict normal HAZ -2 to +3	0.107 [0.068] N=1,105	**0.128* [0.074] N=1,015**	0.119 [0.078] N=894	0.110 [0.098] N=739	0.141 [0.126] N=570
Strict normal WAZ -2 to +1	0.035 [0.063] N=1,258	0.031 [0.070] N=1,149	0.014 [0.078] N=1,011	0.007 [0.091] N=832	-0.008 [0.105] N=642
Strict normal WHZ -2 to +1	0.044 [0.075] N=1,080	0.050 [0.082] N=997	0.105 [0.097] N=879	0.124 [0.115] N=726	0.206 [0.130] N=558
Strict normal BMIZ -2 to +1	0.007 [0.071] N=1,055	0.012 [0.076] N=974	0.068 [0.092] N=858	0.070 [0.110] N=709	0.108 [0.118] N=548
Above-normal height HAZ above +3	-0.022 [0.036] N=1,105	-0.031 [0.041] N=1,015	-0.022 [0.052] N=894	0.031 [0.060] N=739	-0.066 [0.074] N=570
Above-normal weight WAZ above +1	-0.042 [0.062] N=1,258	-0.032 [0.066] N=1,149	-0.006 [0.074] N=1,011	-0.016 [0.088] N=832	-0.089 [0.099] N=642
Above-normal WHZ above +1	0.008 [0.069] N=1,080	-0.009 [0.077] N=997	-0.060 [0.092] N=879	-0.086 [0.117] N=726	-0.082 [0.135] N=558
Above-normal BMIZ above +1	0.055 [0.065] N=1,055	0.053 [0.074] N=974	-0.009 [0.091] N=858	-0.057 [0.110] N=709	-0.022 [0.126] N=548

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.757 P=952	-0.030 [0.057] N=1,262	-0.023 [0.058] N=1,133	-0.024 [0.060] N=991	-0.053 [0.065] N=839	-0.072 [0.070] N=686
Not underweight WAZ at least -2	0.930 P=1,318	0.007 [0.031] N=1,419	0.016 [0.033] N=1,286	-0.003 [0.035] N=1,125	0.004 [0.036] N=945	0.005 [0.039] N=764
Neither wasted nor overweight WHZ -2 to +2	0.699 P=864	**-0.112* [0.059] N=1,245**	-0.100 [0.062] N=1,121	**-0.112* [0.065] N=983**	-0.067 [0.071] N=830	-0.054 [0.075] N=679
Neither low nor high BMIZ -2 to +2	0.659 P=792	**-0.153** [0.059] N=1,209**	**-0.146** [0.063] N=1,088**	**-0.132* [0.069] N=955**	-0.081 [0.073] N=805	-0.078 [0.076] N=663
Strict normal HAZ -2 to +3	0.689 P=869	-0.045 [0.060] N=1,262	-0.037 [0.061] N=1,133	-0.043 [0.063] N=991	-0.071 [0.068] N=839	**-0.125* [0.074] N=686**
Strict normal WAZ -2 to +1	0.712 P=1,013	0.040 [0.046] N=1,419	0.039 [0.047] N=1,286	0.026 [0.051] N=1,125	0.026 [0.054] N=945	0.030 [0.058] N=764
Strict normal WHZ -2 to +1	0.528 P=646	**-0.127** [0.058] N=1,245**	**-0.135** [0.059] N=1,121**	**-0.138** [0.065] N=983**	-0.074 [0.070] N=830	-0.103 [0.075] N=679
Strict normal BMIZ -2 to +1	0.516 P=617	-0.089 [0.057] N=1,209	-0.088 [0.058] N=1,088	-0.053 [0.063] N=955	0.010 [0.067] N=805	-0.015 [0.071] N=663
Above-normal height HAZ above +3	0.068 P=83	0.015 [0.027] N=1,262	0.014 [0.029] N=1,133	0.019 [0.030] N=991	0.018 [0.033] N=839	0.053 [0.038] N=686
Above-normal weight WAZ above +1	0.218 P=305	-0.034 [0.040] N=1,419	-0.024 [0.041] N=1,286	-0.029 [0.043] N=1,125	-0.023 [0.044] N=945	-0.024 [0.049] N=764
Above-normal WHZ above +1	0.360 P=457	**0.105* [0.054] N=1,245**	**0.109* [0.056] N=1,121**	0.096 [0.059] N=983	0.095 [0.064] N=830	0.110 [0.070] N=679
Above-normal BMIZ above +1	0.362 P=444	0.064 [0.058] N=1,209	0.059 [0.060] N=1,088	0.020 [0.063] N=955	0.006 [0.071] N=805	0.028 [0.076] N=663

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.043 [0.090] N=1,088	-0.025 [0.094] N=959	-0.032 [0.105] N=817	-0.119 [0.129] N=665	-0.208 [0.153] N=512
Not underweight WAZ at least -2	0.021 [0.045] N=1,229	0.036 [0.049] N=1,096	0.005 [0.055] N=935	0.034 [0.056] N=755	0.061 [0.062] N=574
Neither wasted nor overweight WHZ -2 to +2	**-0.221*** [0.066] N=1,071**	**-0.210*** [0.073] N=947**	**-0.257*** [0.080] N=809**	**-0.190* [0.097] N=656**	-0.162 [0.109] N=505
Neither low nor high BMIZ -2 to +2	**-0.268*** [0.066] N=1,046**	**-0.264*** [0.075] N=925**	**-0.257*** [0.088] N=792**	**-0.171* [0.096] N=642**	-0.168 [0.108] N=500
Strict normal HAZ -2 to +3	-0.042 [0.093] N=1,088	-0.021 [0.098] N=959	-0.032 [0.109] N=817	-0.112 [0.133] N=665	**-0.279* [0.155] N=512**
Strict normal WAZ -2 to +1	0.090 [0.066] N=1,229	0.097 [0.069] N=1,096	0.079 [0.080] N=935	0.107 [0.087] N=755	0.138 [0.099] N=574
Strict normal WHZ -2 to +1	**-0.178** [0.079] N=1,071**	**-0.194** [0.085] N=947**	**-0.212** [0.100] N=809**	-0.072 [0.118] N=656	-0.126 [0.142] N=505
Strict normal BMIZ -2 to +1	**-0.169* [0.087] N=1,046**	**-0.175* [0.092] N=925**	-0.131 [0.107] N=792	0.009 [0.125] N=642	-0.073 [0.147] N=500
Above-normal height HAZ above +3	-0.001 [0.036] N=1,088	-0.004 [0.039] N=959	0.001 [0.043] N=817	-0.007 [0.049] N=665	0.071 [0.067] N=512
Above-normal weight WAZ above +1	-0.069 [0.056] N=1,229	-0.061 [0.060] N=1,096	-0.074 [0.063] N=935	-0.073 [0.068] N=755	-0.078 [0.081] N=574
Above-normal WHZ above +1	0.099 [0.081] N=1,071	0.103 [0.087] N=947	0.079 [0.099] N=809	0.072 [0.112] N=656	0.092 [0.136] N=505
Above-normal BMIZ above +1	0.050 [0.090] N=1,046	0.043 [0.095] N=925	-0.021 [0.107] N=792	-0.062 [0.126] N=642	0.003 [0.146] N=500

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.757 P=952	-0.029 [0.057] N=1,262	-0.021 [0.058] N=1,133	-0.021 [0.059] N=991	-0.053 [0.065] N=839	-0.072 [0.070] N=686
Not underweight WAZ at least -2	0.930 P=1,318	0.008 [0.031] N=1,419	0.017 [0.033] N=1,286	-0.002 [0.035] N=1,125	0.003 [0.036] N=945	0.004 [0.039] N=764
Neither wasted nor overweight WHZ -2 to +2	0.699 P=864	**-0.110* [0.059] N=1,245**	-0.097 [0.061] N=1,121	-0.108 [0.065] N=983	-0.066 [0.071] N=830	-0.054 [0.075] N=679
Neither low nor high BMIZ -2 to +2	0.659 P=792	**-0.152** [0.059] N=1,209**	**-0.143** [0.063] N=1,088**	**-0.129* [0.069] N=955**	-0.081 [0.072] N=805	-0.078 [0.076] N=663
Strict normal HAZ -2 to +3	0.689 P=869	-0.043 [0.060] N=1,262	-0.034 [0.061] N=1,133	-0.040 [0.062] N=991	-0.071 [0.068] N=839	**-0.125* [0.073] N=686**
Strict normal WAZ -2 to +1	0.712 P=1,013	0.042 [0.045] N=1,419	0.041 [0.046] N=1,286	0.027 [0.051] N=1,125	0.025 [0.053] N=945	0.028 [0.057] N=764
Strict normal WHZ -2 to +1	0.528 P=646	**-0.125** [0.058] N=1,245**	**-0.132** [0.059] N=1,121**	**-0.134** [0.065] N=983**	-0.074 [0.070] N=830	-0.103 [0.076] N=679
Strict normal BMIZ -2 to +1	0.516 P=617	-0.088 [0.057] N=1,209	-0.086 [0.058] N=1,088	-0.051 [0.063] N=955	0.010 [0.067] N=805	-0.015 [0.071] N=663
Above-normal height HAZ above +3	0.068 P=83	0.014 [0.027] N=1,262	0.013 [0.029] N=1,133	0.019 [0.031] N=991	0.018 [0.033] N=839	0.053 [0.038] N=686
Above-normal weight WAZ above +1	0.218 P=305	-0.035 [0.040] N=1,419	-0.024 [0.041] N=1,286	-0.029 [0.042] N=1,125	-0.022 [0.044] N=945	-0.024 [0.049] N=764
Above-normal WHZ above +1	0.360 P=457	**0.105* [0.053] N=1,245**	**0.110* [0.056] N=1,121**	0.095 [0.059] N=983	0.095 [0.064] N=830	0.110 [0.070] N=679
Above-normal BMIZ above +1	0.362 P=444	0.064 [0.058] N=1,209	0.059 [0.060] N=1,088	0.020 [0.062] N=955	0.006 [0.071] N=805	0.028 [0.076] N=663

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.040 [0.090] N=1,088	-0.020 [0.094] N=959	-0.024 [0.106] N=817	-0.116 [0.129] N=665	-0.207 [0.152] N=512
Not underweight WAZ at least -2	0.024 [0.045] N=1,229	0.038 [0.048] N=1,096	0.008 [0.054] N=935	0.036 [0.055] N=755	0.065 [0.061] N=574
Neither wasted nor overweight WHZ -2 to +2	**-0.217*** [0.066] N=1,071**	**-0.201*** [0.072] N=947**	**-0.244*** [0.080] N=809**	**-0.180* [0.096] N=656**	-0.148 [0.109] N=505
Neither low nor high BMIZ -2 to +2	**-0.265*** [0.066] N=1,046**	**-0.258*** [0.075] N=925**	**-0.247*** [0.086] N=792**	**-0.166* [0.096] N=642**	-0.167 [0.108] N=500
Strict normal HAZ -2 to +3	-0.036 [0.093] N=1,088	-0.012 [0.098] N=959	-0.023 [0.109] N=817	-0.108 [0.132] N=665	**-0.274* [0.154] N=512**
Strict normal WAZ -2 to +1	0.094 [0.066] N=1,229	0.101 [0.068] N=1,096	0.083 [0.080] N=935	0.109 [0.087] N=755	0.139 [0.099] N=574
Strict normal WHZ -2 to +1	**-0.173** [0.078] N=1,071**	**-0.186** [0.084] N=947**	**-0.198** [0.098] N=809**	-0.068 [0.117] N=656	-0.124 [0.141] N=505
Strict normal BMIZ -2 to +1	**-0.166* [0.086] N=1,046**	**-0.169* [0.092] N=925**	-0.122 [0.106] N=792	0.011 [0.125] N=642	-0.077 [0.146] N=500
Above-normal height HAZ above +3	-0.004 [0.036] N=1,088	-0.007 [0.039] N=959	-0.001 [0.043] N=817	-0.008 [0.048] N=665	0.067 [0.065] N=512
Above-normal weight WAZ above +1	-0.070 [0.055] N=1,229	-0.063 [0.060] N=1,096	-0.075 [0.063] N=935	-0.073 [0.067] N=755	-0.075 [0.080] N=574
Above-normal WHZ above +1	0.100 [0.081] N=1,071	0.104 [0.087] N=947	0.077 [0.099] N=809	0.076 [0.113] N=656	0.106 [0.137] N=505
Above-normal BMIZ above +1	0.053 [0.091] N=1,046	0.045 [0.095] N=925	-0.021 [0.107] N=792	-0.057 [0.126] N=642	0.017 [0.147] N=500

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.757 P=952	-0.031 [0.057] N=1,262	-0.020 [0.057] N=1,133	-0.018 [0.059] N=991	-0.049 [0.064] N=839	-0.073 [0.068] N=686
Not underweight WAZ at least -2	0.930 P=1,318	0.006 [0.031] N=1,419	0.016 [0.033] N=1,286	-0.002 [0.035] N=1,125	0.004 [0.035] N=945	0.004 [0.038] N=764
Neither wasted nor overweight WHZ -2 to +2	0.699 P=864	**-0.112* [0.059] N=1,245**	-0.097 [0.062] N=1,121	-0.107 [0.066] N=983	-0.062 [0.072] N=830	-0.051 [0.076] N=679
Neither low nor high BMIZ -2 to +2	0.659 P=792	**-0.156*** [0.059] N=1,209**	**-0.146** [0.063] N=1,088**	**-0.130* [0.070] N=955**	-0.081 [0.073] N=805	-0.081 [0.077] N=663
Strict normal HAZ -2 to +3	0.689 P=869	-0.045 [0.059] N=1,262	-0.034 [0.061] N=1,133	-0.037 [0.062] N=991	-0.068 [0.068] N=839	**-0.125* [0.072] N=686**
Strict normal WAZ -2 to +1	0.712 P=1,013	0.043 [0.045] N=1,419	0.042 [0.046] N=1,286	0.028 [0.051] N=1,125	0.027 [0.052] N=945	0.029 [0.056] N=764
Strict normal WHZ -2 to +1	0.528 P=646	**-0.126** [0.057] N=1,245**	**-0.131** [0.059] N=1,121**	**-0.133** [0.065] N=983**	-0.069 [0.070] N=830	-0.102 [0.075] N=679
Strict normal BMIZ -2 to +1	0.516 P=617	-0.090 [0.056] N=1,209	-0.088 [0.057] N=1,088	-0.053 [0.062] N=955	0.009 [0.065] N=805	-0.021 [0.069] N=663
Above-normal height HAZ above +3	0.068 P=83	0.014 [0.027] N=1,262	0.014 [0.029] N=1,133	0.018 [0.030] N=991	0.019 [0.032] N=839	0.052 [0.037] N=686
Above-normal weight WAZ above +1	0.218 P=305	-0.037 [0.041] N=1,419	-0.026 [0.042] N=1,286	-0.029 [0.043] N=1,125	-0.023 [0.045] N=945	-0.025 [0.049] N=764
Above-normal WHZ above +1	0.360 P=457	**0.104* [0.053] N=1,245**	**0.108* [0.055] N=1,121**	0.094 [0.059] N=983	0.092 [0.063] N=830	0.111 [0.069] N=679
Above-normal BMIZ above +1	0.362 P=444	0.064 [0.058] N=1,209	0.058 [0.059] N=1,088	0.020 [0.062] N=955	0.007 [0.069] N=805	0.032 [0.074] N=663

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.039 [0.089] N=1,088	-0.016 [0.093] N=959	-0.017 [0.104] N=817	-0.105 [0.127] N=665	-0.194 [0.148] N=512
Not underweight WAZ at least -2	0.023 [0.046] N=1,229	0.038 [0.049] N=1,096	0.011 [0.056] N=935	0.042 [0.057] N=755	0.071 [0.062] N=574
Neither wasted nor overweight WHZ -2 to +2	**-0.218*** [0.067] N=1,071**	**-0.201*** [0.074] N=947**	**-0.243*** [0.081] N=809**	**-0.173* [0.099] N=656**	-0.140 [0.111] N=505
Neither low nor high BMIZ -2 to +2	**-0.266*** [0.068] N=1,046**	**-0.258*** [0.077] N=925**	**-0.243*** [0.089] N=792**	-0.157 [0.099] N=642	-0.157 [0.114] N=500
Strict normal HAZ -2 to +3	-0.036 [0.092] N=1,088	-0.008 [0.097] N=959	-0.014 [0.109] N=817	-0.095 [0.132] N=665	**-0.257* [0.153] N=512**
Strict normal WAZ -2 to +1	0.099 [0.066] N=1,229	0.107 [0.069] N=1,096	0.089 [0.080] N=935	0.123 [0.087] N=755	0.155 [0.100] N=574
Strict normal WHZ -2 to +1	**-0.170** [0.079] N=1,071**	**-0.179** [0.085] N=947**	**-0.193* [0.100] N=809**	-0.054 [0.121] N=656	-0.111 [0.145] N=505
Strict normal BMIZ -2 to +1	**-0.161* [0.088] N=1,046**	**-0.162* [0.093] N=925**	-0.116 [0.108] N=792	0.028 [0.127] N=642	-0.066 [0.149] N=500
Above-normal height HAZ above +3	-0.003 [0.035] N=1,088	-0.008 [0.038] N=959	-0.002 [0.043] N=817	-0.009 [0.048] N=665	0.063 [0.066] N=512
Above-normal weight WAZ above +1	-0.077 [0.056] N=1,229	-0.069 [0.061] N=1,096	-0.078 [0.065] N=935	-0.081 [0.069] N=755	-0.084 [0.080] N=574
Above-normal WHZ above +1	0.095 [0.082] N=1,071	0.098 [0.088] N=947	0.071 [0.101] N=809	0.064 [0.114] N=656	0.099 [0.137] N=505
Above-normal BMIZ above +1	0.049 [0.091] N=1,046	0.040 [0.096] N=925	-0.025 [0.107] N=792	-0.067 [0.127] N=642	0.015 [0.148] N=500

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.757 P=952	-0.028 [0.056] N=1,262	-0.017 [0.057] N=1,133	-0.018 [0.059] N=991	-0.052 [0.064] N=839	-0.077 [0.070] N=686
Not underweight WAZ at least -2	0.930 P=1,318	0.007 [0.032] N=1,419	0.016 [0.033] N=1,286	-0.001 [0.036] N=1,125	0.004 [0.036] N=945	0.006 [0.040] N=764
Neither wasted nor overweight WHZ -2 to +2	0.699 P=864	**-0.113* [0.057] N=1,245**	-0.099 [0.060] N=1,121	**-0.114* [0.064] N=983**	-0.071 [0.070] N=830	-0.058 [0.073] N=679
Neither low nor high BMIZ -2 to +2	0.659 P=792	**-0.152*** [0.058] N=1,209**	**-0.142** [0.062] N=1,088**	**-0.129* [0.068] N=955**	-0.081 [0.072] N=805	-0.077 [0.075] N=663
Strict normal HAZ -2 to +3	0.689 P=869	-0.042 [0.059] N=1,262	-0.029 [0.060] N=1,133	-0.035 [0.062] N=991	-0.067 [0.068] N=839	**-0.125* [0.073] N=686**
Strict normal WAZ -2 to +1	0.712 P=1,013	0.042 [0.045] N=1,419	0.041 [0.046] N=1,286	0.027 [0.050] N=1,125	0.030 [0.052] N=945	0.036 [0.057] N=764
Strict normal WHZ -2 to +1	0.528 P=646	**-0.124** [0.057] N=1,245**	**-0.129** [0.059] N=1,121**	**-0.134** [0.064] N=983**	-0.071 [0.069] N=830	-0.104 [0.073] N=679
Strict normal BMIZ -2 to +1	0.516 P=617	-0.080 [0.056] N=1,209	-0.076 [0.057] N=1,088	-0.044 [0.061] N=955	0.020 [0.065] N=805	-0.006 [0.068] N=663
Above-normal height HAZ above +3	0.068 P=83	0.014 [0.028] N=1,262	0.012 [0.029] N=1,133	0.017 [0.031] N=991	0.015 [0.032] N=839	0.048 [0.038] N=686
Above-normal weight WAZ above +1	0.218 P=305	-0.035 [0.041] N=1,419	-0.025 [0.043] N=1,286	-0.029 [0.044] N=1,125	-0.026 [0.045] N=945	-0.030 [0.049] N=764
Above-normal WHZ above +1	0.360 P=457	**0.101* [0.053] N=1,245**	**0.105* [0.056] N=1,121**	0.092 [0.059] N=983	0.091 [0.064] N=830	0.112 [0.070] N=679
Above-normal BMIZ above +1	0.362 P=444	0.057 [0.058] N=1,209	0.050 [0.059] N=1,088	0.013 [0.061] N=955	-0.002 [0.069] N=805	0.024 [0.075] N=663

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.035 [0.086] N=1,088	-0.009 [0.091] N=959	-0.012 [0.103] N=817	-0.113 [0.126] N=665	-0.227 [0.146] N=512
Not underweight WAZ at least -2	0.023 [0.044] N=1,229	0.037 [0.048] N=1,096	0.011 [0.055] N=935	0.036 [0.055] N=755	0.067 [0.060] N=574
Neither wasted nor overweight WHZ -2 to +2	**-0.220*** [0.066] N=1,071**	**-0.206*** [0.073] N=947**	**-0.252*** [0.081] N=809**	**-0.180* [0.098] N=656**	-0.157 [0.109] N=505
Neither low nor high BMIZ -2 to +2	**-0.267*** [0.067] N=1,046**	**-0.260*** [0.077] N=925**	**-0.249*** [0.088] N=792**	**-0.167* [0.099] N=642**	-0.178 [0.112] N=500
Strict normal HAZ -2 to +3	-0.030 [0.089] N=1,088	0.003 [0.095] N=959	-0.005 [0.107] N=817	-0.096 [0.130] N=665	**-0.287* [0.151] N=512**
Strict normal WAZ -2 to +1	0.093 [0.066] N=1,229	0.101 [0.068] N=1,096	0.085 [0.079] N=935	0.119 [0.086] N=755	0.154 [0.099] N=574
Strict normal WHZ -2 to +1	**-0.174** [0.079] N=1,071**	**-0.187** [0.086] N=947**	**-0.202** [0.101] N=809**	-0.060 [0.121] N=656	-0.133 [0.144] N=505
Strict normal BMIZ -2 to +1	**-0.162* [0.087] N=1,046**	**-0.164* [0.093] N=925**	-0.122 [0.107] N=792	0.018 [0.126] N=642	-0.083 [0.147] N=500
Above-normal height HAZ above +3	-0.005 [0.036] N=1,088	-0.012 [0.039] N=959	-0.007 [0.042] N=817	-0.016 [0.048] N=665	0.059 [0.064] N=512
Above-normal weight WAZ above +1	-0.070 [0.056] N=1,229	-0.064 [0.061] N=1,096	-0.074 [0.064] N=935	-0.083 [0.069] N=755	-0.087 [0.078] N=574
Above-normal WHZ above +1	0.096 [0.082] N=1,071	0.097 [0.088] N=947	0.070 [0.100] N=809	0.062 [0.115] N=656	0.115 [0.143] N=505
Above-normal BMIZ above +1	0.047 [0.090] N=1,046	0.036 [0.095] N=925	-0.028 [0.106] N=792	-0.067 [0.126] N=642	0.026 [0.151] N=500

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.756 P=888	-0.019 [0.060] N=1,176	-0.012 [0.061] N=1,055	-0.004 [0.063] N=928	-0.031 [0.067] N=784	-0.056 [0.072] N=642
Not underweight WAZ at least -2	0.930 P=1,223	0.015 [0.032] N=1,317	0.027 [0.034] N=1,192	0.008 [0.036] N=1,048	0.011 [0.037] N=881	0.005 [0.040] N=715
Neither wasted nor overweight WHZ -2 to +2	0.698 P=803	**-0.118** [0.057] N=1,157**	**-0.102* [0.059] N=1,041**	**-0.111* [0.062] N=916**	-0.072 [0.067] N=773	-0.065 [0.070] N=634
Neither low nor high BMIZ -2 to +2	0.659 P=739	**-0.153** [0.061] N=1,124**	**-0.142** [0.064] N=1,011**	**-0.115* [0.068] N=891**	-0.063 [0.073] N=751	-0.063 [0.076] N=620
Strict normal HAZ -2 to +3	0.690 P=814	-0.031 [0.064] N=1,176	-0.025 [0.066] N=1,055	-0.023 [0.066] N=928	-0.046 [0.072] N=784	-0.107 [0.079] N=642
Strict normal WAZ -2 to +1	0.712 P=941	0.040 [0.047] N=1,317	0.043 [0.048] N=1,192	0.045 [0.052] N=1,048	0.050 [0.054] N=881	0.053 [0.056] N=715
Strict normal WHZ -2 to +1	0.529 P=602	**-0.141** [0.058] N=1,157**	**-0.151** [0.059] N=1,041**	**-0.146** [0.063] N=916**	-0.088 [0.068] N=773	-0.116 [0.071] N=634
Strict normal BMIZ -2 to +1	0.519 P=578	**-0.103* [0.059] N=1,124**	**-0.104* [0.059] N=1,011**	-0.059 [0.063] N=891	0.001 [0.066] N=751	-0.018 [0.070] N=620
Above-normal height HAZ above +3	0.066 P=74	0.012 [0.029] N=1,176	0.013 [0.031] N=1,055	0.019 [0.032] N=928	0.015 [0.034] N=784	0.051 [0.039] N=642
Above-normal weight WAZ above +1	0.217 P=282	-0.025 [0.042] N=1,317	-0.016 [0.044] N=1,192	-0.037 [0.045] N=1,048	-0.039 [0.046] N=881	-0.048 [0.047] N=715
Above-normal WHZ above +1	0.359 P=423	**0.119** [0.055] N=1,157**	**0.129** [0.058] N=1,041**	**0.102* [0.060] N=916**	0.096 [0.065] N=773	0.103 [0.070] N=634
Above-normal BMIZ above +1	0.359 P=409	0.071 [0.061] N=1,124	0.073 [0.062] N=1,011	0.022 [0.063] N=891	-0.001 [0.070] N=751	0.009 [0.075] N=620

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.020 [0.095] N=1,010	0.000 [0.100] N=889	0.008 [0.112] N=762	-0.066 [0.133] N=618	-0.163 [0.153] N=476
Not underweight WAZ at least -2	0.041 [0.046] N=1,137	0.063 [0.050] N=1,012	0.038 [0.055] N=868	0.068 [0.055] N=701	0.093 [0.058] N=535
Neither wasted nor overweight WHZ -2 to +2	**-0.222*** [0.070] N=992**	**-0.200*** [0.076] N=876**	**-0.240*** [0.083] N=751**	**-0.179* [0.103] N=608**	-0.161 [0.118] N=469
Neither low nor high BMIZ -2 to +2	**-0.285*** [0.069] N=968**	**-0.274*** [0.078] N=855**	**-0.242*** [0.085] N=735**	-0.155 [0.096] N=595	**-0.185* [0.109] N=464**
Strict normal HAZ -2 to +3	-0.025 [0.102] N=1,010	-0.005 [0.108] N=889	-0.005 [0.118] N=762	-0.063 [0.143] N=618	-0.243 [0.173] N=476
Strict normal WAZ -2 to +1	0.082 [0.071] N=1,137	0.097 [0.073] N=1,012	0.107 [0.085] N=868	0.145 [0.095] N=701	0.173 [0.107] N=535
Strict normal WHZ -2 to +1	**-0.196** [0.082] N=992**	**-0.217** [0.088] N=876**	**-0.218** [0.102] N=751**	-0.098 [0.123] N=608	-0.164 [0.154] N=469
Strict normal BMIZ -2 to +1	**-0.197** [0.090] N=968**	**-0.209** [0.095] N=855**	-0.149 [0.108] N=735	-0.027 [0.124] N=595	-0.121 [0.149] N=464
Above-normal height HAZ above +3	0.004 [0.037] N=1,010	0.005 [0.041] N=889	0.013 [0.045] N=762	-0.003 [0.054] N=618	0.080 [0.074] N=476
Above-normal weight WAZ above +1	-0.041 [0.060] N=1,137	-0.034 [0.064] N=1,012	-0.069 [0.070] N=868	-0.077 [0.078] N=701	-0.079 [0.091] N=535
Above-normal WHZ above +1	0.126 [0.088] N=992	0.145 [0.095] N=876	0.102 [0.108] N=751	0.095 [0.121] N=608	0.125 [0.152] N=469
Above-normal BMIZ above +1	0.075 [0.098] N=968	0.084 [0.104] N=855	0.004 [0.115] N=735	-0.035 [0.132] N=595	0.025 [0.157] N=464

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.756 P=888	-0.021 [0.059] N=1,176	-0.014 [0.061] N=1,055	-0.005 [0.062] N=928	-0.034 [0.067] N=784	-0.061 [0.072] N=642
Not underweight WAZ at least -2	0.930 P=1,223	0.015 [0.032] N=1,317	0.026 [0.034] N=1,192	0.008 [0.036] N=1,048	0.010 [0.037] N=881	0.003 [0.040] N=715
Neither wasted nor overweight WHZ -2 to +2	0.698 P=803	**-0.116** [0.057] N=1,157**	-0.098 [0.060] N=1,041	**-0.105* [0.063] N=916**	-0.066 [0.068] N=773	-0.061 [0.071] N=634
Neither low nor high BMIZ -2 to +2	0.659 P=739	**-0.152** [0.061] N=1,124**	**-0.139** [0.064] N=1,011**	-0.110 [0.069] N=891	-0.059 [0.073] N=751	-0.060 [0.076] N=620
Strict normal HAZ -2 to +3	0.690 P=814	-0.031 [0.063] N=1,176	-0.024 [0.064] N=1,055	-0.021 [0.065] N=928	-0.045 [0.071] N=784	-0.106 [0.078] N=642
Strict normal WAZ -2 to +1	0.712 P=941	0.040 [0.046] N=1,317	0.044 [0.048] N=1,192	0.045 [0.051] N=1,048	0.050 [0.054] N=881	0.052 [0.055] N=715
Strict normal WHZ -2 to +1	0.529 P=602	**-0.142** [0.057] N=1,157**	**-0.148** [0.058] N=1,041**	**-0.141** [0.062] N=916**	-0.085 [0.068] N=773	-0.111 [0.072] N=634
Strict normal BMIZ -2 to +1	0.519 P=578	**-0.105* [0.058] N=1,124**	**-0.104* [0.059] N=1,011**	-0.058 [0.062] N=891	-0.000 [0.065] N=751	-0.020 [0.069] N=620
Above-normal height HAZ above +3	0.066 P=74	0.010 [0.029] N=1,176	0.010 [0.031] N=1,055	0.016 [0.032] N=928	0.011 [0.035] N=784	0.045 [0.040] N=642
Above-normal weight WAZ above +1	0.217 P=282	-0.026 [0.041] N=1,317	-0.018 [0.043] N=1,192	-0.037 [0.044] N=1,048	-0.040 [0.046] N=881	-0.049 [0.047] N=715
Above-normal WHZ above +1	0.359 P=423	**0.124** [0.055] N=1,157**	**0.131** [0.057] N=1,041**	**0.104* [0.060] N=916**	0.101 [0.064] N=773	0.106 [0.070] N=634
Above-normal BMIZ above +1	0.359 P=409	0.077 [0.061] N=1,124	0.078 [0.062] N=1,011	0.028 [0.064] N=891	0.008 [0.070] N=751	0.018 [0.076] N=620

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.025 [0.095] N=1,010	-0.001 [0.099] N=889	0.007 [0.111] N=762	-0.078 [0.132] N=618	-0.182 [0.152] N=476
Not underweight WAZ at least -2	0.040 [0.046] N=1,137	0.061 [0.050] N=1,012	0.035 [0.055] N=868	0.062 [0.055] N=701	0.082 [0.059] N=535
Neither wasted nor overweight WHZ -2 to +2	**-0.224*** [0.070] N=992**	**-0.201*** [0.075] N=876**	**-0.238*** [0.082] N=751**	**-0.177* [0.102] N=608**	-0.158 [0.119] N=469
Neither low nor high BMIZ -2 to +2	**-0.287*** [0.069] N=968**	**-0.275*** [0.076] N=855**	**-0.240*** [0.084] N=735**	-0.153 [0.095] N=595	-0.175 [0.107] N=464
Strict normal HAZ -2 to +3	-0.027 [0.101] N=1,010	-0.004 [0.107] N=889	-0.002 [0.116] N=762	-0.066 [0.141] N=618	-0.249 [0.169] N=476
Strict normal WAZ -2 to +1	0.081 [0.070] N=1,137	0.096 [0.073] N=1,012	0.104 [0.084] N=868	0.138 [0.094] N=701	0.158 [0.107] N=535
Strict normal WHZ -2 to +1	**-0.199** [0.082] N=992**	**-0.217** [0.088] N=876**	**-0.215** [0.101] N=751**	-0.097 [0.122] N=608	-0.150 [0.152] N=469
Strict normal BMIZ -2 to +1	**-0.202** [0.091] N=968**	**-0.213** [0.096] N=855**	-0.153 [0.109] N=735	-0.034 [0.126] N=595	-0.125 [0.149] N=464
Above-normal height HAZ above +3	0.002 [0.037] N=1,010	0.003 [0.041] N=889	0.010 [0.046] N=762	-0.012 [0.054] N=618	0.068 [0.072] N=476
Above-normal weight WAZ above +1	-0.041 [0.060] N=1,137	-0.034 [0.064] N=1,012	-0.069 [0.069] N=868	-0.076 [0.076] N=701	-0.076 [0.091] N=535
Above-normal WHZ above +1	0.130 [0.088] N=992	0.145 [0.095] N=876	0.101 [0.107] N=751	0.102 [0.119] N=608	0.121 [0.149] N=469
Above-normal BMIZ above +1	0.081 [0.099] N=968	0.088 [0.104] N=855	0.010 [0.116] N=735	-0.022 [0.135] N=595	0.038 [0.158] N=464

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.