Table 10 Reduced Form Effects on Frequent Nutrition for Ages 1-3: Oldest Child

Age reference: 12 November 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=1,365	0.017 [0.035] N=1,618	0.021 [0.036] N=1,494	0.032 [0.039] N=1,344	0.017 [0.040] N=1,147	0.018 [0.043] N=940
Vegetables consumed daily or several times weekly	0.761 P=1,234	0.027 [0.044] N=1,618	0.027 [0.046] N=1,494	0.020 [0.049] N=1,344	-0.009 [0.052] N=1,147	-0.052 [0.056] N=940
Meat fish or poultry consumed daily or several times weekly	0.578 P=933	0.037 [0.053] N=1,618	0.036 [0.055] N=1,494	0.009 [0.059] N=1,344	0.030 [0.066] N=1,147	0.012 [0.072] N=940
Legumes consumed daily or several times weekly	0.573 P=917	0.018 [0.051] N=1,618	0.029 [0.054] N=1,494	0.034 [0.055] N=1,344	0.077 [0.061] N=1,147	0.059 [0.070] N=940
Animal products consumed daily or several times weekly	0.854 P=1,381	**0.086** [0.037] N=1,618**	**0.085** [0.038] N=1,494**	0.064 [0.040] N=1,344	**0.076* [0.043] N=1,147**	0.054 [0.048] N=940
Sweets consumed daily or several times weekly	0.533 P=865	-0.059 [0.048] N=1,618	-0.066 [0.050] N=1,494	-0.069 [0.050] N=1,344	-0.050 [0.051] N=1,147	-0.037 [0.058] N=940
Snack foods consumed daily or several times weekly	0.395 P=635	0.025 [0.047] N=1,618	0.009 [0.050] N=1,494	0.011 [0.053] N=1,344	0.036 [0.057] N=1,147	0.019 [0.064] N=940
Packaged soft drinks consumed daily or several times weekly	0.229 P=364	-0.000 [0.044] N=1,618	0.005 [0.047] N=1,494	0.004 [0.050] N=1,344	0.018 [0.056] N=1,147	-0.015 [0.061] N=940
Grains consumed daily or several times weekly	0.840 P=1,355	0.036 [0.039] N=1,618	0.054 [0.041] N=1,494	0.024 [0.043] N=1,344	0.025 [0.047] N=1,147	0.009 [0.054] N=940

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.046 [0.051] N=1,379	0.061 [0.054] N=1,255	0.094 [0.062] N=1,105	0.081 [0.077] N=908	0.129 [0.099] N=701
Vegetables consumed daily or several times weekly	0.062 [0.063] N=1,379	0.074 [0.069] N=1,255	0.078 [0.073] N=1,105	0.030 [0.091] N=908	-0.059 [0.114] N=701
Meat fish or poultry consumed daily or several times weekly	0.015 [0.070] N=1,379	0.008 [0.077] N=1,255	-0.049 [0.082] N=1,105	-0.031 [0.105] N=908	-0.082 [0.122] N=701
Legumes consumed daily or several times weekly	0.014 [0.071] N=1,379	0.034 [0.078] N=1,255	0.045 [0.083] N=1,105	0.147 [0.105] N=908	0.133 [0.136] N=701
Animal products consumed daily or several times weekly	**0.109** [0.055] N=1,379**	**0.111* [0.059] N=1,255**	0.075 [0.066] N=1,105	0.113 [0.079] N=908	0.074 [0.096] N=701
Sweets consumed daily or several times weekly	-0.098 [0.063] N=1,379	-0.110 [0.069] N=1,255	-0.118 [0.073] N=1,105	-0.083 [0.081] N=908	-0.042 [0.112] N=701
Snack foods consumed daily or several times weekly	-0.018 [0.062] N=1,379	-0.055 [0.067] N=1,255	-0.055 [0.075] N=1,105	-0.011 [0.093] N=908	-0.120 [0.108] N=701
Packaged soft drinks consumed daily or several times weekly	-0.014 [0.055] N=1,379	-0.004 [0.062] N=1,255	-0.003 [0.070] N=1,105	0.030 [0.087] N=908	-0.056 [0.107] N=701
Grains consumed daily or several times weekly	0.099 [0.060] N=1,379	**0.147** [0.065] N=1,255**	0.103 [0.073] N=1,105	0.136 [0.090] N=908	0.150 [0.124] N=701

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=1,365	0.017 [0.035] N=1,618	0.021 [0.036] N=1,494	0.033 [0.039] N=1,344	0.018 [0.040] N=1,147	0.018 [0.043] N=940
Vegetables consumed daily or several times weekly	0.761 P=1,234	0.027 [0.044] N=1,618	0.027 [0.046] N=1,494	0.020 [0.049] N=1,344	-0.009 [0.052] N=1,147	-0.052 [0.056] N=940
Meat fish or poultry consumed daily or several times weekly	0.578 P=933	0.037 [0.053] N=1,618	0.036 [0.055] N=1,494	0.009 [0.059] N=1,344	0.031 [0.066] N=1,147	0.011 [0.072] N=940
Legumes consumed daily or several times weekly	0.573 P=917	0.018 [0.051] N=1,618	0.030 [0.054] N=1,494	0.035 [0.055] N=1,344	0.078 [0.061] N=1,147	0.059 [0.070] N=940
Animal products consumed daily or several times weekly	0.854 P=1,381	**0.086** [0.037] N=1,618**	**0.086** [0.038] N=1,494**	0.066 [0.041] N=1,344	**0.077* [0.043] N=1,147**	0.055 [0.048] N=940
Sweets consumed daily or several times weekly	0.533 P=865	-0.059 [0.048] N=1,618	-0.065 [0.050] N=1,494	-0.068 [0.050] N=1,344	-0.049 [0.051] N=1,147	-0.038 [0.058] N=940
Snack foods consumed daily or several times weekly	0.395 P=635	0.025 [0.047] N=1,618	0.009 [0.050] N=1,494	0.012 [0.053] N=1,344	0.037 [0.058] N=1,147	0.019 [0.064] N=940
Packaged soft drinks consumed daily or several times weekly	0.229 P=364	-0.000 [0.044] N=1,618	0.005 [0.047] N=1,494	0.003 [0.050] N=1,344	0.017 [0.056] N=1,147	-0.016 [0.061] N=940
Grains consumed daily or several times weekly	0.840 P=1,355	0.036 [0.039] N=1,618	0.054 [0.041] N=1,494	0.024 [0.043] N=1,344	0.025 [0.047] N=1,147	0.008 [0.054] N=940

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.047 [0.051] N=1,379	0.064 [0.055] N=1,255	0.097 [0.062] N=1,105	0.083 [0.077] N=908	0.132 [0.099] N=701
Vegetables consumed daily or several times weekly	0.061 [0.063] N=1,379	0.074 [0.069] N=1,255	0.078 [0.073] N=1,105	0.030 [0.091] N=908	-0.063 [0.114] N=701
Meat fish or poultry consumed daily or several times weekly	0.015 [0.070] N=1,379	0.008 [0.077] N=1,255	-0.048 [0.082] N=1,105	-0.032 [0.105] N=908	-0.086 [0.122] N=701
Legumes consumed daily or several times weekly	0.015 [0.071] N=1,379	0.037 [0.078] N=1,255	0.049 [0.083] N=1,105	0.151 [0.105] N=908	0.135 [0.135] N=701
Animal products consumed daily or several times weekly	**0.111** [0.054] N=1,379**	**0.115* [0.059] N=1,255**	0.081 [0.066] N=1,105	0.118 [0.079] N=908	0.077 [0.097] N=701
Sweets consumed daily or several times weekly	-0.097 [0.063] N=1,379	-0.107 [0.069] N=1,255	-0.115 [0.073] N=1,105	-0.081 [0.081] N=908	-0.045 [0.112] N=701
Snack foods consumed daily or several times weekly	-0.017 [0.062] N=1,379	-0.051 [0.067] N=1,255	-0.051 [0.075] N=1,105	-0.006 [0.094] N=908	-0.117 [0.109] N=701
Packaged soft drinks consumed daily or several times weekly	-0.014 [0.055] N=1,379	-0.003 [0.062] N=1,255	-0.005 [0.070] N=1,105	0.028 [0.086] N=908	-0.058 [0.107] N=701
Grains consumed daily or several times weekly	0.099 [0.060] N=1,379	**0.147** [0.065] N=1,255**	0.102 [0.073] N=1,105	0.133 [0.090] N=908	0.143 [0.124] N=701

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=1,365	-0.007 [0.035] N=1,618	-0.006 [0.037] N=1,494	0.009 [0.039] N=1,344	-0.005 [0.041] N=1,147	-0.005 [0.043] N=940
Vegetables consumed daily or several times weekly	0.761 P=1,234	0.010 [0.044] N=1,618	0.006 [0.046] N=1,494	0.002 [0.049] N=1,344	-0.025 [0.052] N=1,147	-0.071 [0.056] N=940
Meat fish or poultry consumed daily or several times weekly	0.578 P=933	-0.000 [0.050] N=1,618	-0.008 [0.053] N=1,494	-0.028 [0.057] N=1,344	-0.006 [0.064] N=1,147	-0.027 [0.070] N=940
Legumes consumed daily or several times weekly	0.573 P=917	-0.003 [0.051] N=1,618	0.007 [0.054] N=1,494	0.015 [0.055] N=1,344	0.061 [0.061] N=1,147	0.044 [0.070] N=940
Animal products consumed daily or several times weekly	0.854 P=1,381	**0.072* [0.038] N=1,618**	**0.069* [0.039] N=1,494**	0.051 [0.041] N=1,344	0.064 [0.044] N=1,147	0.039 [0.048] N=940
Sweets consumed daily or several times weekly	0.533 P=865	-0.070 [0.048] N=1,618	-0.078 [0.050] N=1,494	-0.080 [0.050] N=1,344	-0.058 [0.051] N=1,147	-0.048 [0.059] N=940
Snack foods consumed daily or several times weekly	0.395 P=635	0.026 [0.047] N=1,618	0.011 [0.049] N=1,494	0.010 [0.053] N=1,344	0.038 [0.057] N=1,147	0.023 [0.064] N=940
Packaged soft drinks consumed daily or several times weekly	0.229 P=364	0.007 [0.043] N=1,618	0.017 [0.046] N=1,494	0.010 [0.049] N=1,344	0.024 [0.055] N=1,147	-0.005 [0.060] N=940
Grains consumed daily or several times weekly	0.840 P=1,355	0.028 [0.040] N=1,618	0.047 [0.041] N=1,494	0.017 [0.043] N=1,344	0.017 [0.048] N=1,147	0.003 [0.055] N=940

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.026 [0.053] N=1,379	0.035 [0.058] N=1,255	0.076 [0.065] N=1,105	0.071 [0.084] N=908	0.119 [0.112] N=701
Vegetables consumed daily or several times weekly	0.047 [0.063] N=1,379	0.053 [0.069] N=1,255	0.064 [0.073] N=1,105	0.023 [0.092] N=908	-0.069 [0.116] N=701
Meat fish or poultry consumed daily or several times weekly	-0.016 [0.068] N=1,379	-0.036 [0.075] N=1,255	-0.078 [0.082] N=1,105	-0.055 [0.106] N=908	-0.108 [0.130] N=701
Legumes consumed daily or several times weekly	-0.003 [0.072] N=1,379	0.014 [0.079] N=1,255	0.033 [0.084] N=1,105	0.139 [0.106] N=908	0.126 [0.136] N=701
Animal products consumed daily or several times weekly	**0.098* [0.052] N=1,379**	**0.098* [0.056] N=1,255**	0.068 [0.064] N=1,105	0.116 [0.077] N=908	0.083 [0.093] N=701
Sweets consumed daily or several times weekly	-0.106 [0.064] N=1,379	**-0.119* [0.070] N=1,255**	**-0.124* [0.073] N=1,105**	-0.085 [0.080] N=908	-0.046 [0.111] N=701
Snack foods consumed daily or several times weekly	-0.018 [0.061] N=1,379	-0.049 [0.066] N=1,255	-0.052 [0.074] N=1,105	-0.008 [0.092] N=908	-0.115 [0.108] N=701
Packaged soft drinks consumed daily or several times weekly	-0.008 [0.054] N=1,379	0.006 [0.060] N=1,255	-0.001 [0.068] N=1,105	0.033 [0.085] N=908	-0.052 [0.107] N=701
Grains consumed daily or several times weekly	0.090 [0.060] N=1,379	**0.139** [0.065] N=1,255**	0.096 [0.074] N=1,105	0.123 [0.091] N=908	0.135 [0.127] N=701

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=1,365	-0.012 [0.035] N=1,618	-0.011 [0.036] N=1,494	0.000 [0.039] N=1,344	-0.013 [0.041] N=1,147	-0.015 [0.043] N=940
Vegetables consumed daily or several times weekly	0.761 P=1,234	0.009 [0.044] N=1,618	0.009 [0.046] N=1,494	0.002 [0.048] N=1,344	-0.026 [0.052] N=1,147	-0.070 [0.056] N=940
Meat fish or poultry consumed daily or several times weekly	0.578 P=933	-0.004 [0.050] N=1,618	-0.013 [0.052] N=1,494	-0.036 [0.055] N=1,344	-0.014 [0.062] N=1,147	-0.039 [0.068] N=940
Legumes consumed daily or several times weekly	0.573 P=917	0.001 [0.052] N=1,618	0.011 [0.054] N=1,494	0.016 [0.054] N=1,344	0.062 [0.061] N=1,147	0.043 [0.070] N=940
Animal products consumed daily or several times weekly	0.854 P=1,381	**0.070* [0.038] N=1,618**	**0.069* [0.039] N=1,494**	0.050 [0.041] N=1,344	0.062 [0.044] N=1,147	0.037 [0.048] N=940
Sweets consumed daily or several times weekly	0.533 P=865	-0.072 [0.048] N=1,618	-0.082 [0.050] N=1,494	**-0.086* [0.050] N=1,344**	-0.061 [0.051] N=1,147	-0.053 [0.059] N=940
Snack foods consumed daily or several times weekly	0.395 P=635	0.026 [0.047] N=1,618	0.010 [0.050] N=1,494	0.008 [0.053] N=1,344	0.037 [0.057] N=1,147	0.020 [0.063] N=940
Packaged soft drinks consumed daily or several times weekly	0.229 P=364	0.009 [0.043] N=1,618	0.016 [0.046] N=1,494	0.011 [0.049] N=1,344	0.027 [0.054] N=1,147	-0.003 [0.058] N=940
Grains consumed daily or several times weekly	0.840 P=1,355	0.032 [0.039] N=1,618	0.052 [0.041] N=1,494	0.022 [0.043] N=1,344	0.023 [0.047] N=1,147	0.009 [0.055] N=940

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.022 [0.052] N=1,379	0.034 [0.056] N=1,255	0.074 [0.062] N=1,105	0.067 [0.079] N=908	0.105 [0.106] N=701
Vegetables consumed daily or several times weekly	0.044 [0.063] N=1,379	0.054 [0.069] N=1,255	0.062 [0.073] N=1,105	0.012 [0.092] N=908	-0.096 [0.118] N=701
Meat fish or poultry consumed daily or several times weekly	-0.020 [0.069] N=1,379	-0.038 [0.075] N=1,255	-0.083 [0.081] N=1,105	-0.071 [0.106] N=908	-0.145 [0.132] N=701
Legumes consumed daily or several times weekly	-0.001 [0.073] N=1,379	0.016 [0.080] N=1,255	0.032 [0.084] N=1,105	0.138 [0.108] N=908	0.112 [0.140] N=701
Animal products consumed daily or several times weekly	**0.100* [0.054] N=1,379**	**0.103* [0.059] N=1,255**	0.072 [0.067] N=1,105	0.112 [0.080] N=908	0.075 [0.100] N=701
Sweets consumed daily or several times weekly	-0.101 [0.064] N=1,379	**-0.118* [0.069] N=1,255**	**-0.124* [0.072] N=1,105**	-0.080 [0.080] N=908	-0.050 [0.111] N=701
Snack foods consumed daily or several times weekly	-0.012 [0.062] N=1,379	-0.049 [0.067] N=1,255	-0.052 [0.075] N=1,105	0.001 [0.092] N=908	-0.105 [0.108] N=701
Packaged soft drinks consumed daily or several times weekly	-0.003 [0.055] N=1,379	0.010 [0.061] N=1,255	0.003 [0.070] N=1,105	0.038 [0.086] N=908	-0.040 [0.108] N=701
Grains consumed daily or several times weekly	0.091 [0.060] N=1,379	**0.141** [0.064] N=1,255**	0.097 [0.073] N=1,105	0.122 [0.090] N=908	0.127 [0.126] N=701

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,267	0.005 [0.038] N=1,507	0.003 [0.039] N=1,398	0.019 [0.041] N=1,256	0.012 [0.043] N=1,077	0.005 [0.046] N=883
Vegetables consumed daily or several times weekly	0.760 P=1,147	0.012 [0.047] N=1,507	0.010 [0.049] N=1,398	0.008 [0.052] N=1,256	-0.018 [0.056] N=1,077	-0.065 [0.061] N=883
Meat fish or poultry consumed daily or several times weekly	0.579 P=869	0.039 [0.050] N=1,507	0.037 [0.052] N=1,398	0.010 [0.055] N=1,256	0.015 [0.062] N=1,077	-0.022 [0.066] N=883
Legumes consumed daily or several times weekly	0.570 P=848	0.023 [0.049] N=1,507	0.028 [0.052] N=1,398	0.040 [0.053] N=1,256	0.081 [0.059] N=1,077	0.051 [0.067] N=883
Animal products consumed daily or several times weekly	0.857 P=1,291	**0.090** [0.038] N=1,507**	**0.089** [0.039] N=1,398**	**0.071* [0.040] N=1,256**	0.070 [0.043] N=1,077	0.041 [0.047] N=883
Sweets consumed daily or several times weekly	0.536 P=809	-0.050 [0.050] N=1,507	-0.056 [0.053] N=1,398	-0.060 [0.053] N=1,256	-0.044 [0.054] N=1,077	-0.041 [0.061] N=883
Snack foods consumed daily or several times weekly	0.398 P=595	0.025 [0.049] N=1,507	0.020 [0.052] N=1,398	0.028 [0.056] N=1,256	0.045 [0.060] N=1,077	0.035 [0.067] N=883
Packaged soft drinks consumed daily or several times weekly	0.233 P=345	0.019 [0.043] N=1,507	0.027 [0.046] N=1,398	0.026 [0.049] N=1,256	0.034 [0.054] N=1,077	0.013 [0.060] N=883
Grains consumed daily or several times weekly	0.839 P=1,261	0.038 [0.041] N=1,507	0.054 [0.042] N=1,398	0.021 [0.044] N=1,256	0.022 [0.049] N=1,077	-0.000 [0.057] N=883

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.043 [0.052] N=1,283	0.049 [0.056] N=1,174	0.087 [0.063] N=1,032	0.086 [0.078] N=853	0.121 [0.099] N=659
Vegetables consumed daily or several times weekly	0.058 [0.065] N=1,283	0.068 [0.071] N=1,174	0.079 [0.075] N=1,032	0.037 [0.094] N=853	-0.058 [0.119] N=659
Meat fish or poultry consumed daily or several times weekly	0.045 [0.072] N=1,283	0.037 [0.078] N=1,174	-0.004 [0.083] N=1,032	-0.014 [0.106] N=853	-0.086 [0.125] N=659
Legumes consumed daily or several times weekly	0.032 [0.072] N=1,283	0.044 [0.080] N=1,174	0.072 [0.086] N=1,032	**0.176* [0.105] N=853**	0.152 [0.134] N=659
Animal products consumed daily or several times weekly	**0.126** [0.057] N=1,283**	**0.132** [0.061] N=1,174**	0.104 [0.069] N=1,032	0.121 [0.080] N=853	0.080 [0.101] N=659
Sweets consumed daily or several times weekly	-0.086 [0.067] N=1,283	-0.093 [0.074] N=1,174	-0.112 [0.076] N=1,032	-0.083 [0.087] N=853	-0.085 [0.121] N=659
Snack foods consumed daily or several times weekly	-0.021 [0.067] N=1,283	-0.034 [0.073] N=1,174	-0.026 [0.082] N=1,032	0.002 [0.100] N=853	-0.098 [0.123] N=659
Packaged soft drinks consumed daily or several times weekly	0.007 [0.055] N=1,283	0.024 [0.060] N=1,174	0.024 [0.068] N=1,032	0.048 [0.083] N=853	-0.000 [0.105] N=659
Grains consumed daily or several times weekly	**0.114* [0.062] N=1,283**	**0.157** [0.066] N=1,174**	0.102 [0.075] N=1,032	0.131 [0.091] N=853	0.137 [0.126] N=659

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,267	0.001 [0.037] N=1,507	0.000 [0.038] N=1,398	0.018 [0.041] N=1,256	0.009 [0.042] N=1,077	0.000 [0.044] N=883
Vegetables consumed daily or several times weekly	0.760 P=1,147	0.009 [0.046] N=1,507	0.007 [0.049] N=1,398	0.004 [0.051] N=1,256	-0.023 [0.055] N=1,077	-0.069 [0.059] N=883
Meat fish or poultry consumed daily or several times weekly	0.579 P=869	0.039 [0.051] N=1,507	0.037 [0.053] N=1,398	0.015 [0.056] N=1,256	0.021 [0.063] N=1,077	-0.008 [0.067] N=883
Legumes consumed daily or several times weekly	0.570 P=848	0.019 [0.050] N=1,507	0.025 [0.052] N=1,398	0.039 [0.053] N=1,256	0.080 [0.059] N=1,077	0.053 [0.066] N=883
Animal products consumed daily or several times weekly	0.857 P=1,291	**0.088** [0.038] N=1,507**	**0.088** [0.039] N=1,398**	**0.070* [0.040] N=1,256**	0.070 [0.043] N=1,077	0.047 [0.046] N=883
Sweets consumed daily or several times weekly	0.536 P=809	-0.051 [0.049] N=1,507	-0.056 [0.052] N=1,398	-0.059 [0.052] N=1,256	-0.043 [0.053] N=1,077	-0.038 [0.060] N=883
Snack foods consumed daily or several times weekly	0.398 P=595	0.021 [0.049] N=1,507	0.016 [0.052] N=1,398	0.024 [0.055] N=1,256	0.039 [0.060] N=1,077	0.023 [0.066] N=883
Packaged soft drinks consumed daily or several times weekly	0.233 P=345	0.016 [0.044] N=1,507	0.024 [0.047] N=1,398	0.023 [0.050] N=1,256	0.028 [0.055] N=1,077	-0.001 [0.061] N=883
Grains consumed daily or several times weekly	0.839 P=1,261	0.037 [0.041] N=1,507	0.053 [0.042] N=1,398	0.019 [0.044] N=1,256	0.018 [0.049] N=1,077	-0.007 [0.056] N=883

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.035 [0.053] N=1,283	0.044 [0.056] N=1,174	0.087 [0.064] N=1,032	0.086 [0.078] N=853	0.117 [0.099] N=659
Vegetables consumed daily or several times weekly	0.054 [0.064] N=1,283	0.065 [0.071] N=1,174	0.081 [0.075] N=1,032	0.039 [0.093] N=853	-0.051 [0.116] N=659
Meat fish or poultry consumed daily or several times weekly	0.036 [0.071] N=1,283	0.030 [0.077] N=1,174	-0.010 [0.083] N=1,032	-0.017 [0.105] N=853	-0.079 [0.121] N=659
Legumes consumed daily or several times weekly	0.024 [0.072] N=1,283	0.036 [0.079] N=1,174	0.068 [0.085] N=1,032	0.171 [0.104] N=853	0.147 [0.134] N=659
Animal products consumed daily or several times weekly	**0.121** [0.057] N=1,283**	**0.127** [0.061] N=1,174**	0.100 [0.068] N=1,032	0.116 [0.080] N=853	0.083 [0.100] N=659
Sweets consumed daily or several times weekly	-0.098 [0.066] N=1,283	-0.109 [0.073] N=1,174	-0.121 [0.076] N=1,032	-0.084 [0.086] N=853	-0.070 [0.121] N=659
Snack foods consumed daily or several times weekly	-0.029 [0.066] N=1,283	-0.044 [0.072] N=1,174	-0.030 [0.081] N=1,032	0.001 [0.100] N=853	-0.098 [0.120] N=659
Packaged soft drinks consumed daily or several times weekly	0.004 [0.055] N=1,283	0.021 [0.060] N=1,174	0.023 [0.068] N=1,032	0.047 [0.083] N=853	-0.012 [0.103] N=659
Grains consumed daily or several times weekly	**0.110* [0.062] N=1,283**	**0.156** [0.066] N=1,174**	0.106 [0.075] N=1,032	0.133 [0.092] N=853	0.131 [0.127] N=659

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.851 P=1,228	0.003 [0.043] N=1,441	0.007 [0.045] N=1,312	0.019 [0.049] N=1,151	0.004 [0.053] N=967	0.011 [0.064] N=781
Vegetables consumed daily or several times weekly	0.765 P=1,107	-0.026 [0.055] N=1,441	-0.012 [0.059] N=1,312	0.014 [0.063] N=1,151	0.005 [0.070] N=967	0.007 [0.082] N=781
Meat fish or poultry consumed daily or several times weekly	0.575 P=833	0.033 [0.055] N=1,441	0.035 [0.058] N=1,312	0.039 [0.061] N=1,151	0.058 [0.069] N=967	0.039 [0.079] N=781
Legumes consumed daily or several times weekly	0.580 P=831	-0.018 [0.064] N=1,441	-0.007 [0.066] N=1,312	-0.024 [0.068] N=1,151	-0.058 [0.075] N=967	-0.048 [0.088] N=781
Animal products consumed daily or several times weekly	0.855 P=1,231	0.034 [0.037] N=1,441	0.041 [0.040] N=1,312	0.052 [0.041] N=1,151	0.043 [0.045] N=967	0.064 [0.051] N=781
Sweets consumed daily or several times weekly	0.547 P=790	-0.073 [0.056] N=1,441	-0.075 [0.058] N=1,312	-0.051 [0.065] N=1,151	-0.063 [0.071] N=967	-0.117 [0.078] N=781
Snack foods consumed daily or several times weekly	0.408 P=581	-0.020 [0.054] N=1,441	-0.027 [0.056] N=1,312	-0.031 [0.060] N=1,151	-0.011 [0.065] N=967	-0.081 [0.071] N=781
Packaged soft drinks consumed daily or several times weekly	0.225 P=320	0.023 [0.040] N=1,441	0.011 [0.041] N=1,312	0.042 [0.043] N=1,151	0.044 [0.049] N=967	-0.031 [0.053] N=781
Grains consumed daily or several times weekly	0.839 P=1,207	0.069 [0.049] N=1,441	0.073 [0.050] N=1,312	0.073 [0.054] N=1,151	0.064 [0.060] N=967	0.032 [0.067] N=781

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.035 [0.061] N=1,253	-0.038 [0.066] N=1,124	-0.032 [0.076] N=963	-0.054 [0.083] N=779	-0.051 [0.117] N=593
Vegetables consumed daily or several times weekly	-0.085 [0.071] N=1,253	-0.074 [0.080] N=1,124	-0.046 [0.092] N=963	-0.069 [0.102] N=779	-0.084 [0.145] N=593
Meat fish or poultry consumed daily or several times weekly	-0.010 [0.067] N=1,253	-0.017 [0.074] N=1,124	-0.033 [0.079] N=963	-0.023 [0.096] N=779	-0.101 [0.116] N=593
Legumes consumed daily or several times weekly	0.063 [0.079] N=1,253	0.084 [0.086] N=1,124	0.071 [0.090] N=963	0.053 [0.103] N=779	0.144 [0.136] N=593
Animal products consumed daily or several times weekly	0.000 [0.050] N=1,253	0.008 [0.055] N=1,124	0.018 [0.055] N=963	-0.001 [0.061] N=779	0.044 [0.073] N=593
Sweets consumed daily or several times weekly	-0.016 [0.070] N=1,253	-0.013 [0.076] N=1,124	0.052 [0.084] N=963	0.048 [0.098] N=779	-0.039 [0.121] N=593
Snack foods consumed daily or several times weekly	0.041 [0.072] N=1,253	0.033 [0.077] N=1,124	0.037 [0.087] N=963	0.107 [0.101] N=779	-0.011 [0.128] N=593
Packaged soft drinks consumed daily or several times weekly	-0.006 [0.063] N=1,253	-0.027 [0.067] N=1,124	0.027 [0.075] N=963	0.030 [0.094] N=779	-0.178 [0.112] N=593
Grains consumed daily or several times weekly	0.076 [0.056] N=1,253	0.078 [0.058] N=1,124	0.070 [0.062] N=963	0.044 [0.075] N=779	-0.071 [0.091] N=593

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.851 P=1,228	0.004 [0.043] N=1,441	0.008 [0.045] N=1,312	0.019 [0.049] N=1,151	0.004 [0.053] N=967	0.010 [0.063] N=781
Vegetables consumed daily or several times weekly	0.765 P=1,107	-0.025 [0.055] N=1,441	-0.011 [0.058] N=1,312	0.015 [0.063] N=1,151	0.004 [0.070] N=967	0.005 [0.082] N=781
Meat fish or poultry consumed daily or several times weekly	0.575 P=833	0.035 [0.055] N=1,441	0.036 [0.058] N=1,312	0.040 [0.061] N=1,151	0.057 [0.069] N=967	0.037 [0.079] N=781
Legumes consumed daily or several times weekly	0.580 P=831	-0.018 [0.064] N=1,441	-0.007 [0.066] N=1,312	-0.024 [0.068] N=1,151	-0.059 [0.075] N=967	-0.048 [0.088] N=781
Animal products consumed daily or several times weekly	0.855 P=1,231	0.036 [0.037] N=1,441	0.043 [0.039] N=1,312	0.053 [0.041] N=1,151	0.041 [0.045] N=967	0.062 [0.051] N=781
Sweets consumed daily or several times weekly	0.547 P=790	-0.072 [0.056] N=1,441	-0.074 [0.058] N=1,312	-0.050 [0.065] N=1,151	-0.064 [0.071] N=967	-0.118 [0.078] N=781
Snack foods consumed daily or several times weekly	0.408 P=581	-0.019 [0.054] N=1,441	-0.026 [0.056] N=1,312	-0.030 [0.060] N=1,151	-0.011 [0.065] N=967	-0.082 [0.071] N=781
Packaged soft drinks consumed daily or several times weekly	0.225 P=320	0.023 [0.039] N=1,441	0.011 [0.041] N=1,312	0.042 [0.043] N=1,151	0.043 [0.049] N=967	-0.033 [0.053] N=781
Grains consumed daily or several times weekly	0.839 P=1,207	0.069 [0.049] N=1,441	0.073 [0.050] N=1,312	0.072 [0.054] N=1,151	0.065 [0.061] N=967	0.034 [0.068] N=781

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.034 [0.061] N=1,253	-0.036 [0.066] N=1,124	-0.030 [0.076] N=963	-0.054 [0.083] N=779	-0.049 [0.117] N=593
Vegetables consumed daily or several times weekly	-0.083 [0.071] N=1,253	-0.072 [0.079] N=1,124	-0.043 [0.091] N=963	-0.066 [0.101] N=779	-0.079 [0.145] N=593
Meat fish or poultry consumed daily or several times weekly	-0.007 [0.067] N=1,253	-0.014 [0.073] N=1,124	-0.029 [0.078] N=963	-0.021 [0.095] N=779	-0.098 [0.116] N=593
Legumes consumed daily or several times weekly	0.065 [0.079] N=1,253	0.085 [0.086] N=1,124	0.073 [0.090] N=963	0.054 [0.103] N=779	0.144 [0.135] N=593
Animal products consumed daily or several times weekly	0.005 [0.049] N=1,253	0.013 [0.055] N=1,124	0.022 [0.055] N=963	0.002 [0.060] N=779	0.049 [0.072] N=593
Sweets consumed daily or several times weekly	-0.014 [0.071] N=1,253	-0.010 [0.076] N=1,124	0.055 [0.084] N=963	0.048 [0.099] N=779	-0.037 [0.122] N=593
Snack foods consumed daily or several times weekly	0.044 [0.071] N=1,253	0.037 [0.077] N=1,124	0.040 [0.087] N=963	0.107 [0.101] N=779	-0.008 [0.128] N=593
Packaged soft drinks consumed daily or several times weekly	-0.006 [0.063] N=1,253	-0.028 [0.067] N=1,124	0.026 [0.075] N=963	0.029 [0.094] N=779	-0.177 [0.112] N=593
Grains consumed daily or several times weekly	0.075 [0.056] N=1,253	0.076 [0.058] N=1,124	0.067 [0.063] N=963	0.040 [0.075] N=779	-0.076 [0.092] N=593

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.851 P=1,228	-0.001 [0.041] N=1,441	0.005 [0.042] N=1,312	0.022 [0.046] N=1,151	0.006 [0.051] N=967	0.012 [0.060] N=781
Vegetables consumed daily or several times weekly	0.765 P=1,107	-0.028 [0.054] N=1,441	-0.012 [0.057] N=1,312	0.018 [0.061] N=1,151	0.007 [0.067] N=967	0.005 [0.079] N=781
Meat fish or poultry consumed daily or several times weekly	0.575 P=833	0.025 [0.054] N=1,441	0.030 [0.056] N=1,312	0.042 [0.059] N=1,151	0.058 [0.065] N=967	0.041 [0.074] N=781
Legumes consumed daily or several times weekly	0.580 P=831	-0.024 [0.064] N=1,441	-0.011 [0.066] N=1,312	-0.024 [0.069] N=1,151	-0.057 [0.074] N=967	-0.046 [0.087] N=781
Animal products consumed daily or several times weekly	0.855 P=1,231	0.031 [0.037] N=1,441	0.040 [0.039] N=1,312	0.054 [0.041] N=1,151	0.042 [0.045] N=967	0.063 [0.050] N=781
Sweets consumed daily or several times weekly	0.547 P=790	-0.073 [0.056] N=1,441	-0.075 [0.058] N=1,312	-0.049 [0.064] N=1,151	-0.063 [0.071] N=967	-0.119 [0.077] N=781
Snack foods consumed daily or several times weekly	0.408 P=581	-0.015 [0.054] N=1,441	-0.024 [0.057] N=1,312	-0.029 [0.060] N=1,151	-0.011 [0.065] N=967	-0.085 [0.071] N=781
Packaged soft drinks consumed daily or several times weekly	0.225 P=320	0.026 [0.039] N=1,441	0.013 [0.041] N=1,312	0.042 [0.043] N=1,151	0.043 [0.048] N=967	-0.036 [0.051] N=781
Grains consumed daily or several times weekly	0.839 P=1,207	0.067 [0.049] N=1,441	0.071 [0.050] N=1,312	0.074 [0.054] N=1,151	0.065 [0.061] N=967	0.034 [0.068] N=781

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.032 [0.060] N=1,253	-0.030 [0.064] N=1,124	-0.010 [0.074] N=963	-0.033 [0.083] N=779	-0.024 [0.118] N=593
Vegetables consumed daily or several times weekly	-0.080 [0.071] N=1,253	-0.065 [0.079] N=1,124	-0.022 [0.092] N=963	-0.042 [0.103] N=779	-0.054 [0.149] N=593
Meat fish or poultry consumed daily or several times weekly	-0.010 [0.066] N=1,253	-0.011 [0.073] N=1,124	-0.008 [0.078] N=963	-0.000 [0.096] N=779	-0.065 [0.112] N=593
Legumes consumed daily or several times weekly	0.057 [0.080] N=1,253	0.078 [0.086] N=1,124	0.073 [0.093] N=963	0.055 [0.105] N=779	0.152 [0.136] N=593
Animal products consumed daily or several times weekly	0.001 [0.048] N=1,253	0.011 [0.054] N=1,124	0.028 [0.055] N=963	0.005 [0.062] N=779	0.053 [0.072] N=593
Sweets consumed daily or several times weekly	-0.016 [0.071] N=1,253	-0.013 [0.076] N=1,124	0.055 [0.083] N=963	0.048 [0.099] N=779	-0.036 [0.121] N=593
Snack foods consumed daily or several times weekly	0.050 [0.071] N=1,253	0.039 [0.077] N=1,124	0.037 [0.086] N=963	0.103 [0.099] N=779	-0.012 [0.127] N=593
Packaged soft drinks consumed daily or several times weekly	-0.008 [0.062] N=1,253	-0.033 [0.067] N=1,124	0.017 [0.073] N=963	0.020 [0.091] N=779	**-0.185* [0.108] N=593**
Grains consumed daily or several times weekly	0.072 [0.056] N=1,253	0.074 [0.058] N=1,124	0.070 [0.063] N=963	0.035 [0.076] N=779	-0.084 [0.094] N=593

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.851 P=1,228	0.003 [0.042] N=1,441	0.009 [0.044] N=1,312	0.023 [0.048] N=1,151	0.001 [0.053] N=967	0.008 [0.061] N=781
Vegetables consumed daily or several times weekly	0.765 P=1,107	-0.030 [0.055] N=1,441	-0.013 [0.058] N=1,312	0.015 [0.063] N=1,151	-0.001 [0.069] N=967	0.001 [0.080] N=781
Meat fish or poultry consumed daily or several times weekly	0.575 P=833	0.031 [0.053] N=1,441	0.040 [0.056] N=1,312	0.048 [0.059] N=1,151	0.059 [0.065] N=967	0.037 [0.073] N=781
Legumes consumed daily or several times weekly	0.580 P=831	-0.022 [0.065] N=1,441	-0.010 [0.068] N=1,312	-0.025 [0.070] N=1,151	-0.061 [0.076] N=967	-0.047 [0.088] N=781
Animal products consumed daily or several times weekly	0.855 P=1,231	0.042 [0.037] N=1,441	0.050 [0.040] N=1,312	0.061 [0.042] N=1,151	0.044 [0.046] N=967	0.066 [0.052] N=781
Sweets consumed daily or several times weekly	0.547 P=790	-0.065 [0.057] N=1,441	-0.069 [0.060] N=1,312	-0.046 [0.065] N=1,151	-0.061 [0.072] N=967	-0.114 [0.079] N=781
Snack foods consumed daily or several times weekly	0.408 P=581	-0.009 [0.054] N=1,441	-0.020 [0.056] N=1,312	-0.025 [0.060] N=1,151	-0.004 [0.064] N=967	-0.073 [0.070] N=781
Packaged soft drinks consumed daily or several times weekly	0.225 P=320	0.035 [0.039] N=1,441	0.019 [0.041] N=1,312	0.048 [0.043] N=1,151	0.051 [0.048] N=967	-0.023 [0.052] N=781
Grains consumed daily or several times weekly	0.839 P=1,207	0.067 [0.049] N=1,441	0.069 [0.051] N=1,312	0.067 [0.054] N=1,151	0.059 [0.062] N=967	0.030 [0.069] N=781

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.029 [0.061] N=1,253	-0.028 [0.066] N=1,124	-0.014 [0.078] N=963	-0.052 [0.091] N=779	-0.060 [0.125] N=593
Vegetables consumed daily or several times weekly	-0.086 [0.071] N=1,253	-0.069 [0.080] N=1,124	-0.033 [0.093] N=963	-0.068 [0.104] N=779	-0.087 [0.149] N=593
Meat fish or poultry consumed daily or several times weekly	-0.002 [0.066] N=1,253	0.003 [0.073] N=1,124	0.000 [0.078] N=963	-0.004 [0.097] N=779	-0.095 [0.110] N=593
Legumes consumed daily or several times weekly	0.063 [0.081] N=1,253	0.084 [0.087] N=1,124	0.076 [0.093] N=963	0.054 [0.105] N=779	0.139 [0.134] N=593
Animal products consumed daily or several times weekly	0.011 [0.048] N=1,253	0.019 [0.054] N=1,124	0.030 [0.053] N=963	0.001 [0.062] N=779	0.044 [0.074] N=593
Sweets consumed daily or several times weekly	-0.006 [0.071] N=1,253	-0.006 [0.076] N=1,124	0.060 [0.082] N=963	0.045 [0.097] N=779	-0.047 [0.117] N=593
Snack foods consumed daily or several times weekly	0.054 [0.070] N=1,253	0.041 [0.076] N=1,124	0.041 [0.084] N=963	0.106 [0.097] N=779	-0.009 [0.123] N=593
Packaged soft drinks consumed daily or several times weekly	0.004 [0.061] N=1,253	-0.025 [0.066] N=1,124	0.025 [0.072] N=963	0.025 [0.088] N=779	-0.179 [0.108] N=593
Grains consumed daily or several times weekly	0.070 [0.056] N=1,253	0.068 [0.058] N=1,124	0.056 [0.063] N=963	0.019 [0.077] N=779	-0.099 [0.098] N=593

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,140	0.005 [0.045] N=1,341	0.012 [0.048] N=1,219	0.035 [0.051] N=1,073	0.010 [0.056] N=902	0.010 [0.065] N=731
Vegetables consumed daily or several times weekly	0.764 P=1,030	-0.028 [0.057] N=1,341	-0.010 [0.061] N=1,219	0.012 [0.065] N=1,073	-0.015 [0.073] N=902	-0.030 [0.087] N=731
Meat fish or poultry consumed daily or several times weekly	0.576 P=775	0.035 [0.058] N=1,341	0.035 [0.061] N=1,219	0.047 [0.065] N=1,073	0.043 [0.074] N=902	0.021 [0.086] N=731
Legumes consumed daily or several times weekly	0.579 P=772	-0.024 [0.065] N=1,341	-0.010 [0.067] N=1,219	-0.033 [0.069] N=1,073	-0.085 [0.076] N=902	-0.084 [0.090] N=731
Animal products consumed daily or several times weekly	0.857 P=1,149	0.044 [0.039] N=1,341	0.056 [0.042] N=1,219	0.064 [0.044] N=1,073	0.042 [0.048] N=902	0.070 [0.054] N=731
Sweets consumed daily or several times weekly	0.554 P=743	-0.083 [0.057] N=1,341	-0.090 [0.060] N=1,219	-0.068 [0.067] N=1,073	-0.094 [0.076] N=902	**-0.149* [0.084] N=731**
Snack foods consumed daily or several times weekly	0.414 P=549	-0.035 [0.056] N=1,341	-0.050 [0.059] N=1,219	-0.059 [0.062] N=1,073	-0.041 [0.067] N=902	-0.113 [0.073] N=731
Packaged soft drinks consumed daily or several times weekly	0.232 P=308	0.007 [0.042] N=1,341	-0.010 [0.044] N=1,219	0.018 [0.046] N=1,073	0.016 [0.053] N=902	-0.064 [0.058] N=731
Grains consumed daily or several times weekly	0.837 P=1,122	0.078 [0.049] N=1,341	0.079 [0.051] N=1,219	0.074 [0.054] N=1,073	0.066 [0.062] N=902	0.033 [0.070] N=731

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.023 [0.067] N=1,163	-0.016 [0.072] N=1,041	0.013 [0.083] N=895	-0.030 [0.092] N=724	-0.048 [0.126] N=553
Vegetables consumed daily or several times weekly	-0.071 [0.072] N=1,163	-0.050 [0.081] N=1,041	-0.028 [0.092] N=895	-0.081 [0.103] N=724	-0.148 [0.146] N=553
Meat fish or poultry consumed daily or several times weekly	0.001 [0.076] N=1,163	-0.004 [0.083] N=1,041	0.001 [0.090] N=895	-0.028 [0.108] N=724	-0.128 [0.136] N=553
Legumes consumed daily or several times weekly	0.068 [0.083] N=1,163	0.095 [0.088] N=1,041	0.087 [0.094] N=895	0.049 [0.110] N=724	0.110 [0.144] N=553
Animal products consumed daily or several times weekly	0.021 [0.055] N=1,163	0.037 [0.061] N=1,041	0.049 [0.060] N=895	0.011 [0.070] N=724	0.067 [0.087] N=553
Sweets consumed daily or several times weekly	-0.017 [0.073] N=1,163	-0.020 [0.078] N=1,041	0.038 [0.085] N=895	0.010 [0.103] N=724	-0.084 [0.132] N=553
Snack foods consumed daily or several times weekly	0.024 [0.076] N=1,163	0.004 [0.082] N=1,041	-0.009 [0.094] N=895	0.055 [0.110] N=724	-0.063 [0.136] N=553
Packaged soft drinks consumed daily or several times weekly	-0.032 [0.066] N=1,163	-0.061 [0.070] N=1,041	-0.016 [0.078] N=895	-0.025 [0.099] N=724	**-0.264** [0.116] N=553**
Grains consumed daily or several times weekly	**0.096* [0.057] N=1,163**	**0.098* [0.059] N=1,041**	0.085 [0.063] N=895	0.057 [0.079] N=724	-0.063 [0.100] N=553

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,140	0.006 [0.045] N=1,341	0.014 [0.047] N=1,219	0.033 [0.051] N=1,073	0.008 [0.056] N=902	0.006 [0.065] N=731
Vegetables consumed daily or several times weekly	0.764 P=1,030	-0.027 [0.057] N=1,341	-0.010 [0.061] N=1,219	0.013 [0.065] N=1,073	-0.015 [0.073] N=902	-0.030 [0.087] N=731
Meat fish or poultry consumed daily or several times weekly	0.576 P=775	0.035 [0.057] N=1,341	0.037 [0.060] N=1,219	0.047 [0.064] N=1,073	0.044 [0.073] N=902	0.018 [0.084] N=731
Legumes consumed daily or several times weekly	0.579 P=772	-0.027 [0.065] N=1,341	-0.012 [0.067] N=1,219	-0.036 [0.069] N=1,073	-0.090 [0.076] N=902	-0.091 [0.091] N=731
Animal products consumed daily or several times weekly	0.857 P=1,149	0.043 [0.039] N=1,341	0.056 [0.042] N=1,219	0.065 [0.043] N=1,073	0.042 [0.047] N=902	0.069 [0.054] N=731
Sweets consumed daily or several times weekly	0.554 P=743	-0.085 [0.059] N=1,341	-0.091 [0.062] N=1,219	-0.071 [0.069] N=1,073	-0.096 [0.078] N=902	**-0.150* [0.087] N=731**
Snack foods consumed daily or several times weekly	0.414 P=549	-0.034 [0.055] N=1,341	-0.049 [0.058] N=1,219	-0.059 [0.062] N=1,073	-0.043 [0.068] N=902	-0.115 [0.074] N=731
Packaged soft drinks consumed daily or several times weekly	0.232 P=308	0.006 [0.042] N=1,341	-0.011 [0.044] N=1,219	0.016 [0.046] N=1,073	0.012 [0.053] N=902	-0.068 [0.058] N=731
Grains consumed daily or several times weekly	0.837 P=1,122	0.077 [0.049] N=1,341	0.079 [0.051] N=1,219	0.075 [0.054] N=1,073	0.066 [0.062] N=902	0.033 [0.070] N=731

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.023 [0.067] N=1,163	-0.017 [0.072] N=1,041	0.009 [0.082] N=895	-0.037 [0.091] N=724	-0.052 [0.126] N=553
Vegetables consumed daily or several times weekly	-0.070 [0.072] N=1,163	-0.051 [0.080] N=1,041	-0.026 [0.092] N=895	-0.082 [0.102] N=724	-0.143 [0.145] N=553
Meat fish or poultry consumed daily or several times weekly	0.002 [0.075] N=1,163	0.001 [0.083] N=1,041	0.001 [0.089] N=895	-0.029 [0.106] N=724	-0.128 [0.133] N=553
Legumes consumed daily or several times weekly	0.067 [0.084] N=1,163	0.099 [0.089] N=1,041	0.087 [0.094] N=895	0.041 [0.110] N=724	0.112 [0.145] N=553
Animal products consumed daily or several times weekly	0.022 [0.055] N=1,163	0.039 [0.061] N=1,041	0.054 [0.060] N=895	0.016 [0.069] N=724	0.073 [0.085] N=553
Sweets consumed daily or several times weekly	-0.016 [0.073] N=1,163	-0.018 [0.079] N=1,041	0.041 [0.086] N=895	0.016 [0.104] N=724	-0.078 [0.129] N=553
Snack foods consumed daily or several times weekly	0.024 [0.075] N=1,163	0.001 [0.082] N=1,041	-0.009 [0.093] N=895	0.056 [0.109] N=724	-0.072 [0.135] N=553
Packaged soft drinks consumed daily or several times weekly	-0.034 [0.066] N=1,163	-0.065 [0.071] N=1,041	-0.018 [0.078] N=895	-0.027 [0.100] N=724	**-0.265** [0.120] N=553**
Grains consumed daily or several times weekly	**0.096* [0.056] N=1,163**	**0.098* [0.058] N=1,041**	0.088 [0.063] N=895	0.059 [0.078] N=724	-0.061 [0.097] N=553

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.