Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 1-3: Oldest Child

Age reference: 12 November 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.769 P=1,106	0.044 [0.043] N=1,417	0.059 [0.046] N=1,313	0.035 [0.049] N=1,181	0.038 [0.052] N=1,014	0.004 [0.060] N=835
Not underweight WAZ at least -2	0.933 P=1,498	-0.008 [0.021] N=1,608	-0.001 [0.021] N=1,485	0.003 [0.023] N=1,334	-0.010 [0.026] N=1,139	-0.037 [0.032] N=933
Neither wasted nor overweight WHZ -2 to +2	0.691 P=968	0.031 [0.049] N=1,395	0.031 [0.050] N=1,299	0.039 [0.055] N=1,170	0.030 [0.062] N=1,003	0.048 [0.068] N=823
Neither low nor high BMIZ -2 to +2	0.651 P=892	0.034 [0.048] N=1,360	0.042 [0.050] N=1,267	0.044 [0.054] N=1,138	0.031 [0.061] N=975	0.026 [0.067] N=803
Strict normal HAZ -2 to +3	0.697 P=1,004	**0.081* [0.045] N=1,417**	**0.102** [0.048] N=1,313**	0.076 [0.050] N=1,181	0.061 [0.056] N=1,014	0.066 [0.064] N=835
Strict normal WAZ -2 to +1	0.676 P=1,094	-0.032 [0.050] N=1,608	-0.044 [0.053] N=1,485	-0.071 [0.055] N=1,334	-0.084 [0.060] N=1,139	-0.077 [0.065] N=933
Strict normal WHZ -2 to +1	0.530 P=744	0.036 [0.052] N=1,395	0.033 [0.055] N=1,299	0.043 [0.061] N=1,170	0.030 [0.066] N=1,003	0.035 [0.072] N=823
Strict normal BMIZ -2 to +1	0.519 P=715	0.023 [0.050] N=1,360	0.022 [0.053] N=1,267	0.036 [0.058] N=1,138	0.014 [0.065] N=975	0.014 [0.072] N=803
Above-normal height HAZ above +3	0.072 P=102	-0.037 [0.025] N=1,417	-0.043 [0.027] N=1,313	-0.041 [0.032] N=1,181	-0.023 [0.032] N=1,014	**-0.061* [0.033] N=835**
Above-normal weight WAZ above +1	0.257 P=404	0.024 [0.048] N=1,608	0.043 [0.051] N=1,485	0.074 [0.052] N=1,334	0.074 [0.060] N=1,139	0.040 [0.064] N=933
Above-normal WHZ above +1	0.360 P=491	-0.004 [0.052] N=1,395	-0.010 [0.056] N=1,299	-0.020 [0.063] N=1,170	-0.019 [0.071] N=1,003	-0.006 [0.078] N=823
Above-normal BMIZ above +1	0.360 P=477	0.007 [0.049] N=1,360	0.008 [0.054] N=1,267	-0.017 [0.061] N=1,138	-0.031 [0.068] N=975	-0.016 [0.076] N=803

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.024 [0.058] N=1,199	0.048 [0.065] N=1,095	0.011 [0.070] N=963	0.029 [0.078] N=796	-0.076 [0.107] N=617
Not underweight WAZ at least -2	-0.004 [0.030] N=1,370	0.008 [0.032] N=1,247	0.019 [0.036] N=1,096	-0.005 [0.045] N=901	-0.103 [0.064] N=695
Neither wasted nor overweight WHZ -2 to +2	0.039 [0.064] N=1,178	0.039 [0.066] N=1,082	0.068 [0.076] N=953	0.062 [0.098] N=786	0.150 [0.107] N=606
Neither low nor high BMIZ -2 to +2	0.041 [0.066] N=1,150	0.052 [0.070] N=1,057	0.074 [0.081] N=928	0.063 [0.105] N=765	0.086 [0.117] N=593
Strict normal HAZ -2 to +3	0.044 [0.065] N=1,199	0.073 [0.071] N=1,095	0.028 [0.077] N=963	-0.014 [0.094] N=796	-0.006 [0.119] N=617
Strict normal WAZ -2 to +1	0.036 [0.065] N=1,370	0.028 [0.073] N=1,247	-0.008 [0.077] N=1,096	-0.022 [0.096] N=901	0.020 [0.109] N=695
Strict normal WHZ -2 to +1	0.053 [0.072] N=1,178	0.048 [0.080] N=1,082	0.091 [0.094] N=953	0.081 [0.111] N=786	0.126 [0.127] N=606
Strict normal BMIZ -2 to +1	0.035 [0.072] N=1,150	0.032 [0.079] N=1,057	0.078 [0.091] N=928	0.046 [0.112] N=765	0.105 [0.125] N=593
Above-normal height HAZ above +3	-0.020 [0.034] N=1,199	-0.026 [0.040] N=1,095	-0.018 [0.052] N=963	0.043 [0.056] N=796	-0.070 [0.064] N=617
Above-normal weight WAZ above +1	-0.040 [0.061] N=1,370	-0.020 [0.067] N=1,247	0.027 [0.069] N=1,096	0.018 [0.091] N=901	-0.123 [0.096] N=695
Above-normal WHZ above +1	-0.016 [0.066] N=1,178	-0.027 [0.075] N=1,082	-0.071 [0.092] N=953	-0.085 [0.110] N=786	-0.082 [0.125] N=606
Above-normal BMIZ above +1	0.021 [0.065] N=1,150	0.029 [0.076] N=1,057	-0.034 [0.094] N=928	-0.070 [0.109] N=765	-0.080 [0.122] N=593

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.769 P=1,106	0.044 [0.043] N=1,417	0.059 [0.046] N=1,313	0.036 [0.048] N=1,181	0.038 [0.052] N=1,014	0.004 [0.060] N=835
Not underweight WAZ at least -2	0.933 P=1,498	-0.008 [0.020] N=1,608	-0.000 [0.021] N=1,485	0.004 [0.023] N=1,334	-0.009 [0.026] N=1,139	-0.036 [0.032] N=933
Neither wasted nor overweight WHZ -2 to +2	0.691 P=968	0.030 [0.049] N=1,395	0.030 [0.050] N=1,299	0.040 [0.055] N=1,170	0.030 [0.062] N=1,003	0.048 [0.068] N=823
Neither low nor high BMIZ -2 to +2	0.651 P=892	0.034 [0.048] N=1,360	0.042 [0.050] N=1,267	0.045 [0.054] N=1,138	0.031 [0.061] N=975	0.026 [0.067] N=803
Strict normal HAZ -2 to +3	0.697 P=1,004	**0.081* [0.045] N=1,417**	**0.102** [0.048] N=1,313**	0.078 [0.050] N=1,181	0.061 [0.055] N=1,014	0.066 [0.063] N=835
Strict normal WAZ -2 to +1	0.676 P=1,094	-0.032 [0.050] N=1,608	-0.043 [0.053] N=1,485	-0.070 [0.055] N=1,334	-0.083 [0.060] N=1,139	-0.077 [0.065] N=933
Strict normal WHZ -2 to +1	0.530 P=744	0.036 [0.052] N=1,395	0.032 [0.055] N=1,299	0.043 [0.061] N=1,170	0.030 [0.066] N=1,003	0.035 [0.072] N=823
Strict normal BMIZ -2 to +1	0.519 P=715	0.023 [0.050] N=1,360	0.022 [0.053] N=1,267	0.036 [0.058] N=1,138	0.014 [0.066] N=975	0.014 [0.072] N=803
Above-normal height HAZ above +3	0.072 P=102	-0.037 [0.025] N=1,417	-0.043 [0.027] N=1,313	-0.041 [0.032] N=1,181	-0.023 [0.032] N=1,014	**-0.061* [0.033] N=835**
Above-normal weight WAZ above +1	0.257 P=404	0.025 [0.049] N=1,608	0.043 [0.051] N=1,485	0.073 [0.053] N=1,334	0.074 [0.060] N=1,139	0.040 [0.064] N=933
Above-normal WHZ above +1	0.360 P=491	-0.005 [0.052] N=1,395	-0.010 [0.056] N=1,299	-0.020 [0.063] N=1,170	-0.019 [0.071] N=1,003	-0.006 [0.078] N=823
Above-normal BMIZ above +1	0.360 P=477	0.007 [0.049] N=1,360	0.008 [0.053] N=1,267	-0.017 [0.061] N=1,138	-0.031 [0.068] N=975	-0.017 [0.076] N=803

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.024 [0.058] N=1,199	0.048 [0.065] N=1,095	0.012 [0.070] N=963	0.027 [0.078] N=796	-0.078 [0.107] N=617
Not underweight WAZ at least -2	-0.003 [0.029] N=1,370	0.010 [0.031] N=1,247	0.022 [0.035] N=1,096	-0.002 [0.044] N=901	-0.099 [0.064] N=695
Neither wasted nor overweight WHZ -2 to +2	0.038 [0.064] N=1,178	0.039 [0.066] N=1,082	0.071 [0.077] N=953	0.063 [0.099] N=786	0.153 [0.108] N=606
Neither low nor high BMIZ -2 to +2	0.041 [0.066] N=1,150	0.052 [0.070] N=1,057	0.077 [0.082] N=928	0.065 [0.106] N=765	0.088 [0.117] N=593
Strict normal HAZ -2 to +3	0.045 [0.065] N=1,199	0.075 [0.071] N=1,095	0.032 [0.076] N=963	-0.012 [0.093] N=796	-0.004 [0.118] N=617
Strict normal WAZ -2 to +1	0.038 [0.065] N=1,370	0.030 [0.073] N=1,247	-0.001 [0.077] N=1,096	-0.018 [0.095] N=901	0.026 [0.108] N=695
Strict normal WHZ -2 to +1	0.053 [0.073] N=1,178	0.048 [0.081] N=1,082	0.093 [0.095] N=953	0.081 [0.112] N=786	0.127 [0.128] N=606
Strict normal BMIZ -2 to +1	0.035 [0.072] N=1,150	0.032 [0.078] N=1,057	0.079 [0.092] N=928	0.047 [0.113] N=765	0.104 [0.125] N=593
Above-normal height HAZ above +3	-0.021 [0.034] N=1,199	-0.027 [0.040] N=1,095	-0.020 [0.051] N=963	0.039 [0.056] N=796	-0.074 [0.064] N=617
Above-normal weight WAZ above +1	-0.041 [0.061] N=1,370	-0.021 [0.068] N=1,247	0.023 [0.069] N=1,096	0.016 [0.091] N=901	-0.125 [0.095] N=695
Above-normal WHZ above +1	-0.017 [0.066] N=1,178	-0.027 [0.075] N=1,082	-0.071 [0.092] N=953	-0.084 [0.109] N=786	-0.079 [0.126] N=606
Above-normal BMIZ above +1	0.022 [0.065] N=1,150	0.030 [0.075] N=1,057	-0.032 [0.094] N=928	-0.068 [0.108] N=765	-0.077 [0.121] N=593

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.769 P=1,106	0.035 [0.042] N=1,417	0.043 [0.045] N=1,313	0.025 [0.047] N=1,181	0.030 [0.050] N=1,014	-0.011 [0.058] N=835
Not underweight WAZ at least -2	0.933 P=1,498	-0.015 [0.019] N=1,608	-0.011 [0.020] N=1,485	-0.006 [0.022] N=1,334	-0.019 [0.024] N=1,139	-0.047 [0.030] N=933
Neither wasted nor overweight WHZ -2 to +2	0.691 P=968	0.022 [0.049] N=1,395	0.018 [0.050] N=1,299	0.029 [0.055] N=1,170	0.023 [0.062] N=1,003	0.042 [0.068] N=823
Neither low nor high BMIZ -2 to +2	0.651 P=892	0.026 [0.047] N=1,360	0.028 [0.049] N=1,267	0.032 [0.053] N=1,138	0.023 [0.060] N=975	0.019 [0.066] N=803
Strict normal HAZ -2 to +3	0.697 P=1,004	0.069 [0.044] N=1,417	**0.083* [0.046] N=1,313**	0.063 [0.048] N=1,181	0.051 [0.052] N=1,014	0.048 [0.061] N=835
Strict normal WAZ -2 to +1	0.676 P=1,094	-0.031 [0.050] N=1,608	-0.046 [0.053] N=1,485	-0.073 [0.055] N=1,334	-0.088 [0.061] N=1,139	-0.081 [0.065] N=933
Strict normal WHZ -2 to +1	0.530 P=744	0.030 [0.052] N=1,395	0.020 [0.055] N=1,299	0.032 [0.061] N=1,170	0.021 [0.066] N=1,003	0.028 [0.072] N=823
Strict normal BMIZ -2 to +1	0.519 P=715	0.017 [0.050] N=1,360	0.010 [0.053] N=1,267	0.026 [0.058] N=1,138	0.007 [0.065] N=975	0.010 [0.072] N=803
Above-normal height HAZ above +3	0.072 P=102	-0.033 [0.024] N=1,417	-0.039 [0.027] N=1,313	-0.038 [0.031] N=1,181	-0.020 [0.031] N=1,014	**-0.058* [0.032] N=835**
Above-normal weight WAZ above +1	0.257 P=404	0.016 [0.047] N=1,608	0.036 [0.050] N=1,485	0.067 [0.052] N=1,334	0.070 [0.059] N=1,139	0.034 [0.063] N=933
Above-normal WHZ above +1	0.360 P=491	-0.005 [0.053] N=1,395	-0.006 [0.057] N=1,299	-0.016 [0.064] N=1,170	-0.014 [0.070] N=1,003	-0.003 [0.078] N=823
Above-normal BMIZ above +1	0.360 P=477	0.007 [0.050] N=1,360	0.011 [0.054] N=1,267	-0.015 [0.062] N=1,138	-0.027 [0.068] N=975	-0.015 [0.076] N=803

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.019 [0.058] N=1,199	0.032 [0.065] N=1,095	0.003 [0.071] N=963	0.033 [0.077] N=796	-0.082 [0.104] N=617
Not underweight WAZ at least -2	-0.009 [0.028] N=1,370	-0.001 [0.030] N=1,247	0.014 [0.034] N=1,096	-0.005 [0.044] N=901	-0.099 [0.064] N=695
Neither wasted nor overweight WHZ -2 to +2	0.029 [0.064] N=1,178	0.021 [0.067] N=1,082	0.060 [0.077] N=953	0.054 [0.098] N=786	0.136 [0.104] N=606
Neither low nor high BMIZ -2 to +2	0.032 [0.065] N=1,150	0.034 [0.070] N=1,057	0.065 [0.081] N=928	0.057 [0.105] N=765	0.071 [0.116] N=593
Strict normal HAZ -2 to +3	0.038 [0.064] N=1,199	0.058 [0.070] N=1,095	0.024 [0.076] N=963	-0.004 [0.092] N=796	-0.008 [0.117] N=617
Strict normal WAZ -2 to +1	0.039 [0.065] N=1,370	0.026 [0.072] N=1,247	-0.005 [0.076] N=1,096	-0.019 [0.095] N=901	0.029 [0.108] N=695
Strict normal WHZ -2 to +1	0.044 [0.073] N=1,178	0.028 [0.082] N=1,082	0.078 [0.096] N=953	0.071 [0.114] N=786	0.110 [0.133] N=606
Strict normal BMIZ -2 to +1	0.025 [0.072] N=1,150	0.010 [0.080] N=1,057	0.063 [0.094] N=928	0.038 [0.115] N=765	0.091 [0.131] N=593
Above-normal height HAZ above +3	-0.019 [0.034] N=1,199	-0.026 [0.040] N=1,095	-0.021 [0.051] N=963	0.036 [0.056] N=796	-0.074 [0.065] N=617
Above-normal weight WAZ above +1	-0.048 [0.060] N=1,370	-0.027 [0.067] N=1,247	0.019 [0.068] N=1,096	0.014 [0.091] N=901	-0.128 [0.094] N=695
Above-normal WHZ above +1	-0.014 [0.067] N=1,178	-0.016 [0.077] N=1,082	-0.062 [0.094] N=953	-0.080 [0.110] N=786	-0.073 [0.129] N=606
Above-normal BMIZ above +1	0.026 [0.067] N=1,150	0.040 [0.077] N=1,057	-0.025 [0.095] N=928	-0.066 [0.109] N=765	-0.072 [0.125] N=593

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.769 P=1,106	0.020 [0.042] N=1,417	0.028 [0.046] N=1,313	0.009 [0.048] N=1,181	0.009 [0.050] N=1,014	-0.033 [0.058] N=835
Not underweight WAZ at least -2	0.933 P=1,498	-0.018 [0.020] N=1,608	-0.013 [0.021] N=1,485	-0.009 [0.022] N=1,334	-0.022 [0.026] N=1,139	-0.051 [0.031] N=933
Neither wasted nor overweight WHZ -2 to +2	0.691 P=968	0.019 [0.049] N=1,395	0.016 [0.050] N=1,299	0.029 [0.056] N=1,170	0.021 [0.063] N=1,003	0.048 [0.068] N=823
Neither low nor high BMIZ -2 to +2	0.651 P=892	0.020 [0.048] N=1,360	0.026 [0.050] N=1,267	0.030 [0.054] N=1,138	0.016 [0.061] N=975	0.020 [0.067] N=803
Strict normal HAZ -2 to +3	0.697 P=1,004	0.054 [0.044] N=1,417	0.066 [0.047] N=1,313	0.044 [0.049] N=1,181	0.026 [0.052] N=1,014	0.025 [0.061] N=835
Strict normal WAZ -2 to +1	0.676 P=1,094	-0.034 [0.050] N=1,608	-0.050 [0.053] N=1,485	-0.077 [0.055] N=1,334	-0.089 [0.061] N=1,139	-0.078 [0.066] N=933
Strict normal WHZ -2 to +1	0.530 P=744	0.026 [0.052] N=1,395	0.020 [0.056] N=1,299	0.031 [0.061] N=1,170	0.019 [0.067] N=1,003	0.031 [0.073] N=823
Strict normal BMIZ -2 to +1	0.519 P=715	0.013 [0.050] N=1,360	0.011 [0.053] N=1,267	0.026 [0.058] N=1,138	0.002 [0.064] N=975	0.009 [0.072] N=803
Above-normal height HAZ above +3	0.072 P=102	-0.034 [0.025] N=1,417	-0.038 [0.027] N=1,313	-0.035 [0.032] N=1,181	-0.017 [0.032] N=1,014	**-0.057* [0.034] N=835**
Above-normal weight WAZ above +1	0.257 P=404	0.016 [0.047] N=1,608	0.036 [0.050] N=1,485	0.068 [0.051] N=1,334	0.067 [0.059] N=1,139	0.027 [0.064] N=933
Above-normal WHZ above +1	0.360 P=491	0.001 [0.052] N=1,395	-0.003 [0.056] N=1,299	-0.014 [0.063] N=1,170	-0.010 [0.071] N=1,003	-0.000 [0.079] N=823
Above-normal BMIZ above +1	0.360 P=477	0.013 [0.049] N=1,360	0.013 [0.053] N=1,267	-0.013 [0.061] N=1,138	-0.022 [0.068] N=975	-0.010 [0.076] N=803

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.013 [0.059] N=1,199	0.029 [0.066] N=1,095	0.005 [0.071] N=963	0.031 [0.078] N=796	-0.086 [0.105] N=617
Not underweight WAZ at least -2	-0.013 [0.029] N=1,370	-0.003 [0.031] N=1,247	0.011 [0.035] N=1,096	-0.010 [0.047] N=901	-0.108 [0.067] N=695
Neither wasted nor overweight WHZ -2 to +2	0.023 [0.064] N=1,178	0.022 [0.066] N=1,082	0.060 [0.076] N=953	0.049 [0.097] N=786	0.121 [0.105] N=606
Neither low nor high BMIZ -2 to +2	0.026 [0.066] N=1,150	0.039 [0.071] N=1,057	0.067 [0.082] N=928	0.052 [0.104] N=765	0.047 [0.118] N=593
Strict normal HAZ -2 to +3	0.034 [0.065] N=1,199	0.054 [0.071] N=1,095	0.025 [0.077] N=963	-0.004 [0.094] N=796	-0.002 [0.122] N=617
Strict normal WAZ -2 to +1	0.039 [0.065] N=1,370	0.027 [0.073] N=1,247	-0.004 [0.076] N=1,096	-0.018 [0.095] N=901	0.018 [0.110] N=695
Strict normal WHZ -2 to +1	0.041 [0.072] N=1,178	0.037 [0.080] N=1,082	0.083 [0.093] N=953	0.064 [0.110] N=786	0.089 [0.132] N=606
Strict normal BMIZ -2 to +1	0.025 [0.072] N=1,150	0.027 [0.079] N=1,057	0.077 [0.091] N=928	0.036 [0.111] N=765	0.075 [0.131] N=593
Above-normal height HAZ above +3	-0.021 [0.034] N=1,199	-0.025 [0.039] N=1,095	-0.020 [0.051] N=963	0.035 [0.056] N=796	-0.084 [0.065] N=617
Above-normal weight WAZ above +1	-0.052 [0.060] N=1,370	-0.030 [0.066] N=1,247	0.015 [0.068] N=1,096	0.008 [0.090] N=901	-0.126 [0.093] N=695
Above-normal WHZ above +1	-0.014 [0.066] N=1,178	-0.023 [0.075] N=1,082	-0.066 [0.091] N=953	-0.071 [0.108] N=786	-0.050 [0.127] N=606
Above-normal BMIZ above +1	0.024 [0.066] N=1,150	0.030 [0.075] N=1,057	-0.031 [0.093] N=928	-0.058 [0.106] N=765	-0.051 [0.123] N=593

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.767 P=1,030	0.032 [0.045] N=1,320	0.043 [0.049] N=1,230	0.021 [0.052] N=1,104	0.025 [0.054] N=954	-0.012 [0.062] N=784
Not underweight WAZ at least -2	0.934 P=1,396	0.001 [0.022] N=1,498	0.007 [0.023] N=1,390	0.012 [0.024] N=1,247	0.001 [0.027] N=1,070	-0.022 [0.036] N=877
Neither wasted nor overweight WHZ -2 to +2	0.690 P=902	0.028 [0.051] N=1,299	0.028 [0.051] N=1,217	0.038 [0.057] N=1,095	0.030 [0.065] N=945	0.042 [0.071] N=774
Neither low nor high BMIZ -2 to +2	0.650 P=832	0.016 [0.051] N=1,266	0.025 [0.053] N=1,186	0.028 [0.058] N=1,065	0.020 [0.066] N=919	0.007 [0.074] N=755
Strict normal HAZ -2 to +3	0.697 P=938	0.078 [0.050] N=1,320	**0.096* [0.053] N=1,230**	0.074 [0.055] N=1,104	0.058 [0.060] N=954	0.058 [0.069] N=784
Strict normal WAZ -2 to +1	0.674 P=1,016	-0.035 [0.053] N=1,498	-0.044 [0.056] N=1,390	-0.067 [0.059] N=1,247	-0.077 [0.065] N=1,070	-0.074 [0.073] N=877
Strict normal WHZ -2 to +1	0.528 P=692	0.021 [0.055] N=1,299	0.020 [0.057] N=1,217	0.031 [0.064] N=1,095	0.016 [0.070] N=945	0.003 [0.077] N=774
Strict normal BMIZ -2 to +1	0.518 P=666	0.000 [0.052] N=1,266	0.004 [0.054] N=1,186	0.021 [0.061] N=1,065	0.002 [0.069] N=919	-0.015 [0.076] N=755
Above-normal height HAZ above +3	0.070 P=92	**-0.047* [0.026] N=1,320**	**-0.053* [0.029] N=1,230**	-0.052 [0.033] N=1,104	-0.033 [0.033] N=954	**-0.070** [0.034] N=784**
Above-normal weight WAZ above +1	0.260 P=380	0.036 [0.051] N=1,498	0.051 [0.053] N=1,390	0.080 [0.056] N=1,247	0.078 [0.063] N=1,070	0.051 [0.068] N=877
Above-normal WHZ above +1	0.361 P=458	0.021 [0.055] N=1,299	0.015 [0.059] N=1,217	0.001 [0.067] N=1,095	0.007 [0.075] N=945	0.039 [0.084] N=774
Above-normal BMIZ above +1	0.362 P=444	0.035 [0.052] N=1,266	0.030 [0.056] N=1,186	0.004 [0.064] N=1,065	-0.006 [0.071] N=919	0.027 [0.079] N=755

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.022 [0.061] N=1,116	0.046 [0.068] N=1,026	0.011 [0.074] N=900	0.036 [0.083] N=750	-0.071 [0.117] N=580
Not underweight WAZ at least -2	-0.000 [0.030] N=1,275	0.010 [0.032] N=1,167	0.020 [0.036] N=1,024	-0.006 [0.043] N=847	-0.104 [0.070] N=654
Neither wasted nor overweight WHZ -2 to +2	0.040 [0.068] N=1,096	0.044 [0.069] N=1,014	0.080 [0.082] N=892	0.093 [0.104] N=742	0.182 [0.111] N=571
Neither low nor high BMIZ -2 to +2	0.032 [0.069] N=1,070	0.048 [0.072] N=990	0.072 [0.087] N=869	0.082 [0.110] N=723	0.101 [0.116] N=559
Strict normal HAZ -2 to +3	0.051 [0.068] N=1,116	0.081 [0.073] N=1,026	0.039 [0.079] N=900	0.002 [0.097] N=750	0.007 [0.126] N=580
Strict normal WAZ -2 to +1	0.045 [0.065] N=1,275	0.044 [0.072] N=1,167	0.021 [0.078] N=1,024	0.003 [0.097] N=847	0.035 [0.116] N=654
Strict normal WHZ -2 to +1	0.055 [0.076] N=1,096	0.058 [0.083] N=1,014	0.110 [0.099] N=892	0.103 [0.119] N=742	0.138 [0.130] N=571
Strict normal BMIZ -2 to +1	0.019 [0.073] N=1,070	0.029 [0.079] N=990	0.082 [0.095] N=869	0.063 [0.118] N=723	0.112 [0.127] N=559
Above-normal height HAZ above +3	-0.030 [0.034] N=1,116	-0.035 [0.040] N=1,026	-0.028 [0.051] N=900	0.034 [0.056] N=750	-0.078 [0.061] N=580
Above-normal weight WAZ above +1	-0.045 [0.063] N=1,275	-0.035 [0.067] N=1,167	-0.001 [0.072] N=1,024	-0.009 [0.093] N=847	-0.139 [0.100] N=654
Above-normal WHZ above +1	-0.016 [0.069] N=1,096	-0.035 [0.077] N=1,014	-0.090 [0.094] N=892	-0.095 [0.116] N=742	-0.061 [0.132] N=571
Above-normal BMIZ above +1	0.032 [0.068] N=1,070	0.023 [0.077] N=990	-0.044 [0.095] N=869	-0.082 [0.114] N=723	-0.070 [0.127] N=559

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.767 P=1,030	0.030 [0.046] N=1,320	0.042 [0.049] N=1,230	0.019 [0.052] N=1,104	0.021 [0.055] N=954	-0.019 [0.063] N=784
Not underweight WAZ at least -2	0.934 P=1,396	-0.001 [0.021] N=1,498	0.006 [0.022] N=1,390	0.010 [0.024] N=1,247	-0.003 [0.027] N=1,070	-0.029 [0.035] N=877
Neither wasted nor overweight WHZ -2 to +2	0.690 P=902	0.026 [0.051] N=1,299	0.026 [0.051] N=1,217	0.038 [0.058] N=1,095	0.035 [0.065] N=945	0.051 [0.071] N=774
Neither low nor high BMIZ -2 to +2	0.650 P=832	0.014 [0.050] N=1,266	0.025 [0.052] N=1,186	0.030 [0.058] N=1,065	0.026 [0.065] N=919	0.019 [0.071] N=755
Strict normal HAZ -2 to +3	0.697 P=938	0.079 [0.050] N=1,320	**0.096* [0.052] N=1,230**	0.073 [0.054] N=1,104	0.057 [0.060] N=954	0.058 [0.069] N=784
Strict normal WAZ -2 to +1	0.674 P=1,016	-0.036 [0.053] N=1,498	-0.046 [0.056] N=1,390	-0.069 [0.058] N=1,247	-0.082 [0.064] N=1,070	-0.082 [0.071] N=877
Strict normal WHZ -2 to +1	0.528 P=692	0.019 [0.054] N=1,299	0.019 [0.057] N=1,217	0.035 [0.063] N=1,095	0.025 [0.070] N=945	0.024 [0.075] N=774
Strict normal BMIZ -2 to +1	0.518 P=666	-0.005 [0.052] N=1,266	0.002 [0.054] N=1,186	0.022 [0.060] N=1,065	0.005 [0.068] N=919	-0.001 [0.073] N=755
Above-normal height HAZ above +3	0.070 P=92	**-0.049* [0.026] N=1,320**	**-0.055* [0.028] N=1,230**	-0.054 [0.033] N=1,104	-0.037 [0.034] N=954	**-0.077** [0.035] N=784**
Above-normal weight WAZ above +1	0.260 P=380	0.036 [0.051] N=1,498	0.052 [0.053] N=1,390	0.079 [0.055] N=1,247	0.079 [0.063] N=1,070	0.053 [0.068] N=877
Above-normal WHZ above +1	0.361 P=458	0.021 [0.055] N=1,299	0.013 [0.058] N=1,217	-0.003 [0.066] N=1,095	0.001 [0.074] N=945	0.025 [0.083] N=774
Above-normal BMIZ above +1	0.362 P=444	0.037 [0.052] N=1,266	0.031 [0.055] N=1,186	0.002 [0.064] N=1,065	-0.010 [0.071] N=919	0.017 [0.078] N=755

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.023 [0.061] N=1,116	0.044 [0.068] N=1,026	0.010 [0.073] N=900	0.036 [0.082] N=750	-0.070 [0.116] N=580
Not underweight WAZ at least -2	0.001 [0.030] N=1,275	0.013 [0.032] N=1,167	0.024 [0.035] N=1,024	-0.004 [0.042] N=847	-0.107 [0.068] N=654
Neither wasted nor overweight WHZ -2 to +2	0.039 [0.066] N=1,096	0.041 [0.067] N=1,014	0.075 [0.081] N=892	0.087 [0.103] N=742	**0.188* [0.111] N=571**
Neither low nor high BMIZ -2 to +2	0.025 [0.068] N=1,070	0.041 [0.071] N=990	0.067 [0.086] N=869	0.077 [0.109] N=723	0.109 [0.113] N=559
Strict normal HAZ -2 to +3	0.051 [0.069] N=1,116	0.078 [0.074] N=1,026	0.039 [0.079] N=900	0.005 [0.097] N=750	0.022 [0.125] N=580
Strict normal WAZ -2 to +1	0.043 [0.066] N=1,275	0.042 [0.072] N=1,167	0.021 [0.078] N=1,024	0.007 [0.096] N=847	0.041 [0.113] N=654
Strict normal WHZ -2 to +1	0.045 [0.075] N=1,096	0.048 [0.082] N=1,014	0.103 [0.098] N=892	0.102 [0.119] N=742	0.152 [0.129] N=571
Strict normal BMIZ -2 to +1	0.010 [0.073] N=1,070	0.021 [0.079] N=990	0.078 [0.095] N=869	0.059 [0.119] N=723	0.115 [0.124] N=559
Above-normal height HAZ above +3	-0.029 [0.035] N=1,116	-0.034 [0.040] N=1,026	-0.030 [0.051] N=900	0.030 [0.057] N=750	-0.092 [0.065] N=580
Above-normal weight WAZ above +1	-0.041 [0.063] N=1,275	-0.030 [0.068] N=1,167	0.003 [0.072] N=1,024	-0.011 [0.093] N=847	-0.148 [0.100] N=654
Above-normal WHZ above +1	-0.005 [0.069] N=1,096	-0.023 [0.077] N=1,014	-0.081 [0.093] N=892	-0.093 [0.117] N=742	-0.073 [0.133] N=571
Above-normal BMIZ above +1	0.041 [0.068] N=1,070	0.033 [0.077] N=990	-0.039 [0.095] N=869	-0.077 [0.114] N=723	-0.071 [0.125] N=559

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.782 P=996	-0.010 [0.052] N=1,273	-0.005 [0.052] N=1,151	-0.003 [0.055] N=1,009	-0.032 [0.061] N=855	-0.031 [0.068] N=700
Not underweight WAZ at least -2	0.942 P=1,346	-0.004 [0.027] N=1,433	0.006 [0.027] N=1,305	-0.003 [0.030] N=1,144	-0.002 [0.032] N=962	0.008 [0.034] N=778
Neither wasted nor overweight WHZ -2 to +2	0.700 P=874	**-0.128** [0.060] N=1,259**	**-0.114* [0.061] N=1,140**	**-0.134** [0.066] N=1,001**	-0.077 [0.070] N=845	-0.076 [0.074] N=691
Neither low nor high BMIZ -2 to +2	0.665 P=807	**-0.184*** [0.058] N=1,220**	**-0.166*** [0.061] N=1,104**	**-0.151** [0.066] N=971**	-0.099 [0.070] N=820	-0.113 [0.072] N=675
Strict normal HAZ -2 to +3	0.709 P=904	-0.000 [0.053] N=1,273	0.002 [0.054] N=1,151	0.005 [0.058] N=1,009	-0.009 [0.064] N=855	-0.038 [0.070] N=700
Strict normal WAZ -2 to +1	0.682 P=977	0.001 [0.047] N=1,433	-0.007 [0.050] N=1,305	-0.013 [0.052] N=1,144	-0.026 [0.056] N=962	-0.003 [0.062] N=778
Strict normal WHZ -2 to +1	0.530 P=656	**-0.143** [0.057] N=1,259**	**-0.150** [0.059] N=1,140**	**-0.154** [0.063] N=1,001**	-0.089 [0.069] N=845	-0.119 [0.074] N=691
Strict normal BMIZ -2 to +1	0.526 P=635	**-0.110** [0.056] N=1,220**	**-0.104* [0.056] N=1,104**	-0.077 [0.062] N=971	-0.013 [0.067] N=820	-0.035 [0.072] N=675
Above-normal height HAZ above +3	0.073 P=92	-0.010 [0.032] N=1,273	-0.007 [0.033] N=1,151	-0.008 [0.035] N=1,009	-0.024 [0.039] N=855	0.007 [0.044] N=700
Above-normal weight WAZ above +1	0.259 P=369	-0.004 [0.043] N=1,433	0.013 [0.045] N=1,305	0.010 [0.046] N=1,144	0.024 [0.048] N=962	0.011 [0.055] N=778
Above-normal WHZ above +1	0.361 P=463	**0.128** [0.055] N=1,259**	**0.136** [0.057] N=1,140**	**0.118* [0.060] N=1,001**	**0.124* [0.065] N=845**	**0.139* [0.072] N=691**
Above-normal BMIZ above +1	0.355 P=439	0.081 [0.058] N=1,220	0.076 [0.059] N=1,104	0.040 [0.063] N=971	0.032 [0.073] N=820	0.050 [0.081] N=675

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.023 [0.084] N=1,100	-0.008 [0.087] N=978	-0.017 [0.097] N=836	-0.091 [0.122] N=682	-0.100 [0.145] N=527
Not underweight WAZ at least -2	-0.013 [0.035] N=1,246	0.002 [0.037] N=1,118	-0.016 [0.043] N=957	-0.010 [0.046] N=775	0.018 [0.048] N=591
Neither wasted nor overweight WHZ -2 to +2	**-0.233*** [0.066] N=1,089**	**-0.214*** [0.071] N=970**	**-0.284*** [0.080] N=831**	**-0.190* [0.096] N=675**	**-0.179* [0.107] N=521**
Neither low nor high BMIZ -2 to +2	**-0.287*** [0.066] N=1,060**	**-0.261*** [0.073] N=944**	**-0.265*** [0.081] N=811**	**-0.164* [0.097] N=660**	**-0.187* [0.102] N=515**
Strict normal HAZ -2 to +3	-0.004 [0.079] N=1,100	0.013 [0.082] N=978	0.008 [0.091] N=836	-0.026 [0.113] N=682	-0.081 [0.137] N=527
Strict normal WAZ -2 to +1	0.037 [0.072] N=1,246	0.034 [0.077] N=1,118	0.029 [0.082] N=957	0.016 [0.093] N=775	0.113 [0.106] N=591
Strict normal WHZ -2 to +1	**-0.192** [0.077] N=1,089**	**-0.206** [0.082] N=970**	**-0.235** [0.093] N=831**	-0.108 [0.112] N=675	-0.162 [0.138] N=521
Strict normal BMIZ -2 to +1	**-0.191** [0.082] N=1,060**	**-0.184** [0.086] N=944**	**-0.165* [0.099] N=811**	-0.029 [0.119] N=660	-0.075 [0.145] N=515
Above-normal height HAZ above +3	-0.019 [0.036] N=1,100	-0.021 [0.037] N=978	-0.025 [0.041] N=836	-0.065 [0.046] N=682	-0.019 [0.060] N=527
Above-normal weight WAZ above +1	-0.050 [0.064] N=1,246	-0.032 [0.070] N=1,118	-0.045 [0.072] N=957	-0.026 [0.081] N=775	-0.095 [0.098] N=591
Above-normal WHZ above +1	0.115 [0.079] N=1,089	0.125 [0.084] N=970	0.100 [0.094] N=831	0.109 [0.104] N=675	0.125 [0.130] N=521
Above-normal BMIZ above +1	0.064 [0.086] N=1,060	0.055 [0.090] N=944	0.001 [0.100] N=811	-0.024 [0.121] N=660	0.009 [0.148] N=515

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.782 P=996	-0.010 [0.052] N=1,273	-0.004 [0.052] N=1,151	-0.001 [0.055] N=1,009	-0.032 [0.061] N=855	-0.031 [0.068] N=700
Not underweight WAZ at least -2	0.942 P=1,346	-0.003 [0.027] N=1,433	0.007 [0.027] N=1,305	-0.002 [0.030] N=1,144	-0.003 [0.032] N=962	0.006 [0.034] N=778
Neither wasted nor overweight WHZ -2 to +2	0.700 P=874	**-0.125** [0.060] N=1,259**	**-0.110* [0.061] N=1,140**	**-0.129* [0.066] N=1,001**	-0.077 [0.070] N=845	-0.077 [0.075] N=691
Neither low nor high BMIZ -2 to +2	0.665 P=807	**-0.182*** [0.058] N=1,220**	**-0.163*** [0.060] N=1,104**	**-0.148** [0.065] N=971**	-0.099 [0.069] N=820	-0.114 [0.072] N=675
Strict normal HAZ -2 to +3	0.709 P=904	0.001 [0.054] N=1,273	0.004 [0.054] N=1,151	0.007 [0.058] N=1,009	-0.008 [0.064] N=855	-0.038 [0.070] N=700
Strict normal WAZ -2 to +1	0.682 P=977	0.003 [0.047] N=1,433	-0.005 [0.049] N=1,305	-0.012 [0.051] N=1,144	-0.028 [0.055] N=962	-0.006 [0.062] N=778
Strict normal WHZ -2 to +1	0.530 P=656	**-0.141** [0.057] N=1,259**	**-0.147** [0.059] N=1,140**	**-0.149** [0.064] N=1,001**	-0.089 [0.070] N=845	-0.119 [0.075] N=691
Strict normal BMIZ -2 to +1	0.526 P=635	**-0.109** [0.055] N=1,220**	**-0.102* [0.056] N=1,104**	-0.075 [0.062] N=971	-0.013 [0.067] N=820	-0.034 [0.072] N=675
Above-normal height HAZ above +3	0.073 P=92	-0.011 [0.032] N=1,273	-0.009 [0.033] N=1,151	-0.008 [0.035] N=1,009	-0.024 [0.039] N=855	0.007 [0.044] N=700
Above-normal weight WAZ above +1	0.259 P=369	-0.006 [0.042] N=1,433	0.012 [0.045] N=1,305	0.010 [0.045] N=1,144	0.025 [0.048] N=962	0.012 [0.055] N=778
Above-normal WHZ above +1	0.361 P=463	**0.129** [0.055] N=1,259**	**0.136** [0.057] N=1,140**	**0.117* [0.060] N=1,001**	**0.124* [0.065] N=845**	**0.139* [0.072] N=691**
Above-normal BMIZ above +1	0.355 P=439	0.082 [0.058] N=1,220	0.076 [0.059] N=1,104	0.039 [0.063] N=971	0.032 [0.073] N=820	0.049 [0.081] N=675

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.023 [0.084] N=1,100	-0.005 [0.087] N=978	-0.012 [0.097] N=836	-0.090 [0.123] N=682	-0.102 [0.146] N=527
Not underweight WAZ at least -2	-0.011 [0.035] N=1,246	0.004 [0.037] N=1,118	-0.013 [0.043] N=957	-0.008 [0.045] N=775	0.021 [0.048] N=591
Neither wasted nor overweight WHZ -2 to +2	**-0.227*** [0.066] N=1,089**	**-0.205*** [0.071] N=970**	**-0.271*** [0.080] N=831**	**-0.178* [0.095] N=675**	-0.166 [0.107] N=521
Neither low nor high BMIZ -2 to +2	**-0.283*** [0.067] N=1,060**	**-0.253*** [0.073] N=944**	**-0.251*** [0.080] N=811**	-0.156 [0.097] N=660	**-0.183* [0.103] N=515**
Strict normal HAZ -2 to +3	-0.000 [0.079] N=1,100	0.021 [0.083] N=978	0.017 [0.092] N=836	-0.023 [0.113] N=682	-0.080 [0.137] N=527
Strict normal WAZ -2 to +1	0.042 [0.071] N=1,246	0.039 [0.076] N=1,118	0.032 [0.081] N=957	0.018 [0.092] N=775	0.115 [0.105] N=591
Strict normal WHZ -2 to +1	**-0.187** [0.076] N=1,089**	**-0.197** [0.081] N=970**	**-0.220** [0.092] N=831**	-0.104 [0.111] N=675	-0.160 [0.137] N=521
Strict normal BMIZ -2 to +1	**-0.188** [0.082] N=1,060**	**-0.177** [0.086] N=944**	-0.154 [0.099] N=811	-0.026 [0.119] N=660	-0.079 [0.145] N=515
Above-normal height HAZ above +3	-0.023 [0.036] N=1,100	-0.026 [0.037] N=978	-0.029 [0.042] N=836	-0.067 [0.046] N=682	-0.022 [0.061] N=527
Above-normal weight WAZ above +1	-0.053 [0.064] N=1,246	-0.035 [0.069] N=1,118	-0.046 [0.072] N=957	-0.026 [0.080] N=775	-0.094 [0.097] N=591
Above-normal WHZ above +1	0.117 [0.079] N=1,089	0.127 [0.084] N=970	0.098 [0.094] N=831	0.113 [0.105] N=675	0.138 [0.131] N=521
Above-normal BMIZ above +1	0.069 [0.087] N=1,060	0.057 [0.090] N=944	0.001 [0.100] N=811	-0.020 [0.122] N=660	0.022 [0.150] N=515

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.782 P=996	-0.012 [0.051] N=1,273	-0.004 [0.051] N=1,151	-0.001 [0.054] N=1,009	-0.031 [0.059] N=855	-0.030 [0.066] N=700
Not underweight WAZ at least -2	0.942 P=1,346	-0.004 [0.027] N=1,433	0.006 [0.028] N=1,305	-0.002 [0.030] N=1,144	-0.003 [0.032] N=962	0.007 [0.034] N=778
Neither wasted nor overweight WHZ -2 to +2	0.700 P=874	**-0.126** [0.060] N=1,259**	**-0.109* [0.062] N=1,140**	**-0.129* [0.066] N=1,001**	-0.074 [0.071] N=845	-0.073 [0.076] N=691
Neither low nor high BMIZ -2 to +2	0.665 P=807	**-0.185*** [0.058] N=1,220**	**-0.164*** [0.061] N=1,104**	**-0.149** [0.067] N=971**	-0.099 [0.070] N=820	-0.116 [0.073] N=675
Strict normal HAZ -2 to +3	0.709 P=904	-0.003 [0.052] N=1,273	0.003 [0.053] N=1,151	0.007 [0.056] N=1,009	-0.009 [0.062] N=855	-0.036 [0.069] N=700
Strict normal WAZ -2 to +1	0.682 P=977	0.003 [0.047] N=1,433	-0.005 [0.050] N=1,305	-0.013 [0.052] N=1,144	-0.028 [0.055] N=962	-0.005 [0.062] N=778
Strict normal WHZ -2 to +1	0.530 P=656	**-0.140** [0.057] N=1,259**	**-0.144** [0.059] N=1,140**	**-0.148** [0.064] N=1,001**	-0.086 [0.070] N=845	-0.117 [0.075] N=691
Strict normal BMIZ -2 to +1	0.526 P=635	**-0.110** [0.055] N=1,220**	**-0.102* [0.056] N=1,104**	-0.076 [0.062] N=971	-0.012 [0.066] N=820	-0.037 [0.071] N=675
Above-normal height HAZ above +3	0.073 P=92	-0.009 [0.031] N=1,273	-0.007 [0.032] N=1,151	-0.008 [0.035] N=1,009	-0.022 [0.038] N=855	0.006 [0.043] N=700
Above-normal weight WAZ above +1	0.259 P=369	-0.007 [0.043] N=1,433	0.012 [0.046] N=1,305	0.011 [0.046] N=1,144	0.026 [0.048] N=962	0.012 [0.055] N=778
Above-normal WHZ above +1	0.361 P=463	**0.128** [0.054] N=1,259**	**0.135** [0.056] N=1,140**	**0.117* [0.060] N=1,001**	**0.122* [0.065] N=845**	**0.139* [0.071] N=691**
Above-normal BMIZ above +1	0.355 P=439	0.082 [0.058] N=1,220	0.075 [0.059] N=1,104	0.040 [0.063] N=971	0.031 [0.072] N=820	0.051 [0.080] N=675

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.019 [0.083] N=1,100	-0.000 [0.086] N=978	-0.006 [0.095] N=836	-0.073 [0.119] N=682	-0.080 [0.142] N=527
Not underweight WAZ at least -2	-0.010 [0.036] N=1,246	0.006 [0.038] N=1,118	-0.009 [0.044] N=957	-0.001 [0.047] N=775	0.030 [0.050] N=591
Neither wasted nor overweight WHZ -2 to +2	**-0.229*** [0.068] N=1,089**	**-0.204*** [0.072] N=970**	**-0.270*** [0.082] N=831**	**-0.173* [0.098] N=675**	-0.157 [0.110] N=521
Neither low nor high BMIZ -2 to +2	**-0.282*** [0.069] N=1,060**	**-0.251*** [0.075] N=944**	**-0.247*** [0.084] N=811**	-0.145 [0.101] N=660	-0.171 [0.110] N=515
Strict normal HAZ -2 to +3	0.002 [0.078] N=1,100	0.025 [0.083] N=978	0.022 [0.091] N=836	-0.007 [0.111] N=682	-0.059 [0.136] N=527
Strict normal WAZ -2 to +1	0.051 [0.072] N=1,246	0.048 [0.077] N=1,118	0.040 [0.083] N=957	0.034 [0.094] N=775	0.134 [0.107] N=591
Strict normal WHZ -2 to +1	**-0.181** [0.078] N=1,089**	**-0.189** [0.083] N=970**	**-0.213** [0.096] N=831**	-0.090 [0.116] N=675	-0.142 [0.143] N=521
Strict normal BMIZ -2 to +1	**-0.180** [0.085] N=1,060**	**-0.168* [0.088] N=944**	-0.144 [0.103] N=811	-0.007 [0.124] N=660	-0.064 [0.150] N=515
Above-normal height HAZ above +3	-0.021 [0.035] N=1,100	-0.025 [0.036] N=978	-0.028 [0.041] N=836	-0.065 [0.045] N=682	-0.021 [0.061] N=527
Above-normal weight WAZ above +1	-0.061 [0.065] N=1,246	-0.041 [0.070] N=1,118	-0.049 [0.073] N=957	-0.035 [0.082] N=775	-0.104 [0.099] N=591
Above-normal WHZ above +1	0.111 [0.080] N=1,089	0.121 [0.085] N=970	0.092 [0.096] N=831	0.102 [0.107] N=675	0.125 [0.133] N=521
Above-normal BMIZ above +1	0.062 [0.088] N=1,060	0.052 [0.091] N=944	-0.007 [0.101] N=811	-0.032 [0.124] N=660	0.015 [0.152] N=515

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.782 P=996	-0.005 [0.051] N=1,273	0.003 [0.051] N=1,151	0.006 [0.054] N=1,009	-0.029 [0.060] N=855	-0.032 [0.066] N=700
Not underweight WAZ at least -2	0.942 P=1,346	-0.002 [0.027] N=1,433	0.008 [0.028] N=1,305	0.002 [0.031] N=1,144	0.001 [0.033] N=962	0.014 [0.036] N=778
Neither wasted nor overweight WHZ -2 to +2	0.700 P=874	**-0.125** [0.058] N=1,259**	**-0.109* [0.059] N=1,140**	**-0.132** [0.064] N=1,001**	-0.078 [0.068] N=845	-0.077 [0.072] N=691
Neither low nor high BMIZ -2 to +2	0.665 P=807	**-0.179*** [0.057] N=1,220**	**-0.158*** [0.060] N=1,104**	**-0.145** [0.065] N=971**	-0.096 [0.068] N=820	-0.111 [0.071] N=675
Strict normal HAZ -2 to +3	0.709 P=904	0.006 [0.052] N=1,273	0.012 [0.053] N=1,151	0.015 [0.057] N=1,009	-0.003 [0.063] N=855	-0.035 [0.069] N=700
Strict normal WAZ -2 to +1	0.682 P=977	0.006 [0.047] N=1,433	-0.001 [0.049] N=1,305	-0.006 [0.051] N=1,144	-0.019 [0.055] N=962	0.009 [0.061] N=778
Strict normal WHZ -2 to +1	0.530 P=656	**-0.136** [0.056] N=1,259**	**-0.141** [0.057] N=1,140**	**-0.147** [0.063] N=1,001**	-0.085 [0.069] N=845	-0.116 [0.072] N=691
Strict normal BMIZ -2 to +1	0.526 P=635	**-0.096* [0.055] N=1,220**	-0.087 [0.056] N=1,104	-0.064 [0.061] N=971	0.000 [0.066] N=820	-0.023 [0.070] N=675
Above-normal height HAZ above +3	0.073 P=92	-0.011 [0.032] N=1,273	-0.009 [0.033] N=1,151	-0.009 [0.036] N=1,009	-0.026 [0.040] N=855	0.003 [0.045] N=700
Above-normal weight WAZ above +1	0.259 P=369	-0.008 [0.043] N=1,433	0.010 [0.046] N=1,305	0.008 [0.045] N=1,144	0.020 [0.048] N=962	0.005 [0.054] N=778
Above-normal WHZ above +1	0.361 P=463	**0.121** [0.054] N=1,259**	**0.128** [0.055] N=1,140**	**0.111* [0.059] N=1,001**	**0.118* [0.064] N=845**	**0.139* [0.070] N=691**
Above-normal BMIZ above +1	0.355 P=439	0.070 [0.057] N=1,220	0.063 [0.058] N=1,104	0.029 [0.061] N=971	0.020 [0.070] N=820	0.044 [0.079] N=675

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.012 [0.082] N=1,100	0.010 [0.085] N=978	0.006 [0.096] N=836	-0.073 [0.121] N=682	-0.101 [0.144] N=527
Not underweight WAZ at least -2	-0.009 [0.035] N=1,246	0.007 [0.037] N=1,118	-0.005 [0.044] N=957	-0.001 [0.046] N=775	0.035 [0.049] N=591
Neither wasted nor overweight WHZ -2 to +2	**-0.226*** [0.066] N=1,089**	**-0.203*** [0.070] N=970**	**-0.273*** [0.080] N=831**	**-0.174* [0.095] N=675**	-0.165 [0.105] N=521
Neither low nor high BMIZ -2 to +2	**-0.279*** [0.068] N=1,060**	**-0.248*** [0.074] N=944**	**-0.248*** [0.083] N=811**	-0.150 [0.099] N=660	**-0.190* [0.106] N=515**
Strict normal HAZ -2 to +3	0.011 [0.078] N=1,100	0.038 [0.081] N=978	0.038 [0.091] N=836	-0.001 [0.112] N=682	-0.071 [0.138] N=527
Strict normal WAZ -2 to +1	0.044 [0.072] N=1,246	0.042 [0.077] N=1,118	0.039 [0.082] N=957	0.032 [0.093] N=775	0.140 [0.104] N=591
Strict normal WHZ -2 to +1	**-0.182** [0.077] N=1,089**	**-0.191** [0.082] N=970**	**-0.218** [0.095] N=831**	-0.094 [0.114] N=675	-0.160 [0.138] N=521
Strict normal BMIZ -2 to +1	**-0.177** [0.083] N=1,060**	**-0.164* [0.087] N=944**	-0.148 [0.100] N=811	-0.013 [0.121] N=660	-0.078 [0.146] N=515
Above-normal height HAZ above +3	-0.023 [0.036] N=1,100	-0.028 [0.037] N=978	-0.032 [0.041] N=836	-0.072 [0.046] N=682	-0.031 [0.061] N=527
Above-normal weight WAZ above +1	-0.053 [0.065] N=1,246	-0.035 [0.070] N=1,118	-0.044 [0.072] N=957	-0.034 [0.080] N=775	-0.105 [0.093] N=591
Above-normal WHZ above +1	0.108 [0.079] N=1,089	0.117 [0.084] N=970	0.088 [0.094] N=831	0.102 [0.107] N=675	0.145 [0.134] N=521
Above-normal BMIZ above +1	0.057 [0.086] N=1,060	0.045 [0.089] N=944	-0.010 [0.098] N=811	-0.032 [0.121] N=660	0.028 [0.152] N=515

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.781 P=927	-0.016 [0.054] N=1,185	-0.016 [0.055] N=1,070	-0.006 [0.057] N=942	-0.033 [0.062] N=797	-0.043 [0.069] N=654
Not underweight WAZ at least -2	0.942 P=1,254	0.001 [0.027] N=1,334	0.013 [0.028] N=1,213	0.008 [0.031] N=1,067	0.005 [0.033] N=898	0.009 [0.035] N=729
Neither wasted nor overweight WHZ -2 to +2	0.699 P=813	**-0.136** [0.059] N=1,172**	**-0.120** [0.059] N=1,060**	**-0.138** [0.063] N=933**	-0.086 [0.067] N=787	-0.087 [0.072] N=646
Neither low nor high BMIZ -2 to +2	0.665 P=754	**-0.188*** [0.059] N=1,136**	**-0.166*** [0.060] N=1,027**	**-0.142** [0.064] N=906**	-0.087 [0.070] N=765	-0.103 [0.073] N=632
Strict normal HAZ -2 to +3	0.709 P=845	-0.004 [0.058] N=1,185	-0.007 [0.059] N=1,070	0.001 [0.061] N=942	-0.005 [0.068] N=797	-0.042 [0.076] N=654
Strict normal WAZ -2 to +1	0.683 P=911	-0.007 [0.049] N=1,334	-0.011 [0.052] N=1,213	0.001 [0.054] N=1,067	-0.011 [0.058] N=898	0.016 [0.064] N=729
Strict normal WHZ -2 to +1	0.530 P=612	**-0.154*** [0.058] N=1,172**	**-0.163*** [0.059] N=1,060**	**-0.162** [0.063] N=933**	-0.103 [0.069] N=787	**-0.133* [0.073] N=646**
Strict normal BMIZ -2 to +1	0.525 P=592	**-0.123** [0.058] N=1,136**	**-0.115** [0.058] N=1,027**	-0.078 [0.063] N=906	-0.019 [0.067] N=765	-0.042 [0.073] N=632
Above-normal height HAZ above +3	0.071 P=82	-0.013 [0.033] N=1,185	-0.009 [0.034] N=1,070	-0.006 [0.036] N=942	-0.029 [0.040] N=797	-0.002 [0.046] N=654
Above-normal weight WAZ above +1	0.260 P=343	0.007 [0.044] N=1,334	0.024 [0.047] N=1,213	0.007 [0.048] N=1,067	0.016 [0.050] N=898	-0.007 [0.055] N=729
Above-normal WHZ above +1	0.359 P=429	**0.142** [0.056] N=1,172**	**0.153*** [0.058] N=1,060**	**0.125** [0.062] N=933**	**0.127* [0.067] N=787**	**0.139* [0.073] N=646**
Above-normal BMIZ above +1	0.354 P=407	0.087 [0.060] N=1,136	0.083 [0.062] N=1,027	0.035 [0.065] N=906	0.024 [0.073] N=765	0.038 [0.081] N=632

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.003 [0.090] N=1,021	0.012 [0.094] N=906	0.017 [0.103] N=778	-0.040 [0.126] N=633	-0.053 [0.154] N=490
Not underweight WAZ at least -2	-0.002 [0.036] N=1,157	0.019 [0.038] N=1,036	0.010 [0.044] N=890	0.016 [0.047] N=721	0.044 [0.047] N=552
Neither wasted nor overweight WHZ -2 to +2	**-0.238*** [0.072] N=1,011**	**-0.210*** [0.076] N=899**	**-0.269*** [0.085] N=772**	-0.167 [0.105] N=626	-0.161 [0.120] N=485
Neither low nor high BMIZ -2 to +2	**-0.312*** [0.069] N=983**	**-0.278*** [0.075] N=874**	**-0.256*** [0.078] N=753**	-0.145 [0.098] N=612	**-0.185* [0.102] N=479**
Strict normal HAZ -2 to +3	0.009 [0.088] N=1,021	0.022 [0.093] N=906	0.026 [0.100] N=778	0.018 [0.122] N=633	-0.039 [0.157] N=490
Strict normal WAZ -2 to +1	0.016 [0.076] N=1,157	0.019 [0.081] N=1,036	0.044 [0.088] N=890	0.029 [0.100] N=721	0.136 [0.119] N=552
Strict normal WHZ -2 to +1	**-0.210*** [0.080] N=1,011**	**-0.227*** [0.085] N=899**	**-0.240** [0.097] N=772**	-0.124 [0.118] N=626	-0.184 [0.154] N=485
Strict normal BMIZ -2 to +1	**-0.220** [0.086] N=983**	**-0.211** [0.090] N=874**	**-0.168* [0.101] N=753**	-0.045 [0.121] N=612	-0.102 [0.156] N=479
Above-normal height HAZ above +3	-0.012 [0.037] N=1,021	-0.010 [0.038] N=906	-0.010 [0.041] N=778	-0.058 [0.046] N=633	-0.014 [0.061] N=490
Above-normal weight WAZ above +1	-0.018 [0.068] N=1,157	-0.000 [0.073] N=1,036	-0.034 [0.079] N=890	-0.013 [0.087] N=721	-0.092 [0.106] N=552
Above-normal WHZ above +1	**0.143* [0.085] N=1,011**	**0.161* [0.091] N=899**	0.117 [0.102] N=772	0.129 [0.113] N=626	0.152 [0.149] N=485
Above-normal BMIZ above +1	0.087 [0.094] N=983	0.080 [0.098] N=874	0.003 [0.110] N=753	-0.014 [0.130] N=612	0.017 [0.168] N=479

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.781 P=927	-0.019 [0.054] N=1,185	-0.017 [0.054] N=1,070	-0.008 [0.057] N=942	-0.037 [0.062] N=797	-0.049 [0.070] N=654
Not underweight WAZ at least -2	0.942 P=1,254	0.001 [0.027] N=1,334	0.013 [0.028] N=1,213	0.007 [0.031] N=1,067	0.004 [0.032] N=898	0.008 [0.035] N=729
Neither wasted nor overweight WHZ -2 to +2	0.699 P=813	**-0.132** [0.059] N=1,172**	**-0.115* [0.060] N=1,060**	**-0.131** [0.064] N=933**	-0.081 [0.068] N=787	-0.084 [0.073] N=646
Neither low nor high BMIZ -2 to +2	0.665 P=754	**-0.185*** [0.059] N=1,136**	**-0.162*** [0.061] N=1,027**	**-0.137** [0.065] N=906**	-0.084 [0.071] N=765	-0.102 [0.073] N=632
Strict normal HAZ -2 to +3	0.709 P=845	-0.003 [0.057] N=1,185	-0.004 [0.058] N=1,070	0.004 [0.061] N=942	-0.002 [0.067] N=797	-0.041 [0.076] N=654
Strict normal WAZ -2 to +1	0.683 P=911	-0.006 [0.048] N=1,334	-0.009 [0.051] N=1,213	-0.000 [0.054] N=1,067	-0.011 [0.058] N=898	0.014 [0.063] N=729
Strict normal WHZ -2 to +1	0.530 P=612	**-0.155*** [0.057] N=1,172**	**-0.161*** [0.058] N=1,060**	**-0.159** [0.063] N=933**	-0.100 [0.068] N=787	**-0.130* [0.073] N=646**
Strict normal BMIZ -2 to +1	0.525 P=592	**-0.123** [0.057] N=1,136**	**-0.114** [0.057] N=1,027**	-0.077 [0.062] N=906	-0.019 [0.066] N=765	-0.043 [0.072] N=632
Above-normal height HAZ above +3	0.071 P=82	-0.016 [0.034] N=1,185	-0.013 [0.034] N=1,070	-0.012 [0.037] N=942	-0.035 [0.041] N=797	-0.008 [0.046] N=654
Above-normal weight WAZ above +1	0.260 P=343	0.007 [0.044] N=1,334	0.023 [0.047] N=1,213	0.008 [0.047] N=1,067	0.016 [0.050] N=898	-0.007 [0.054] N=729
Above-normal WHZ above +1	0.359 P=429	**0.148*** [0.056] N=1,172**	**0.157*** [0.058] N=1,060**	**0.129** [0.061] N=933**	**0.130* [0.066] N=787**	**0.142* [0.073] N=646**
Above-normal BMIZ above +1	0.354 P=407	0.093 [0.061] N=1,136	0.088 [0.062] N=1,027	0.041 [0.065] N=906	0.030 [0.073] N=765	0.043 [0.083] N=632

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.008 [0.090] N=1,021	0.009 [0.093] N=906	0.012 [0.102] N=778	-0.053 [0.127] N=633	-0.077 [0.157] N=490
Not underweight WAZ at least -2	-0.003 [0.036] N=1,157	0.017 [0.038] N=1,036	0.007 [0.044] N=890	0.009 [0.047] N=721	0.031 [0.050] N=552
Neither wasted nor overweight WHZ -2 to +2	**-0.238*** [0.071] N=1,011**	**-0.210*** [0.075] N=899**	**-0.266*** [0.084] N=772**	-0.168 [0.104] N=626	-0.163 [0.120] N=485
Neither low nor high BMIZ -2 to +2	**-0.311*** [0.069] N=983**	**-0.277*** [0.074] N=874**	**-0.253*** [0.076] N=753**	-0.144 [0.097] N=612	**-0.180* [0.100] N=479**
Strict normal HAZ -2 to +3	0.008 [0.087] N=1,021	0.023 [0.092] N=906	0.029 [0.098] N=778	0.015 [0.121] N=633	-0.050 [0.156] N=490
Strict normal WAZ -2 to +1	0.016 [0.075] N=1,157	0.020 [0.081] N=1,036	0.041 [0.087] N=890	0.023 [0.099] N=721	0.119 [0.117] N=552
Strict normal WHZ -2 to +1	**-0.213*** [0.080] N=1,011**	**-0.228*** [0.085] N=899**	**-0.238** [0.096] N=772**	-0.124 [0.117] N=626	-0.176 [0.152] N=485
Strict normal BMIZ -2 to +1	**-0.224** [0.086] N=983**	**-0.214** [0.090] N=874**	**-0.172* [0.101] N=753**	-0.050 [0.122] N=612	-0.109 [0.155] N=479
Above-normal height HAZ above +3	-0.016 [0.037] N=1,021	-0.015 [0.038] N=906	-0.017 [0.042] N=778	-0.069 [0.047] N=633	-0.027 [0.062] N=490
Above-normal weight WAZ above +1	-0.019 [0.067] N=1,157	-0.003 [0.073] N=1,036	-0.035 [0.077] N=890	-0.014 [0.086] N=721	-0.088 [0.106] N=552
Above-normal WHZ above +1	**0.148* [0.085] N=1,011**	**0.163* [0.090] N=899**	0.120 [0.101] N=772	0.134 [0.112] N=626	0.148 [0.146] N=485
Above-normal BMIZ above +1	0.094 [0.094] N=983	0.085 [0.098] N=874	0.011 [0.109] N=753	-0.005 [0.131] N=612	0.026 [0.167] N=479

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.