Table 10 Reduced Form Effects on Frequent Nutrition for Ages 1-3: Youngest Child

Age reference: 10 October 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=1,364	0.021 [0.035] N=1,618	0.027 [0.037] N=1,493	0.038 [0.040] N=1,340	0.024 [0.042] N=1,139	0.021 [0.046] N=935
Vegetables consumed daily or several times weekly	0.763 P=1,237	0.021 [0.044] N=1,618	0.017 [0.046] N=1,493	0.012 [0.049] N=1,340	-0.015 [0.051] N=1,139	-0.049 [0.057] N=935
Meat fish or poultry consumed daily or several times weekly	0.581 P=940	0.026 [0.052] N=1,618	0.022 [0.055] N=1,493	0.012 [0.057] N=1,340	0.015 [0.065] N=1,139	-0.003 [0.070] N=935
Legumes consumed daily or several times weekly	0.579 P=932	0.003 [0.050] N=1,618	0.011 [0.054] N=1,493	0.022 [0.054] N=1,340	0.063 [0.062] N=1,139	0.064 [0.071] N=935
Animal products consumed daily or several times weekly	0.859 P=1,390	**0.076** [0.038] N=1,618**	**0.071* [0.040] N=1,493**	0.046 [0.043] N=1,340	0.063 [0.047] N=1,139	0.044 [0.052] N=935
Sweets consumed daily or several times weekly	0.540 P=874	-0.057 [0.049] N=1,618	-0.072 [0.050] N=1,493	-0.064 [0.053] N=1,340	-0.034 [0.055] N=1,139	-0.013 [0.062] N=935
Snack foods consumed daily or several times weekly	0.402 P=645	0.038 [0.047] N=1,618	0.014 [0.049] N=1,493	0.019 [0.053] N=1,340	0.054 [0.055] N=1,139	0.041 [0.060] N=935
Packaged soft drinks consumed daily or several times weekly	0.234 P=369	0.004 [0.044] N=1,618	0.013 [0.047] N=1,493	0.006 [0.050] N=1,340	0.014 [0.055] N=1,139	-0.027 [0.061] N=935
Grains consumed daily or several times weekly	0.849 P=1,367	0.037 [0.038] N=1,618	0.053 [0.040] N=1,493	0.030 [0.042] N=1,340	0.035 [0.047] N=1,139	0.002 [0.052] N=935

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.054 [0.050] N=1,377	0.073 [0.054] N=1,252	0.102 [0.062] N=1,099	0.086 [0.078] N=898	0.139 [0.103] N=694
Vegetables consumed daily or several times weekly	0.057 [0.061] N=1,377	0.063 [0.067] N=1,252	0.066 [0.071] N=1,099	0.010 [0.086] N=898	-0.060 [0.109] N=694
Meat fish or poultry consumed daily or several times weekly	0.016 [0.068] N=1,377	0.009 [0.075] N=1,252	-0.019 [0.079] N=1,099	-0.035 [0.100] N=898	-0.096 [0.112] N=694
Legumes consumed daily or several times weekly	-0.011 [0.070] N=1,377	0.004 [0.078] N=1,252	0.026 [0.082] N=1,099	0.120 [0.105] N=898	0.151 [0.134] N=694
Animal products consumed daily or several times weekly	**0.090* [0.054] N=1,377**	0.082 [0.059] N=1,252	0.029 [0.067] N=1,099	0.066 [0.082] N=898	0.015 [0.099] N=694
Sweets consumed daily or several times weekly	-0.090 [0.065] N=1,377	**-0.115* [0.069] N=1,252**	-0.109 [0.077] N=1,099	-0.043 [0.084] N=898	0.020 [0.112] N=694
Snack foods consumed daily or several times weekly	0.017 [0.065] N=1,377	-0.033 [0.069] N=1,252	-0.033 [0.079] N=1,099	0.046 [0.097] N=898	-0.033 [0.115] N=694
Packaged soft drinks consumed daily or several times weekly	0.011 [0.054] N=1,377	0.031 [0.059] N=1,252	0.027 [0.068] N=1,099	0.055 [0.083] N=898	-0.043 [0.105] N=694
Grains consumed daily or several times weekly	**0.102* [0.060] N=1,377**	**0.148** [0.065] N=1,252**	0.114 [0.074] N=1,099	**0.160* [0.092] N=898**	0.151 [0.124] N=694

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=1,364	0.021 [0.035] N=1,618	0.026 [0.037] N=1,493	0.038 [0.040] N=1,340	0.023 [0.042] N=1,139	0.020 [0.046] N=935
Vegetables consumed daily or several times weekly	0.763 P=1,237	0.021 [0.044] N=1,618	0.017 [0.046] N=1,493	0.012 [0.049] N=1,340	-0.015 [0.051] N=1,139	-0.049 [0.057] N=935
Meat fish or poultry consumed daily or several times weekly	0.581 P=940	0.025 [0.052] N=1,618	0.022 [0.055] N=1,493	0.013 [0.058] N=1,340	0.015 [0.065] N=1,139	-0.003 [0.070] N=935
Legumes consumed daily or several times weekly	0.579 P=932	0.003 [0.051] N=1,618	0.011 [0.054] N=1,493	0.022 [0.055] N=1,340	0.063 [0.063] N=1,139	0.064 [0.071] N=935
Animal products consumed daily or several times weekly	0.859 P=1,390	**0.076** [0.038] N=1,618**	**0.070* [0.040] N=1,493**	0.047 [0.043] N=1,340	0.063 [0.047] N=1,139	0.044 [0.052] N=935
Sweets consumed daily or several times weekly	0.540 P=874	-0.058 [0.049] N=1,618	-0.072 [0.050] N=1,493	-0.064 [0.053] N=1,340	-0.034 [0.055] N=1,139	-0.013 [0.062] N=935
Snack foods consumed daily or several times weekly	0.402 P=645	0.037 [0.047] N=1,618	0.014 [0.049] N=1,493	0.020 [0.053] N=1,340	0.054 [0.056] N=1,139	0.041 [0.060] N=935
Packaged soft drinks consumed daily or several times weekly	0.234 P=369	0.004 [0.044] N=1,618	0.013 [0.047] N=1,493	0.006 [0.050] N=1,340	0.014 [0.055] N=1,139	-0.027 [0.061] N=935
Grains consumed daily or several times weekly	0.849 P=1,367	0.037 [0.038] N=1,618	0.053 [0.040] N=1,493	0.030 [0.042] N=1,340	0.035 [0.047] N=1,139	0.002 [0.052] N=935

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.054 [0.050] N=1,377	0.075 [0.054] N=1,252	**0.105* [0.062] N=1,099**	0.089 [0.078] N=898	0.142 [0.102] N=694
Vegetables consumed daily or several times weekly	0.057 [0.061] N=1,377	0.063 [0.067] N=1,252	0.067 [0.071] N=1,099	0.012 [0.085] N=898	-0.060 [0.109] N=694
Meat fish or poultry consumed daily or several times weekly	0.016 [0.068] N=1,377	0.010 [0.075] N=1,252	-0.016 [0.079] N=1,099	-0.034 [0.100] N=898	-0.098 [0.112] N=694
Legumes consumed daily or several times weekly	-0.011 [0.070] N=1,377	0.005 [0.078] N=1,252	0.029 [0.082] N=1,099	0.123 [0.105] N=898	0.152 [0.134] N=694
Animal products consumed daily or several times weekly	**0.091* [0.053] N=1,377**	0.085 [0.058] N=1,252	0.034 [0.066] N=1,099	0.071 [0.080] N=898	0.018 [0.098] N=694
Sweets consumed daily or several times weekly	-0.090 [0.065] N=1,377	-0.114 [0.069] N=1,252	-0.107 [0.077] N=1,099	-0.042 [0.084] N=898	0.018 [0.112] N=694
Snack foods consumed daily or several times weekly	0.017 [0.065] N=1,377	-0.031 [0.069] N=1,252	-0.030 [0.079] N=1,099	0.049 [0.097] N=898	-0.030 [0.114] N=694
Packaged soft drinks consumed daily or several times weekly	0.011 [0.054] N=1,377	0.031 [0.059] N=1,252	0.027 [0.068] N=1,099	0.055 [0.083] N=898	-0.044 [0.105] N=694
Grains consumed daily or several times weekly	**0.102* [0.060] N=1,377**	**0.149** [0.065] N=1,252**	0.115 [0.074] N=1,099	**0.161* [0.092] N=898**	0.149 [0.125] N=694

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=1,364	-0.003 [0.036] N=1,618	0.001 [0.038] N=1,493	0.013 [0.040] N=1,340	-0.003 [0.042] N=1,139	-0.006 [0.045] N=935
Vegetables consumed daily or several times weekly	0.763 P=1,237	0.003 [0.045] N=1,618	-0.004 [0.047] N=1,493	-0.008 [0.049] N=1,340	-0.037 [0.052] N=1,139	-0.072 [0.057] N=935
Meat fish or poultry consumed daily or several times weekly	0.581 P=940	-0.010 [0.049] N=1,618	-0.018 [0.052] N=1,493	-0.023 [0.055] N=1,340	-0.024 [0.062] N=1,139	-0.044 [0.069] N=935
Legumes consumed daily or several times weekly	0.579 P=932	-0.018 [0.051] N=1,618	-0.012 [0.054] N=1,493	0.002 [0.054] N=1,340	0.045 [0.062] N=1,139	0.049 [0.070] N=935
Animal products consumed daily or several times weekly	0.859 P=1,390	0.062 [0.039] N=1,618	0.054 [0.041] N=1,493	0.032 [0.044] N=1,340	0.050 [0.048] N=1,139	0.029 [0.053] N=935
Sweets consumed daily or several times weekly	0.540 P=874	-0.066 [0.049] N=1,618	-0.083 [0.050] N=1,493	-0.073 [0.053] N=1,340	-0.040 [0.055] N=1,139	-0.019 [0.063] N=935
Snack foods consumed daily or several times weekly	0.402 P=645	0.040 [0.047] N=1,618	0.017 [0.049] N=1,493	0.021 [0.053] N=1,340	0.058 [0.055] N=1,139	0.049 [0.060] N=935
Packaged soft drinks consumed daily or several times weekly	0.234 P=369	0.011 [0.043] N=1,618	0.023 [0.045] N=1,493	0.014 [0.050] N=1,340	0.022 [0.054] N=1,139	-0.015 [0.060] N=935
Grains consumed daily or several times weekly	0.849 P=1,367	0.029 [0.039] N=1,618	0.047 [0.040] N=1,493	0.024 [0.042] N=1,340	0.027 [0.047] N=1,139	-0.002 [0.052] N=935

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.032 [0.052] N=1,377	0.048 [0.057] N=1,252	0.082 [0.064] N=1,099	0.068 [0.082] N=898	0.115 [0.112] N=694
Vegetables consumed daily or several times weekly	0.041 [0.062] N=1,377	0.043 [0.067] N=1,252	0.051 [0.071] N=1,099	0.000 [0.087] N=898	-0.076 [0.112] N=694
Meat fish or poultry consumed daily or several times weekly	-0.014 [0.065] N=1,377	-0.028 [0.072] N=1,252	-0.046 [0.077] N=1,099	-0.067 [0.099] N=898	-0.139 [0.119] N=694
Legumes consumed daily or several times weekly	-0.029 [0.071] N=1,377	-0.017 [0.079] N=1,252	0.010 [0.083] N=1,099	0.105 [0.106] N=898	0.132 [0.135] N=694
Animal products consumed daily or several times weekly	0.078 [0.052] N=1,377	0.068 [0.056] N=1,252	0.020 [0.065] N=1,099	0.065 [0.079] N=898	0.016 [0.096] N=694
Sweets consumed daily or several times weekly	-0.099 [0.066] N=1,377	**-0.126* [0.070] N=1,252**	-0.117 [0.078] N=1,099	-0.048 [0.083] N=898	0.011 [0.111] N=694
Snack foods consumed daily or several times weekly	0.017 [0.064] N=1,377	-0.030 [0.068] N=1,252	-0.032 [0.079] N=1,099	0.043 [0.096] N=898	-0.031 [0.115] N=694
Packaged soft drinks consumed daily or several times weekly	0.017 [0.054] N=1,377	0.041 [0.058] N=1,252	0.032 [0.067] N=1,099	0.059 [0.082] N=898	-0.037 [0.105] N=694
Grains consumed daily or several times weekly	0.093 [0.060] N=1,377	**0.142** [0.065] N=1,252**	0.108 [0.074] N=1,099	0.146 [0.093] N=898	0.134 [0.127] N=694

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=1,364	-0.009 [0.035] N=1,618	-0.006 [0.037] N=1,493	0.004 [0.039] N=1,340	-0.009 [0.042] N=1,139	-0.015 [0.044] N=935
Vegetables consumed daily or several times weekly	0.763 P=1,237	0.002 [0.045] N=1,618	-0.002 [0.047] N=1,493	-0.008 [0.049] N=1,340	-0.037 [0.052] N=1,139	-0.072 [0.057] N=935
Meat fish or poultry consumed daily or several times weekly	0.581 P=940	-0.013 [0.049] N=1,618	-0.022 [0.052] N=1,493	-0.030 [0.054] N=1,340	-0.030 [0.061] N=1,139	-0.054 [0.067] N=935
Legumes consumed daily or several times weekly	0.579 P=932	-0.013 [0.051] N=1,618	-0.007 [0.054] N=1,493	0.004 [0.054] N=1,340	0.047 [0.061] N=1,139	0.048 [0.071] N=935
Animal products consumed daily or several times weekly	0.859 P=1,390	0.060 [0.039] N=1,618	0.055 [0.040] N=1,493	0.033 [0.044] N=1,340	0.048 [0.048] N=1,139	0.028 [0.053] N=935
Sweets consumed daily or several times weekly	0.540 P=874	-0.068 [0.050] N=1,618	**-0.085* [0.051] N=1,493**	-0.077 [0.054] N=1,340	-0.040 [0.055] N=1,139	-0.021 [0.064] N=935
Snack foods consumed daily or several times weekly	0.402 P=645	0.041 [0.047] N=1,618	0.017 [0.049] N=1,493	0.019 [0.054] N=1,340	0.060 [0.055] N=1,139	0.049 [0.060] N=935
Packaged soft drinks consumed daily or several times weekly	0.234 P=369	0.014 [0.043] N=1,618	0.024 [0.045] N=1,493	0.016 [0.049] N=1,340	0.027 [0.053] N=1,139	-0.011 [0.058] N=935
Grains consumed daily or several times weekly	0.849 P=1,367	0.032 [0.038] N=1,618	0.052 [0.040] N=1,493	0.029 [0.042] N=1,340	0.034 [0.047] N=1,139	0.005 [0.053] N=935

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.029 [0.051] N=1,377	0.046 [0.056] N=1,252	0.081 [0.062] N=1,099	0.072 [0.080] N=898	0.107 [0.109] N=694
Vegetables consumed daily or several times weekly	0.040 [0.061] N=1,377	0.044 [0.067] N=1,252	0.050 [0.071] N=1,099	-0.007 [0.087] N=898	-0.099 [0.112] N=694
Meat fish or poultry consumed daily or several times weekly	-0.016 [0.067] N=1,377	-0.031 [0.073] N=1,252	-0.050 [0.077] N=1,099	-0.073 [0.101] N=898	-0.166 [0.123] N=694
Legumes consumed daily or several times weekly	-0.029 [0.072] N=1,377	-0.016 [0.080] N=1,252	0.010 [0.083] N=1,099	0.103 [0.108] N=898	0.116 [0.139] N=694
Animal products consumed daily or several times weekly	0.079 [0.053] N=1,377	0.073 [0.058] N=1,252	0.024 [0.067] N=1,099	0.062 [0.081] N=898	0.009 [0.101] N=694
Sweets consumed daily or several times weekly	-0.093 [0.066] N=1,377	**-0.122* [0.069] N=1,252**	-0.114 [0.077] N=1,099	-0.039 [0.084] N=898	0.011 [0.113] N=694
Snack foods consumed daily or several times weekly	0.023 [0.065] N=1,377	-0.027 [0.069] N=1,252	-0.029 [0.080] N=1,099	0.054 [0.097] N=898	-0.020 [0.114] N=694
Packaged soft drinks consumed daily or several times weekly	0.021 [0.053] N=1,377	0.044 [0.058] N=1,252	0.035 [0.067] N=1,099	0.065 [0.082] N=898	-0.018 [0.103] N=694
Grains consumed daily or several times weekly	0.094 [0.060] N=1,377	**0.144** [0.065] N=1,252**	0.110 [0.074] N=1,099	0.150 [0.093] N=898	0.135 [0.127] N=694

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,268	0.007 [0.038] N=1,511	0.009 [0.040] N=1,401	0.022 [0.043] N=1,255	0.015 [0.045] N=1,070	0.006 [0.049] N=880
Vegetables consumed daily or several times weekly	0.761 P=1,152	0.005 [0.047] N=1,511	0.001 [0.049] N=1,401	-0.000 [0.051] N=1,255	-0.026 [0.054] N=1,070	-0.061 [0.060] N=880
Meat fish or poultry consumed daily or several times weekly	0.581 P=877	0.029 [0.051] N=1,511	0.024 [0.054] N=1,401	0.013 [0.056] N=1,255	0.004 [0.062] N=1,070	-0.026 [0.066] N=880
Legumes consumed daily or several times weekly	0.574 P=862	0.008 [0.050] N=1,511	0.010 [0.053] N=1,401	0.027 [0.053] N=1,255	0.066 [0.061] N=1,070	0.062 [0.070] N=880
Animal products consumed daily or several times weekly	0.862 P=1,303	**0.078** [0.039] N=1,511**	**0.073* [0.040] N=1,401**	0.051 [0.043] N=1,255	0.053 [0.046] N=1,070	0.029 [0.051] N=880
Sweets consumed daily or several times weekly	0.540 P=816	-0.046 [0.050] N=1,511	-0.061 [0.052] N=1,401	-0.053 [0.055] N=1,255	-0.026 [0.056] N=1,070	-0.005 [0.063] N=880
Snack foods consumed daily or several times weekly	0.403 P=604	0.039 [0.050] N=1,511	0.025 [0.052] N=1,401	0.035 [0.056] N=1,255	0.062 [0.058] N=1,070	0.062 [0.063] N=880
Packaged soft drinks consumed daily or several times weekly	0.237 P=350	0.030 [0.042] N=1,511	0.040 [0.044] N=1,401	0.034 [0.048] N=1,255	0.032 [0.052] N=1,070	0.005 [0.057] N=880
Grains consumed daily or several times weekly	0.847 P=1,274	0.041 [0.041] N=1,511	0.056 [0.042] N=1,401	0.032 [0.044] N=1,255	0.034 [0.049] N=1,070	0.000 [0.056] N=880

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.052 [0.052] N=1,285	0.067 [0.056] N=1,175	0.099 [0.064] N=1,029	0.094 [0.079] N=844	0.142 [0.105] N=654
Vegetables consumed daily or several times weekly	0.058 [0.064] N=1,285	0.067 [0.070] N=1,175	0.075 [0.073] N=1,029	0.027 [0.088] N=844	-0.042 [0.116] N=654
Meat fish or poultry consumed daily or several times weekly	0.047 [0.070] N=1,285	0.039 [0.077] N=1,175	0.021 [0.082] N=1,029	-0.016 [0.101] N=844	-0.094 [0.116] N=654
Legumes consumed daily or several times weekly	0.009 [0.073] N=1,285	0.018 [0.081] N=1,175	0.055 [0.085] N=1,029	0.157 [0.104] N=844	0.193 [0.135] N=654
Animal products consumed daily or several times weekly	**0.108* [0.056] N=1,285**	**0.103* [0.060] N=1,175**	0.059 [0.068] N=1,029	0.077 [0.081] N=844	0.034 [0.103] N=654
Sweets consumed daily or several times weekly	-0.075 [0.068] N=1,285	-0.098 [0.073] N=1,175	-0.101 [0.081] N=1,029	-0.050 [0.089] N=844	-0.030 [0.122] N=654
Snack foods consumed daily or several times weekly	0.015 [0.069] N=1,285	-0.015 [0.074] N=1,175	-0.008 [0.086] N=1,029	0.052 [0.103] N=844	-0.019 [0.125] N=654
Packaged soft drinks consumed daily or several times weekly	0.040 [0.054] N=1,285	0.064 [0.058] N=1,175	0.062 [0.068] N=1,029	0.074 [0.081] N=844	0.009 [0.103] N=654
Grains consumed daily or several times weekly	**0.120* [0.063] N=1,285**	**0.165** [0.068] N=1,175**	0.127 [0.077] N=1,029	**0.167* [0.096] N=844**	0.165 [0.132] N=654

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,268	0.005 [0.037] N=1,511	0.007 [0.039] N=1,401	0.022 [0.042] N=1,255	0.011 [0.044] N=1,070	0.001 [0.048] N=880
Vegetables consumed daily or several times weekly	0.761 P=1,152	0.003 [0.046] N=1,511	-0.001 [0.048] N=1,401	-0.003 [0.051] N=1,255	-0.029 [0.053] N=1,070	-0.065 [0.059] N=880
Meat fish or poultry consumed daily or several times weekly	0.581 P=877	0.031 [0.051] N=1,511	0.027 [0.054] N=1,401	0.019 [0.057] N=1,255	0.011 [0.064] N=1,070	-0.015 [0.067] N=880
Legumes consumed daily or several times weekly	0.574 P=862	0.005 [0.050] N=1,511	0.007 [0.053] N=1,401	0.026 [0.053] N=1,255	0.066 [0.060] N=1,070	0.064 [0.069] N=880
Animal products consumed daily or several times weekly	0.862 P=1,303	**0.077** [0.039] N=1,511**	**0.072* [0.040] N=1,401**	0.051 [0.043] N=1,255	0.054 [0.046] N=1,070	0.034 [0.051] N=880
Sweets consumed daily or several times weekly	0.540 P=816	-0.045 [0.050] N=1,511	-0.061 [0.051] N=1,401	-0.051 [0.054] N=1,255	-0.026 [0.055] N=1,070	-0.006 [0.061] N=880
Snack foods consumed daily or several times weekly	0.403 P=604	0.036 [0.049] N=1,511	0.021 [0.051] N=1,401	0.032 [0.055] N=1,255	0.057 [0.057] N=1,070	0.049 [0.062] N=880
Packaged soft drinks consumed daily or several times weekly	0.237 P=350	0.026 [0.043] N=1,511	0.036 [0.045] N=1,401	0.031 [0.050] N=1,255	0.027 [0.053] N=1,070	-0.007 [0.059] N=880
Grains consumed daily or several times weekly	0.847 P=1,274	0.040 [0.040] N=1,511	0.055 [0.042] N=1,401	0.030 [0.044] N=1,255	0.029 [0.049] N=1,070	-0.007 [0.055] N=880

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.047 [0.051] N=1,285	0.063 [0.055] N=1,175	0.098 [0.064] N=1,029	0.093 [0.079] N=844	0.134 [0.104] N=654
Vegetables consumed daily or several times weekly	0.053 [0.063] N=1,285	0.061 [0.069] N=1,175	0.075 [0.073] N=1,029	0.027 [0.087] N=844	-0.036 [0.113] N=654
Meat fish or poultry consumed daily or several times weekly	0.040 [0.070] N=1,285	0.032 [0.076] N=1,175	0.014 [0.081] N=1,029	-0.021 [0.101] N=844	-0.091 [0.111] N=654
Legumes consumed daily or several times weekly	0.001 [0.072] N=1,285	0.008 [0.080] N=1,175	0.049 [0.084] N=1,029	0.149 [0.104] N=844	0.180 [0.135] N=654
Animal products consumed daily or several times weekly	**0.104* [0.056] N=1,285**	**0.100* [0.060] N=1,175**	0.056 [0.067] N=1,029	0.072 [0.081] N=844	0.031 [0.103] N=654
Sweets consumed daily or several times weekly	-0.085 [0.067] N=1,285	-0.114 [0.072] N=1,175	-0.110 [0.080] N=1,029	-0.052 [0.087] N=844	-0.017 [0.119] N=654
Snack foods consumed daily or several times weekly	0.008 [0.068] N=1,285	-0.025 [0.073] N=1,175	-0.013 [0.085] N=1,029	0.050 [0.102] N=844	-0.019 [0.124] N=654
Packaged soft drinks consumed daily or several times weekly	0.037 [0.054] N=1,285	0.061 [0.058] N=1,175	0.060 [0.068] N=1,029	0.071 [0.081] N=844	-0.002 [0.101] N=654
Grains consumed daily or several times weekly	**0.117* [0.063] N=1,285**	**0.163** [0.068] N=1,175**	**0.131* [0.077] N=1,029**	**0.170* [0.096] N=844**	0.161 [0.132] N=654

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,231	0.004 [0.044] N=1,446	0.004 [0.047] N=1,316	0.017 [0.052] N=1,150	0.009 [0.056] N=964	0.007 [0.064] N=771
Vegetables consumed daily or several times weekly	0.764 P=1,110	-0.005 [0.054] N=1,446	0.006 [0.057] N=1,316	0.035 [0.062] N=1,150	0.030 [0.068] N=964	0.042 [0.078] N=771
Meat fish or poultry consumed daily or several times weekly	0.579 P=842	0.027 [0.056] N=1,446	0.037 [0.059] N=1,316	0.043 [0.062] N=1,150	0.072 [0.070] N=964	0.059 [0.078] N=771
Legumes consumed daily or several times weekly	0.589 P=848	-0.035 [0.065] N=1,446	-0.024 [0.069] N=1,316	-0.041 [0.071] N=1,150	-0.074 [0.079] N=964	-0.063 [0.090] N=771
Animal products consumed daily or several times weekly	0.858 P=1,240	0.041 [0.038] N=1,446	0.040 [0.040] N=1,316	0.054 [0.043] N=1,150	0.054 [0.045] N=964	0.067 [0.051] N=771
Sweets consumed daily or several times weekly	0.556 P=806	-0.048 [0.058] N=1,446	-0.058 [0.061] N=1,316	-0.027 [0.067] N=1,150	-0.040 [0.073] N=964	-0.100 [0.080] N=771
Snack foods consumed daily or several times weekly	0.417 P=596	0.002 [0.057] N=1,446	-0.014 [0.059] N=1,316	-0.009 [0.063] N=1,150	0.010 [0.067] N=964	-0.073 [0.073] N=771
Packaged soft drinks consumed daily or several times weekly	0.232 P=330	0.034 [0.039] N=1,446	0.020 [0.041] N=1,316	0.047 [0.044] N=1,150	0.049 [0.049] N=964	-0.012 [0.051] N=771
Grains consumed daily or several times weekly	0.848 P=1,224	**0.097** [0.048] N=1,446**	**0.097* [0.049] N=1,316**	**0.103* [0.053] N=1,150**	0.094 [0.059] N=964	0.056 [0.067] N=771

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.034 [0.063] N=1,259	-0.042 [0.069] N=1,129	-0.032 [0.083] N=963	-0.042 [0.090] N=777	-0.055 [0.127] N=584
Vegetables consumed daily or several times weekly	-0.052 [0.071] N=1,259	-0.040 [0.079] N=1,129	-0.004 [0.091] N=963	-0.012 [0.101] N=777	0.016 [0.139] N=584
Meat fish or poultry consumed daily or several times weekly	-0.020 [0.070] N=1,259	-0.008 [0.078] N=1,129	-0.013 [0.084] N=963	0.025 [0.101] N=777	-0.013 [0.123] N=584
Legumes consumed daily or several times weekly	0.038 [0.084] N=1,259	0.063 [0.092] N=1,129	0.062 [0.101] N=963	0.039 [0.120] N=777	0.136 [0.152] N=584
Animal products consumed daily or several times weekly	0.015 [0.053] N=1,259	0.012 [0.058] N=1,129	0.028 [0.061] N=963	0.028 [0.066] N=777	0.056 [0.083] N=584
Sweets consumed daily or several times weekly	0.018 [0.076] N=1,259	0.006 [0.082] N=1,129	0.095 [0.092] N=963	0.099 [0.105] N=777	0.010 [0.121] N=584
Snack foods consumed daily or several times weekly	0.072 [0.075] N=1,259	0.048 [0.083] N=1,129	0.079 [0.090] N=963	0.155 [0.101] N=777	0.024 [0.125] N=584
Packaged soft drinks consumed daily or several times weekly	0.024 [0.062] N=1,259	0.002 [0.066] N=1,129	0.056 [0.076] N=963	0.070 [0.092] N=777	-0.077 [0.108] N=584
Grains consumed daily or several times weekly	**0.116** [0.053] N=1,259**	**0.112** [0.056] N=1,129**	**0.125** [0.060] N=963**	0.098 [0.071] N=777	-0.032 [0.091] N=584

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,231	0.005 [0.044] N=1,446	0.006 [0.046] N=1,316	0.019 [0.051] N=1,150	0.009 [0.056] N=964	0.007 [0.064] N=771
Vegetables consumed daily or several times weekly	0.764 P=1,110	-0.004 [0.053] N=1,446	0.007 [0.056] N=1,316	0.037 [0.061] N=1,150	0.031 [0.067] N=964	0.042 [0.078] N=771
Meat fish or poultry consumed daily or several times weekly	0.579 P=842	0.030 [0.056] N=1,446	0.041 [0.059] N=1,316	0.047 [0.062] N=1,150	0.074 [0.070] N=964	0.059 [0.079] N=771
Legumes consumed daily or several times weekly	0.589 P=848	-0.033 [0.065] N=1,446	-0.023 [0.069] N=1,316	-0.040 [0.071] N=1,150	-0.074 [0.079] N=964	-0.063 [0.091] N=771
Animal products consumed daily or several times weekly	0.858 P=1,240	0.044 [0.037] N=1,446	0.043 [0.040] N=1,316	0.057 [0.042] N=1,150	0.055 [0.045] N=964	0.067 [0.051] N=771
Sweets consumed daily or several times weekly	0.556 P=806	-0.045 [0.058] N=1,446	-0.055 [0.061] N=1,316	-0.024 [0.067] N=1,150	-0.039 [0.073] N=964	-0.100 [0.080] N=771
Snack foods consumed daily or several times weekly	0.417 P=596	0.005 [0.057] N=1,446	-0.011 [0.059] N=1,316	-0.007 [0.063] N=1,150	0.010 [0.067] N=964	-0.073 [0.073] N=771
Packaged soft drinks consumed daily or several times weekly	0.232 P=330	0.035 [0.039] N=1,446	0.021 [0.041] N=1,316	0.048 [0.043] N=1,150	0.049 [0.049] N=964	-0.012 [0.051] N=771
Grains consumed daily or several times weekly	0.848 P=1,224	**0.098** [0.048] N=1,446**	**0.098** [0.049] N=1,316**	**0.104* [0.053] N=1,150**	0.093 [0.059] N=964	0.056 [0.067] N=771

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.030 [0.063] N=1,259	-0.039 [0.069] N=1,129	-0.027 [0.083] N=963	-0.039 [0.090] N=777	-0.046 [0.128] N=584
Vegetables consumed daily or several times weekly	-0.049 [0.071] N=1,259	-0.037 [0.078] N=1,129	0.001 [0.090] N=963	-0.005 [0.099] N=777	0.028 [0.138] N=584
Meat fish or poultry consumed daily or several times weekly	-0.014 [0.069] N=1,259	0.001 [0.077] N=1,129	-0.002 [0.083] N=963	0.034 [0.100] N=777	-0.000 [0.124] N=584
Legumes consumed daily or several times weekly	0.042 [0.084] N=1,259	0.067 [0.092] N=1,129	0.066 [0.100] N=963	0.044 [0.119] N=777	0.139 [0.153] N=584
Animal products consumed daily or several times weekly	0.023 [0.051] N=1,259	0.021 [0.057] N=1,129	0.037 [0.060] N=963	0.037 [0.065] N=777	0.070 [0.081] N=584
Sweets consumed daily or several times weekly	0.023 [0.077] N=1,259	0.014 [0.083] N=1,129	0.101 [0.092] N=963	0.103 [0.106] N=777	0.019 [0.123] N=584
Snack foods consumed daily or several times weekly	0.079 [0.075] N=1,259	0.055 [0.082] N=1,129	0.085 [0.089] N=963	0.156 [0.101] N=777	0.029 [0.125] N=584
Packaged soft drinks consumed daily or several times weekly	0.025 [0.062] N=1,259	0.004 [0.066] N=1,129	0.058 [0.075] N=963	0.071 [0.093] N=777	-0.073 [0.109] N=584
Grains consumed daily or several times weekly	**0.118** [0.054] N=1,259**	**0.113** [0.056] N=1,129**	**0.125** [0.061] N=963**	0.093 [0.071] N=777	-0.034 [0.092] N=584

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,231	0.001 [0.042] N=1,446	0.003 [0.044] N=1,316	0.022 [0.049] N=1,150	0.009 [0.053] N=964	0.008 [0.060] N=771
Vegetables consumed daily or several times weekly	0.764 P=1,110	-0.007 [0.052] N=1,446	0.006 [0.055] N=1,316	0.040 [0.059] N=1,150	0.031 [0.065] N=964	0.043 [0.075] N=771
Meat fish or poultry consumed daily or several times weekly	0.579 P=842	0.021 [0.056] N=1,446	0.035 [0.058] N=1,316	0.051 [0.060] N=1,150	0.074 [0.066] N=964	0.061 [0.074] N=771
Legumes consumed daily or several times weekly	0.589 P=848	-0.039 [0.066] N=1,446	-0.026 [0.069] N=1,316	-0.038 [0.072] N=1,150	-0.072 [0.077] N=964	-0.062 [0.089] N=771
Animal products consumed daily or several times weekly	0.858 P=1,240	0.040 [0.038] N=1,446	0.040 [0.040] N=1,316	0.058 [0.042] N=1,150	0.055 [0.045] N=964	0.068 [0.050] N=771
Sweets consumed daily or several times weekly	0.556 P=806	-0.046 [0.058] N=1,446	-0.056 [0.061] N=1,316	-0.023 [0.066] N=1,150	-0.040 [0.072] N=964	-0.101 [0.080] N=771
Snack foods consumed daily or several times weekly	0.417 P=596	0.008 [0.057] N=1,446	-0.010 [0.060] N=1,316	-0.007 [0.062] N=1,150	0.009 [0.067] N=964	-0.075 [0.073] N=771
Packaged soft drinks consumed daily or several times weekly	0.232 P=330	0.037 [0.039] N=1,446	0.021 [0.040] N=1,316	0.046 [0.043] N=1,150	0.048 [0.048] N=964	-0.015 [0.050] N=771
Grains consumed daily or several times weekly	0.848 P=1,224	**0.096** [0.048] N=1,446**	**0.097* [0.049] N=1,316**	**0.105* [0.053] N=1,150**	0.093 [0.060] N=964	0.056 [0.067] N=771

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.029 [0.062] N=1,259	-0.034 [0.067] N=1,129	-0.011 [0.081] N=963	-0.029 [0.089] N=777	-0.035 [0.125] N=584
Vegetables consumed daily or several times weekly	-0.047 [0.070] N=1,259	-0.031 [0.077] N=1,129	0.017 [0.089] N=963	0.009 [0.098] N=777	0.044 [0.139] N=584
Meat fish or poultry consumed daily or several times weekly	-0.018 [0.069] N=1,259	0.002 [0.077] N=1,129	0.017 [0.082] N=963	0.044 [0.099] N=777	0.013 [0.119] N=584
Legumes consumed daily or several times weekly	0.034 [0.086] N=1,259	0.060 [0.092] N=1,129	0.067 [0.102] N=963	0.040 [0.119] N=777	0.133 [0.152] N=584
Animal products consumed daily or several times weekly	0.020 [0.051] N=1,259	0.019 [0.057] N=1,129	0.042 [0.060] N=963	0.037 [0.067] N=777	0.069 [0.081] N=584
Sweets consumed daily or several times weekly	0.023 [0.076] N=1,259	0.012 [0.083] N=1,129	0.103 [0.092] N=963	0.104 [0.106] N=777	0.022 [0.121] N=584
Snack foods consumed daily or several times weekly	0.082 [0.075] N=1,259	0.055 [0.082] N=1,129	0.079 [0.089] N=963	0.151 [0.099] N=777	0.027 [0.124] N=584
Packaged soft drinks consumed daily or several times weekly	0.021 [0.061] N=1,259	-0.004 [0.066] N=1,129	0.046 [0.075] N=963	0.060 [0.091] N=777	-0.075 [0.109] N=584
Grains consumed daily or several times weekly	**0.116** [0.053] N=1,259**	**0.113** [0.056] N=1,129**	**0.128** [0.061] N=963**	0.087 [0.073] N=777	-0.043 [0.095] N=584

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,231	0.003 [0.043] N=1,446	0.007 [0.046] N=1,316	0.024 [0.051] N=1,150	0.007 [0.055] N=964	0.008 [0.063] N=771
Vegetables consumed daily or several times weekly	0.764 P=1,110	-0.009 [0.053] N=1,446	0.006 [0.056] N=1,316	0.038 [0.061] N=1,150	0.026 [0.067] N=964	0.041 [0.076] N=771
Meat fish or poultry consumed daily or several times weekly	0.579 P=842	0.023 [0.055] N=1,446	0.043 [0.057] N=1,316	0.053 [0.059] N=1,150	0.073 [0.066] N=964	0.061 [0.072] N=771
Legumes consumed daily or several times weekly	0.589 P=848	-0.041 [0.067] N=1,446	-0.028 [0.070] N=1,316	-0.043 [0.073] N=1,150	-0.077 [0.079] N=964	-0.063 [0.090] N=771
Animal products consumed daily or several times weekly	0.858 P=1,240	0.049 [0.038] N=1,446	0.048 [0.041] N=1,316	0.063 [0.043] N=1,150	0.058 [0.047] N=964	0.074 [0.052] N=771
Sweets consumed daily or several times weekly	0.556 P=806	-0.040 [0.059] N=1,446	-0.050 [0.061] N=1,316	-0.021 [0.067] N=1,150	-0.039 [0.072] N=964	-0.096 [0.081] N=771
Snack foods consumed daily or several times weekly	0.417 P=596	0.014 [0.057] N=1,446	-0.005 [0.059] N=1,316	-0.003 [0.062] N=1,150	0.016 [0.066] N=964	-0.066 [0.073] N=771
Packaged soft drinks consumed daily or several times weekly	0.232 P=330	0.045 [0.038] N=1,446	0.027 [0.040] N=1,316	0.050 [0.043] N=1,150	0.055 [0.048] N=964	-0.005 [0.051] N=771
Grains consumed daily or several times weekly	0.848 P=1,224	**0.095** [0.048] N=1,446**	**0.094* [0.050] N=1,316**	**0.097* [0.053] N=1,150**	0.086 [0.060] N=964	0.051 [0.068] N=771

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.028 [0.063] N=1,259	-0.032 [0.069] N=1,129	-0.011 [0.085] N=963	-0.042 [0.096] N=777	-0.056 [0.132] N=584
Vegetables consumed daily or several times weekly	-0.052 [0.071] N=1,259	-0.034 [0.078] N=1,129	0.009 [0.091] N=963	-0.011 [0.101] N=777	0.016 [0.139] N=584
Meat fish or poultry consumed daily or several times weekly	-0.013 [0.069] N=1,259	0.014 [0.077] N=1,129	0.023 [0.083] N=963	0.041 [0.101] N=777	-0.005 [0.118] N=584
Legumes consumed daily or several times weekly	0.035 [0.085] N=1,259	0.063 [0.093] N=1,129	0.066 [0.102] N=963	0.039 [0.119] N=777	0.131 [0.151] N=584
Animal products consumed daily or several times weekly	0.027 [0.051] N=1,259	0.025 [0.056] N=1,129	0.041 [0.058] N=963	0.033 [0.066] N=777	0.069 [0.081] N=584
Sweets consumed daily or several times weekly	0.028 [0.076] N=1,259	0.017 [0.082] N=1,129	0.104 [0.090] N=963	0.096 [0.103] N=777	0.010 [0.116] N=584
Snack foods consumed daily or several times weekly	0.086 [0.074] N=1,259	0.058 [0.081] N=1,129	0.081 [0.087] N=963	0.151 [0.097] N=777	0.025 [0.121] N=584
Packaged soft drinks consumed daily or several times weekly	0.033 [0.060] N=1,259	0.004 [0.064] N=1,129	0.050 [0.074] N=963	0.065 [0.090] N=777	-0.071 [0.108] N=584
Grains consumed daily or several times weekly	**0.113** [0.053] N=1,259**	**0.107* [0.056] N=1,129**	**0.113* [0.062] N=963**	0.071 [0.074] N=777	-0.053 [0.098] N=584

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,146	0.005 [0.045] N=1,350	0.009 [0.048] N=1,227	0.028 [0.053] N=1,076	0.014 [0.057] N=901	0.007 [0.064] N=724
Vegetables consumed daily or several times weekly	0.763 P=1,036	-0.008 [0.055] N=1,350	0.007 [0.059] N=1,227	0.036 [0.063] N=1,076	0.016 [0.070] N=901	0.015 [0.081] N=724
Meat fish or poultry consumed daily or several times weekly	0.579 P=786	0.022 [0.058] N=1,350	0.029 [0.061] N=1,227	0.044 [0.065] N=1,076	0.055 [0.074] N=901	0.039 [0.085] N=724
Legumes consumed daily or several times weekly	0.586 P=788	-0.045 [0.065] N=1,350	-0.034 [0.068] N=1,227	-0.059 [0.072] N=1,076	-0.102 [0.079] N=901	-0.105 [0.090] N=724
Animal products consumed daily or several times weekly	0.860 P=1,161	0.049 [0.040] N=1,350	0.052 [0.042] N=1,227	0.062 [0.044] N=1,076	0.056 [0.047] N=901	0.077 [0.053] N=724
Sweets consumed daily or several times weekly	0.560 P=757	-0.057 [0.059] N=1,350	-0.073 [0.062] N=1,227	-0.042 [0.068] N=1,076	-0.064 [0.075] N=901	-0.127 [0.083] N=724
Snack foods consumed daily or several times weekly	0.421 P=562	-0.013 [0.059] N=1,350	-0.038 [0.062] N=1,227	-0.037 [0.065] N=1,076	-0.020 [0.068] N=901	-0.106 [0.074] N=724
Packaged soft drinks consumed daily or several times weekly	0.238 P=317	0.019 [0.041] N=1,350	0.000 [0.043] N=1,227	0.024 [0.046] N=1,076	0.027 [0.053] N=901	-0.042 [0.056] N=724
Grains consumed daily or several times weekly	0.846 P=1,141	**0.101** [0.049] N=1,350**	**0.098* [0.051] N=1,227**	**0.100* [0.054] N=1,076**	0.092 [0.062] N=901	0.056 [0.070] N=724

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.019 [0.067] N=1,174	-0.019 [0.073] N=1,051	0.007 [0.086] N=900	-0.014 [0.095] N=725	-0.036 [0.129] N=548
Vegetables consumed daily or several times weekly	-0.045 [0.073] N=1,174	-0.026 [0.081] N=1,051	0.012 [0.092] N=900	-0.019 [0.102] N=725	-0.039 [0.142] N=548
Meat fish or poultry consumed daily or several times weekly	-0.016 [0.077] N=1,174	-0.004 [0.086] N=1,051	0.015 [0.093] N=900	0.023 [0.114] N=725	-0.023 [0.145] N=548
Legumes consumed daily or several times weekly	0.035 [0.087] N=1,174	0.062 [0.093] N=1,051	0.056 [0.103] N=900	0.025 [0.125] N=725	0.069 [0.161] N=548
Animal products consumed daily or several times weekly	0.036 [0.056] N=1,174	0.041 [0.062] N=1,051	0.058 [0.063] N=900	0.050 [0.072] N=725	0.092 [0.091] N=548
Sweets consumed daily or several times weekly	0.021 [0.078] N=1,174	0.001 [0.085] N=1,051	0.083 [0.093] N=900	0.074 [0.109] N=725	-0.020 [0.132] N=548
Snack foods consumed daily or several times weekly	0.058 [0.079] N=1,174	0.020 [0.088] N=1,051	0.034 [0.097] N=900	0.100 [0.111] N=725	-0.043 [0.133] N=548
Packaged soft drinks consumed daily or several times weekly	0.000 [0.064] N=1,174	-0.028 [0.069] N=1,051	0.014 [0.079] N=900	0.024 [0.098] N=725	-0.154 [0.109] N=548
Grains consumed daily or several times weekly	**0.128** [0.055] N=1,174**	**0.122** [0.059] N=1,051**	**0.132** [0.065] N=900**	0.105 [0.078] N=725	-0.014 [0.104] N=548

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,146	0.007 [0.045] N=1,350	0.010 [0.048] N=1,227	0.029 [0.052] N=1,076	0.011 [0.057] N=901	0.004 [0.065] N=724
Vegetables consumed daily or several times weekly	0.763 P=1,036	-0.006 [0.055] N=1,350	0.006 [0.059] N=1,227	0.036 [0.063] N=1,076	0.016 [0.070] N=901	0.014 [0.083] N=724
Meat fish or poultry consumed daily or several times weekly	0.579 P=786	0.023 [0.057] N=1,350	0.033 [0.060] N=1,227	0.046 [0.064] N=1,076	0.055 [0.072] N=901	0.037 [0.083] N=724
Legumes consumed daily or several times weekly	0.586 P=788	-0.045 [0.066] N=1,350	-0.032 [0.069] N=1,227	-0.059 [0.072] N=1,076	-0.107 [0.079] N=901	-0.114 [0.091] N=724
Animal products consumed daily or several times weekly	0.860 P=1,161	0.050 [0.039] N=1,350	0.053 [0.042] N=1,227	0.064 [0.044] N=1,076	0.056 [0.047] N=901	0.075 [0.054] N=724
Sweets consumed daily or several times weekly	0.560 P=757	-0.059 [0.060] N=1,350	-0.074 [0.063] N=1,227	-0.044 [0.070] N=1,076	-0.067 [0.078] N=901	-0.130 [0.087] N=724
Snack foods consumed daily or several times weekly	0.421 P=562	-0.012 [0.059] N=1,350	-0.038 [0.062] N=1,227	-0.037 [0.065] N=1,076	-0.021 [0.069] N=901	-0.108 [0.074] N=724
Packaged soft drinks consumed daily or several times weekly	0.238 P=317	0.019 [0.041] N=1,350	-0.000 [0.043] N=1,227	0.024 [0.046] N=1,076	0.023 [0.052] N=901	-0.045 [0.056] N=724
Grains consumed daily or several times weekly	0.846 P=1,141	**0.101** [0.049] N=1,350**	**0.098* [0.050] N=1,227**	**0.101* [0.054] N=1,076**	0.093 [0.061] N=901	0.056 [0.069] N=724

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.018 [0.067] N=1,174	-0.022 [0.074] N=1,051	0.006 [0.087] N=900	-0.019 [0.094] N=725	-0.036 [0.130] N=548
Vegetables consumed daily or several times weekly	-0.042 [0.073] N=1,174	-0.026 [0.081] N=1,051	0.014 [0.092] N=900	-0.016 [0.102] N=725	-0.025 [0.141] N=548
Meat fish or poultry consumed daily or several times weekly	-0.014 [0.076] N=1,174	0.000 [0.085] N=1,051	0.018 [0.093] N=900	0.021 [0.112] N=725	-0.024 [0.141] N=548
Legumes consumed daily or several times weekly	0.038 [0.088] N=1,174	0.071 [0.094] N=1,051	0.063 [0.104] N=900	0.019 [0.125] N=725	0.078 [0.160] N=548
Animal products consumed daily or several times weekly	0.039 [0.056] N=1,174	0.043 [0.062] N=1,051	0.062 [0.063] N=900	0.055 [0.071] N=725	0.103 [0.089] N=548
Sweets consumed daily or several times weekly	0.022 [0.078] N=1,174	0.003 [0.085] N=1,051	0.087 [0.093] N=900	0.078 [0.109] N=725	-0.017 [0.130] N=548
Snack foods consumed daily or several times weekly	0.057 [0.079] N=1,174	0.015 [0.088] N=1,051	0.033 [0.097] N=900	0.104 [0.109] N=725	-0.043 [0.132] N=548
Packaged soft drinks consumed daily or several times weekly	-0.000 [0.065] N=1,174	-0.031 [0.070] N=1,051	0.014 [0.079] N=900	0.022 [0.097] N=725	-0.155 [0.112] N=548
Grains consumed daily or several times weekly	**0.129** [0.055] N=1,174**	**0.122** [0.058] N=1,051**	**0.133** [0.064] N=900**	0.105 [0.077] N=725	-0.016 [0.102] N=548

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.