Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 1-3: Youngest Child

Age reference: 10 October 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.787 P=1,122	0.062 [0.042] N=1,411	0.071 [0.045] N=1,306	0.047 [0.047] N=1,172	0.035 [0.050] N=998	0.011 [0.057] N=825
Not underweight WAZ at least -2	0.947 P=1,520	-0.025 [0.020] N=1,610	-0.018 [0.021] N=1,486	-0.019 [0.022] N=1,333	-0.022 [0.024] N=1,134	-0.048 [0.032] N=931
Neither wasted nor overweight WHZ -2 to +2	0.691 P=963	0.027 [0.049] N=1,390	0.030 [0.050] N=1,292	0.035 [0.054] N=1,162	0.021 [0.061] N=991	0.033 [0.065] N=815
Neither low nor high BMIZ -2 to +2	0.652 P=892	0.039 [0.047] N=1,356	0.050 [0.049] N=1,260	0.045 [0.053] N=1,130	0.025 [0.058] N=962	0.022 [0.060] N=795
Strict normal HAZ -2 to +3	0.702 P=1,001	0.060 [0.047] N=1,411	0.070 [0.049] N=1,306	0.036 [0.052] N=1,172	0.004 [0.057] N=998	0.023 [0.065] N=825
Strict normal WAZ -2 to +1	0.666 P=1,076	-0.052 [0.052] N=1,610	-0.054 [0.057] N=1,486	**-0.101* [0.058] N=1,333**	-0.098 [0.066] N=1,134	-0.083 [0.069] N=931
Strict normal WHZ -2 to +1	0.529 P=740	0.046 [0.050] N=1,390	0.046 [0.053] N=1,292	0.054 [0.057] N=1,162	0.051 [0.064] N=991	0.067 [0.069] N=815
Strict normal BMIZ -2 to +1	0.511 P=703	0.036 [0.049] N=1,356	0.031 [0.051] N=1,260	0.040 [0.055] N=1,130	0.020 [0.062] N=962	0.033 [0.065] N=795
Above-normal height HAZ above +3	0.085 P=121	0.002 [0.027] N=1,411	0.001 [0.029] N=1,306	0.011 [0.033] N=1,172	0.031 [0.035] N=998	-0.012 [0.035] N=825
Above-normal weight WAZ above +1	0.280 P=444	0.027 [0.052] N=1,610	0.037 [0.057] N=1,486	0.082 [0.058] N=1,333	0.076 [0.067] N=1,134	0.036 [0.070] N=931
Above-normal WHZ above +1	0.362 P=492	-0.021 [0.048] N=1,390	-0.028 [0.052] N=1,292	-0.039 [0.057] N=1,162	-0.043 [0.066] N=991	-0.039 [0.070] N=815
Above-normal BMIZ above +1	0.366 P=483	-0.030 [0.046] N=1,356	-0.027 [0.051] N=1,260	-0.049 [0.057] N=1,130	-0.067 [0.065] N=962	-0.070 [0.069] N=795

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.026 [0.056] N=1,193	0.038 [0.061] N=1,088	-0.007 [0.066] N=954	-0.039 [0.073] N=780	-0.142 [0.109] N=607
Not underweight WAZ at least -2	-0.041 [0.026] N=1,370	-0.031 [0.029] N=1,246	-0.036 [0.030] N=1,093	-0.055 [0.036] N=894	**-0.159*** [0.057] N=691**
Neither wasted nor overweight WHZ -2 to +2	0.017 [0.065] N=1,173	0.020 [0.066] N=1,075	0.034 [0.075] N=945	0.010 [0.090] N=774	0.060 [0.103] N=598
Neither low nor high BMIZ -2 to +2	0.037 [0.066] N=1,148	0.057 [0.068] N=1,052	0.058 [0.080] N=922	0.038 [0.099] N=754	0.057 [0.107] N=587
Strict normal HAZ -2 to +3	0.012 [0.063] N=1,193	0.018 [0.068] N=1,088	-0.056 [0.077] N=954	**-0.169* [0.087] N=780**	-0.165 [0.124] N=607
Strict normal WAZ -2 to +1	0.012 [0.068] N=1,370	0.016 [0.078] N=1,246	-0.062 [0.081] N=1,093	-0.059 [0.105] N=894	-0.005 [0.110] N=691
Strict normal WHZ -2 to +1	0.040 [0.071] N=1,173	0.035 [0.078] N=1,075	0.067 [0.088] N=945	0.065 [0.103] N=774	0.128 [0.124] N=598
Strict normal BMIZ -2 to +1	0.044 [0.072] N=1,148	0.034 [0.077] N=1,052	0.064 [0.088] N=922	0.041 [0.110] N=754	0.116 [0.131] N=587
Above-normal height HAZ above +3	0.014 [0.039] N=1,193	0.020 [0.044] N=1,088	0.049 [0.055] N=954	**0.130** [0.063] N=780**	0.023 [0.070] N=607
Above-normal weight WAZ above +1	-0.053 [0.064] N=1,370	-0.047 [0.073] N=1,246	0.027 [0.073] N=1,093	0.004 [0.101] N=894	-0.155 [0.105] N=691
Above-normal WHZ above +1	-0.029 [0.063] N=1,173	-0.037 [0.072] N=1,075	-0.085 [0.085] N=945	-0.114 [0.105] N=774	-0.147 [0.116] N=598
Above-normal BMIZ above +1	-0.017 [0.064] N=1,148	-0.006 [0.074] N=1,052	-0.065 [0.089] N=922	-0.119 [0.108] N=754	-0.183 [0.120] N=587

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.787 P=1,122	0.062 [0.042] N=1,411	0.071 [0.044] N=1,306	0.048 [0.046] N=1,172	0.035 [0.049] N=998	0.010 [0.057] N=825
Not underweight WAZ at least -2	0.947 P=1,520	-0.026 [0.020] N=1,610	-0.018 [0.021] N=1,486	-0.019 [0.022] N=1,333	-0.022 [0.024] N=1,134	-0.048 [0.032] N=931
Neither wasted nor overweight WHZ -2 to +2	0.691 P=963	0.026 [0.049] N=1,390	0.029 [0.050] N=1,292	0.036 [0.054] N=1,162	0.020 [0.061] N=991	0.031 [0.066] N=815
Neither low nor high BMIZ -2 to +2	0.652 P=892	0.038 [0.047] N=1,356	0.049 [0.049] N=1,260	0.045 [0.052] N=1,130	0.024 [0.058] N=962	0.019 [0.060] N=795
Strict normal HAZ -2 to +3	0.702 P=1,001	0.060 [0.046] N=1,411	0.070 [0.048] N=1,306	0.037 [0.051] N=1,172	0.004 [0.056] N=998	0.023 [0.065] N=825
Strict normal WAZ -2 to +1	0.666 P=1,076	-0.052 [0.052] N=1,610	-0.054 [0.057] N=1,486	**-0.101* [0.058] N=1,333**	-0.098 [0.066] N=1,134	-0.083 [0.069] N=931
Strict normal WHZ -2 to +1	0.529 P=740	0.045 [0.050] N=1,390	0.045 [0.053] N=1,292	0.055 [0.058] N=1,162	0.050 [0.065] N=991	0.067 [0.070] N=815
Strict normal BMIZ -2 to +1	0.511 P=703	0.036 [0.049] N=1,356	0.030 [0.051] N=1,260	0.039 [0.056] N=1,130	0.019 [0.063] N=962	0.032 [0.065] N=795
Above-normal height HAZ above +3	0.085 P=121	0.002 [0.027] N=1,411	0.001 [0.029] N=1,306	0.011 [0.033] N=1,172	0.031 [0.035] N=998	-0.012 [0.035] N=825
Above-normal weight WAZ above +1	0.280 P=444	0.027 [0.052] N=1,610	0.037 [0.057] N=1,486	0.082 [0.058] N=1,333	0.076 [0.067] N=1,134	0.035 [0.070] N=931
Above-normal WHZ above +1	0.362 P=492	-0.022 [0.048] N=1,390	-0.028 [0.052] N=1,292	-0.039 [0.057] N=1,162	-0.043 [0.066] N=991	-0.040 [0.070] N=815
Above-normal BMIZ above +1	0.366 P=483	-0.030 [0.046] N=1,356	-0.028 [0.050] N=1,260	-0.049 [0.057] N=1,130	-0.068 [0.065] N=962	-0.072 [0.068] N=795

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.026 [0.056] N=1,193	0.039 [0.061] N=1,088	-0.005 [0.066] N=954	-0.040 [0.072] N=780	-0.144 [0.109] N=607
Not underweight WAZ at least -2	-0.041 [0.026] N=1,370	-0.031 [0.029] N=1,246	-0.035 [0.030] N=1,093	-0.054 [0.036] N=894	**-0.159*** [0.057] N=691**
Neither wasted nor overweight WHZ -2 to +2	0.016 [0.065] N=1,173	0.020 [0.066] N=1,075	0.037 [0.075] N=945	0.011 [0.091] N=774	0.060 [0.103] N=598
Neither low nor high BMIZ -2 to +2	0.037 [0.066] N=1,148	0.057 [0.069] N=1,052	0.060 [0.080] N=922	0.040 [0.100] N=754	0.056 [0.108] N=587
Strict normal HAZ -2 to +3	0.013 [0.063] N=1,193	0.021 [0.067] N=1,088	-0.051 [0.075] N=954	**-0.166* [0.086] N=780**	-0.163 [0.123] N=607
Strict normal WAZ -2 to +1	0.012 [0.068] N=1,370	0.016 [0.078] N=1,246	-0.062 [0.081] N=1,093	-0.060 [0.105] N=894	-0.006 [0.110] N=691
Strict normal WHZ -2 to +1	0.040 [0.071] N=1,173	0.035 [0.078] N=1,075	0.068 [0.089] N=945	0.065 [0.104] N=774	0.128 [0.124] N=598
Strict normal BMIZ -2 to +1	0.044 [0.072] N=1,148	0.034 [0.077] N=1,052	0.065 [0.089] N=922	0.041 [0.111] N=754	0.116 [0.130] N=587
Above-normal height HAZ above +3	0.013 [0.038] N=1,193	0.018 [0.043] N=1,088	0.046 [0.054] N=954	**0.126** [0.062] N=780**	0.019 [0.070] N=607
Above-normal weight WAZ above +1	-0.053 [0.064] N=1,370	-0.046 [0.073] N=1,246	0.027 [0.073] N=1,093	0.006 [0.101] N=894	-0.152 [0.104] N=691
Above-normal WHZ above +1	-0.029 [0.063] N=1,173	-0.038 [0.072] N=1,075	-0.084 [0.084] N=945	-0.113 [0.104] N=774	-0.147 [0.117] N=598
Above-normal BMIZ above +1	-0.017 [0.064] N=1,148	-0.006 [0.073] N=1,052	-0.064 [0.088] N=922	-0.118 [0.107] N=754	-0.183 [0.120] N=587

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.787 P=1,122	0.055 [0.042] N=1,411	0.059 [0.044] N=1,306	0.038 [0.046] N=1,172	0.027 [0.048] N=998	-0.004 [0.055] N=825
Not underweight WAZ at least -2	0.947 P=1,520	-0.030 [0.019] N=1,610	-0.025 [0.021] N=1,486	-0.026 [0.021] N=1,333	-0.030 [0.024] N=1,134	**-0.057* [0.031] N=931**
Neither wasted nor overweight WHZ -2 to +2	0.691 P=963	0.015 [0.049] N=1,390	0.014 [0.050] N=1,292	0.022 [0.054] N=1,162	0.010 [0.061] N=991	0.021 [0.066] N=815
Neither low nor high BMIZ -2 to +2	0.652 P=892	0.027 [0.046] N=1,356	0.033 [0.048] N=1,260	0.031 [0.051] N=1,130	0.014 [0.057] N=962	0.009 [0.058] N=795
Strict normal HAZ -2 to +3	0.702 P=1,001	0.049 [0.045] N=1,411	0.054 [0.047] N=1,306	0.024 [0.050] N=1,172	-0.007 [0.054] N=998	0.004 [0.062] N=825
Strict normal WAZ -2 to +1	0.666 P=1,076	-0.046 [0.052] N=1,610	-0.051 [0.057] N=1,486	**-0.099* [0.058] N=1,333**	-0.098 [0.066] N=1,134	-0.083 [0.069] N=931
Strict normal WHZ -2 to +1	0.529 P=740	0.039 [0.050] N=1,390	0.032 [0.053] N=1,292	0.042 [0.057] N=1,162	0.038 [0.064] N=991	0.058 [0.070] N=815
Strict normal BMIZ -2 to +1	0.511 P=703	0.029 [0.049] N=1,356	0.017 [0.052] N=1,260	0.028 [0.056] N=1,130	0.009 [0.063] N=962	0.025 [0.065] N=795
Above-normal height HAZ above +3	0.085 P=121	0.006 [0.027] N=1,411	0.005 [0.029] N=1,306	0.014 [0.033] N=1,172	0.034 [0.034] N=998	-0.008 [0.035] N=825
Above-normal weight WAZ above +1	0.280 P=444	0.016 [0.051] N=1,610	0.027 [0.056] N=1,486	0.073 [0.057] N=1,333	0.069 [0.067] N=1,134	0.026 [0.069] N=931
Above-normal WHZ above +1	0.362 P=492	-0.022 [0.049] N=1,390	-0.025 [0.053] N=1,292	-0.034 [0.057] N=1,162	-0.037 [0.065] N=991	-0.037 [0.070] N=815
Above-normal BMIZ above +1	0.366 P=483	-0.029 [0.047] N=1,356	-0.024 [0.051] N=1,260	-0.045 [0.057] N=1,130	-0.062 [0.065] N=962	-0.069 [0.068] N=795

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.021 [0.056] N=1,193	0.023 [0.062] N=1,088	-0.015 [0.067] N=954	-0.043 [0.072] N=780	-0.163 [0.106] N=607
Not underweight WAZ at least -2	**-0.045* [0.026] N=1,370**	-0.037 [0.029] N=1,246	-0.041 [0.029] N=1,093	**-0.059* [0.035] N=894**	**-0.164*** [0.055] N=691**
Neither wasted nor overweight WHZ -2 to +2	0.004 [0.065] N=1,173	0.000 [0.068] N=1,075	0.026 [0.076] N=945	0.003 [0.090] N=774	0.038 [0.100] N=598
Neither low nor high BMIZ -2 to +2	0.026 [0.066] N=1,148	0.038 [0.069] N=1,052	0.049 [0.080] N=922	0.032 [0.098] N=754	0.035 [0.106] N=587
Strict normal HAZ -2 to +3	0.006 [0.062] N=1,193	0.002 [0.067] N=1,088	-0.062 [0.075] N=954	**-0.170** [0.085] N=780**	-0.188 [0.120] N=607
Strict normal WAZ -2 to +1	0.018 [0.068] N=1,370	0.019 [0.078] N=1,246	-0.060 [0.081] N=1,093	-0.058 [0.105] N=894	0.000 [0.109] N=691
Strict normal WHZ -2 to +1	0.029 [0.070] N=1,173	0.013 [0.078] N=1,075	0.051 [0.088] N=945	0.048 [0.104] N=774	0.100 [0.126] N=598
Strict normal BMIZ -2 to +1	0.032 [0.072] N=1,148	0.010 [0.079] N=1,052	0.047 [0.089] N=922	0.025 [0.112] N=754	0.092 [0.132] N=587
Above-normal height HAZ above +3	0.015 [0.038] N=1,193	0.022 [0.044] N=1,088	0.047 [0.054] N=954	**0.127** [0.063] N=780**	0.025 [0.072] N=607
Above-normal weight WAZ above +1	-0.063 [0.063] N=1,370	-0.057 [0.072] N=1,246	0.019 [0.074] N=1,093	-0.002 [0.103] N=894	-0.164 [0.104] N=691
Above-normal WHZ above +1	-0.025 [0.064] N=1,173	-0.026 [0.073] N=1,075	-0.072 [0.085] N=945	-0.101 [0.104] N=774	-0.132 [0.119] N=598
Above-normal BMIZ above +1	-0.012 [0.065] N=1,148	0.006 [0.074] N=1,052	-0.053 [0.089] N=922	-0.109 [0.108] N=754	-0.173 [0.121] N=587

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.787 P=1,122	0.040 [0.042] N=1,411	0.044 [0.044] N=1,306	0.022 [0.045] N=1,172	0.007 [0.047] N=998	-0.028 [0.053] N=825
Not underweight WAZ at least -2	0.947 P=1,520	**-0.033* [0.019] N=1,610**	-0.027 [0.021] N=1,486	-0.029 [0.022] N=1,333	-0.033 [0.024] N=1,134	**-0.061* [0.032] N=931**
Neither wasted nor overweight WHZ -2 to +2	0.691 P=963	0.012 [0.049] N=1,390	0.013 [0.050] N=1,292	0.021 [0.054] N=1,162	0.007 [0.061] N=991	0.025 [0.066] N=815
Neither low nor high BMIZ -2 to +2	0.652 P=892	0.024 [0.046] N=1,356	0.034 [0.048] N=1,260	0.029 [0.052] N=1,130	0.008 [0.056] N=962	0.012 [0.059] N=795
Strict normal HAZ -2 to +3	0.702 P=1,001	0.036 [0.045] N=1,411	0.039 [0.047] N=1,306	0.007 [0.050] N=1,172	-0.029 [0.053] N=998	-0.020 [0.061] N=825
Strict normal WAZ -2 to +1	0.666 P=1,076	-0.048 [0.052] N=1,610	-0.053 [0.057] N=1,486	**-0.101* [0.058] N=1,333**	-0.098 [0.066] N=1,134	-0.080 [0.070] N=931
Strict normal WHZ -2 to +1	0.529 P=740	0.034 [0.050] N=1,390	0.032 [0.053] N=1,292	0.041 [0.057] N=1,162	0.036 [0.064] N=991	0.062 [0.070] N=815
Strict normal BMIZ -2 to +1	0.511 P=703	0.024 [0.049] N=1,356	0.017 [0.051] N=1,260	0.026 [0.055] N=1,130	0.005 [0.061] N=962	0.026 [0.063] N=795
Above-normal height HAZ above +3	0.085 P=121	0.004 [0.027] N=1,411	0.005 [0.029] N=1,306	0.014 [0.033] N=1,172	0.036 [0.035] N=998	-0.008 [0.035] N=825
Above-normal weight WAZ above +1	0.280 P=444	0.015 [0.051] N=1,610	0.026 [0.056] N=1,486	0.072 [0.056] N=1,333	0.065 [0.066] N=1,134	0.019 [0.069] N=931
Above-normal WHZ above +1	0.362 P=492	-0.015 [0.048] N=1,390	-0.021 [0.052] N=1,292	-0.031 [0.057] N=1,162	-0.034 [0.065] N=991	-0.038 [0.070] N=815
Above-normal BMIZ above +1	0.366 P=483	-0.022 [0.046] N=1,356	-0.019 [0.050] N=1,260	-0.040 [0.056] N=1,130	-0.057 [0.064] N=962	-0.065 [0.068] N=795

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.017 [0.057] N=1,193	0.025 [0.062] N=1,088	-0.009 [0.067] N=954	-0.033 [0.074] N=780	-0.158 [0.108] N=607
Not underweight WAZ at least -2	**-0.048* [0.026] N=1,370**	-0.039 [0.029] N=1,246	-0.043 [0.029] N=1,093	-0.060 [0.037] N=894	**-0.167*** [0.058] N=691**
Neither wasted nor overweight WHZ -2 to +2	0.000 [0.065] N=1,173	0.001 [0.066] N=1,075	0.023 [0.075] N=945	-0.005 [0.089] N=774	0.024 [0.100] N=598
Neither low nor high BMIZ -2 to +2	0.021 [0.067] N=1,148	0.041 [0.070] N=1,052	0.047 [0.080] N=922	0.021 [0.099] N=754	0.001 [0.108] N=587
Strict normal HAZ -2 to +3	0.004 [0.064] N=1,193	0.005 [0.068] N=1,088	-0.054 [0.076] N=954	**-0.156* [0.089] N=780**	-0.170 [0.128] N=607
Strict normal WAZ -2 to +1	0.020 [0.068] N=1,370	0.021 [0.078] N=1,246	-0.056 [0.081] N=1,093	-0.047 [0.104] N=894	0.008 [0.107] N=691
Strict normal WHZ -2 to +1	0.024 [0.070] N=1,173	0.019 [0.077] N=1,075	0.053 [0.086] N=945	0.038 [0.100] N=774	0.071 [0.124] N=598
Strict normal BMIZ -2 to +1	0.030 [0.072] N=1,148	0.022 [0.078] N=1,052	0.055 [0.087] N=922	0.018 [0.107] N=754	0.061 [0.130] N=587
Above-normal height HAZ above +3	0.013 [0.039] N=1,193	0.020 [0.044] N=1,088	0.045 [0.055] N=954	**0.123* [0.063] N=780**	0.011 [0.073] N=607
Above-normal weight WAZ above +1	-0.067 [0.063] N=1,370	-0.060 [0.072] N=1,246	0.014 [0.073] N=1,093	-0.013 [0.101] N=894	**-0.175* [0.100] N=691**
Above-normal WHZ above +1	-0.024 [0.063] N=1,173	-0.031 [0.072] N=1,075	-0.076 [0.083] N=945	-0.091 [0.102] N=774	-0.100 [0.116] N=598
Above-normal BMIZ above +1	-0.010 [0.064] N=1,148	-0.000 [0.073] N=1,052	-0.057 [0.087] N=922	-0.096 [0.104] N=754	-0.136 [0.116] N=587

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.786 P=1,049	0.054 [0.045] N=1,319	0.058 [0.048] N=1,227	0.036 [0.050] N=1,098	0.023 [0.052] N=939	-0.005 [0.059] N=776
Not underweight WAZ at least -2	0.946 P=1,417	-0.025 [0.021] N=1,503	-0.017 [0.022] N=1,394	-0.018 [0.023] N=1,248	-0.021 [0.025] N=1,065	-0.043 [0.034] N=876
Neither wasted nor overweight WHZ -2 to +2	0.690 P=899	0.021 [0.050] N=1,298	0.025 [0.050] N=1,214	0.026 [0.055] N=1,090	0.011 [0.062] N=934	0.016 [0.068] N=768
Neither low nor high BMIZ -2 to +2	0.652 P=834	0.030 [0.049] N=1,265	0.043 [0.051] N=1,182	0.037 [0.056] N=1,059	0.023 [0.064] N=906	0.019 [0.068] N=748
Strict normal HAZ -2 to +3	0.703 P=939	0.057 [0.051] N=1,319	0.065 [0.053] N=1,227	0.035 [0.056] N=1,098	0.001 [0.061] N=939	0.013 [0.069] N=776
Strict normal WAZ -2 to +1	0.663 P=1,000	-0.062 [0.055] N=1,503	-0.058 [0.059] N=1,394	**-0.105* [0.061] N=1,248**	-0.102 [0.069] N=1,065	-0.083 [0.074] N=876
Strict normal WHZ -2 to +1	0.530 P=693	0.026 [0.053] N=1,298	0.030 [0.055] N=1,214	0.036 [0.060] N=1,090	0.030 [0.067] N=934	0.028 [0.073] N=768
Strict normal BMIZ -2 to +1	0.513 P=660	0.022 [0.052] N=1,265	0.025 [0.054] N=1,182	0.036 [0.060] N=1,059	0.022 [0.069] N=906	0.023 [0.073] N=748
Above-normal height HAZ above +3	0.083 P=110	-0.003 [0.029] N=1,319	-0.007 [0.031] N=1,227	0.001 [0.035] N=1,098	0.022 [0.037] N=939	-0.018 [0.037] N=776
Above-normal weight WAZ above +1	0.282 P=417	0.037 [0.055] N=1,503	0.041 [0.059] N=1,394	0.087 [0.061] N=1,248	0.081 [0.070] N=1,065	0.041 [0.074] N=876
Above-normal WHZ above +1	0.361 P=458	0.004 [0.052] N=1,298	-0.004 [0.055] N=1,214	-0.016 [0.061] N=1,090	-0.017 [0.070] N=934	0.005 [0.075] N=768
Above-normal BMIZ above +1	0.366 P=448	-0.002 [0.049] N=1,265	-0.006 [0.052] N=1,182	-0.029 [0.059] N=1,059	-0.047 [0.068] N=906	-0.032 [0.072] N=748

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.028 [0.060] N=1,114	0.040 [0.065] N=1,022	-0.002 [0.070] N=893	-0.031 [0.075] N=734	-0.113 [0.117] N=571
Not underweight WAZ at least -2	**-0.049* [0.027] N=1,278**	-0.040 [0.030] N=1,169	-0.045 [0.031] N=1,023	**-0.065* [0.035] N=840**	**-0.163*** [0.060] N=651**
Neither wasted nor overweight WHZ -2 to +2	0.020 [0.070] N=1,094	0.031 [0.069] N=1,010	0.047 [0.080] N=886	0.049 [0.095] N=730	0.096 [0.108] N=564
Neither low nor high BMIZ -2 to +2	0.029 [0.069] N=1,070	0.056 [0.070] N=987	0.056 [0.085] N=864	0.061 [0.105] N=711	0.080 [0.109] N=553
Strict normal HAZ -2 to +3	0.015 [0.067] N=1,114	0.027 [0.071] N=1,022	-0.041 [0.079] N=893	-0.151 [0.092] N=734	-0.125 [0.131] N=571
Strict normal WAZ -2 to +1	0.010 [0.070] N=1,278	0.023 [0.079] N=1,169	-0.050 [0.084] N=1,023	-0.053 [0.106] N=840	-0.001 [0.113] N=651
Strict normal WHZ -2 to +1	0.046 [0.075] N=1,094	0.054 [0.081] N=1,010	0.092 [0.094] N=886	0.102 [0.109] N=730	0.160 [0.126] N=564
Strict normal BMIZ -2 to +1	0.031 [0.074] N=1,070	0.040 [0.078] N=987	0.075 [0.092] N=864	0.072 [0.114] N=711	0.146 [0.129] N=553
Above-normal height HAZ above +3	0.012 [0.039] N=1,114	0.013 [0.044] N=1,022	0.039 [0.053] N=893	**0.120* [0.064] N=734**	0.012 [0.071] N=571
Above-normal weight WAZ above +1	-0.059 [0.066] N=1,278	-0.063 [0.073] N=1,169	0.004 [0.077] N=1,023	-0.012 [0.103] N=840	-0.162 [0.109] N=651
Above-normal WHZ above +1	-0.035 [0.067] N=1,094	-0.055 [0.074] N=1,010	-0.111 [0.086] N=886	-0.136 [0.110] N=730	-0.145 [0.123] N=564
Above-normal BMIZ above +1	-0.011 [0.066] N=1,070	-0.021 [0.074] N=987	-0.083 [0.089] N=864	-0.143 [0.110] N=711	-0.195 [0.123] N=553

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.786 P=1,049	0.052 [0.045] N=1,319	0.057 [0.047] N=1,227	0.033 [0.049] N=1,098	0.019 [0.052] N=939	-0.006 [0.059] N=776
Not underweight WAZ at least -2	0.946 P=1,417	-0.026 [0.021] N=1,503	-0.018 [0.022] N=1,394	-0.019 [0.023] N=1,248	-0.023 [0.025] N=1,065	-0.047 [0.034] N=876
Neither wasted nor overweight WHZ -2 to +2	0.690 P=899	0.021 [0.051] N=1,298	0.025 [0.051] N=1,214	0.029 [0.056] N=1,090	0.020 [0.062] N=934	0.027 [0.068] N=768
Neither low nor high BMIZ -2 to +2	0.652 P=834	0.030 [0.049] N=1,265	0.045 [0.050] N=1,182	0.042 [0.055] N=1,059	0.032 [0.062] N=906	0.032 [0.065] N=748
Strict normal HAZ -2 to +3	0.703 P=939	0.057 [0.050] N=1,319	0.065 [0.052] N=1,227	0.033 [0.055] N=1,098	-0.000 [0.061] N=939	0.018 [0.069] N=776
Strict normal WAZ -2 to +1	0.663 P=1,000	-0.062 [0.055] N=1,503	-0.059 [0.059] N=1,394	**-0.106* [0.061] N=1,248**	-0.105 [0.069] N=1,065	-0.090 [0.073] N=876
Strict normal WHZ -2 to +1	0.530 P=693	0.028 [0.053] N=1,298	0.033 [0.055] N=1,214	0.044 [0.060] N=1,090	0.042 [0.067] N=934	0.052 [0.072] N=768
Strict normal BMIZ -2 to +1	0.513 P=660	0.019 [0.052] N=1,265	0.024 [0.054] N=1,182	0.038 [0.060] N=1,059	0.026 [0.068] N=906	0.036 [0.070] N=748
Above-normal height HAZ above +3	0.083 P=110	-0.005 [0.029] N=1,319	-0.008 [0.031] N=1,227	-0.000 [0.034] N=1,098	0.019 [0.037] N=939	-0.024 [0.038] N=776
Above-normal weight WAZ above +1	0.282 P=417	0.036 [0.054] N=1,503	0.041 [0.059] N=1,394	0.087 [0.060] N=1,248	0.082 [0.070] N=1,065	0.043 [0.074] N=876
Above-normal WHZ above +1	0.361 P=458	0.001 [0.051] N=1,298	-0.008 [0.054] N=1,214	-0.022 [0.060] N=1,090	-0.026 [0.070] N=934	-0.012 [0.075] N=768
Above-normal BMIZ above +1	0.366 P=448	-0.001 [0.048] N=1,265	-0.007 [0.052] N=1,182	-0.031 [0.059] N=1,059	-0.050 [0.067] N=906	-0.044 [0.071] N=748

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.033 [0.059] N=1,114	0.042 [0.064] N=1,022	-0.001 [0.069] N=893	-0.027 [0.075] N=734	-0.110 [0.116] N=571
Not underweight WAZ at least -2	**-0.046* [0.027] N=1,278**	-0.036 [0.030] N=1,169	-0.042 [0.030] N=1,023	**-0.063* [0.034] N=840**	**-0.165*** [0.058] N=651**
Neither wasted nor overweight WHZ -2 to +2	0.021 [0.068] N=1,094	0.030 [0.068] N=1,010	0.043 [0.079] N=886	0.042 [0.094] N=730	0.101 [0.107] N=564
Neither low nor high BMIZ -2 to +2	0.024 [0.068] N=1,070	0.050 [0.068] N=987	0.050 [0.084] N=864	0.052 [0.105] N=711	0.081 [0.106] N=553
Strict normal HAZ -2 to +3	0.021 [0.067] N=1,114	0.029 [0.070] N=1,022	-0.038 [0.077] N=893	-0.141 [0.090] N=734	-0.109 [0.128] N=571
Strict normal WAZ -2 to +1	0.010 [0.070] N=1,278	0.024 [0.079] N=1,169	-0.050 [0.084] N=1,023	-0.050 [0.106] N=840	0.005 [0.114] N=651
Strict normal WHZ -2 to +1	0.037 [0.075] N=1,094	0.045 [0.080] N=1,010	0.083 [0.093] N=886	0.098 [0.109] N=730	0.169 [0.123] N=564
Strict normal BMIZ -2 to +1	0.025 [0.074] N=1,070	0.031 [0.078] N=987	0.069 [0.092] N=864	0.064 [0.115] N=711	0.138 [0.127] N=553
Above-normal height HAZ above +3	0.012 [0.039] N=1,114	0.012 [0.044] N=1,022	0.037 [0.053] N=893	**0.114* [0.064] N=734**	-0.001 [0.073] N=571
Above-normal weight WAZ above +1	-0.056 [0.066] N=1,278	-0.060 [0.073] N=1,169	0.008 [0.077] N=1,023	-0.013 [0.104] N=840	-0.171 [0.111] N=651
Above-normal WHZ above +1	-0.025 [0.067] N=1,094	-0.042 [0.074] N=1,010	-0.099 [0.086] N=886	-0.131 [0.110] N=730	-0.150 [0.123] N=564
Above-normal BMIZ above +1	-0.003 [0.066] N=1,070	-0.009 [0.074] N=987	-0.074 [0.088] N=864	-0.133 [0.111] N=711	-0.183 [0.123] N=553

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.802 P=1,019	0.003 [0.052] N=1,272	-0.010 [0.053] N=1,148	-0.006 [0.056] N=1,004	-0.028 [0.061] N=850	-0.016 [0.068] N=685
Not underweight WAZ at least -2	0.951 P=1,364	-0.018 [0.024] N=1,439	-0.011 [0.024] N=1,309	-0.017 [0.026] N=1,143	-0.005 [0.028] N=959	0.010 [0.032] N=768
Neither wasted nor overweight WHZ -2 to +2	0.698 P=871	**-0.121** [0.057] N=1,260**	**-0.118** [0.059] N=1,140**	**-0.143** [0.064] N=998**	-0.091 [0.069] N=841	-0.090 [0.072] N=679
Neither low nor high BMIZ -2 to +2	0.663 P=806	**-0.151** [0.058] N=1,219**	**-0.140** [0.062] N=1,104**	**-0.142** [0.067] N=968**	-0.094 [0.071] N=816	-0.111 [0.074] N=662
Strict normal HAZ -2 to +3	0.714 P=910	0.006 [0.055] N=1,272	-0.009 [0.057] N=1,148	-0.013 [0.060] N=1,004	-0.007 [0.066] N=850	-0.006 [0.073] N=685
Strict normal WAZ -2 to +1	0.666 P=954	-0.020 [0.050] N=1,439	-0.034 [0.053] N=1,309	-0.020 [0.056] N=1,143	-0.022 [0.059] N=959	0.018 [0.068] N=768
Strict normal WHZ -2 to +1	0.527 P=653	**-0.137** [0.056] N=1,260**	**-0.155*** [0.058] N=1,140**	**-0.169*** [0.063] N=998**	-0.094 [0.069] N=841	**-0.128* [0.075] N=679**
Strict normal BMIZ -2 to +1	0.515 P=625	**-0.096* [0.057] N=1,219**	-0.093 [0.059] N=1,104	-0.080 [0.064] N=968	-0.026 [0.069] N=816	-0.066 [0.075] N=662
Above-normal height HAZ above +3	0.088 P=109	-0.003 [0.036] N=1,272	-0.001 [0.038] N=1,148	0.007 [0.041] N=1,004	-0.021 [0.041] N=850	-0.011 [0.046] N=685
Above-normal weight WAZ above +1	0.285 P=410	0.002 [0.043] N=1,439	0.023 [0.046] N=1,309	0.003 [0.048] N=1,143	0.017 [0.050] N=959	-0.009 [0.058] N=768
Above-normal WHZ above +1	0.363 P=466	**0.111** [0.054] N=1,260**	**0.135** [0.057] N=1,140**	**0.132** [0.061] N=998**	**0.135** [0.067] N=841**	**0.153** [0.076] N=679**
Above-normal BMIZ above +1	0.360 P=443	0.067 [0.059] N=1,219	0.071 [0.061] N=1,104	0.051 [0.066] N=968	0.050 [0.075] N=816	0.068 [0.087] N=662

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.006 [0.086] N=1,101	-0.020 [0.092] N=977	-0.016 [0.103] N=833	-0.080 [0.128] N=679	-0.033 [0.155] N=514
Not underweight WAZ at least -2	-0.020 [0.036] N=1,253	-0.007 [0.037] N=1,123	-0.017 [0.042] N=957	0.013 [0.044] N=773	0.054 [0.049] N=582
Neither wasted nor overweight WHZ -2 to +2	**-0.201*** [0.066] N=1,093**	**-0.195*** [0.071] N=973**	**-0.268*** [0.083] N=831**	**-0.177* [0.102] N=674**	-0.153 [0.108] N=512
Neither low nor high BMIZ -2 to +2	**-0.219*** [0.067] N=1,061**	**-0.201*** [0.073] N=946**	**-0.233*** [0.081] N=810**	-0.146 [0.098] N=658	**-0.178* [0.106] N=504**
Strict normal HAZ -2 to +3	-0.004 [0.082] N=1,101	-0.018 [0.089] N=977	-0.028 [0.097] N=833	-0.026 [0.118] N=679	0.011 [0.146] N=514
Strict normal WAZ -2 to +1	0.007 [0.074] N=1,253	-0.012 [0.079] N=1,123	0.017 [0.086] N=957	0.015 [0.093] N=773	0.107 [0.114] N=582
Strict normal WHZ -2 to +1	**-0.174** [0.075] N=1,093**	**-0.206** [0.080] N=973**	**-0.254*** [0.089] N=831**	-0.115 [0.108] N=674	-0.182 [0.134] N=512
Strict normal BMIZ -2 to +1	**-0.152* [0.083] N=1,061**	**-0.153* [0.088] N=946**	-0.155 [0.101] N=810	-0.046 [0.120] N=658	-0.152 [0.145] N=504
Above-normal height HAZ above +3	-0.002 [0.045] N=1,101	-0.003 [0.049] N=977	0.012 [0.059] N=833	-0.053 [0.059] N=679	-0.044 [0.075] N=514
Above-normal weight WAZ above +1	-0.027 [0.063] N=1,253	0.005 [0.069] N=1,123	-0.034 [0.074] N=957	-0.002 [0.079] N=773	-0.053 [0.102] N=582
Above-normal WHZ above +1	0.081 [0.076] N=1,093	0.118 [0.081] N=973	0.119 [0.093] N=831	0.134 [0.101] N=674	0.157 [0.125] N=512
Above-normal BMIZ above +1	0.046 [0.082] N=1,061	0.052 [0.087] N=946	0.019 [0.099] N=810	0.021 [0.116] N=658	0.054 [0.145] N=504

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.802 P=1,019	0.003 [0.052] N=1,272	-0.010 [0.053] N=1,148	-0.005 [0.056] N=1,004	-0.029 [0.061] N=850	-0.017 [0.068] N=685
Not underweight WAZ at least -2	0.951 P=1,364	-0.017 [0.024] N=1,439	-0.010 [0.024] N=1,309	-0.016 [0.026] N=1,143	-0.004 [0.028] N=959	0.010 [0.032] N=768
Neither wasted nor overweight WHZ -2 to +2	0.698 P=871	**-0.119** [0.057] N=1,260**	**-0.114* [0.059] N=1,140**	**-0.138** [0.064] N=998**	-0.088 [0.069] N=841	-0.089 [0.073] N=679
Neither low nor high BMIZ -2 to +2	0.663 P=806	**-0.149** [0.058] N=1,219**	**-0.137** [0.061] N=1,104**	**-0.137** [0.066] N=968**	-0.093 [0.071] N=816	-0.111 [0.074] N=662
Strict normal HAZ -2 to +3	0.714 P=910	0.007 [0.055] N=1,272	-0.007 [0.057] N=1,148	-0.012 [0.061] N=1,004	-0.007 [0.066] N=850	-0.006 [0.073] N=685
Strict normal WAZ -2 to +1	0.666 P=954	-0.018 [0.050] N=1,439	-0.032 [0.053] N=1,309	-0.018 [0.056] N=1,143	-0.021 [0.059] N=959	0.018 [0.068] N=768
Strict normal WHZ -2 to +1	0.527 P=653	**-0.135** [0.056] N=1,260**	**-0.151*** [0.058] N=1,140**	**-0.163** [0.063] N=998**	-0.094 [0.069] N=841	**-0.128* [0.074] N=679**
Strict normal BMIZ -2 to +1	0.515 P=625	**-0.095* [0.057] N=1,219**	-0.091 [0.059] N=1,104	-0.076 [0.064] N=968	-0.026 [0.069] N=816	-0.066 [0.075] N=662
Above-normal height HAZ above +3	0.088 P=109	-0.004 [0.036] N=1,272	-0.002 [0.038] N=1,148	0.007 [0.041] N=1,004	-0.021 [0.041] N=850	-0.011 [0.046] N=685
Above-normal weight WAZ above +1	0.285 P=410	0.001 [0.043] N=1,439	0.022 [0.046] N=1,309	0.002 [0.048] N=1,143	0.017 [0.050] N=959	-0.009 [0.058] N=768
Above-normal WHZ above +1	0.363 P=466	**0.113** [0.054] N=1,260**	**0.136** [0.057] N=1,140**	**0.131** [0.062] N=998**	**0.137** [0.067] N=841**	**0.155** [0.075] N=679**
Above-normal BMIZ above +1	0.360 P=443	0.068 [0.059] N=1,219	0.071 [0.061] N=1,104	0.050 [0.066] N=968	0.051 [0.075] N=816	0.068 [0.087] N=662

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.004 [0.087] N=1,101	-0.016 [0.092] N=977	-0.009 [0.104] N=833	-0.079 [0.129] N=679	-0.034 [0.157] N=514
Not underweight WAZ at least -2	-0.018 [0.036] N=1,253	-0.005 [0.038] N=1,123	-0.015 [0.042] N=957	0.015 [0.045] N=773	0.058 [0.050] N=582
Neither wasted nor overweight WHZ -2 to +2	**-0.195*** [0.066] N=1,093**	**-0.186** [0.071] N=973**	**-0.252*** [0.084] N=831**	-0.161 [0.103] N=674	-0.136 [0.110] N=512
Neither low nor high BMIZ -2 to +2	**-0.215*** [0.067] N=1,061**	**-0.194*** [0.074] N=946**	**-0.219*** [0.081] N=810**	-0.137 [0.098] N=658	-0.173 [0.108] N=504
Strict normal HAZ -2 to +3	0.003 [0.083] N=1,101	-0.008 [0.090] N=977	-0.019 [0.098] N=833	-0.022 [0.119] N=679	0.014 [0.147] N=514
Strict normal WAZ -2 to +1	0.010 [0.074] N=1,253	-0.009 [0.079] N=1,123	0.020 [0.086] N=957	0.016 [0.093] N=773	0.104 [0.113] N=582
Strict normal WHZ -2 to +1	**-0.169** [0.074] N=1,093**	**-0.198** [0.079] N=973**	**-0.238*** [0.089] N=831**	-0.115 [0.108] N=674	-0.189 [0.132] N=512
Strict normal BMIZ -2 to +1	**-0.149* [0.083] N=1,061**	-0.145 [0.088] N=946	-0.141 [0.101] N=810	-0.041 [0.120] N=658	-0.154 [0.145] N=504
Above-normal height HAZ above +3	-0.007 [0.045] N=1,101	-0.008 [0.049] N=977	0.009 [0.059] N=833	-0.057 [0.058] N=679	-0.048 [0.075] N=514
Above-normal weight WAZ above +1	-0.028 [0.062] N=1,253	0.004 [0.068] N=1,123	-0.035 [0.073] N=957	-0.001 [0.078] N=773	-0.046 [0.099] N=582
Above-normal WHZ above +1	0.083 [0.075] N=1,093	0.121 [0.081] N=973	0.118 [0.093] N=831	0.146 [0.101] N=674	0.186 [0.124] N=512
Above-normal BMIZ above +1	0.049 [0.082] N=1,061	0.053 [0.087] N=946	0.018 [0.099] N=810	0.027 [0.116] N=658	0.074 [0.146] N=504

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.802 P=1,019	0.001 [0.051] N=1,272	-0.009 [0.053] N=1,148	-0.003 [0.054] N=1,004	-0.027 [0.059] N=850	-0.015 [0.066] N=685
Not underweight WAZ at least -2	0.951 P=1,364	-0.018 [0.024] N=1,439	-0.010 [0.025] N=1,309	-0.015 [0.026] N=1,143	-0.004 [0.028] N=959	0.010 [0.032] N=768
Neither wasted nor overweight WHZ -2 to +2	0.698 P=871	**-0.121** [0.057] N=1,260**	**-0.115* [0.059] N=1,140**	**-0.137** [0.064] N=998**	-0.087 [0.069] N=841	-0.087 [0.074] N=679
Neither low nor high BMIZ -2 to +2	0.663 P=806	**-0.152*** [0.058] N=1,219**	**-0.139** [0.061] N=1,104**	**-0.137** [0.066] N=968**	-0.093 [0.071] N=816	-0.112 [0.075] N=662
Strict normal HAZ -2 to +3	0.714 P=910	0.004 [0.054] N=1,272	-0.008 [0.057] N=1,148	-0.010 [0.060] N=1,004	-0.006 [0.064] N=850	-0.004 [0.071] N=685
Strict normal WAZ -2 to +1	0.666 P=954	-0.017 [0.050] N=1,439	-0.031 [0.053] N=1,309	-0.019 [0.056] N=1,143	-0.021 [0.059] N=959	0.020 [0.068] N=768
Strict normal WHZ -2 to +1	0.527 P=653	**-0.137** [0.056] N=1,260**	**-0.151*** [0.058] N=1,140**	**-0.164** [0.063] N=998**	-0.094 [0.069] N=841	**-0.128* [0.074] N=679**
Strict normal BMIZ -2 to +1	0.515 P=625	**-0.099* [0.057] N=1,219**	-0.093 [0.058] N=1,104	-0.079 [0.064] N=968	-0.027 [0.068] N=816	-0.070 [0.074] N=662
Above-normal height HAZ above +3	0.088 P=109	-0.003 [0.035] N=1,272	-0.001 [0.037] N=1,148	0.007 [0.041] N=1,004	-0.020 [0.041] N=850	-0.011 [0.046] N=685
Above-normal weight WAZ above +1	0.285 P=410	-0.001 [0.044] N=1,439	0.021 [0.047] N=1,309	0.004 [0.049] N=1,143	0.017 [0.050] N=959	-0.009 [0.058] N=768
Above-normal WHZ above +1	0.363 P=466	**0.113** [0.054] N=1,260**	**0.135** [0.056] N=1,140**	**0.132** [0.061] N=998**	**0.137** [0.066] N=841**	**0.156** [0.075] N=679**
Above-normal BMIZ above +1	0.360 P=443	0.070 [0.058] N=1,219	0.072 [0.060] N=1,104	0.052 [0.065] N=968	0.051 [0.074] N=816	0.071 [0.086] N=662

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.002 [0.085] N=1,101	-0.010 [0.091] N=977	0.002 [0.102] N=833	-0.063 [0.127] N=679	-0.016 [0.155] N=514
Not underweight WAZ at least -2	-0.017 [0.037] N=1,253	-0.002 [0.038] N=1,123	-0.010 [0.043] N=957	0.020 [0.046] N=773	0.064 [0.052] N=582
Neither wasted nor overweight WHZ -2 to +2	**-0.199*** [0.068] N=1,093**	**-0.188** [0.072] N=973**	**-0.251*** [0.087] N=831**	-0.161 [0.106] N=674	-0.135 [0.117] N=512
Neither low nor high BMIZ -2 to +2	**-0.219*** [0.068] N=1,061**	**-0.199*** [0.074] N=946**	**-0.219*** [0.082] N=810**	-0.140 [0.099] N=658	-0.174 [0.112] N=504
Strict normal HAZ -2 to +3	0.009 [0.083] N=1,101	0.001 [0.090] N=977	-0.007 [0.098] N=833	-0.006 [0.120] N=679	0.032 [0.150] N=514
Strict normal WAZ -2 to +1	0.019 [0.075] N=1,253	-0.001 [0.081] N=1,123	0.024 [0.089] N=957	0.025 [0.096] N=773	0.115 [0.120] N=582
Strict normal WHZ -2 to +1	**-0.167** [0.076] N=1,093**	**-0.194** [0.081] N=973**	**-0.233** [0.092] N=831**	-0.109 [0.112] N=674	-0.185 [0.139] N=512
Strict normal BMIZ -2 to +1	**-0.144* [0.086] N=1,061**	-0.142 [0.090] N=946	-0.135 [0.103] N=810	-0.037 [0.123] N=658	-0.155 [0.149] N=504
Above-normal height HAZ above +3	-0.007 [0.045] N=1,101	-0.011 [0.050] N=977	0.009 [0.059] N=833	-0.057 [0.058] N=679	-0.048 [0.075] N=514
Above-normal weight WAZ above +1	-0.036 [0.064] N=1,253	-0.001 [0.070] N=1,123	-0.035 [0.076] N=957	-0.005 [0.081] N=773	-0.051 [0.102] N=582
Above-normal WHZ above +1	0.079 [0.076] N=1,093	0.117 [0.082] N=973	0.113 [0.095] N=831	0.140 [0.104] N=674	0.180 [0.128] N=512
Above-normal BMIZ above +1	0.044 [0.083] N=1,061	0.051 [0.088] N=946	0.011 [0.100] N=810	0.022 [0.118] N=658	0.076 [0.147] N=504

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.802 P=1,019	0.011 [0.051] N=1,272	0.001 [0.052] N=1,148	0.008 [0.055] N=1,004	-0.021 [0.060] N=850	-0.009 [0.066] N=685
Not underweight WAZ at least -2	0.951 P=1,364	-0.018 [0.024] N=1,439	-0.010 [0.025] N=1,309	-0.013 [0.027] N=1,143	-0.003 [0.029] N=959	0.015 [0.033] N=768
Neither wasted nor overweight WHZ -2 to +2	0.698 P=871	**-0.119** [0.056] N=1,260**	**-0.114** [0.057] N=1,140**	**-0.140** [0.062] N=998**	-0.091 [0.067] N=841	-0.086 [0.071] N=679
Neither low nor high BMIZ -2 to +2	0.663 P=806	**-0.149** [0.057] N=1,219**	**-0.135** [0.061] N=1,104**	**-0.138** [0.066] N=968**	-0.096 [0.070] N=816	-0.112 [0.073] N=662
Strict normal HAZ -2 to +3	0.714 P=910	0.015 [0.054] N=1,272	0.005 [0.057] N=1,148	0.001 [0.060] N=1,004	-0.000 [0.065] N=850	0.002 [0.072] N=685
Strict normal WAZ -2 to +1	0.666 P=954	-0.017 [0.050] N=1,439	-0.031 [0.053] N=1,309	-0.015 [0.055] N=1,143	-0.016 [0.058] N=959	0.029 [0.067] N=768
Strict normal WHZ -2 to +1	0.527 P=653	**-0.134** [0.055] N=1,260**	**-0.150*** [0.057] N=1,140**	**-0.165*** [0.062] N=998**	-0.097 [0.068] N=841	**-0.128* [0.072] N=679**
Strict normal BMIZ -2 to +1	0.515 P=625	-0.088 [0.057] N=1,219	-0.085 [0.058] N=1,104	-0.072 [0.064] N=968	-0.024 [0.068] N=816	-0.064 [0.074] N=662
Above-normal height HAZ above +3	0.088 P=109	-0.005 [0.036] N=1,272	-0.004 [0.038] N=1,148	0.006 [0.042] N=1,004	-0.020 [0.042] N=850	-0.011 [0.048] N=685
Above-normal weight WAZ above +1	0.285 P=410	-0.001 [0.044] N=1,439	0.022 [0.047] N=1,309	0.001 [0.048] N=1,143	0.013 [0.050] N=959	-0.014 [0.056] N=768
Above-normal WHZ above +1	0.363 P=466	**0.106** [0.054] N=1,260**	**0.130** [0.056] N=1,140**	**0.128** [0.061] N=998**	**0.137** [0.066] N=841**	**0.157** [0.075] N=679**
Above-normal BMIZ above +1	0.360 P=443	0.060 [0.058] N=1,219	0.064 [0.060] N=1,104	0.043 [0.065] N=968	0.048 [0.074] N=816	0.068 [0.086] N=662

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.011 [0.084] N=1,101	0.004 [0.090] N=977	0.017 [0.102] N=833	-0.055 [0.128] N=679	-0.019 [0.155] N=514
Not underweight WAZ at least -2	-0.018 [0.036] N=1,253	-0.002 [0.038] N=1,123	-0.008 [0.043] N=957	0.020 [0.046] N=773	0.069 [0.053] N=582
Neither wasted nor overweight WHZ -2 to +2	**-0.193*** [0.068] N=1,093**	**-0.186** [0.072] N=973**	**-0.253*** [0.087] N=831**	-0.159 [0.106] N=674	-0.132 [0.115] N=512
Neither low nor high BMIZ -2 to +2	**-0.213*** [0.069] N=1,061**	**-0.192** [0.076] N=946**	**-0.218** [0.085] N=810**	-0.140 [0.101] N=658	-0.182 [0.112] N=504
Strict normal HAZ -2 to +3	0.019 [0.082] N=1,101	0.016 [0.089] N=977	0.009 [0.098] N=833	0.003 [0.121] N=679	0.032 [0.151] N=514
Strict normal WAZ -2 to +1	0.011 [0.075] N=1,253	-0.010 [0.080] N=1,123	0.025 [0.087] N=957	0.028 [0.094] N=773	0.129 [0.112] N=582
Strict normal WHZ -2 to +1	**-0.167** [0.076] N=1,093**	**-0.198** [0.081] N=973**	**-0.242*** [0.092] N=831**	-0.119 [0.112] N=674	-0.199 [0.137] N=512
Strict normal BMIZ -2 to +1	**-0.142* [0.085] N=1,061**	-0.140 [0.091] N=946	-0.137 [0.104] N=810	-0.044 [0.125] N=658	-0.165 [0.152] N=504
Above-normal height HAZ above +3	-0.009 [0.045] N=1,101	-0.012 [0.049] N=977	0.009 [0.058] N=833	-0.058 [0.058] N=679	-0.051 [0.075] N=514
Above-normal weight WAZ above +1	-0.028 [0.063] N=1,253	0.007 [0.070] N=1,123	-0.033 [0.074] N=957	-0.008 [0.079] N=773	-0.059 [0.096] N=582
Above-normal WHZ above +1	0.076 [0.076] N=1,093	0.115 [0.081] N=973	0.112 [0.093] N=831	0.147 [0.104] N=674	0.201 [0.131] N=512
Above-normal BMIZ above +1	0.039 [0.082] N=1,061	0.045 [0.087] N=946	0.007 [0.099] N=810	0.026 [0.119] N=658	0.092 [0.154] N=504

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.800 P=951	-0.004 [0.055] N=1,189	-0.024 [0.056] N=1,072	-0.015 [0.059] N=942	-0.041 [0.064] N=795	-0.041 [0.071] N=642
Not underweight WAZ at least -2	0.949 P=1,271	-0.020 [0.025] N=1,343	-0.011 [0.026] N=1,220	-0.015 [0.028] N=1,069	-0.006 [0.030] N=896	0.003 [0.035] N=721
Neither wasted nor overweight WHZ -2 to +2	0.697 P=813	**-0.138** [0.058] N=1,177**	**-0.137** [0.059] N=1,064**	**-0.158** [0.064] N=934**	-0.112 [0.069] N=786	-0.115 [0.072] N=637
Neither low nor high BMIZ -2 to +2	0.665 P=756	**-0.151** [0.059] N=1,138**	**-0.138** [0.061] N=1,030**	**-0.131** [0.065] N=906**	-0.084 [0.072] N=763	-0.101 [0.075] N=621
Strict normal HAZ -2 to +3	0.715 P=853	0.002 [0.060] N=1,189	-0.019 [0.062] N=1,072	-0.019 [0.065] N=942	-0.015 [0.069] N=795	-0.019 [0.078] N=642
Strict normal WAZ -2 to +1	0.665 P=890	-0.035 [0.051] N=1,343	-0.048 [0.054] N=1,220	-0.017 [0.057] N=1,069	-0.020 [0.061] N=896	0.021 [0.068] N=721
Strict normal WHZ -2 to +1	0.530 P=614	**-0.161*** [0.056] N=1,177**	**-0.186*** [0.058] N=1,064**	**-0.191*** [0.063] N=934**	**-0.120* [0.069] N=786**	**-0.144* [0.074] N=637**
Strict normal BMIZ -2 to +1	0.518 P=586	**-0.110* [0.059] N=1,138**	**-0.112* [0.060] N=1,030**	-0.084 [0.064] N=906	-0.035 [0.069] N=763	-0.064 [0.074] N=621
Above-normal height HAZ above +3	0.085 P=98	-0.006 [0.037] N=1,189	-0.005 [0.039] N=1,072	0.004 [0.042] N=942	-0.026 [0.043] N=795	-0.022 [0.049] N=642
Above-normal weight WAZ above +1	0.284 P=381	0.015 [0.045] N=1,343	0.037 [0.049] N=1,220	0.002 [0.050] N=1,069	0.014 [0.053] N=896	-0.018 [0.058] N=721
Above-normal WHZ above +1	0.359 P=431	**0.139** [0.055] N=1,177**	**0.171*** [0.058] N=1,064**	**0.156** [0.063] N=934**	**0.153** [0.068] N=786**	**0.160** [0.076] N=637**
Above-normal BMIZ above +1	0.358 P=411	0.085 [0.061] N=1,138	0.097 [0.064] N=1,030	0.062 [0.068] N=906	0.056 [0.077] N=763	0.055 [0.089] N=621

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.015 [0.092] N=1,028	-0.004 [0.099] N=911	0.010 [0.110] N=781	-0.045 [0.135] N=634	0.003 [0.169] N=481
Not underweight WAZ at least -2	-0.019 [0.037] N=1,168	-0.002 [0.039] N=1,045	-0.010 [0.044] N=894	0.022 [0.048] N=721	0.060 [0.053] N=546
Neither wasted nor overweight WHZ -2 to +2	**-0.211*** [0.073] N=1,019**	**-0.202** [0.078] N=906**	**-0.262*** [0.090] N=776**	-0.162 [0.114] N=628	-0.143 [0.123] N=479
Neither low nor high BMIZ -2 to +2	**-0.240*** [0.070] N=988**	**-0.217*** [0.077] N=880**	**-0.232*** [0.080] N=756**	-0.137 [0.101] N=613	-0.182 [0.111] N=471
Strict normal HAZ -2 to +3	0.010 [0.090] N=1,028	-0.008 [0.099] N=911	-0.009 [0.106] N=781	0.008 [0.128] N=634	0.059 [0.162] N=481
Strict normal WAZ -2 to +1	-0.025 [0.076] N=1,168	-0.039 [0.083] N=1,045	0.020 [0.089] N=894	0.009 [0.098] N=721	0.095 [0.119] N=546
Strict normal WHZ -2 to +1	**-0.208*** [0.077] N=1,019**	**-0.249*** [0.082] N=906**	**-0.277*** [0.092] N=776**	-0.147 [0.113] N=628	-0.197 [0.144] N=479
Strict normal BMIZ -2 to +1	**-0.192** [0.087] N=988**	**-0.199** [0.092] N=880**	**-0.176* [0.104] N=756**	-0.081 [0.120] N=613	-0.166 [0.154] N=471
Above-normal height HAZ above +3	0.006 [0.045] N=1,028	0.004 [0.049] N=911	0.019 [0.059] N=781	-0.053 [0.062] N=634	-0.056 [0.081] N=481
Above-normal weight WAZ above +1	0.006 [0.064] N=1,168	0.037 [0.071] N=1,045	-0.030 [0.076] N=894	0.012 [0.081] N=721	-0.035 [0.099] N=546
Above-normal WHZ above +1	0.124 [0.079] N=1,019	**0.177** [0.086] N=906**	0.157 [0.098] N=776	0.174 [0.107] N=628	0.187 [0.135] N=479
Above-normal BMIZ above +1	0.084 [0.089] N=988	0.103 [0.096] N=880	0.046 [0.109] N=756	0.055 [0.124] N=613	0.057 [0.160] N=471

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.800 P=951	-0.007 [0.054] N=1,189	-0.024 [0.056] N=1,072	-0.016 [0.058] N=942	-0.044 [0.063] N=795	-0.045 [0.071] N=642
Not underweight WAZ at least -2	0.949 P=1,271	-0.020 [0.025] N=1,343	-0.011 [0.026] N=1,220	-0.016 [0.028] N=1,069	-0.006 [0.030] N=896	0.002 [0.035] N=721
Neither wasted nor overweight WHZ -2 to +2	0.697 P=813	**-0.136** [0.058] N=1,177**	**-0.134** [0.060] N=1,064**	**-0.155** [0.064] N=934**	-0.108 [0.070] N=786	-0.113 [0.073] N=637
Neither low nor high BMIZ -2 to +2	0.665 P=756	**-0.150** [0.059] N=1,138**	**-0.136** [0.062] N=1,030**	**-0.128* [0.066] N=906**	-0.082 [0.072] N=763	-0.100 [0.075] N=621
Strict normal HAZ -2 to +3	0.715 P=853	0.001 [0.059] N=1,189	-0.018 [0.062] N=1,072	-0.018 [0.064] N=942	-0.013 [0.069] N=795	-0.018 [0.077] N=642
Strict normal WAZ -2 to +1	0.665 P=890	-0.036 [0.050] N=1,343	-0.047 [0.054] N=1,220	-0.019 [0.057] N=1,069	-0.021 [0.061] N=896	0.019 [0.068] N=721
Strict normal WHZ -2 to +1	0.530 P=614	**-0.161*** [0.056] N=1,177**	**-0.183*** [0.058] N=1,064**	**-0.187*** [0.063] N=934**	**-0.119* [0.068] N=786**	**-0.144* [0.073] N=637**
Strict normal BMIZ -2 to +1	0.518 P=586	**-0.109* [0.058] N=1,138**	**-0.109* [0.059] N=1,030**	-0.082 [0.064] N=906	-0.035 [0.067] N=763	-0.065 [0.073] N=621
Above-normal height HAZ above +3	0.085 P=98	-0.008 [0.038] N=1,189	-0.007 [0.040] N=1,072	0.002 [0.043] N=942	-0.032 [0.044] N=795	-0.026 [0.049] N=642
Above-normal weight WAZ above +1	0.284 P=381	0.016 [0.045] N=1,343	0.036 [0.049] N=1,220	0.003 [0.050] N=1,069	0.015 [0.053] N=896	-0.017 [0.058] N=721
Above-normal WHZ above +1	0.359 P=431	**0.141** [0.055] N=1,177**	**0.170*** [0.057] N=1,064**	**0.156** [0.063] N=934**	**0.157** [0.067] N=786**	**0.165** [0.077] N=637**
Above-normal BMIZ above +1	0.358 P=411	0.087 [0.061] N=1,138	0.097 [0.063] N=1,030	0.063 [0.068] N=906	0.061 [0.076] N=763	0.061 [0.090] N=621

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.011 [0.092] N=1,028	-0.004 [0.099] N=911	0.010 [0.110] N=781	-0.056 [0.136] N=634	-0.017 [0.170] N=481
Not underweight WAZ at least -2	-0.020 [0.038] N=1,168	-0.004 [0.040] N=1,045	-0.012 [0.044] N=894	0.017 [0.048] N=721	0.053 [0.054] N=546
Neither wasted nor overweight WHZ -2 to +2	**-0.212*** [0.073] N=1,019**	**-0.205*** [0.078] N=906**	**-0.262*** [0.089] N=776**	-0.161 [0.113] N=628	-0.137 [0.122] N=479
Neither low nor high BMIZ -2 to +2	**-0.243*** [0.070] N=988**	**-0.220*** [0.077] N=880**	**-0.233*** [0.080] N=756**	-0.136 [0.101] N=613	-0.174 [0.109] N=471
Strict normal HAZ -2 to +3	0.007 [0.089] N=1,028	-0.008 [0.099] N=911	-0.009 [0.106] N=781	0.003 [0.128] N=634	0.042 [0.161] N=481
Strict normal WAZ -2 to +1	-0.025 [0.076] N=1,168	-0.038 [0.083] N=1,045	0.017 [0.089] N=894	0.004 [0.097] N=721	0.086 [0.118] N=546
Strict normal WHZ -2 to +1	**-0.208*** [0.077] N=1,019**	**-0.248*** [0.081] N=906**	**-0.274*** [0.091] N=776**	-0.146 [0.111] N=628	-0.185 [0.142] N=479
Strict normal BMIZ -2 to +1	**-0.195** [0.086] N=988**	**-0.204** [0.092] N=880**	**-0.180* [0.103] N=756**	-0.086 [0.121] N=613	-0.173 [0.152] N=471
Above-normal height HAZ above +3	0.004 [0.045] N=1,028	0.004 [0.050] N=911	0.019 [0.060] N=781	-0.059 [0.061] N=634	-0.060 [0.080] N=481
Above-normal weight WAZ above +1	0.005 [0.064] N=1,168	0.034 [0.071] N=1,045	-0.029 [0.076] N=894	0.013 [0.081] N=721	-0.034 [0.101] N=546
Above-normal WHZ above +1	0.124 [0.079] N=1,019	**0.172** [0.085] N=906**	0.152 [0.098] N=776	**0.178* [0.105] N=628**	0.182 [0.132] N=479
Above-normal BMIZ above +1	0.086 [0.088] N=988	0.102 [0.094] N=880	0.046 [0.108] N=756	0.064 [0.124] N=613	0.070 [0.159] N=471

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.