Table 10 Reduced Form Effects on Frequent Nutrition for Ages 1-3: Youngest Child

Age reference: 12 November 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=1,362	0.010 [0.035] N=1,618	0.015 [0.036] N=1,494	0.026 [0.039] N=1,344	0.015 [0.041] N=1,146	0.015 [0.044] N=939
Vegetables consumed daily or several times weekly	0.764 P=1,240	0.025 [0.045] N=1,618	0.021 [0.047] N=1,494	0.016 [0.050] N=1,344	-0.010 [0.052] N=1,146	-0.037 [0.056] N=939
Meat fish or poultry consumed daily or several times weekly	0.576 P=930	0.041 [0.051] N=1,618	0.037 [0.053] N=1,494	0.020 [0.055] N=1,344	0.023 [0.063] N=1,146	0.010 [0.069] N=939
Legumes consumed daily or several times weekly	0.571 P=916	0.021 [0.050] N=1,618	0.031 [0.053] N=1,494	0.041 [0.053] N=1,344	0.082 [0.061] N=1,146	0.081 [0.070] N=939
Animal products consumed daily or several times weekly	0.856 P=1,384	**0.075* [0.039] N=1,618**	**0.073* [0.041] N=1,494**	0.051 [0.043] N=1,344	0.064 [0.046] N=1,146	0.046 [0.051] N=939
Sweets consumed daily or several times weekly	0.520 P=840	-0.062 [0.048] N=1,618	-0.078 [0.049] N=1,494	-0.070 [0.051] N=1,344	-0.057 [0.051] N=1,146	-0.030 [0.059] N=939
Snack foods consumed daily or several times weekly	0.385 P=616	0.036 [0.047] N=1,618	0.009 [0.049] N=1,494	0.018 [0.053] N=1,344	0.043 [0.055] N=1,146	0.034 [0.060] N=939
Packaged soft drinks consumed daily or several times weekly	0.219 P=346	0.008 [0.044] N=1,618	0.013 [0.047] N=1,494	0.012 [0.050] N=1,344	0.018 [0.055] N=1,146	-0.014 [0.062] N=939
Grains consumed daily or several times weekly	0.837 P=1,348	0.025 [0.041] N=1,618	0.038 [0.043] N=1,494	0.011 [0.045] N=1,344	0.008 [0.049] N=1,146	-0.011 [0.057] N=939

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.045 [0.050] N=1,378	0.065 [0.053] N=1,254	0.097 [0.061] N=1,104	0.092 [0.076] N=906	0.145 [0.098] N=699
Vegetables consumed daily or several times weekly	0.062 [0.063] N=1,378	0.066 [0.069] N=1,254	0.066 [0.074] N=1,104	0.011 [0.090] N=906	-0.051 [0.112] N=699
Meat fish or poultry consumed daily or several times weekly	0.026 [0.067] N=1,378	0.016 [0.073] N=1,254	-0.021 [0.075] N=1,104	-0.045 [0.095] N=906	-0.092 [0.112] N=699
Legumes consumed daily or several times weekly	0.008 [0.071] N=1,378	0.028 [0.078] N=1,254	0.051 [0.082] N=1,104	0.140 [0.105] N=906	0.163 [0.135] N=699
Animal products consumed daily or several times weekly	0.093 [0.057] N=1,378	0.093 [0.063] N=1,254	0.051 [0.070] N=1,104	0.086 [0.084] N=906	0.049 [0.103] N=699
Sweets consumed daily or several times weekly	-0.092 [0.065] N=1,378	**-0.120* [0.068] N=1,254**	-0.107 [0.077] N=1,104	-0.080 [0.081] N=906	-0.005 [0.110] N=699
Snack foods consumed daily or several times weekly	0.005 [0.065] N=1,378	-0.051 [0.069] N=1,254	-0.041 [0.079] N=1,104	0.004 [0.095] N=906	-0.065 [0.115] N=699
Packaged soft drinks consumed daily or several times weekly	0.010 [0.052] N=1,378	0.018 [0.058] N=1,254	0.022 [0.065] N=1,104	0.043 [0.078] N=906	-0.038 [0.096] N=699
Grains consumed daily or several times weekly	0.093 [0.062] N=1,378	**0.134** [0.067] N=1,254**	0.093 [0.076] N=1,104	0.121 [0.094] N=906	0.139 [0.131] N=699

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=1,362	0.010 [0.035] N=1,618	0.015 [0.036] N=1,494	0.027 [0.039] N=1,344	0.016 [0.041] N=1,146	0.015 [0.044] N=939
Vegetables consumed daily or several times weekly	0.764 P=1,240	0.025 [0.045] N=1,618	0.021 [0.047] N=1,494	0.016 [0.050] N=1,344	-0.009 [0.052] N=1,146	-0.037 [0.056] N=939
Meat fish or poultry consumed daily or several times weekly	0.576 P=930	0.041 [0.051] N=1,618	0.037 [0.053] N=1,494	0.021 [0.055] N=1,344	0.023 [0.063] N=1,146	0.010 [0.069] N=939
Legumes consumed daily or several times weekly	0.571 P=916	0.021 [0.050] N=1,618	0.031 [0.053] N=1,494	0.042 [0.054] N=1,344	0.083 [0.061] N=1,146	0.081 [0.070] N=939
Animal products consumed daily or several times weekly	0.856 P=1,384	**0.075* [0.039] N=1,618**	**0.073* [0.041] N=1,494**	0.052 [0.043] N=1,344	0.065 [0.046] N=1,146	0.046 [0.051] N=939
Sweets consumed daily or several times weekly	0.520 P=840	-0.062 [0.048] N=1,618	-0.078 [0.049] N=1,494	-0.069 [0.052] N=1,344	-0.057 [0.051] N=1,146	-0.030 [0.059] N=939
Snack foods consumed daily or several times weekly	0.385 P=616	0.036 [0.047] N=1,618	0.010 [0.049] N=1,494	0.019 [0.053] N=1,344	0.043 [0.055] N=1,146	0.034 [0.060] N=939
Packaged soft drinks consumed daily or several times weekly	0.219 P=346	0.008 [0.044] N=1,618	0.014 [0.047] N=1,494	0.012 [0.050] N=1,344	0.018 [0.055] N=1,146	-0.014 [0.062] N=939
Grains consumed daily or several times weekly	0.837 P=1,348	0.025 [0.041] N=1,618	0.038 [0.043] N=1,494	0.011 [0.045] N=1,344	0.008 [0.049] N=1,146	-0.011 [0.057] N=939

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.046 [0.050] N=1,378	0.067 [0.054] N=1,254	0.102 [0.062] N=1,104	0.095 [0.076] N=906	0.149 [0.098] N=699
Vegetables consumed daily or several times weekly	0.062 [0.063] N=1,378	0.066 [0.069] N=1,254	0.067 [0.074] N=1,104	0.013 [0.090] N=906	-0.052 [0.112] N=699
Meat fish or poultry consumed daily or several times weekly	0.027 [0.067] N=1,378	0.018 [0.073] N=1,254	-0.016 [0.075] N=1,104	-0.042 [0.095] N=906	-0.092 [0.112] N=699
Legumes consumed daily or several times weekly	0.009 [0.071] N=1,378	0.029 [0.078] N=1,254	0.055 [0.082] N=1,104	0.143 [0.105] N=906	0.165 [0.135] N=699
Animal products consumed daily or several times weekly	**0.095* [0.056] N=1,378**	0.096 [0.061] N=1,254	0.057 [0.069] N=1,104	0.090 [0.083] N=906	0.053 [0.102] N=699
Sweets consumed daily or several times weekly	-0.091 [0.065] N=1,378	**-0.118* [0.068] N=1,254**	-0.105 [0.076] N=1,104	-0.079 [0.081] N=906	-0.007 [0.110] N=699
Snack foods consumed daily or several times weekly	0.006 [0.065] N=1,378	-0.049 [0.069] N=1,254	-0.037 [0.079] N=1,104	0.008 [0.095] N=906	-0.061 [0.116] N=699
Packaged soft drinks consumed daily or several times weekly	0.010 [0.052] N=1,378	0.019 [0.057] N=1,254	0.022 [0.064] N=1,104	0.043 [0.077] N=906	-0.039 [0.096] N=699
Grains consumed daily or several times weekly	0.093 [0.062] N=1,378	**0.135** [0.067] N=1,254**	0.094 [0.076] N=1,104	0.120 [0.094] N=906	0.136 [0.132] N=699

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=1,362	-0.014 [0.035] N=1,618	-0.012 [0.037] N=1,494	0.002 [0.039] N=1,344	-0.008 [0.041] N=1,146	-0.009 [0.044] N=939
Vegetables consumed daily or several times weekly	0.764 P=1,240	0.009 [0.046] N=1,618	0.001 [0.048] N=1,494	-0.002 [0.050] N=1,344	-0.026 [0.053] N=1,146	-0.055 [0.057] N=939
Meat fish or poultry consumed daily or several times weekly	0.576 P=930	0.005 [0.048] N=1,618	-0.005 [0.050] N=1,494	-0.015 [0.053] N=1,344	-0.012 [0.060] N=1,146	-0.026 [0.067] N=939
Legumes consumed daily or several times weekly	0.571 P=916	0.000 [0.050] N=1,618	0.009 [0.053] N=1,494	0.023 [0.054] N=1,344	0.066 [0.061] N=1,146	0.066 [0.070] N=939
Animal products consumed daily or several times weekly	0.856 P=1,384	0.061 [0.040] N=1,618	0.057 [0.041] N=1,494	0.037 [0.044] N=1,344	0.052 [0.047] N=1,146	0.032 [0.052] N=939
Sweets consumed daily or several times weekly	0.520 P=840	-0.071 [0.049] N=1,618	**-0.089* [0.050] N=1,494**	-0.078 [0.052] N=1,344	-0.062 [0.052] N=1,146	-0.036 [0.060] N=939
Snack foods consumed daily or several times weekly	0.385 P=616	0.038 [0.047] N=1,618	0.012 [0.049] N=1,494	0.019 [0.052] N=1,344	0.046 [0.055] N=1,146	0.040 [0.060] N=939
Packaged soft drinks consumed daily or several times weekly	0.219 P=346	0.016 [0.043] N=1,618	0.024 [0.045] N=1,494	0.019 [0.049] N=1,344	0.026 [0.054] N=1,146	-0.004 [0.060] N=939
Grains consumed daily or several times weekly	0.837 P=1,348	0.017 [0.041] N=1,618	0.031 [0.043] N=1,494	0.005 [0.045] N=1,344	0.001 [0.049] N=1,146	-0.016 [0.058] N=939

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.023 [0.052] N=1,378	0.038 [0.057] N=1,254	0.078 [0.064] N=1,104	0.079 [0.082] N=906	0.132 [0.109] N=699
Vegetables consumed daily or several times weekly	0.046 [0.064] N=1,378	0.044 [0.070] N=1,254	0.049 [0.074] N=1,104	0.003 [0.092] N=906	-0.062 [0.116] N=699
Meat fish or poultry consumed daily or several times weekly	-0.006 [0.064] N=1,378	-0.028 [0.070] N=1,254	-0.050 [0.074] N=1,104	-0.072 [0.094] N=906	-0.126 [0.121] N=699
Legumes consumed daily or several times weekly	-0.011 [0.072] N=1,378	0.005 [0.080] N=1,254	0.036 [0.084] N=1,104	0.126 [0.106] N=906	0.149 [0.138] N=699
Animal products consumed daily or several times weekly	0.081 [0.054] N=1,378	0.078 [0.059] N=1,254	0.043 [0.068] N=1,104	0.087 [0.081] N=906	0.057 [0.099] N=699
Sweets consumed daily or several times weekly	-0.099 [0.066] N=1,378	**-0.130* [0.069] N=1,254**	-0.112 [0.077] N=1,104	-0.082 [0.080] N=906	-0.010 [0.109] N=699
Snack foods consumed daily or several times weekly	0.006 [0.064] N=1,378	-0.045 [0.068] N=1,254	-0.036 [0.078] N=1,104	0.005 [0.093] N=906	-0.063 [0.115] N=699
Packaged soft drinks consumed daily or several times weekly	0.017 [0.051] N=1,378	0.030 [0.056] N=1,254	0.028 [0.063] N=1,104	0.049 [0.076] N=906	-0.034 [0.097] N=699
Grains consumed daily or several times weekly	0.084 [0.062] N=1,378	**0.127* [0.068] N=1,254**	0.087 [0.077] N=1,104	0.107 [0.095] N=906	0.122 [0.134] N=699

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=1,362	-0.018 [0.035] N=1,618	-0.016 [0.036] N=1,494	-0.005 [0.039] N=1,344	-0.014 [0.041] N=1,146	-0.017 [0.043] N=939
Vegetables consumed daily or several times weekly	0.764 P=1,240	0.009 [0.045] N=1,618	0.003 [0.047] N=1,494	-0.002 [0.050] N=1,344	-0.027 [0.053] N=1,146	-0.055 [0.057] N=939
Meat fish or poultry consumed daily or several times weekly	0.576 P=930	0.003 [0.048] N=1,618	-0.007 [0.050] N=1,494	-0.021 [0.051] N=1,344	-0.017 [0.059] N=1,146	-0.033 [0.066] N=939
Legumes consumed daily or several times weekly	0.571 P=916	0.005 [0.050] N=1,618	0.014 [0.053] N=1,494	0.026 [0.053] N=1,344	0.068 [0.060] N=1,146	0.067 [0.069] N=939
Animal products consumed daily or several times weekly	0.856 P=1,384	0.059 [0.039] N=1,618	0.058 [0.041] N=1,494	0.038 [0.044] N=1,344	0.051 [0.047] N=1,146	0.031 [0.052] N=939
Sweets consumed daily or several times weekly	0.520 P=840	-0.071 [0.049] N=1,618	**-0.090* [0.050] N=1,494**	-0.080 [0.052] N=1,344	-0.061 [0.052] N=1,146	-0.036 [0.060] N=939
Snack foods consumed daily or several times weekly	0.385 P=616	0.039 [0.047] N=1,618	0.013 [0.049] N=1,494	0.018 [0.053] N=1,344	0.048 [0.055] N=1,146	0.040 [0.060] N=939
Packaged soft drinks consumed daily or several times weekly	0.219 P=346	0.017 [0.042] N=1,618	0.025 [0.045] N=1,494	0.020 [0.049] N=1,344	0.029 [0.053] N=1,146	-0.001 [0.058] N=939
Grains consumed daily or several times weekly	0.837 P=1,348	0.022 [0.041] N=1,618	0.038 [0.043] N=1,494	0.012 [0.045] N=1,344	0.008 [0.050] N=1,146	-0.008 [0.058] N=939

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.020 [0.051] N=1,378	0.036 [0.055] N=1,254	0.075 [0.062] N=1,104	0.076 [0.079] N=906	0.115 [0.106] N=699
Vegetables consumed daily or several times weekly	0.044 [0.064] N=1,378	0.045 [0.070] N=1,254	0.049 [0.074] N=1,104	-0.006 [0.092] N=906	-0.088 [0.117] N=699
Meat fish or poultry consumed daily or several times weekly	-0.009 [0.066] N=1,378	-0.029 [0.070] N=1,254	-0.054 [0.074] N=1,104	-0.082 [0.095] N=906	-0.158 [0.122] N=699
Legumes consumed daily or several times weekly	-0.009 [0.073] N=1,378	0.007 [0.080] N=1,254	0.036 [0.083] N=1,104	0.124 [0.108] N=906	0.133 [0.142] N=699
Animal products consumed daily or several times weekly	0.082 [0.056] N=1,378	0.084 [0.061] N=1,254	0.046 [0.070] N=1,104	0.082 [0.084] N=906	0.045 [0.105] N=699
Sweets consumed daily or several times weekly	-0.094 [0.065] N=1,378	**-0.127* [0.068] N=1,254**	-0.112 [0.076] N=1,104	-0.079 [0.081] N=906	-0.019 [0.110] N=699
Snack foods consumed daily or several times weekly	0.012 [0.064] N=1,378	-0.044 [0.068] N=1,254	-0.036 [0.079] N=1,104	0.010 [0.094] N=906	-0.054 [0.114] N=699
Packaged soft drinks consumed daily or several times weekly	0.021 [0.051] N=1,378	0.034 [0.056] N=1,254	0.032 [0.064] N=1,104	0.054 [0.077] N=906	-0.019 [0.098] N=699
Grains consumed daily or several times weekly	0.086 [0.062] N=1,378	**0.130* [0.067] N=1,254**	0.089 [0.077] N=1,104	0.108 [0.095] N=906	0.117 [0.135] N=699

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,264	-0.003 [0.037] N=1,507	-0.004 [0.039] N=1,398	0.012 [0.042] N=1,256	0.006 [0.044] N=1,076	-0.004 [0.047] N=882
Vegetables consumed daily or several times weekly	0.762 P=1,152	0.009 [0.048] N=1,507	0.003 [0.050] N=1,398	0.002 [0.052] N=1,256	-0.020 [0.055] N=1,076	-0.054 [0.060] N=882
Meat fish or poultry consumed daily or several times weekly	0.577 P=866	0.042 [0.048] N=1,507	0.036 [0.051] N=1,398	0.020 [0.052] N=1,256	0.005 [0.058] N=1,076	-0.027 [0.062] N=882
Legumes consumed daily or several times weekly	0.567 P=847	0.025 [0.049] N=1,507	0.028 [0.051] N=1,398	0.048 [0.051] N=1,256	0.083 [0.058] N=1,076	0.069 [0.067] N=882
Animal products consumed daily or several times weekly	0.858 P=1,294	**0.078* [0.040] N=1,507**	**0.075* [0.041] N=1,398**	0.055 [0.043] N=1,256	0.053 [0.046] N=1,076	0.027 [0.050] N=882
Sweets consumed daily or several times weekly	0.522 P=785	-0.051 [0.051] N=1,507	-0.069 [0.052] N=1,398	-0.059 [0.054] N=1,256	-0.051 [0.053] N=1,076	-0.028 [0.061] N=882
Snack foods consumed daily or several times weekly	0.387 P=577	0.038 [0.050] N=1,507	0.021 [0.053] N=1,398	0.036 [0.056] N=1,256	0.051 [0.058] N=1,076	0.052 [0.064] N=882
Packaged soft drinks consumed daily or several times weekly	0.222 P=328	0.033 [0.043] N=1,507	0.040 [0.046] N=1,398	0.039 [0.050] N=1,256	0.036 [0.054] N=1,076	0.015 [0.060] N=882
Grains consumed daily or several times weekly	0.836 P=1,254	0.026 [0.043] N=1,507	0.036 [0.044] N=1,398	0.008 [0.046] N=1,256	0.003 [0.051] N=1,076	-0.023 [0.060] N=882

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.044 [0.051] N=1,282	0.055 [0.055] N=1,173	0.094 [0.062] N=1,031	0.096 [0.076] N=851	0.137 [0.098] N=657
Vegetables consumed daily or several times weekly	0.058 [0.065] N=1,282	0.061 [0.072] N=1,173	0.069 [0.076] N=1,031	0.021 [0.094] N=851	-0.049 [0.117] N=657
Meat fish or poultry consumed daily or several times weekly	0.058 [0.068] N=1,282	0.047 [0.074] N=1,173	0.027 [0.077] N=1,031	-0.025 [0.096] N=851	-0.103 [0.114] N=657
Legumes consumed daily or several times weekly	0.027 [0.072] N=1,282	0.037 [0.080] N=1,173	0.079 [0.084] N=1,031	0.169 [0.104] N=851	0.181 [0.134] N=657
Animal products consumed daily or several times weekly	**0.112* [0.060] N=1,282**	**0.113* [0.064] N=1,173**	0.079 [0.072] N=1,031	0.092 [0.084] N=851	0.055 [0.107] N=657
Sweets consumed daily or several times weekly	-0.078 [0.068] N=1,282	-0.105 [0.073] N=1,173	-0.097 [0.080] N=1,031	-0.086 [0.086] N=851	-0.052 [0.119] N=657
Snack foods consumed daily or several times weekly	0.005 [0.070] N=1,282	-0.029 [0.075] N=1,173	-0.008 [0.086] N=1,031	0.015 [0.101] N=851	-0.049 [0.129] N=657
Packaged soft drinks consumed daily or several times weekly	0.038 [0.053] N=1,282	0.053 [0.058] N=1,173	0.060 [0.066] N=1,031	0.066 [0.077] N=851	0.014 [0.098] N=657
Grains consumed daily or several times weekly	**0.108* [0.065] N=1,282**	**0.145** [0.069] N=1,173**	0.096 [0.077] N=1,031	0.116 [0.095] N=851	0.126 [0.134] N=657

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,264	-0.006 [0.037] N=1,507	-0.006 [0.038] N=1,398	0.011 [0.041] N=1,256	0.003 [0.043] N=1,076	-0.008 [0.046] N=882
Vegetables consumed daily or several times weekly	0.762 P=1,152	0.006 [0.047] N=1,507	0.000 [0.049] N=1,398	-0.001 [0.052] N=1,256	-0.023 [0.055] N=1,076	-0.056 [0.059] N=882
Meat fish or poultry consumed daily or several times weekly	0.577 P=866	0.042 [0.049] N=1,507	0.038 [0.051] N=1,398	0.025 [0.053] N=1,256	0.012 [0.059] N=1,076	-0.014 [0.063] N=882
Legumes consumed daily or several times weekly	0.567 P=847	0.021 [0.049] N=1,507	0.025 [0.052] N=1,398	0.046 [0.052] N=1,256	0.081 [0.058] N=1,076	0.072 [0.066] N=882
Animal products consumed daily or several times weekly	0.858 P=1,294	**0.076* [0.040] N=1,507**	**0.073* [0.041] N=1,398**	0.054 [0.043] N=1,256	0.054 [0.046] N=1,076	0.033 [0.050] N=882
Sweets consumed daily or several times weekly	0.522 P=785	-0.052 [0.050] N=1,507	-0.069 [0.051] N=1,398	-0.058 [0.054] N=1,256	-0.051 [0.052] N=1,076	-0.029 [0.059] N=882
Snack foods consumed daily or several times weekly	0.387 P=577	0.034 [0.049] N=1,507	0.017 [0.052] N=1,398	0.033 [0.056] N=1,256	0.045 [0.057] N=1,076	0.038 [0.063] N=882
Packaged soft drinks consumed daily or several times weekly	0.222 P=328	0.029 [0.044] N=1,507	0.036 [0.047] N=1,398	0.036 [0.051] N=1,256	0.031 [0.055] N=1,076	0.002 [0.061] N=882
Grains consumed daily or several times weekly	0.836 P=1,254	0.024 [0.043] N=1,507	0.035 [0.044] N=1,398	0.006 [0.047] N=1,256	-0.002 [0.051] N=1,076	-0.031 [0.059] N=882

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.038 [0.051] N=1,282	0.051 [0.055] N=1,173	0.094 [0.063] N=1,031	0.097 [0.077] N=851	0.133 [0.098] N=657
Vegetables consumed daily or several times weekly	0.053 [0.065] N=1,282	0.056 [0.072] N=1,173	0.069 [0.076] N=1,031	0.022 [0.093] N=851	-0.042 [0.114] N=657
Meat fish or poultry consumed daily or several times weekly	0.049 [0.068] N=1,282	0.040 [0.073] N=1,173	0.021 [0.076] N=1,031	-0.027 [0.095] N=851	-0.096 [0.110] N=657
Legumes consumed daily or several times weekly	0.020 [0.072] N=1,282	0.030 [0.080] N=1,173	0.076 [0.083] N=1,031	0.165 [0.104] N=851	0.175 [0.134] N=657
Animal products consumed daily or several times weekly	**0.107* [0.059] N=1,282**	**0.109* [0.064] N=1,173**	0.076 [0.071] N=1,031	0.088 [0.084] N=851	0.056 [0.106] N=657
Sweets consumed daily or several times weekly	-0.089 [0.068] N=1,282	**-0.120* [0.072] N=1,173**	-0.106 [0.080] N=1,031	-0.086 [0.085] N=851	-0.038 [0.118] N=657
Snack foods consumed daily or several times weekly	-0.002 [0.069] N=1,282	-0.038 [0.074] N=1,173	-0.012 [0.086] N=1,031	0.015 [0.101] N=851	-0.050 [0.127] N=657
Packaged soft drinks consumed daily or several times weekly	0.035 [0.053] N=1,282	0.049 [0.058] N=1,173	0.058 [0.066] N=1,031	0.064 [0.078] N=851	0.001 [0.096] N=657
Grains consumed daily or several times weekly	0.106 [0.064] N=1,282	**0.144** [0.069] N=1,173**	0.101 [0.078] N=1,031	0.119 [0.095] N=851	0.120 [0.135] N=657

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,225	0.005 [0.043] N=1,441	0.007 [0.046] N=1,312	0.017 [0.050] N=1,151	0.002 [0.055] N=967	0.005 [0.064] N=782
Vegetables consumed daily or several times weekly	0.767 P=1,111	-0.011 [0.055] N=1,441	0.003 [0.059] N=1,312	0.027 [0.064] N=1,151	0.015 [0.071] N=967	0.023 [0.081] N=782
Meat fish or poultry consumed daily or several times weekly	0.574 P=831	0.028 [0.055] N=1,441	0.032 [0.058] N=1,312	0.026 [0.062] N=1,151	0.050 [0.070] N=967	0.021 [0.080] N=782
Legumes consumed daily or several times weekly	0.579 P=830	-0.019 [0.064] N=1,441	-0.008 [0.066] N=1,312	-0.027 [0.069] N=1,151	-0.067 [0.075] N=967	-0.065 [0.087] N=782
Animal products consumed daily or several times weekly	0.856 P=1,232	0.034 [0.037] N=1,441	0.038 [0.039] N=1,312	0.052 [0.041] N=1,151	0.045 [0.045] N=967	0.058 [0.051] N=782
Sweets consumed daily or several times weekly	0.534 P=771	-0.064 [0.056] N=1,441	-0.071 [0.058] N=1,312	-0.042 [0.064] N=1,151	-0.054 [0.070] N=967	-0.111 [0.077] N=782
Snack foods consumed daily or several times weekly	0.398 P=567	-0.004 [0.054] N=1,441	-0.016 [0.057] N=1,312	-0.019 [0.060] N=1,151	-0.005 [0.064] N=967	-0.089 [0.070] N=782
Packaged soft drinks consumed daily or several times weekly	0.219 P=310	0.034 [0.038] N=1,441	0.021 [0.040] N=1,312	0.052 [0.042] N=1,151	0.052 [0.047] N=967	-0.026 [0.052] N=782
Grains consumed daily or several times weekly	0.835 P=1,200	0.079 [0.049] N=1,441	0.082 [0.050] N=1,312	0.083 [0.053] N=1,151	0.074 [0.060] N=967	0.035 [0.067] N=782

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.030 [0.061] N=1,253	-0.037 [0.065] N=1,124	-0.030 [0.077] N=963	-0.054 [0.083] N=779	-0.054 [0.115] N=594
Vegetables consumed daily or several times weekly	-0.066 [0.069] N=1,253	-0.055 [0.077] N=1,124	-0.028 [0.091] N=963	-0.058 [0.100] N=779	-0.059 [0.134] N=594
Meat fish or poultry consumed daily or several times weekly	-0.010 [0.069] N=1,253	-0.009 [0.076] N=1,124	-0.038 [0.081] N=963	-0.022 [0.097] N=779	-0.109 [0.118] N=594
Legumes consumed daily or several times weekly	0.068 [0.079] N=1,253	0.089 [0.086] N=1,124	0.081 [0.092] N=963	0.049 [0.104] N=779	0.115 [0.133] N=594
Animal products consumed daily or several times weekly	0.002 [0.051] N=1,253	0.006 [0.056] N=1,124	0.022 [0.057] N=963	0.007 [0.062] N=779	0.030 [0.074] N=594
Sweets consumed daily or several times weekly	-0.006 [0.071] N=1,253	-0.012 [0.077] N=1,124	0.065 [0.085] N=963	0.068 [0.098] N=779	-0.012 [0.117] N=594
Snack foods consumed daily or several times weekly	0.064 [0.070] N=1,253	0.050 [0.077] N=1,124	0.057 [0.085] N=963	0.122 [0.097] N=779	-0.024 [0.122] N=594
Packaged soft drinks consumed daily or several times weekly	0.016 [0.061] N=1,253	-0.004 [0.064] N=1,124	0.051 [0.072] N=963	0.054 [0.088] N=779	-0.146 [0.105] N=594
Grains consumed daily or several times weekly	**0.096* [0.055] N=1,253**	**0.096* [0.057] N=1,124**	0.094 [0.062] N=963	0.065 [0.074] N=779	-0.064 [0.089] N=594

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,225	0.007 [0.043] N=1,441	0.009 [0.045] N=1,312	0.019 [0.049] N=1,151	0.002 [0.055] N=967	0.005 [0.064] N=782
Vegetables consumed daily or several times weekly	0.767 P=1,111	-0.009 [0.055] N=1,441	0.004 [0.058] N=1,312	0.029 [0.063] N=1,151	0.015 [0.071] N=967	0.022 [0.080] N=782
Meat fish or poultry consumed daily or several times weekly	0.574 P=831	0.030 [0.055] N=1,441	0.036 [0.058] N=1,312	0.029 [0.061] N=1,151	0.050 [0.070] N=967	0.020 [0.080] N=782
Legumes consumed daily or several times weekly	0.579 P=830	-0.018 [0.064] N=1,441	-0.008 [0.066] N=1,312	-0.026 [0.069] N=1,151	-0.067 [0.075] N=967	-0.065 [0.087] N=782
Animal products consumed daily or several times weekly	0.856 P=1,232	0.037 [0.036] N=1,441	0.041 [0.039] N=1,312	0.055 [0.041] N=1,151	0.045 [0.044] N=967	0.057 [0.050] N=782
Sweets consumed daily or several times weekly	0.534 P=771	-0.062 [0.056] N=1,441	-0.068 [0.058] N=1,312	-0.040 [0.064] N=1,151	-0.054 [0.070] N=967	-0.111 [0.077] N=782
Snack foods consumed daily or several times weekly	0.398 P=567	-0.002 [0.054] N=1,441	-0.014 [0.057] N=1,312	-0.017 [0.060] N=1,151	-0.005 [0.064] N=967	-0.089 [0.070] N=782
Packaged soft drinks consumed daily or several times weekly	0.219 P=310	0.036 [0.038] N=1,441	0.022 [0.039] N=1,312	0.054 [0.042] N=1,151	0.052 [0.047] N=967	-0.026 [0.051] N=782
Grains consumed daily or several times weekly	0.835 P=1,200	0.080 [0.049] N=1,441	0.082 [0.050] N=1,312	0.083 [0.053] N=1,151	0.074 [0.060] N=967	0.036 [0.068] N=782

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.027 [0.060] N=1,253	-0.034 [0.065] N=1,124	-0.026 [0.077] N=963	-0.053 [0.083] N=779	-0.049 [0.116] N=594
Vegetables consumed daily or several times weekly	-0.063 [0.069] N=1,253	-0.051 [0.077] N=1,124	-0.024 [0.090] N=963	-0.054 [0.099] N=779	-0.052 [0.134] N=594
Meat fish or poultry consumed daily or several times weekly	-0.005 [0.068] N=1,253	-0.002 [0.075] N=1,124	-0.030 [0.080] N=963	-0.017 [0.096] N=779	-0.101 [0.118] N=594
Legumes consumed daily or several times weekly	0.071 [0.079] N=1,253	0.092 [0.086] N=1,124	0.084 [0.092] N=963	0.052 [0.104] N=779	0.117 [0.133] N=594
Animal products consumed daily or several times weekly	0.008 [0.049] N=1,253	0.014 [0.055] N=1,124	0.029 [0.056] N=963	0.012 [0.061] N=779	0.040 [0.072] N=594
Sweets consumed daily or several times weekly	-0.002 [0.071] N=1,253	-0.006 [0.077] N=1,124	0.071 [0.085] N=963	0.070 [0.099] N=779	-0.006 [0.118] N=594
Snack foods consumed daily or several times weekly	0.069 [0.071] N=1,253	0.055 [0.077] N=1,124	0.061 [0.085] N=963	0.122 [0.097] N=779	-0.020 [0.122] N=594
Packaged soft drinks consumed daily or several times weekly	0.018 [0.061] N=1,253	-0.002 [0.064] N=1,124	0.055 [0.072] N=963	0.056 [0.088] N=779	-0.142 [0.105] N=594
Grains consumed daily or several times weekly	**0.096* [0.055] N=1,253**	**0.096* [0.057] N=1,124**	0.092 [0.062] N=963	0.061 [0.074] N=779	-0.068 [0.090] N=594

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,225	0.002 [0.040] N=1,441	0.005 [0.043] N=1,312	0.022 [0.047] N=1,151	0.003 [0.052] N=967	0.005 [0.060] N=782
Vegetables consumed daily or several times weekly	0.767 P=1,111	-0.012 [0.053] N=1,441	0.003 [0.056] N=1,312	0.032 [0.061] N=1,151	0.017 [0.068] N=967	0.022 [0.078] N=782
Meat fish or poultry consumed daily or several times weekly	0.574 P=831	0.020 [0.054] N=1,441	0.028 [0.056] N=1,312	0.031 [0.058] N=1,151	0.050 [0.065] N=967	0.022 [0.074] N=782
Legumes consumed daily or several times weekly	0.579 P=830	-0.024 [0.064] N=1,441	-0.012 [0.066] N=1,312	-0.025 [0.069] N=1,151	-0.065 [0.074] N=967	-0.063 [0.085] N=782
Animal products consumed daily or several times weekly	0.856 P=1,232	0.033 [0.036] N=1,441	0.038 [0.039] N=1,312	0.055 [0.041] N=1,151	0.044 [0.044] N=967	0.058 [0.049] N=782
Sweets consumed daily or several times weekly	0.534 P=771	-0.062 [0.055] N=1,441	-0.070 [0.058] N=1,312	-0.039 [0.064] N=1,151	-0.054 [0.070] N=967	-0.114 [0.077] N=782
Snack foods consumed daily or several times weekly	0.398 P=567	0.003 [0.054] N=1,441	-0.011 [0.057] N=1,312	-0.016 [0.060] N=1,151	-0.004 [0.064] N=967	-0.092 [0.070] N=782
Packaged soft drinks consumed daily or several times weekly	0.219 P=310	0.039 [0.038] N=1,441	0.024 [0.039] N=1,312	0.053 [0.041] N=1,151	0.051 [0.046] N=967	-0.030 [0.049] N=782
Grains consumed daily or several times weekly	0.835 P=1,200	0.078 [0.049] N=1,441	0.081 [0.050] N=1,312	0.084 [0.054] N=1,151	0.074 [0.061] N=967	0.035 [0.068] N=782

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.024 [0.059] N=1,253	-0.028 [0.063] N=1,124	-0.007 [0.075] N=963	-0.035 [0.083] N=779	-0.029 [0.115] N=594
Vegetables consumed daily or several times weekly	-0.059 [0.068] N=1,253	-0.044 [0.076] N=1,124	-0.003 [0.090] N=963	-0.032 [0.100] N=779	-0.030 [0.137] N=594
Meat fish or poultry consumed daily or several times weekly	-0.006 [0.067] N=1,253	-0.000 [0.074] N=1,124	-0.009 [0.078] N=963	0.001 [0.095] N=779	-0.073 [0.111] N=594
Legumes consumed daily or several times weekly	0.064 [0.081] N=1,253	0.085 [0.087] N=1,124	0.084 [0.095] N=963	0.052 [0.106] N=779	0.122 [0.133] N=594
Animal products consumed daily or several times weekly	0.006 [0.049] N=1,253	0.013 [0.054] N=1,124	0.034 [0.056] N=963	0.015 [0.063] N=779	0.045 [0.073] N=594
Sweets consumed daily or several times weekly	-0.002 [0.071] N=1,253	-0.008 [0.077] N=1,124	0.072 [0.085] N=963	0.071 [0.099] N=779	-0.004 [0.117] N=594
Snack foods consumed daily or several times weekly	0.074 [0.071] N=1,253	0.056 [0.077] N=1,124	0.056 [0.085] N=963	0.116 [0.096] N=779	-0.028 [0.123] N=594
Packaged soft drinks consumed daily or several times weekly	0.016 [0.060] N=1,253	-0.008 [0.063] N=1,124	0.043 [0.071] N=963	0.045 [0.086] N=779	-0.152 [0.102] N=594
Grains consumed daily or several times weekly	**0.095* [0.055] N=1,253**	0.095 [0.058] N=1,124	0.096 [0.063] N=963	0.058 [0.076] N=779	-0.074 [0.093] N=594

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,225	0.006 [0.042] N=1,441	0.010 [0.044] N=1,312	0.024 [0.049] N=1,151	-0.001 [0.054] N=967	0.001 [0.062] N=782
Vegetables consumed daily or several times weekly	0.767 P=1,111	-0.013 [0.055] N=1,441	0.004 [0.058] N=1,312	0.031 [0.063] N=1,151	0.011 [0.070] N=967	0.020 [0.079] N=782
Meat fish or poultry consumed daily or several times weekly	0.574 P=831	0.027 [0.053] N=1,441	0.039 [0.055] N=1,312	0.037 [0.058] N=1,151	0.049 [0.066] N=967	0.018 [0.073] N=782
Legumes consumed daily or several times weekly	0.579 P=830	-0.023 [0.065] N=1,441	-0.011 [0.067] N=1,312	-0.028 [0.070] N=1,151	-0.070 [0.076] N=967	-0.066 [0.087] N=782
Animal products consumed daily or several times weekly	0.856 P=1,232	0.043 [0.037] N=1,441	0.047 [0.040] N=1,312	0.062 [0.041] N=1,151	0.048 [0.045] N=967	0.062 [0.051] N=782
Sweets consumed daily or several times weekly	0.534 P=771	-0.056 [0.056] N=1,441	-0.064 [0.059] N=1,312	-0.036 [0.064] N=1,151	-0.054 [0.070] N=967	-0.108 [0.078] N=782
Snack foods consumed daily or several times weekly	0.398 P=567	0.007 [0.054] N=1,441	-0.007 [0.057] N=1,312	-0.013 [0.059] N=1,151	0.001 [0.064] N=967	-0.082 [0.070] N=782
Packaged soft drinks consumed daily or several times weekly	0.219 P=310	0.048 [0.037] N=1,441	0.030 [0.039] N=1,312	0.059 [0.041] N=1,151	0.059 [0.046] N=967	-0.016 [0.051] N=782
Grains consumed daily or several times weekly	0.835 P=1,200	0.078 [0.049] N=1,441	0.078 [0.050] N=1,312	0.077 [0.054] N=1,151	0.068 [0.061] N=967	0.032 [0.069] N=782

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.021 [0.061] N=1,253	-0.024 [0.066] N=1,124	-0.007 [0.080] N=963	-0.052 [0.091] N=779	-0.060 [0.123] N=594
Vegetables consumed daily or several times weekly	-0.062 [0.069] N=1,253	-0.045 [0.077] N=1,124	-0.011 [0.093] N=963	-0.054 [0.103] N=779	-0.057 [0.139] N=594
Meat fish or poultry consumed daily or several times weekly	0.003 [0.067] N=1,253	0.017 [0.074] N=1,124	0.000 [0.079] N=963	-0.002 [0.097] N=779	-0.103 [0.110] N=594
Legumes consumed daily or several times weekly	0.069 [0.081] N=1,253	0.092 [0.087] N=1,124	0.088 [0.094] N=963	0.052 [0.105] N=779	0.113 [0.131] N=594
Animal products consumed daily or several times weekly	0.014 [0.048] N=1,253	0.020 [0.054] N=1,124	0.036 [0.054] N=963	0.012 [0.062] N=779	0.039 [0.074] N=594
Sweets consumed daily or several times weekly	0.004 [0.071] N=1,253	-0.003 [0.077] N=1,124	0.073 [0.083] N=963	0.063 [0.096] N=779	-0.017 [0.111] N=594
Snack foods consumed daily or several times weekly	0.076 [0.070] N=1,253	0.058 [0.077] N=1,124	0.058 [0.082] N=963	0.117 [0.094] N=779	-0.025 [0.119] N=594
Packaged soft drinks consumed daily or several times weekly	0.027 [0.059] N=1,253	-0.000 [0.062] N=1,124	0.050 [0.069] N=963	0.052 [0.084] N=779	-0.140 [0.103] N=594
Grains consumed daily or several times weekly	**0.091* [0.055] N=1,253**	0.088 [0.058] N=1,124	0.082 [0.063] N=963	0.041 [0.077] N=779	-0.087 [0.096] N=594

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.846 P=1,137	0.009 [0.044] N=1,341	0.014 [0.047] N=1,219	0.036 [0.051] N=1,073	0.008 [0.056] N=902	0.003 [0.064] N=732
Vegetables consumed daily or several times weekly	0.766 P=1,033	-0.015 [0.056] N=1,341	0.002 [0.060] N=1,219	0.028 [0.065] N=1,073	-0.004 [0.073] N=902	-0.013 [0.083] N=732
Meat fish or poultry consumed daily or several times weekly	0.575 P=773	0.027 [0.058] N=1,341	0.029 [0.062] N=1,219	0.037 [0.065] N=1,073	0.036 [0.075] N=902	0.003 [0.087] N=732
Legumes consumed daily or several times weekly	0.578 P=771	-0.020 [0.064] N=1,341	-0.007 [0.066] N=1,219	-0.033 [0.069] N=1,073	-0.094 [0.076] N=902	-0.103 [0.088] N=732
Animal products consumed daily or several times weekly	0.858 P=1,150	0.047 [0.038] N=1,341	0.054 [0.041] N=1,219	0.067 [0.043] N=1,073	0.043 [0.047] N=902	0.063 [0.053] N=732
Sweets consumed daily or several times weekly	0.540 P=725	-0.072 [0.057] N=1,341	-0.083 [0.060] N=1,219	-0.056 [0.066] N=1,073	-0.082 [0.074] N=902	**-0.138* [0.082] N=732**
Snack foods consumed daily or several times weekly	0.403 P=535	-0.018 [0.056] N=1,341	-0.038 [0.060] N=1,219	-0.045 [0.062] N=1,073	-0.032 [0.066] N=902	-0.117 [0.072] N=732
Packaged soft drinks consumed daily or several times weekly	0.225 P=298	0.019 [0.040] N=1,341	0.001 [0.041] N=1,219	0.031 [0.044] N=1,073	0.026 [0.051] N=902	-0.056 [0.056] N=732
Grains consumed daily or several times weekly	0.833 P=1,115	**0.088* [0.049] N=1,341**	**0.088* [0.051] N=1,219**	0.085 [0.054] N=1,073	0.074 [0.062] N=902	0.033 [0.070] N=732

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.012 [0.065] N=1,163	-0.011 [0.070] N=1,041	0.020 [0.082] N=895	-0.028 [0.089] N=724	-0.049 [0.119] N=554
Vegetables consumed daily or several times weekly	-0.055 [0.070] N=1,163	-0.036 [0.078] N=1,041	-0.008 [0.090] N=895	-0.070 [0.100] N=724	-0.127 [0.133] N=554
Meat fish or poultry consumed daily or several times weekly	-0.002 [0.077] N=1,163	-0.001 [0.085] N=1,041	-0.001 [0.091] N=895	-0.025 [0.109] N=724	-0.133 [0.138] N=554
Legumes consumed daily or several times weekly	0.079 [0.083] N=1,163	0.106 [0.088] N=1,041	0.096 [0.095] N=895	0.041 [0.110] N=724	0.074 [0.141] N=554
Animal products consumed daily or several times weekly	0.028 [0.055] N=1,163	0.040 [0.061] N=1,041	0.058 [0.060] N=895	0.021 [0.069] N=724	0.055 [0.084] N=554
Sweets consumed daily or several times weekly	-0.005 [0.073] N=1,163	-0.015 [0.080] N=1,041	0.054 [0.087] N=895	0.037 [0.103] N=724	-0.047 [0.129] N=554
Snack foods consumed daily or several times weekly	0.046 [0.075] N=1,163	0.020 [0.084] N=1,041	0.010 [0.093] N=895	0.070 [0.108] N=724	-0.080 [0.133] N=554
Packaged soft drinks consumed daily or several times weekly	-0.010 [0.063] N=1,163	-0.038 [0.067] N=1,041	0.010 [0.074] N=895	0.003 [0.093] N=724	**-0.225** [0.107] N=554**
Grains consumed daily or several times weekly	**0.117** [0.055] N=1,163**	**0.117** [0.058] N=1,041**	**0.111* [0.063] N=895**	0.080 [0.077] N=724	-0.046 [0.098] N=554

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.846 P=1,137	0.010 [0.044] N=1,341	0.015 [0.047] N=1,219	0.034 [0.051] N=1,073	0.006 [0.056] N=902	0.000 [0.064] N=732
Vegetables consumed daily or several times weekly	0.766 P=1,033	-0.014 [0.056] N=1,341	0.002 [0.060] N=1,219	0.028 [0.065] N=1,073	-0.004 [0.073] N=902	-0.014 [0.084] N=732
Meat fish or poultry consumed daily or several times weekly	0.575 P=773	0.027 [0.057] N=1,341	0.031 [0.061] N=1,219	0.037 [0.064] N=1,073	0.036 [0.073] N=902	0.000 [0.085] N=732
Legumes consumed daily or several times weekly	0.578 P=771	-0.023 [0.065] N=1,341	-0.009 [0.067] N=1,219	-0.037 [0.070] N=1,073	-0.099 [0.076] N=902	-0.110 [0.089] N=732
Animal products consumed daily or several times weekly	0.858 P=1,150	0.047 [0.038] N=1,341	0.054 [0.041] N=1,219	0.068 [0.043] N=1,073	0.044 [0.047] N=902	0.063 [0.053] N=732
Sweets consumed daily or several times weekly	0.540 P=725	-0.074 [0.058] N=1,341	-0.084 [0.061] N=1,219	-0.059 [0.068] N=1,073	-0.083 [0.076] N=902	-0.140 [0.085] N=732
Snack foods consumed daily or several times weekly	0.403 P=535	-0.017 [0.056] N=1,341	-0.037 [0.059] N=1,219	-0.045 [0.062] N=1,073	-0.033 [0.067] N=902	-0.120 [0.073] N=732
Packaged soft drinks consumed daily or several times weekly	0.225 P=298	0.018 [0.040] N=1,341	-0.000 [0.042] N=1,219	0.029 [0.044] N=1,073	0.023 [0.050] N=902	-0.059 [0.056] N=732
Grains consumed daily or several times weekly	0.833 P=1,115	**0.088* [0.049] N=1,341**	**0.088* [0.050] N=1,219**	0.086 [0.054] N=1,073	0.074 [0.062] N=902	0.033 [0.070] N=732

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.013 [0.065] N=1,163	-0.013 [0.070] N=1,041	0.014 [0.081] N=895	-0.035 [0.089] N=724	-0.050 [0.120] N=554
Vegetables consumed daily or several times weekly	-0.052 [0.070] N=1,163	-0.035 [0.078] N=1,041	-0.003 [0.090] N=895	-0.067 [0.099] N=724	-0.110 [0.132] N=554
Meat fish or poultry consumed daily or several times weekly	-0.002 [0.076] N=1,163	0.003 [0.084] N=1,041	-0.001 [0.090] N=895	-0.024 [0.107] N=724	-0.129 [0.135] N=554
Legumes consumed daily or several times weekly	0.078 [0.083] N=1,163	0.110 [0.089] N=1,041	0.098 [0.096] N=895	0.037 [0.111] N=724	0.085 [0.141] N=554
Animal products consumed daily or several times weekly	0.029 [0.055] N=1,163	0.042 [0.061] N=1,041	0.063 [0.060] N=895	0.026 [0.068] N=724	0.066 [0.083] N=554
Sweets consumed daily or several times weekly	-0.004 [0.074] N=1,163	-0.015 [0.080] N=1,041	0.056 [0.087] N=895	0.041 [0.103] N=724	-0.045 [0.127] N=554
Snack foods consumed daily or several times weekly	0.046 [0.075] N=1,163	0.016 [0.084] N=1,041	0.009 [0.092] N=895	0.072 [0.106] N=724	-0.085 [0.132] N=554
Packaged soft drinks consumed daily or several times weekly	-0.012 [0.064] N=1,163	-0.040 [0.068] N=1,041	0.008 [0.075] N=895	0.001 [0.093] N=724	**-0.224** [0.111] N=554**
Grains consumed daily or several times weekly	**0.117** [0.055] N=1,163**	**0.116** [0.057] N=1,041**	**0.114* [0.062] N=895**	0.079 [0.077] N=724	-0.049 [0.095] N=554

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.