Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 1-3: Youngest Child

Age reference: 12 November 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=1,078	0.053 [0.046] N=1,407	0.065 [0.050] N=1,303	0.044 [0.053] N=1,173	0.053 [0.057] N=1,005	0.018 [0.064] N=829
Not underweight WAZ at least -2	0.932 P=1,497	-0.018 [0.022] N=1,609	-0.012 [0.023] N=1,486	-0.009 [0.024] N=1,336	-0.020 [0.027] N=1,140	-0.052 [0.033] N=934
Neither wasted nor overweight WHZ -2 to +2	0.692 P=963	0.028 [0.051] N=1,387	0.029 [0.052] N=1,290	0.034 [0.058] N=1,164	0.021 [0.064] N=996	0.040 [0.070] N=818
Neither low nor high BMIZ -2 to +2	0.648 P=886	0.050 [0.049] N=1,353	0.058 [0.051] N=1,258	0.062 [0.055] N=1,133	0.048 [0.062] N=969	0.050 [0.069] N=799
Strict normal HAZ -2 to +3	0.682 P=973	**0.089* [0.047] N=1,407**	**0.106** [0.050] N=1,303**	0.081 [0.053] N=1,173	0.061 [0.058] N=1,005	0.069 [0.067] N=829
Strict normal WAZ -2 to +1	0.683 P=1,105	-0.047 [0.051] N=1,609	-0.058 [0.054] N=1,486	-0.086 [0.056] N=1,336	-0.099 [0.062] N=1,140	-0.095 [0.067] N=934
Strict normal WHZ -2 to +1	0.532 P=742	0.048 [0.052] N=1,387	0.045 [0.055] N=1,290	0.051 [0.059] N=1,164	0.041 [0.065] N=996	0.050 [0.071] N=818
Strict normal BMIZ -2 to +1	0.515 P=707	0.039 [0.050] N=1,353	0.038 [0.053] N=1,258	0.053 [0.057] N=1,133	0.035 [0.064] N=969	0.037 [0.072] N=799
Above-normal height HAZ above +3	0.073 P=105	-0.036 [0.025] N=1,407	-0.041 [0.027] N=1,303	-0.037 [0.031] N=1,173	-0.009 [0.033] N=1,005	-0.051 [0.034] N=829
Above-normal weight WAZ above +1	0.249 P=392	0.029 [0.048] N=1,609	0.047 [0.052] N=1,486	0.076 [0.053] N=1,336	0.078 [0.061] N=1,140	0.044 [0.065] N=934
Above-normal WHZ above +1	0.362 P=492	-0.018 [0.050] N=1,387	-0.022 [0.054] N=1,290	-0.029 [0.060] N=1,164	-0.033 [0.067] N=996	-0.024 [0.073] N=818
Above-normal BMIZ above +1	0.366 P=483	-0.005 [0.047] N=1,353	-0.003 [0.052] N=1,258	-0.026 [0.058] N=1,133	-0.047 [0.064] N=969	-0.037 [0.070] N=799

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.021 [0.058] N=1,190	0.040 [0.066] N=1,086	0.002 [0.071] N=956	0.022 [0.079] N=788	-0.078 [0.108] N=612
Not underweight WAZ at least -2	-0.016 [0.031] N=1,370	-0.006 [0.034] N=1,247	0.000 [0.036] N=1,097	-0.028 [0.045] N=901	**-0.138** [0.063] N=695**
Neither wasted nor overweight WHZ -2 to +2	0.037 [0.063] N=1,171	0.037 [0.065] N=1,074	0.056 [0.073] N=948	0.035 [0.090] N=780	0.128 [0.103] N=602
Neither low nor high BMIZ -2 to +2	0.055 [0.065] N=1,145	0.066 [0.070] N=1,050	0.091 [0.079] N=925	0.080 [0.100] N=761	0.127 [0.117] N=591
Strict normal HAZ -2 to +3	0.050 [0.063] N=1,190	0.072 [0.070] N=1,086	0.025 [0.076] N=956	-0.045 [0.088] N=788	-0.039 [0.119] N=612
Strict normal WAZ -2 to +1	0.014 [0.065] N=1,370	0.004 [0.072] N=1,247	-0.038 [0.077] N=1,097	-0.063 [0.095] N=901	-0.056 [0.110] N=695
Strict normal WHZ -2 to +1	0.051 [0.071] N=1,171	0.045 [0.079] N=1,074	0.074 [0.089] N=948	0.059 [0.105] N=780	0.104 [0.125] N=602
Strict normal BMIZ -2 to +1	0.036 [0.071] N=1,145	0.034 [0.077] N=1,050	0.079 [0.087] N=925	0.049 [0.106] N=761	0.097 [0.125] N=591
Above-normal height HAZ above +3	-0.029 [0.034] N=1,190	-0.032 [0.039] N=1,086	-0.022 [0.049] N=956	0.067 [0.054] N=788	-0.039 [0.067] N=612
Above-normal weight WAZ above +1	-0.030 [0.060] N=1,370	-0.010 [0.067] N=1,247	0.038 [0.067] N=1,097	0.035 [0.090] N=901	-0.083 [0.096] N=695
Above-normal WHZ above +1	-0.029 [0.063] N=1,171	-0.036 [0.073] N=1,074	-0.075 [0.087] N=948	-0.100 [0.104] N=780	-0.109 [0.114] N=602
Above-normal BMIZ above +1	0.018 [0.065] N=1,145	0.026 [0.076] N=1,050	-0.035 [0.092] N=925	-0.085 [0.105] N=761	-0.102 [0.119] N=591

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=1,078	0.054 [0.046] N=1,407	0.066 [0.049] N=1,303	0.046 [0.052] N=1,173	0.054 [0.056] N=1,005	0.019 [0.064] N=829
Not underweight WAZ at least -2	0.932 P=1,497	-0.018 [0.022] N=1,609	-0.012 [0.023] N=1,486	-0.008 [0.024] N=1,336	-0.020 [0.027] N=1,140	-0.051 [0.033] N=934
Neither wasted nor overweight WHZ -2 to +2	0.692 P=963	0.028 [0.051] N=1,387	0.028 [0.052] N=1,290	0.036 [0.058] N=1,164	0.021 [0.064] N=996	0.040 [0.071] N=818
Neither low nor high BMIZ -2 to +2	0.648 P=886	0.050 [0.049] N=1,353	0.058 [0.051] N=1,258	0.063 [0.055] N=1,133	0.049 [0.062] N=969	0.050 [0.069] N=799
Strict normal HAZ -2 to +3	0.682 P=973	**0.089* [0.047] N=1,407**	**0.107** [0.050] N=1,303**	0.084 [0.052] N=1,173	0.063 [0.058] N=1,005	0.070 [0.067] N=829
Strict normal WAZ -2 to +1	0.683 P=1,105	-0.047 [0.050] N=1,609	-0.058 [0.054] N=1,486	-0.084 [0.056] N=1,336	-0.098 [0.063] N=1,140	-0.095 [0.068] N=934
Strict normal WHZ -2 to +1	0.532 P=742	0.047 [0.052] N=1,387	0.045 [0.055] N=1,290	0.053 [0.060] N=1,164	0.041 [0.065] N=996	0.050 [0.072] N=818
Strict normal BMIZ -2 to +1	0.515 P=707	0.039 [0.050] N=1,353	0.038 [0.053] N=1,258	0.054 [0.057] N=1,133	0.035 [0.064] N=969	0.037 [0.072] N=799
Above-normal height HAZ above +3	0.073 P=105	-0.036 [0.025] N=1,407	-0.041 [0.027] N=1,303	-0.038 [0.031] N=1,173	-0.009 [0.033] N=1,005	-0.051 [0.034] N=829
Above-normal weight WAZ above +1	0.249 P=392	0.029 [0.048] N=1,609	0.047 [0.052] N=1,486	0.076 [0.053] N=1,336	0.078 [0.061] N=1,140	0.043 [0.065] N=934
Above-normal WHZ above +1	0.362 P=492	-0.018 [0.050] N=1,387	-0.022 [0.054] N=1,290	-0.029 [0.060] N=1,164	-0.033 [0.067] N=996	-0.024 [0.073] N=818
Above-normal BMIZ above +1	0.366 P=483	-0.005 [0.047] N=1,353	-0.003 [0.052] N=1,258	-0.026 [0.058] N=1,133	-0.047 [0.064] N=969	-0.038 [0.070] N=799

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.022 [0.058] N=1,190	0.042 [0.066] N=1,086	0.006 [0.070] N=956	0.024 [0.078] N=788	-0.077 [0.107] N=612
Not underweight WAZ at least -2	-0.015 [0.031] N=1,370	-0.004 [0.033] N=1,247	0.003 [0.035] N=1,097	-0.027 [0.045] N=901	**-0.136** [0.063] N=695**
Neither wasted nor overweight WHZ -2 to +2	0.037 [0.063] N=1,171	0.037 [0.065] N=1,074	0.060 [0.074] N=948	0.037 [0.092] N=780	0.129 [0.104] N=602
Neither low nor high BMIZ -2 to +2	0.055 [0.065] N=1,145	0.066 [0.070] N=1,050	0.094 [0.080] N=925	0.082 [0.101] N=761	0.128 [0.118] N=591
Strict normal HAZ -2 to +3	0.052 [0.063] N=1,190	0.075 [0.069] N=1,086	0.031 [0.075] N=956	-0.040 [0.086] N=788	-0.036 [0.119] N=612
Strict normal WAZ -2 to +1	0.016 [0.065] N=1,370	0.006 [0.072] N=1,247	-0.032 [0.076] N=1,097	-0.061 [0.095] N=901	-0.052 [0.109] N=695
Strict normal WHZ -2 to +1	0.051 [0.071] N=1,171	0.045 [0.079] N=1,074	0.078 [0.090] N=948	0.060 [0.106] N=780	0.105 [0.125] N=602
Strict normal BMIZ -2 to +1	0.036 [0.070] N=1,145	0.033 [0.076] N=1,050	0.081 [0.088] N=925	0.050 [0.107] N=761	0.097 [0.125] N=591
Above-normal height HAZ above +3	-0.030 [0.034] N=1,190	-0.033 [0.039] N=1,086	-0.025 [0.049] N=956	0.063 [0.054] N=788	-0.041 [0.067] N=612
Above-normal weight WAZ above +1	-0.031 [0.060] N=1,370	-0.010 [0.067] N=1,247	0.035 [0.067] N=1,097	0.034 [0.090] N=901	-0.084 [0.096] N=695
Above-normal WHZ above +1	-0.029 [0.063] N=1,171	-0.036 [0.073] N=1,074	-0.075 [0.087] N=948	-0.100 [0.103] N=780	-0.108 [0.115] N=602
Above-normal BMIZ above +1	0.018 [0.065] N=1,145	0.027 [0.076] N=1,050	-0.034 [0.092] N=925	-0.084 [0.104] N=761	-0.100 [0.119] N=591

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=1,078	0.044 [0.045] N=1,407	0.050 [0.049] N=1,303	0.035 [0.051] N=1,173	0.046 [0.054] N=1,005	0.003 [0.062] N=829
Not underweight WAZ at least -2	0.932 P=1,497	-0.025 [0.021] N=1,609	-0.022 [0.022] N=1,486	-0.018 [0.022] N=1,336	-0.029 [0.026] N=1,140	**-0.062** [0.031] N=934**
Neither wasted nor overweight WHZ -2 to +2	0.692 P=963	0.018 [0.051] N=1,387	0.014 [0.052] N=1,290	0.024 [0.058] N=1,164	0.013 [0.064] N=996	0.033 [0.071] N=818
Neither low nor high BMIZ -2 to +2	0.648 P=886	0.039 [0.048] N=1,353	0.041 [0.051] N=1,258	0.048 [0.054] N=1,133	0.040 [0.060] N=969	0.041 [0.067] N=799
Strict normal HAZ -2 to +3	0.682 P=973	**0.076* [0.046] N=1,407**	**0.086* [0.049] N=1,303**	0.069 [0.051] N=1,173	0.053 [0.055] N=1,005	0.050 [0.063] N=829
Strict normal WAZ -2 to +1	0.683 P=1,105	-0.046 [0.050] N=1,609	-0.062 [0.054] N=1,486	-0.088 [0.057] N=1,336	-0.104 [0.063] N=1,140	-0.100 [0.068] N=934
Strict normal WHZ -2 to +1	0.532 P=742	0.041 [0.051] N=1,387	0.033 [0.055] N=1,290	0.040 [0.059] N=1,164	0.032 [0.064] N=996	0.042 [0.071] N=818
Strict normal BMIZ -2 to +1	0.515 P=707	0.030 [0.050] N=1,353	0.024 [0.053] N=1,258	0.041 [0.057] N=1,133	0.026 [0.063] N=969	0.029 [0.071] N=799
Above-normal height HAZ above +3	0.073 P=105	-0.031 [0.025] N=1,407	-0.036 [0.027] N=1,303	-0.034 [0.031] N=1,173	-0.007 [0.032] N=1,005	-0.047 [0.034] N=829
Above-normal weight WAZ above +1	0.249 P=392	0.021 [0.047] N=1,609	0.040 [0.051] N=1,486	0.070 [0.052] N=1,336	0.075 [0.061] N=1,140	0.038 [0.065] N=934
Above-normal WHZ above +1	0.362 P=492	-0.018 [0.050] N=1,387	-0.018 [0.054] N=1,290	-0.024 [0.060] N=1,164	-0.027 [0.066] N=996	-0.020 [0.073] N=818
Above-normal BMIZ above +1	0.366 P=483	-0.003 [0.048] N=1,353	0.002 [0.052] N=1,258	-0.021 [0.059] N=1,133	-0.041 [0.063] N=969	-0.034 [0.070] N=799

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.015 [0.059] N=1,190	0.023 [0.067] N=1,086	-0.004 [0.072] N=956	0.028 [0.078] N=788	-0.088 [0.103] N=612
Not underweight WAZ at least -2	-0.022 [0.030] N=1,370	-0.015 [0.032] N=1,247	-0.006 [0.034] N=1,097	-0.030 [0.045] N=901	**-0.136** [0.062] N=695**
Neither wasted nor overweight WHZ -2 to +2	0.025 [0.063] N=1,171	0.018 [0.066] N=1,074	0.050 [0.075] N=948	0.033 [0.091] N=780	0.111 [0.100] N=602
Neither low nor high BMIZ -2 to +2	0.043 [0.065] N=1,145	0.046 [0.071] N=1,050	0.081 [0.079] N=925	0.078 [0.100] N=761	0.110 [0.115] N=591
Strict normal HAZ -2 to +3	0.042 [0.063] N=1,190	0.054 [0.069] N=1,086	0.023 [0.075] N=956	-0.029 [0.086] N=788	-0.042 [0.116] N=612
Strict normal WAZ -2 to +1	0.016 [0.065] N=1,370	0.001 [0.072] N=1,247	-0.037 [0.076] N=1,097	-0.062 [0.095] N=901	-0.048 [0.108] N=695
Strict normal WHZ -2 to +1	0.042 [0.071] N=1,171	0.026 [0.081] N=1,074	0.063 [0.091] N=948	0.055 [0.106] N=780	0.088 [0.128] N=602
Strict normal BMIZ -2 to +1	0.024 [0.071] N=1,145	0.011 [0.078] N=1,050	0.064 [0.089] N=925	0.046 [0.109] N=761	0.085 [0.127] N=591
Above-normal height HAZ above +3	-0.028 [0.034] N=1,190	-0.031 [0.039] N=1,086	-0.027 [0.049] N=956	0.057 [0.054] N=788	-0.046 [0.068] N=612
Above-normal weight WAZ above +1	-0.038 [0.059] N=1,370	-0.016 [0.066] N=1,247	0.031 [0.067] N=1,097	0.032 [0.090] N=901	-0.088 [0.096] N=695
Above-normal WHZ above +1	-0.026 [0.064] N=1,171	-0.026 [0.074] N=1,074	-0.065 [0.088] N=948	-0.096 [0.103] N=780	-0.097 [0.117] N=602
Above-normal BMIZ above +1	0.023 [0.067] N=1,145	0.038 [0.078] N=1,050	-0.024 [0.093] N=925	-0.083 [0.104] N=761	-0.096 [0.119] N=591

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=1,078	0.030 [0.045] N=1,407	0.036 [0.049] N=1,303	0.020 [0.051] N=1,173	0.027 [0.053] N=1,005	-0.017 [0.059] N=829
Not underweight WAZ at least -2	0.932 P=1,497	-0.027 [0.021] N=1,609	-0.024 [0.023] N=1,486	-0.021 [0.023] N=1,336	-0.032 [0.027] N=1,140	**-0.066** [0.033] N=934**
Neither wasted nor overweight WHZ -2 to +2	0.692 P=963	0.015 [0.051] N=1,387	0.013 [0.052] N=1,290	0.023 [0.058] N=1,164	0.011 [0.064] N=996	0.036 [0.071] N=818
Neither low nor high BMIZ -2 to +2	0.648 P=886	0.036 [0.048] N=1,353	0.042 [0.051] N=1,258	0.047 [0.054] N=1,133	0.034 [0.060] N=969	0.044 [0.069] N=799
Strict normal HAZ -2 to +3	0.682 P=973	0.063 [0.046] N=1,407	0.072 [0.049] N=1,303	0.053 [0.051] N=1,173	0.032 [0.053] N=1,005	0.029 [0.062] N=829
Strict normal WAZ -2 to +1	0.683 P=1,105	-0.048 [0.051] N=1,609	-0.063 [0.054] N=1,486	-0.090 [0.057] N=1,336	-0.103 [0.064] N=1,140	-0.096 [0.069] N=934
Strict normal WHZ -2 to +1	0.532 P=742	0.039 [0.051] N=1,387	0.036 [0.054] N=1,290	0.041 [0.059] N=1,164	0.032 [0.064] N=996	0.049 [0.072] N=818
Strict normal BMIZ -2 to +1	0.515 P=707	0.028 [0.050] N=1,353	0.028 [0.052] N=1,258	0.041 [0.056] N=1,133	0.023 [0.062] N=969	0.031 [0.070] N=799
Above-normal height HAZ above +3	0.073 P=105	-0.033 [0.025] N=1,407	-0.036 [0.027] N=1,303	-0.033 [0.031] N=1,173	-0.005 [0.033] N=1,005	-0.046 [0.035] N=829
Above-normal weight WAZ above +1	0.249 P=392	0.021 [0.047] N=1,609	0.039 [0.051] N=1,486	0.069 [0.052] N=1,336	0.071 [0.061] N=1,140	0.030 [0.065] N=934
Above-normal WHZ above +1	0.362 P=492	-0.014 [0.049] N=1,387	-0.018 [0.053] N=1,290	-0.024 [0.059] N=1,164	-0.027 [0.067] N=996	-0.024 [0.074] N=818
Above-normal BMIZ above +1	0.366 P=483	0.000 [0.047] N=1,353	0.001 [0.051] N=1,258	-0.021 [0.058] N=1,133	-0.039 [0.063] N=969	-0.033 [0.070] N=799

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.009 [0.059] N=1,190	0.023 [0.066] N=1,086	-0.001 [0.071] N=956	0.029 [0.077] N=788	-0.090 [0.102] N=612
Not underweight WAZ at least -2	-0.025 [0.030] N=1,370	-0.017 [0.033] N=1,247	-0.009 [0.035] N=1,097	-0.035 [0.046] N=901	**-0.145** [0.065] N=695**
Neither wasted nor overweight WHZ -2 to +2	0.021 [0.063] N=1,171	0.020 [0.065] N=1,074	0.048 [0.073] N=948	0.026 [0.090] N=780	0.097 [0.101] N=602
Neither low nor high BMIZ -2 to +2	0.040 [0.066] N=1,145	0.052 [0.071] N=1,050	0.082 [0.080] N=925	0.071 [0.099] N=761	0.081 [0.117] N=591
Strict normal HAZ -2 to +3	0.039 [0.063] N=1,190	0.053 [0.070] N=1,086	0.024 [0.075] N=956	-0.029 [0.087] N=788	-0.035 [0.120] N=612
Strict normal WAZ -2 to +1	0.016 [0.065] N=1,370	0.002 [0.072] N=1,247	-0.036 [0.076] N=1,097	-0.062 [0.096] N=901	-0.057 [0.109] N=695
Strict normal WHZ -2 to +1	0.040 [0.071] N=1,171	0.035 [0.079] N=1,074	0.068 [0.088] N=948	0.044 [0.103] N=780	0.060 [0.128] N=602
Strict normal BMIZ -2 to +1	0.025 [0.071] N=1,145	0.029 [0.077] N=1,050	0.077 [0.087] N=925	0.040 [0.105] N=761	0.059 [0.128] N=591
Above-normal height HAZ above +3	-0.030 [0.034] N=1,190	-0.030 [0.039] N=1,086	-0.025 [0.049] N=956	0.058 [0.054] N=788	-0.055 [0.069] N=612
Above-normal weight WAZ above +1	-0.041 [0.059] N=1,370	-0.019 [0.066] N=1,247	0.026 [0.066] N=1,097	0.027 [0.089] N=901	-0.088 [0.093] N=695
Above-normal WHZ above +1	-0.026 [0.063] N=1,171	-0.033 [0.072] N=1,074	-0.069 [0.086] N=948	-0.085 [0.102] N=780	-0.068 [0.117] N=602
Above-normal BMIZ above +1	0.023 [0.065] N=1,145	0.028 [0.075] N=1,050	-0.030 [0.090] N=925	-0.070 [0.102] N=761	-0.059 [0.118] N=591

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.754 P=1,004	0.041 [0.049] N=1,311	0.049 [0.052] N=1,221	0.028 [0.055] N=1,097	0.038 [0.058] N=946	0.001 [0.065] N=779
Not underweight WAZ at least -2	0.933 P=1,395	-0.010 [0.023] N=1,499	-0.005 [0.024] N=1,391	-0.000 [0.025] N=1,249	-0.011 [0.028] N=1,071	-0.038 [0.036] N=878
Neither wasted nor overweight WHZ -2 to +2	0.691 P=898	0.022 [0.053] N=1,292	0.022 [0.054] N=1,209	0.026 [0.060] N=1,090	0.013 [0.066] N=939	0.025 [0.074] N=770
Neither low nor high BMIZ -2 to +2	0.648 P=827	0.030 [0.051] N=1,260	0.036 [0.054] N=1,178	0.038 [0.058] N=1,061	0.029 [0.066] N=914	0.021 [0.075] N=752
Strict normal HAZ -2 to +3	0.683 P=910	0.083 [0.051] N=1,311	**0.098* [0.054] N=1,221**	0.075 [0.056] N=1,097	0.054 [0.062] N=946	0.055 [0.072] N=779
Strict normal WAZ -2 to +1	0.681 P=1,026	-0.050 [0.053] N=1,499	-0.059 [0.056] N=1,391	-0.082 [0.059] N=1,249	-0.097 [0.066] N=1,071	-0.093 [0.074] N=878
Strict normal WHZ -2 to +1	0.531 P=692	0.031 [0.054] N=1,292	0.030 [0.057] N=1,209	0.035 [0.062] N=1,090	0.022 [0.068] N=939	0.011 [0.076] N=770
Strict normal BMIZ -2 to +1	0.515 P=660	0.015 [0.052] N=1,260	0.019 [0.054] N=1,178	0.036 [0.059] N=1,061	0.019 [0.067] N=914	0.001 [0.075] N=752
Above-normal height HAZ above +3	0.071 P=94	-0.042 [0.026] N=1,311	**-0.049* [0.028] N=1,221**	-0.047 [0.032] N=1,097	-0.015 [0.034] N=946	-0.054 [0.036] N=779
Above-normal weight WAZ above +1	0.251 P=369	0.040 [0.051] N=1,499	0.054 [0.053] N=1,391	0.082 [0.056] N=1,249	0.086 [0.064] N=1,071	0.055 [0.069] N=878
Above-normal WHZ above +1	0.362 P=458	0.007 [0.053] N=1,292	0.003 [0.057] N=1,209	-0.006 [0.063] N=1,090	-0.005 [0.071] N=939	0.022 [0.080] N=770
Above-normal BMIZ above +1	0.367 P=449	0.023 [0.050] N=1,260	0.020 [0.054] N=1,178	-0.004 [0.061] N=1,061	-0.022 [0.067] N=914	0.006 [0.074] N=752

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.023 [0.062] N=1,107	0.043 [0.069] N=1,017	0.007 [0.075] N=893	0.038 [0.083] N=742	-0.066 [0.116] N=575
Not underweight WAZ at least -2	-0.014 [0.032] N=1,275	-0.007 [0.035] N=1,167	-0.001 [0.038] N=1,025	-0.032 [0.045] N=847	**-0.139** [0.069] N=654**
Neither wasted nor overweight WHZ -2 to +2	0.039 [0.067] N=1,089	0.043 [0.068] N=1,006	0.068 [0.079] N=887	0.066 [0.098] N=736	0.155 [0.109] N=567
Neither low nor high BMIZ -2 to +2	0.049 [0.068] N=1,065	0.065 [0.072] N=983	0.090 [0.085] N=866	0.101 [0.107] N=719	0.141 [0.118] N=557
Strict normal HAZ -2 to +3	0.060 [0.067] N=1,107	0.087 [0.072] N=1,017	0.043 [0.078] N=893	-0.019 [0.092] N=742	-0.020 [0.126] N=575
Strict normal WAZ -2 to +1	0.022 [0.066] N=1,275	0.018 [0.072] N=1,167	-0.011 [0.077] N=1,025	-0.044 [0.096] N=847	-0.045 [0.117] N=654
Strict normal WHZ -2 to +1	0.058 [0.074] N=1,089	0.060 [0.081] N=1,006	0.098 [0.094] N=887	0.088 [0.110] N=736	0.118 [0.126] N=567
Strict normal BMIZ -2 to +1	0.025 [0.071] N=1,065	0.036 [0.077] N=983	0.090 [0.089] N=866	0.076 [0.111] N=719	0.109 [0.124] N=557
Above-normal height HAZ above +3	-0.037 [0.034] N=1,107	-0.043 [0.038] N=1,017	-0.036 [0.047] N=893	0.057 [0.054] N=742	-0.046 [0.067] N=575
Above-normal weight WAZ above +1	-0.037 [0.061] N=1,275	-0.025 [0.066] N=1,167	0.010 [0.068] N=1,025	0.012 [0.090] N=847	-0.094 [0.100] N=654
Above-normal WHZ above +1	-0.034 [0.065] N=1,089	-0.048 [0.074] N=1,006	-0.098 [0.087] N=887	-0.116 [0.108] N=736	-0.089 [0.119] N=567
Above-normal BMIZ above +1	0.024 [0.068] N=1,065	0.017 [0.077] N=983	-0.050 [0.093] N=866	-0.104 [0.108] N=719	-0.094 [0.122] N=557

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.754 P=1,004	0.039 [0.049] N=1,311	0.047 [0.052] N=1,221	0.025 [0.055] N=1,097	0.034 [0.059] N=946	-0.007 [0.066] N=779
Not underweight WAZ at least -2	0.933 P=1,395	-0.012 [0.022] N=1,499	-0.006 [0.024] N=1,391	-0.003 [0.025] N=1,249	-0.015 [0.027] N=1,071	-0.047 [0.035] N=878
Neither wasted nor overweight WHZ -2 to +2	0.691 P=898	0.022 [0.053] N=1,292	0.021 [0.054] N=1,209	0.028 [0.060] N=1,090	0.020 [0.066] N=939	0.034 [0.073] N=770
Neither low nor high BMIZ -2 to +2	0.648 P=827	0.029 [0.051] N=1,260	0.037 [0.053] N=1,178	0.042 [0.058] N=1,061	0.037 [0.065] N=914	0.033 [0.072] N=752
Strict normal HAZ -2 to +3	0.683 P=910	0.083 [0.051] N=1,311	**0.098* [0.054] N=1,221**	0.075 [0.056] N=1,097	0.054 [0.062] N=946	0.056 [0.071] N=779
Strict normal WAZ -2 to +1	0.681 P=1,026	-0.052 [0.053] N=1,499	-0.061 [0.056] N=1,391	-0.084 [0.059] N=1,249	-0.101 [0.065] N=1,071	-0.103 [0.072] N=878
Strict normal WHZ -2 to +1	0.531 P=692	0.032 [0.054] N=1,292	0.032 [0.056] N=1,209	0.041 [0.062] N=1,090	0.031 [0.068] N=939	0.031 [0.074] N=770
Strict normal BMIZ -2 to +1	0.515 P=660	0.011 [0.051] N=1,260	0.018 [0.053] N=1,178	0.037 [0.059] N=1,061	0.022 [0.066] N=914	0.012 [0.072] N=752
Above-normal height HAZ above +3	0.071 P=94	**-0.044* [0.026] N=1,311**	**-0.051* [0.028] N=1,221**	-0.049 [0.032] N=1,097	-0.020 [0.035] N=946	**-0.064* [0.037] N=779**
Above-normal weight WAZ above +1	0.251 P=369	0.040 [0.051] N=1,499	0.054 [0.053] N=1,391	0.081 [0.055] N=1,249	0.086 [0.064] N=1,071	0.056 [0.069] N=878
Above-normal WHZ above +1	0.362 P=458	0.005 [0.052] N=1,292	0.000 [0.056] N=1,209	-0.011 [0.063] N=1,090	-0.012 [0.071] N=939	0.010 [0.079] N=770
Above-normal BMIZ above +1	0.367 P=449	0.025 [0.050] N=1,260	0.020 [0.053] N=1,178	-0.006 [0.060] N=1,061	-0.024 [0.066] N=914	0.000 [0.072] N=752

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.024 [0.062] N=1,107	0.041 [0.069] N=1,017	0.005 [0.074] N=893	0.037 [0.083] N=742	-0.064 [0.115] N=575
Not underweight WAZ at least -2	-0.011 [0.032] N=1,275	-0.001 [0.035] N=1,167	0.005 [0.037] N=1,025	-0.028 [0.044] N=847	**-0.141** [0.066] N=654**
Neither wasted nor overweight WHZ -2 to +2	0.037 [0.066] N=1,089	0.039 [0.067] N=1,006	0.062 [0.078] N=887	0.060 [0.096] N=736	0.161 [0.108] N=567
Neither low nor high BMIZ -2 to +2	0.040 [0.067] N=1,065	0.055 [0.071] N=983	0.084 [0.084] N=866	0.096 [0.106] N=719	0.147 [0.115] N=557
Strict normal HAZ -2 to +3	0.059 [0.067] N=1,107	0.081 [0.072] N=1,017	0.040 [0.078] N=893	-0.019 [0.091] N=742	-0.005 [0.125] N=575
Strict normal WAZ -2 to +1	0.023 [0.066] N=1,275	0.019 [0.072] N=1,167	-0.009 [0.077] N=1,025	-0.039 [0.095] N=847	-0.037 [0.114] N=654
Strict normal WHZ -2 to +1	0.049 [0.073] N=1,089	0.051 [0.081] N=1,006	0.090 [0.093] N=887	0.086 [0.110] N=736	0.131 [0.123] N=567
Strict normal BMIZ -2 to +1	0.017 [0.071] N=1,065	0.028 [0.077] N=983	0.085 [0.089] N=866	0.071 [0.111] N=719	0.111 [0.121] N=557
Above-normal height HAZ above +3	-0.034 [0.034] N=1,107	-0.040 [0.039] N=1,017	-0.035 [0.048] N=893	0.055 [0.056] N=742	-0.059 [0.071] N=575
Above-normal weight WAZ above +1	-0.033 [0.061] N=1,275	-0.021 [0.066] N=1,167	0.013 [0.068] N=1,025	0.011 [0.090] N=847	-0.104 [0.101] N=654
Above-normal WHZ above +1	-0.023 [0.065] N=1,089	-0.035 [0.074] N=1,006	-0.087 [0.087] N=887	-0.113 [0.108] N=736	-0.100 [0.120] N=567
Above-normal BMIZ above +1	0.032 [0.067] N=1,065	0.027 [0.077] N=983	-0.043 [0.092] N=866	-0.099 [0.107] N=719	-0.094 [0.119] N=557

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.774 P=982	0.006 [0.054] N=1,269	0.006 [0.055] N=1,147	0.007 [0.058] N=1,005	-0.027 [0.064] N=852	-0.028 [0.070] N=698
Not underweight WAZ at least -2	0.941 P=1,345	-0.006 [0.028] N=1,433	0.002 [0.029] N=1,304	-0.006 [0.031] N=1,143	-0.002 [0.033] N=961	0.004 [0.037] N=778
Neither wasted nor overweight WHZ -2 to +2	0.700 P=873	**-0.129** [0.059] N=1,256**	**-0.124** [0.061] N=1,137**	**-0.149** [0.066] N=998**	-0.088 [0.070] N=843	-0.084 [0.074] N=690
Neither low nor high BMIZ -2 to +2	0.662 P=802	**-0.187*** [0.057] N=1,215**	**-0.175*** [0.061] N=1,100**	**-0.159** [0.066] N=967**	-0.099 [0.070] N=817	-0.103 [0.073] N=672
Strict normal HAZ -2 to +3	0.699 P=887	0.004 [0.056] N=1,269	0.002 [0.056] N=1,147	0.003 [0.060] N=1,005	-0.015 [0.065] N=852	-0.030 [0.073] N=698
Strict normal WAZ -2 to +1	0.687 P=983	-0.008 [0.047] N=1,433	-0.016 [0.049] N=1,304	-0.023 [0.051] N=1,143	-0.038 [0.055] N=961	-0.006 [0.061] N=778
Strict normal WHZ -2 to +1	0.530 P=656	**-0.139** [0.056] N=1,256**	**-0.153*** [0.058] N=1,137**	**-0.162** [0.063] N=998**	-0.093 [0.069] N=843	-0.118 [0.074] N=690
Strict normal BMIZ -2 to +1	0.523 P=630	**-0.112** [0.056] N=1,215**	**-0.110* [0.057] N=1,100**	-0.084 [0.063] N=967	-0.023 [0.067] N=817	-0.040 [0.073] N=672
Above-normal height HAZ above +3	0.075 P=95	0.002 [0.033] N=1,269	0.004 [0.034] N=1,147	0.003 [0.036] N=1,005	-0.011 [0.039] N=852	0.002 [0.045] N=698
Above-normal weight WAZ above +1	0.254 P=362	0.002 [0.041] N=1,433	0.018 [0.043] N=1,304	0.017 [0.043] N=1,143	0.036 [0.045] N=961	0.009 [0.051] N=778
Above-normal WHZ above +1	0.363 P=464	**0.116** [0.054] N=1,256**	**0.130** [0.057] N=1,137**	**0.117* [0.060] N=998**	**0.124* [0.066] N=843**	**0.134* [0.073] N=690**
Above-normal BMIZ above +1	0.358 P=441	0.076 [0.059] N=1,215	0.074 [0.060] N=1,100	0.040 [0.065] N=967	0.037 [0.074] N=817	0.045 [0.083] N=672

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.011 [0.090] N=1,097	0.022 [0.093] N=975	0.015 [0.105] N=833	-0.060 [0.131] N=680	-0.069 [0.156] N=526
Not underweight WAZ at least -2	-0.009 [0.037] N=1,246	0.003 [0.039] N=1,117	-0.014 [0.043] N=956	-0.002 [0.045] N=774	0.012 [0.049] N=591
Neither wasted nor overweight WHZ -2 to +2	**-0.230*** [0.067] N=1,087**	**-0.224*** [0.072] N=968**	**-0.301*** [0.082] N=829**	**-0.201** [0.097] N=674**	**-0.179* [0.108] N=521**
Neither low nor high BMIZ -2 to +2	**-0.302*** [0.066] N=1,056**	**-0.288*** [0.073] N=941**	**-0.291*** [0.080] N=808**	**-0.179* [0.097] N=658**	-0.175 [0.107] N=513
Strict normal HAZ -2 to +3	0.007 [0.085] N=1,097	0.020 [0.088] N=975	0.015 [0.098] N=833	-0.028 [0.118] N=680	-0.042 [0.142] N=526
Strict normal WAZ -2 to +1	0.025 [0.071] N=1,246	0.019 [0.075] N=1,117	0.007 [0.079] N=956	-0.020 [0.088] N=774	0.071 [0.102] N=591
Strict normal WHZ -2 to +1	**-0.186** [0.076] N=1,087**	**-0.212*** [0.081] N=968**	**-0.246*** [0.091] N=829**	-0.117 [0.110] N=674	-0.154 [0.138] N=521
Strict normal BMIZ -2 to +1	**-0.199** [0.082] N=1,056**	**-0.202** [0.086] N=941**	**-0.186* [0.099] N=808**	-0.054 [0.119] N=658	-0.091 [0.150] N=513
Above-normal height HAZ above +3	0.004 [0.036] N=1,097	0.003 [0.038] N=975	-0.001 [0.042] N=833	-0.032 [0.047] N=680	-0.027 [0.063] N=526
Above-normal weight WAZ above +1	-0.034 [0.060] N=1,246	-0.016 [0.065] N=1,117	-0.021 [0.067] N=956	0.018 [0.072] N=774	-0.059 [0.090] N=591
Above-normal WHZ above +1	0.100 [0.077] N=1,087	0.120 [0.083] N=968	0.100 [0.094] N=829	0.117 [0.104] N=674	0.117 [0.130] N=521
Above-normal BMIZ above +1	0.064 [0.085] N=1,056	0.060 [0.089] N=941	0.006 [0.100] N=808	-0.003 [0.118] N=658	0.006 [0.146] N=513

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.774 P=982	0.007 [0.054] N=1,269	0.008 [0.055] N=1,147	0.009 [0.058] N=1,005	-0.026 [0.064] N=852	-0.028 [0.070] N=698
Not underweight WAZ at least -2	0.941 P=1,345	-0.004 [0.028] N=1,433	0.003 [0.029] N=1,304	-0.004 [0.031] N=1,143	-0.002 [0.033] N=961	0.003 [0.037] N=778
Neither wasted nor overweight WHZ -2 to +2	0.700 P=873	**-0.127** [0.059] N=1,256**	**-0.120** [0.061] N=1,137**	**-0.144** [0.066] N=998**	-0.087 [0.070] N=843	-0.083 [0.074] N=690
Neither low nor high BMIZ -2 to +2	0.662 P=802	**-0.187*** [0.057] N=1,215**	**-0.173*** [0.060] N=1,100**	**-0.156** [0.066] N=967**	-0.099 [0.070] N=817	-0.103 [0.073] N=672
Strict normal HAZ -2 to +3	0.699 P=887	0.006 [0.056] N=1,269	0.006 [0.056] N=1,147	0.007 [0.060] N=1,005	-0.015 [0.065] N=852	-0.030 [0.073] N=698
Strict normal WAZ -2 to +1	0.687 P=983	-0.004 [0.046] N=1,433	-0.012 [0.049] N=1,304	-0.019 [0.050] N=1,143	-0.038 [0.053] N=961	-0.006 [0.059] N=778
Strict normal WHZ -2 to +1	0.530 P=656	**-0.137** [0.056] N=1,256**	**-0.150** [0.058] N=1,137**	**-0.156** [0.063] N=998**	-0.093 [0.069] N=843	-0.118 [0.074] N=690
Strict normal BMIZ -2 to +1	0.523 P=630	**-0.111** [0.056] N=1,215**	**-0.108* [0.057] N=1,100**	-0.082 [0.063] N=967	-0.023 [0.067] N=817	-0.040 [0.073] N=672
Above-normal height HAZ above +3	0.075 P=95	0.001 [0.033] N=1,269	0.002 [0.034] N=1,147	0.002 [0.036] N=1,005	-0.012 [0.039] N=852	0.002 [0.045] N=698
Above-normal weight WAZ above +1	0.254 P=362	-0.000 [0.040] N=1,433	0.016 [0.043] N=1,304	0.015 [0.043] N=1,143	0.036 [0.045] N=961	0.009 [0.050] N=778
Above-normal WHZ above +1	0.363 P=464	**0.116** [0.054] N=1,256**	**0.131** [0.057] N=1,137**	**0.115* [0.060] N=998**	**0.125* [0.065] N=843**	**0.135* [0.073] N=690**
Above-normal BMIZ above +1	0.358 P=441	0.076 [0.059] N=1,215	0.074 [0.061] N=1,100	0.039 [0.064] N=967	0.037 [0.074] N=817	0.045 [0.083] N=672

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.014 [0.090] N=1,097	0.028 [0.093] N=975	0.022 [0.105] N=833	-0.058 [0.131] N=680	-0.070 [0.156] N=526
Not underweight WAZ at least -2	-0.006 [0.037] N=1,246	0.006 [0.039] N=1,117	-0.011 [0.043] N=956	0.000 [0.045] N=774	0.017 [0.049] N=591
Neither wasted nor overweight WHZ -2 to +2	**-0.226*** [0.067] N=1,087**	**-0.216*** [0.072] N=968**	**-0.288*** [0.082] N=829**	**-0.188* [0.097] N=674**	-0.165 [0.108] N=521
Neither low nor high BMIZ -2 to +2	**-0.301*** [0.067] N=1,056**	**-0.284*** [0.073] N=941**	**-0.282*** [0.079] N=808**	**-0.174* [0.097] N=658**	-0.174 [0.107] N=513
Strict normal HAZ -2 to +3	0.013 [0.085] N=1,097	0.031 [0.089] N=975	0.027 [0.099] N=833	-0.022 [0.118] N=680	-0.039 [0.142] N=526
Strict normal WAZ -2 to +1	0.031 [0.070] N=1,246	0.026 [0.074] N=1,117	0.013 [0.079] N=956	-0.016 [0.087] N=774	0.076 [0.100] N=591
Strict normal WHZ -2 to +1	**-0.181** [0.075] N=1,087**	**-0.203** [0.080] N=968**	**-0.231** [0.090] N=829**	-0.113 [0.110] N=674	-0.156 [0.137] N=521
Strict normal BMIZ -2 to +1	**-0.198** [0.082] N=1,056**	**-0.196** [0.086] N=941**	**-0.177* [0.099] N=808**	-0.052 [0.119] N=658	-0.095 [0.149] N=513
Above-normal height HAZ above +3	0.000 [0.036] N=1,097	-0.003 [0.038] N=975	-0.005 [0.043] N=833	-0.036 [0.047] N=680	-0.031 [0.064] N=526
Above-normal weight WAZ above +1	-0.037 [0.059] N=1,246	-0.020 [0.064] N=1,117	-0.024 [0.066] N=956	0.016 [0.071] N=774	-0.059 [0.088] N=591
Above-normal WHZ above +1	0.101 [0.078] N=1,087	0.121 [0.083] N=968	0.095 [0.094] N=829	0.122 [0.104] N=674	0.133 [0.130] N=521
Above-normal BMIZ above +1	0.067 [0.086] N=1,056	0.061 [0.089] N=941	0.004 [0.100] N=808	-0.001 [0.119] N=658	0.018 [0.148] N=513

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.774 P=982	0.004 [0.053] N=1,269	0.008 [0.054] N=1,147	0.011 [0.057] N=1,005	-0.024 [0.061] N=852	-0.026 [0.068] N=698
Not underweight WAZ at least -2	0.941 P=1,345	-0.006 [0.028] N=1,433	0.003 [0.029] N=1,304	-0.004 [0.031] N=1,143	-0.001 [0.033] N=961	0.004 [0.037] N=778
Neither wasted nor overweight WHZ -2 to +2	0.700 P=873	**-0.129** [0.059] N=1,256**	**-0.121** [0.061] N=1,137**	**-0.144** [0.066] N=998**	-0.085 [0.071] N=843	-0.081 [0.076] N=690
Neither low nor high BMIZ -2 to +2	0.662 P=802	**-0.190*** [0.058] N=1,215**	**-0.175*** [0.061] N=1,100**	**-0.157** [0.066] N=967**	-0.098 [0.071] N=817	-0.105 [0.074] N=672
Strict normal HAZ -2 to +3	0.699 P=887	0.001 [0.054] N=1,269	0.004 [0.055] N=1,147	0.008 [0.059] N=1,005	-0.013 [0.063] N=852	-0.026 [0.071] N=698
Strict normal WAZ -2 to +1	0.687 P=983	-0.004 [0.047] N=1,433	-0.013 [0.049] N=1,304	-0.021 [0.051] N=1,143	-0.038 [0.053] N=961	-0.006 [0.059] N=778
Strict normal WHZ -2 to +1	0.530 P=656	**-0.137** [0.056] N=1,256**	**-0.149** [0.058] N=1,137**	**-0.156** [0.063] N=998**	-0.091 [0.069] N=843	-0.117 [0.074] N=690
Strict normal BMIZ -2 to +1	0.523 P=630	**-0.113** [0.056] N=1,215**	**-0.109* [0.057] N=1,100**	-0.083 [0.063] N=967	-0.022 [0.067] N=817	-0.043 [0.073] N=672
Above-normal height HAZ above +3	0.075 P=95	0.003 [0.032] N=1,269	0.004 [0.033] N=1,147	0.003 [0.036] N=1,005	-0.011 [0.039] N=852	0.001 [0.044] N=698
Above-normal weight WAZ above +1	0.254 P=362	-0.001 [0.041] N=1,433	0.016 [0.043] N=1,304	0.017 [0.043] N=1,143	0.037 [0.045] N=961	0.009 [0.051] N=778
Above-normal WHZ above +1	0.363 P=464	**0.116** [0.054] N=1,256**	**0.130** [0.057] N=1,137**	**0.116* [0.060] N=998**	**0.124* [0.065] N=843**	**0.135* [0.072] N=690**
Above-normal BMIZ above +1	0.358 P=441	0.077 [0.058] N=1,215	0.074 [0.060] N=1,100	0.039 [0.064] N=967	0.036 [0.073] N=817	0.047 [0.082] N=672

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.018 [0.088] N=1,097	0.032 [0.092] N=975	0.031 [0.102] N=833	-0.039 [0.126] N=680	-0.046 [0.150] N=526
Not underweight WAZ at least -2	-0.005 [0.038] N=1,246	0.008 [0.040] N=1,117	-0.007 [0.045] N=956	0.006 [0.047] N=774	0.024 [0.051] N=591
Neither wasted nor overweight WHZ -2 to +2	**-0.228*** [0.069] N=1,087**	**-0.216*** [0.074] N=968**	**-0.286*** [0.085] N=829**	**-0.182* [0.101] N=674**	-0.157 [0.115] N=521
Neither low nor high BMIZ -2 to +2	**-0.301*** [0.069] N=1,056**	**-0.284*** [0.076] N=941**	**-0.277*** [0.083] N=808**	-0.164 [0.102] N=658	-0.161 [0.117] N=513
Strict normal HAZ -2 to +3	0.015 [0.084] N=1,097	0.034 [0.088] N=975	0.035 [0.099] N=833	-0.003 [0.116] N=680	-0.015 [0.140] N=526
Strict normal WAZ -2 to +1	0.039 [0.071] N=1,246	0.034 [0.075] N=1,117	0.020 [0.081] N=956	-0.001 [0.090] N=774	0.095 [0.105] N=591
Strict normal WHZ -2 to +1	**-0.178** [0.077] N=1,087**	**-0.198** [0.082] N=968**	**-0.225** [0.094] N=829**	-0.102 [0.115] N=674	-0.141 [0.145] N=521
Strict normal BMIZ -2 to +1	**-0.190** [0.085] N=1,056**	**-0.189** [0.088] N=941**	-0.166 [0.103] N=808	-0.034 [0.125] N=658	-0.081 [0.156] N=513
Above-normal height HAZ above +3	0.003 [0.035] N=1,097	-0.002 [0.038] N=975	-0.004 [0.042] N=833	-0.036 [0.047] N=680	-0.031 [0.064] N=526
Above-normal weight WAZ above +1	-0.045 [0.060] N=1,246	-0.026 [0.066] N=1,117	-0.027 [0.068] N=956	0.007 [0.073] N=774	-0.072 [0.090] N=591
Above-normal WHZ above +1	0.097 [0.078] N=1,087	0.118 [0.084] N=968	0.090 [0.095] N=829	0.112 [0.106] N=674	0.122 [0.132] N=521
Above-normal BMIZ above +1	0.062 [0.086] N=1,056	0.058 [0.090] N=941	-0.004 [0.101] N=808	-0.012 [0.121] N=658	0.012 [0.150] N=513

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.774 P=982	0.014 [0.052] N=1,269	0.017 [0.053] N=1,147	0.019 [0.057] N=1,005	-0.020 [0.061] N=852	-0.025 [0.068] N=698
Not underweight WAZ at least -2	0.941 P=1,345	-0.003 [0.028] N=1,433	0.005 [0.030] N=1,304	0.000 [0.032] N=1,143	0.001 [0.034] N=961	0.010 [0.039] N=778
Neither wasted nor overweight WHZ -2 to +2	0.700 P=873	**-0.126** [0.057] N=1,256**	**-0.119** [0.059] N=1,137**	**-0.146** [0.064] N=998**	-0.088 [0.068] N=843	-0.083 [0.072] N=690
Neither low nor high BMIZ -2 to +2	0.662 P=802	**-0.185*** [0.057] N=1,215**	**-0.170*** [0.060] N=1,100**	**-0.154** [0.065] N=967**	-0.098 [0.069] N=817	-0.104 [0.071] N=672
Strict normal HAZ -2 to +3	0.699 P=887	0.013 [0.055] N=1,269	0.015 [0.056] N=1,147	0.017 [0.060] N=1,005	-0.008 [0.064] N=852	-0.025 [0.071] N=698
Strict normal WAZ -2 to +1	0.687 P=983	-0.003 [0.047] N=1,433	-0.012 [0.049] N=1,304	-0.016 [0.050] N=1,143	-0.032 [0.053] N=961	0.005 [0.059] N=778
Strict normal WHZ -2 to +1	0.530 P=656	**-0.134** [0.055] N=1,256**	**-0.146** [0.057] N=1,137**	**-0.156** [0.062] N=998**	-0.091 [0.068] N=843	-0.118 [0.072] N=690
Strict normal BMIZ -2 to +1	0.523 P=630	**-0.100* [0.055] N=1,215**	**-0.097* [0.057] N=1,100**	-0.072 [0.062] N=967	-0.012 [0.067] N=817	-0.032 [0.071] N=672
Above-normal height HAZ above +3	0.075 P=95	0.001 [0.033] N=1,269	0.002 [0.034] N=1,147	0.002 [0.037] N=1,005	-0.012 [0.040] N=852	-0.001 [0.047] N=698
Above-normal weight WAZ above +1	0.254 P=362	-0.000 [0.041] N=1,433	0.017 [0.043] N=1,304	0.016 [0.043] N=1,143	0.034 [0.045] N=961	0.005 [0.049] N=778
Above-normal WHZ above +1	0.363 P=464	**0.111** [0.053] N=1,256**	**0.125** [0.056] N=1,137**	**0.112* [0.059] N=998**	**0.122* [0.064] N=843**	**0.137* [0.071] N=690**
Above-normal BMIZ above +1	0.358 P=441	0.068 [0.058] N=1,215	0.065 [0.059] N=1,100	0.031 [0.063] N=967	0.029 [0.072] N=817	0.044 [0.082] N=672

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.030 [0.087] N=1,097	0.048 [0.090] N=975	0.046 [0.102] N=833	-0.037 [0.127] N=680	-0.063 [0.150] N=526
Not underweight WAZ at least -2	-0.003 [0.037] N=1,246	0.009 [0.039] N=1,117	-0.002 [0.045] N=956	0.007 [0.046] N=774	0.030 [0.052] N=591
Neither wasted nor overweight WHZ -2 to +2	**-0.223*** [0.068] N=1,087**	**-0.215*** [0.073] N=968**	**-0.289*** [0.084] N=829**	**-0.186* [0.099] N=674**	-0.167 [0.110] N=521
Neither low nor high BMIZ -2 to +2	**-0.298*** [0.069] N=1,056**	**-0.280*** [0.076] N=941**	**-0.277*** [0.083] N=808**	**-0.171* [0.101] N=658**	**-0.187* [0.112] N=513**
Strict normal HAZ -2 to +3	0.030 [0.083] N=1,097	0.051 [0.087] N=975	0.052 [0.099] N=833	0.001 [0.116] N=680	-0.027 [0.142] N=526
Strict normal WAZ -2 to +1	0.031 [0.071] N=1,246	0.024 [0.075] N=1,117	0.016 [0.079] N=956	-0.007 [0.088] N=774	0.095 [0.101] N=591
Strict normal WHZ -2 to +1	**-0.179** [0.076] N=1,087**	**-0.201** [0.082] N=968**	**-0.232** [0.093] N=829**	-0.109 [0.114] N=674	-0.162 [0.140] N=521
Strict normal BMIZ -2 to +1	**-0.188** [0.084] N=1,056**	**-0.186** [0.088] N=941**	**-0.169* [0.101] N=808**	-0.043 [0.123] N=658	-0.102 [0.153] N=513
Above-normal height HAZ above +3	0.000 [0.036] N=1,097	-0.004 [0.038] N=975	-0.006 [0.042] N=833	-0.038 [0.046] N=680	-0.035 [0.063] N=526
Above-normal weight WAZ above +1	-0.033 [0.060] N=1,246	-0.015 [0.066] N=1,117	-0.018 [0.067] N=956	0.014 [0.073] N=774	-0.064 [0.086] N=591
Above-normal WHZ above +1	0.095 [0.078] N=1,087	0.115 [0.083] N=968	0.089 [0.093] N=829	0.115 [0.106] N=674	0.145 [0.134] N=521
Above-normal BMIZ above +1	0.058 [0.086] N=1,056	0.052 [0.089] N=941	-0.006 [0.099] N=808	-0.009 [0.119] N=658	0.030 [0.152] N=513

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.773 P=914	0.001 [0.057] N=1,182	-0.003 [0.058] N=1,067	0.006 [0.061] N=939	-0.026 [0.066] N=795	-0.040 [0.074] N=652
Not underweight WAZ at least -2	0.942 P=1,253	-0.001 [0.028] N=1,334	0.009 [0.030] N=1,212	0.005 [0.032] N=1,066	0.005 [0.033] N=897	0.003 [0.037] N=729
Neither wasted nor overweight WHZ -2 to +2	0.699 P=813	**-0.138** [0.058] N=1,170**	**-0.132** [0.059] N=1,058**	**-0.152** [0.063] N=931**	-0.096 [0.067] N=786	-0.093 [0.072] N=645
Neither low nor high BMIZ -2 to +2	0.663 P=750	**-0.193*** [0.059] N=1,132**	**-0.179*** [0.061] N=1,024**	**-0.151** [0.065] N=903**	-0.088 [0.071] N=763	-0.092 [0.075] N=629
Strict normal HAZ -2 to +3	0.700 P=829	0.001 [0.060] N=1,182	-0.006 [0.061] N=1,067	0.000 [0.064] N=939	-0.011 [0.070] N=795	-0.031 [0.079] N=652
Strict normal WAZ -2 to +1	0.687 P=916	-0.013 [0.048] N=1,334	-0.017 [0.050] N=1,212	-0.006 [0.052] N=1,066	-0.022 [0.055] N=897	0.013 [0.059] N=729
Strict normal WHZ -2 to +1	0.531 P=613	**-0.151*** [0.057] N=1,170**	**-0.168*** [0.058] N=1,058**	**-0.167*** [0.062] N=931**	-0.106 [0.068] N=786	**-0.128* [0.073] N=645**
Strict normal BMIZ -2 to +1	0.523 P=588	**-0.127** [0.058] N=1,132**	**-0.125** [0.060] N=1,024**	-0.085 [0.064] N=903	-0.030 [0.068] N=763	-0.045 [0.074] N=629
Above-normal height HAZ above +3	0.073 P=85	-0.000 [0.034] N=1,182	0.003 [0.036] N=1,067	0.005 [0.038] N=939	-0.015 [0.041] N=795	-0.008 [0.048] N=652
Above-normal weight WAZ above +1	0.254 P=337	0.012 [0.042] N=1,334	0.026 [0.045] N=1,212	0.011 [0.045] N=1,066	0.027 [0.047] N=897	-0.010 [0.050] N=729
Above-normal WHZ above +1	0.361 P=430	**0.130** [0.055] N=1,170**	**0.148** [0.059] N=1,058**	**0.120* [0.062] N=931**	**0.127* [0.067] N=786**	**0.132* [0.074] N=645**
Above-normal BMIZ above +1	0.357 P=409	0.084 [0.061] N=1,132	0.084 [0.063] N=1,024	0.033 [0.067] N=903	0.030 [0.075] N=763	0.030 [0.084] N=629

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.036 [0.096] N=1,019	0.046 [0.100] N=904	0.053 [0.112] N=776	-0.006 [0.135] N=632	-0.014 [0.168] N=489
Not underweight WAZ at least -2	0.004 [0.038] N=1,157	0.021 [0.040] N=1,035	0.012 [0.044] N=889	0.026 [0.046] N=720	0.041 [0.047] N=552
Neither wasted nor overweight WHZ -2 to +2	**-0.238*** [0.072] N=1,010**	**-0.226*** [0.077] N=898**	**-0.290*** [0.087] N=771**	**-0.181* [0.106] N=626**	-0.161 [0.118] N=485
Neither low nor high BMIZ -2 to +2	**-0.333*** [0.070] N=980**	**-0.316*** [0.077] N=872**	**-0.293*** [0.078] N=751**	**-0.171* [0.098] N=611**	**-0.185* [0.106] N=477**
Strict normal HAZ -2 to +3	0.022 [0.094] N=1,019	0.031 [0.099] N=904	0.036 [0.107] N=776	0.017 [0.128] N=632	0.011 [0.162] N=489
Strict normal WAZ -2 to +1	0.005 [0.074] N=1,157	0.009 [0.079] N=1,035	0.031 [0.084] N=889	-0.002 [0.094] N=720	0.106 [0.111] N=552
Strict normal WHZ -2 to +1	**-0.207** [0.079] N=1,010**	**-0.238*** [0.084] N=898**	**-0.250*** [0.094] N=771**	-0.134 [0.117] N=626	-0.170 [0.154] N=485
Strict normal BMIZ -2 to +1	**-0.233*** [0.086] N=980**	**-0.235*** [0.090] N=872**	**-0.192* [0.101] N=751**	-0.076 [0.120] N=611	-0.110 [0.159] N=477
Above-normal height HAZ above +3	0.014 [0.038] N=1,019	0.015 [0.041] N=904	0.016 [0.045] N=776	-0.023 [0.051] N=632	-0.025 [0.069] N=489
Above-normal weight WAZ above +1	-0.001 [0.061] N=1,157	0.012 [0.067] N=1,035	-0.018 [0.071] N=889	0.028 [0.075] N=720	-0.066 [0.094] N=552
Above-normal WHZ above +1	0.128 [0.083] N=1,010	**0.157* [0.090] N=898**	0.109 [0.101] N=771	0.134 [0.112] N=626	0.137 [0.146] N=485
Above-normal BMIZ above +1	0.089 [0.093] N=980	0.088 [0.098] N=872	0.002 [0.109] N=751	0.006 [0.125] N=611	-0.002 [0.162] N=477

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.773 P=914	-0.001 [0.057] N=1,182	-0.004 [0.058] N=1,067	0.004 [0.061] N=939	-0.030 [0.066] N=795	-0.044 [0.075] N=652
Not underweight WAZ at least -2	0.942 P=1,253	-0.001 [0.028] N=1,334	0.009 [0.029] N=1,212	0.004 [0.031] N=1,066	0.004 [0.033] N=897	0.002 [0.037] N=729
Neither wasted nor overweight WHZ -2 to +2	0.699 P=813	**-0.134** [0.058] N=1,170**	**-0.127** [0.059] N=1,058**	**-0.146** [0.064] N=931**	-0.091 [0.068] N=786	-0.090 [0.072] N=645
Neither low nor high BMIZ -2 to +2	0.663 P=750	**-0.191*** [0.059] N=1,132**	**-0.176*** [0.062] N=1,024**	**-0.146** [0.066] N=903**	-0.085 [0.071] N=763	-0.091 [0.075] N=629
Strict normal HAZ -2 to +3	0.700 P=829	0.002 [0.059] N=1,182	-0.003 [0.060] N=1,067	0.003 [0.063] N=939	-0.009 [0.069] N=795	-0.031 [0.078] N=652
Strict normal WAZ -2 to +1	0.687 P=916	-0.013 [0.047] N=1,334	-0.015 [0.050] N=1,212	-0.006 [0.051] N=1,066	-0.022 [0.055] N=897	0.013 [0.058] N=729
Strict normal WHZ -2 to +1	0.531 P=613	**-0.152*** [0.056] N=1,170**	**-0.167*** [0.058] N=1,058**	**-0.164*** [0.062] N=931**	-0.104 [0.068] N=786	**-0.127* [0.073] N=645**
Strict normal BMIZ -2 to +1	0.523 P=588	**-0.128** [0.058] N=1,132**	**-0.124** [0.059] N=1,024**	-0.084 [0.063] N=903	-0.030 [0.067] N=763	-0.047 [0.073] N=629
Above-normal height HAZ above +3	0.073 P=85	-0.003 [0.035] N=1,182	-0.001 [0.036] N=1,067	0.000 [0.038] N=939	-0.021 [0.042] N=795	-0.014 [0.048] N=652
Above-normal weight WAZ above +1	0.254 P=337	0.012 [0.041] N=1,334	0.024 [0.044] N=1,212	0.011 [0.044] N=1,066	0.026 [0.046] N=897	-0.010 [0.049] N=729
Above-normal WHZ above +1	0.361 P=430	**0.136** [0.055] N=1,170**	**0.152*** [0.058] N=1,058**	**0.124** [0.062] N=931**	**0.131* [0.066] N=786**	**0.135* [0.074] N=645**
Above-normal BMIZ above +1	0.357 P=409	0.090 [0.061] N=1,132	0.088 [0.063] N=1,024	0.038 [0.067] N=903	0.035 [0.075] N=763	0.035 [0.085] N=629

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.031 [0.096] N=1,019	0.044 [0.099] N=904	0.048 [0.111] N=776	-0.019 [0.136] N=632	-0.038 [0.170] N=489
Not underweight WAZ at least -2	0.003 [0.038] N=1,157	0.019 [0.040] N=1,035	0.008 [0.044] N=889	0.018 [0.046] N=720	0.026 [0.049] N=552
Neither wasted nor overweight WHZ -2 to +2	**-0.237*** [0.072] N=1,010**	**-0.225*** [0.076] N=898**	**-0.285*** [0.086] N=771**	**-0.179* [0.106] N=626**	-0.157 [0.117] N=485
Neither low nor high BMIZ -2 to +2	**-0.333*** [0.069] N=980**	**-0.314*** [0.076] N=872**	**-0.288*** [0.077] N=751**	**-0.168* [0.098] N=611**	-0.173 [0.104] N=477
Strict normal HAZ -2 to +3	0.022 [0.093] N=1,019	0.034 [0.098] N=904	0.039 [0.106] N=776	0.014 [0.127] N=632	-0.001 [0.161] N=489
Strict normal WAZ -2 to +1	0.005 [0.073] N=1,157	0.010 [0.079] N=1,035	0.026 [0.083] N=889	-0.010 [0.092] N=720	0.086 [0.110] N=552
Strict normal WHZ -2 to +1	**-0.210*** [0.079] N=1,010**	**-0.239*** [0.084] N=898**	**-0.248*** [0.093] N=771**	-0.133 [0.115] N=626	-0.161 [0.150] N=485
Strict normal BMIZ -2 to +1	**-0.237*** [0.086] N=980**	**-0.239*** [0.090] N=872**	**-0.196* [0.101] N=751**	-0.081 [0.121] N=611	-0.119 [0.157] N=477
Above-normal height HAZ above +3	0.009 [0.038] N=1,019	0.010 [0.041] N=904	0.009 [0.045] N=776	-0.032 [0.051] N=632	-0.036 [0.069] N=489
Above-normal weight WAZ above +1	-0.003 [0.061] N=1,157	0.009 [0.068] N=1,035	-0.018 [0.070] N=889	0.028 [0.075] N=720	-0.059 [0.093] N=552
Above-normal WHZ above +1	0.134 [0.082] N=1,010	**0.160* [0.089] N=898**	0.111 [0.100] N=771	0.139 [0.110] N=626	0.132 [0.142] N=485
Above-normal BMIZ above +1	0.096 [0.093] N=980	0.094 [0.097] N=872	0.010 [0.109] N=751	0.015 [0.126] N=611	0.013 [0.160] N=477

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.