# Table 14 Reduced Form Effects on Weight and Height for Ages 1-3: Youngest Child

Age reference: 16 December 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Reported KILO and BOY are in their original units. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

## Father RDD primary analysis

*Specification 1 Monthly child-age fixed effects  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.028 | 0.038 [0.341]<br>N=1,604 | 0.156 [0.352]<br>N=1,480 | 0.097 [0.354]<br>N=1,334 | -0.011 [0.332]<br>N=1,134 | -0.517 [0.317]<br>N=930 |
| Height or length in cm for all children | 85.461 | **-2.115* [1.223]**<br>**N=1,604** | -1.811 [1.303]<br>N=1,480 | -1.531 [1.420]<br>N=1,334 | -0.814 [1.350]<br>N=1,134 | -2.064 [1.503]<br>N=930 |

*Specification 1 Monthly child-age fixed effects  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.120 [0.528]<br>N=1,365 | 0.315 [0.579]<br>N=1,241 | 0.278 [0.629]<br>N=1,095 | 0.099 [0.641]<br>N=895 | **-1.262* [0.640]**<br>**N=691** |
| Height or length in cm for all children | **-3.328* [1.882]**<br>**N=1,365** | -3.091 [2.145]<br>N=1,241 | -2.734 [2.556]<br>N=1,095 | -1.360 [2.741]<br>N=895 | -5.426 [3.477]<br>N=691 |

*Specification 2 Monthly fixed effects and female  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.028 | 0.042 [0.341]<br>N=1,604 | 0.157 [0.351]<br>N=1,480 | 0.094 [0.353]<br>N=1,334 | -0.007 [0.332]<br>N=1,134 | -0.512 [0.318]<br>N=930 |
| Height or length in cm for all children | 85.461 | **-2.101* [1.213]**<br>**N=1,604** | -1.807 [1.297]<br>N=1,480 | -1.537 [1.416]<br>N=1,334 | -0.804 [1.339]<br>N=1,134 | -2.050 [1.498]<br>N=930 |

*Specification 2 Monthly fixed effects and female  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.116 [0.528]<br>N=1,365 | 0.307 [0.574]<br>N=1,241 | 0.261 [0.619]<br>N=1,095 | 0.088 [0.637]<br>N=895 | **-1.275* [0.640]**<br>**N=691** |
| Height or length in cm for all children | **-3.338* [1.867]**<br>**N=1,365** | -3.110 [2.134]<br>N=1,241 | -2.761 [2.544]<br>N=1,095 | -1.377 [2.720]<br>N=895 | -5.446 [3.458]<br>N=691 |

*Specification 3 Monthly fixed effects female and household income groups No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.028 | -0.024 [0.324] N=1,604 | 0.102 [0.338] N=1,480 | 0.041 [0.339] N=1,334 | -0.057 [0.313] N=1,134 | **-0.579* [0.300] N=930** |
| Height or length in cm for all children | 85.461 | **-2.541** [1.209] N=1,604** | **-2.340* [1.291] N=1,480** | -1.993 [1.419] N=1,334 | -1.106 [1.333] N=1,134 | -2.270 [1.489] N=930 |

*Specification 3 Monthly fixed effects female and household income groups 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.048 [0.508] N=1,365 | 0.250 [0.562] N=1,241 | 0.207 [0.607] N=1,095 | 0.013 [0.614] N=895 | **-1.371** [0.625] N=691** |
| Height or length in cm for all children | **-3.824** [1.889] N=1,365** | **-3.825* [2.147] N=1,241** | -3.412 [2.580] N=1,095 | -1.902 [2.711] N=895 | **-6.049* [3.406] N=691** |

*Specification 4 Monthly fixed effects female and per-person income groups No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.028 | -0.042 [0.332] N=1,604 | 0.069 [0.346] N=1,480 | 0.009 [0.347] N=1,334 | -0.091 [0.324] N=1,134 | **-0.638** [0.306] N=930** |
| Height or length in cm for all children | 85.461 | **-2.810** [1.174] N=1,604** | **-2.625** [1.250] N=1,480** | -2.289 [1.388] N=1,334 | -1.395 [1.284] N=1,134 | **-2.665* [1.436] N=930** |

*Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.036 [0.517] N=1,365 | 0.223 [0.572] N=1,241 | 0.181 [0.618] N=1,095 | 0.038 [0.628] N=895 | **-1.340** [0.616] N=691** |
| Height or length in cm for all children | **-3.985** [1.853] N=1,365** | **-3.928* [2.095] N=1,241** | -3.578 [2.558] N=1,095 | -2.062 [2.687] N=895 | **-6.421* [3.373] N=691** |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.065 | 0.065 [0.358] N=1,489 | 0.182 [0.366] N=1,380 | 0.110 [0.360] N=1,242 | 0.012 [0.331] N=1,060 | -0.457 [0.355] N=869 |
| Height or length in cm for all children | 85.582 | **-2.419** [1.208] N=1,489** | **-2.163* [1.294] N=1,380** | -1.971 [1.411] N=1,242 | -1.385 [1.272] N=1,060 | **-2.910** [1.386] N=869** |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.089 [0.581] N=1,265 | 0.268 [0.631] N=1,156 | 0.212 [0.664] N=1,018 | 0.026 [0.639] N=836 | **-1.233* [0.699] N=645** |
| Height or length in cm for all children | **-3.235* [1.926] N=1,265** | -2.979 [2.207] N=1,156 | -2.620 [2.620] N=1,018 | -1.334 [2.737] N=836 | **-5.849* [3.450] N=645** |

*Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.065 | 0.051 [0.356] N=1,489 | 0.169 [0.363] N=1,380 | 0.101 [0.364] N=1,242 | 0.006 [0.334] N=1,060 | -0.450 [0.344] N=869 |
| Height or length in cm for all children | 85.582 | **-2.457** [1.208] N=1,489** | **-2.201* [1.291] N=1,380** | -2.009 [1.402] N=1,242 | -1.451 [1.279] N=1,060 | **-2.961** [1.381] N=869** |

*Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.102 [0.554] N=1,265 | 0.283 [0.596] N=1,156 | 0.211 [0.642] N=1,018 | 0.011 [0.628] N=836 | **-1.262* [0.700] N=645** |
| Height or length in cm for all children | **-3.215* [1.939] N=1,265** | -2.989 [2.214] N=1,156 | -2.648 [2.621] N=1,018 | -1.386 [2.774] N=836 | **-5.947* [3.531] N=645** |

## Mother RDD secondary analysis

*Specification 1 Monthly child-age fixed effects  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.125 | 0.203 [0.297]<br>N=1,428 | 0.200 [0.305]<br>N=1,294 | -0.160 [0.298]<br>N=1,133 | -0.297 [0.364]<br>N=951 | -0.183 [0.332]<br>N=769 |
| Height or length in cm for all children | 86.467 | -0.822 [1.474]<br>N=1,428 | -0.179 [1.523]<br>N=1,294 | 0.618 [1.640]<br>N=1,133 | 0.799 [1.821]<br>N=951 | 1.355 [2.008]<br>N=769 |

*Specification 1 Monthly child-age fixed effects  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.581 [0.462]<br>N=1,237 | 0.637 [0.488]<br>N=1,103 | 0.083 [0.456]<br>N=942 | -0.008 [0.518]<br>N=760 | 0.143 [0.712]<br>N=578 |
| Height or length in cm for all children | -1.728 [1.870]<br>N=1,237 | -0.913 [2.006]<br>N=1,103 | 0.382 [2.318]<br>N=942 | 0.045 [2.836]<br>N=760 | 1.643 [3.101]<br>N=578 |

*Specification 2 Monthly fixed effects and female  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.125 | 0.189 [0.293]<br>N=1,428 | 0.183 [0.302]<br>N=1,294 | -0.181 [0.298]<br>N=1,133 | -0.299 [0.364]<br>N=951 | -0.183 [0.333]<br>N=769 |
| Height or length in cm for all children | 86.467 | -0.842 [1.473]<br>N=1,428 | -0.207 [1.525]<br>N=1,294 | 0.597 [1.645]<br>N=1,133 | 0.794 [1.820]<br>N=951 | 1.356 [2.009]<br>N=769 |

*Specification 2 Monthly fixed effects and female  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.548 [0.455]<br>N=1,237 | 0.593 [0.481]<br>N=1,103 | 0.022 [0.454]<br>N=942 | -0.052 [0.526]<br>N=760 | 0.127 [0.716]<br>N=578 |
| Height or length in cm for all children | -1.790 [1.862]<br>N=1,237 | -1.010 [2.004]<br>N=1,103 | 0.294 [2.327]<br>N=942 | -0.105 [2.816]<br>N=760 | 1.513 [3.091]<br>N=578 |

*Specification 3 Monthly fixed effects female and household income groups  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.125 | 0.163 [0.296]<br>N=1,428 | 0.167 [0.305]<br>N=1,294 | -0.183 [0.308]<br>N=1,133 | -0.303 [0.373]<br>N=951 | -0.181 [0.331]<br>N=769 |
| Height or length in cm for all children | 86.467 | -0.944 [1.455]<br>N=1,428 | -0.266 [1.508]<br>N=1,294 | 0.614 [1.627]<br>N=1,133 | 0.835 [1.797]<br>N=951 | 1.339 [1.977]<br>N=769 |

*Specification 3 Monthly fixed effects female and household income groups  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.472 [0.449]<br>N=1,237 | 0.520 [0.477]<br>N=1,103 | -0.032 [0.474]<br>N=942 | -0.131 [0.575]<br>N=760 | 0.089 [0.734]<br>N=578 |
| Height or length in cm for all children | -1.870 [1.840]<br>N=1,237 | -1.065 [1.990]<br>N=1,103 | 0.453 [2.295]<br>N=942 | 0.104 [2.795]<br>N=760 | 1.620 [3.039]<br>N=578 |

*Specification 4 Monthly fixed effects female and per-person income groups  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.125 | 0.191 [0.300]<br>N=1,428 | 0.177 [0.307]<br>N=1,294 | -0.175 [0.307]<br>N=1,133 | -0.307 [0.375]<br>N=951 | -0.189 [0.333]<br>N=769 |
| Height or length in cm for all children | 86.467 | -0.862 [1.439]<br>N=1,428 | -0.181 [1.489]<br>N=1,294 | 0.623 [1.619]<br>N=1,133 | 0.731 [1.778]<br>N=951 | 1.084 [1.959]<br>N=769 |

*Specification 4 Monthly fixed effects female and per-person income groups  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.549 [0.443]<br>N=1,237 | 0.565 [0.462]<br>N=1,103 | 0.016 [0.439]<br>N=942 | -0.137 [0.548]<br>N=760 | 0.130 [0.682]<br>N=578 |
| Height or length in cm for all children | -1.652 [1.758]<br>N=1,237 | -0.795 [1.901]<br>N=1,103 | 0.621 [2.239]<br>N=942 | -0.025 [2.698]<br>N=760 | 0.922 [2.767]<br>N=578 |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.167 | 0.181 [0.311]<br>N=1,325 | 0.174 [0.323]<br>N=1,199 | -0.265 [0.329]<br>N=1,055 | -0.422 [0.410]<br>N=886 | -0.331 [0.351]<br>N=719 |
| Height or length in cm for all children | 86.688 | -0.973 [1.537]<br>N=1,325 | -0.355 [1.602]<br>N=1,199 | 0.701 [1.716]<br>N=1,055 | 0.921 [1.880]<br>N=886 | 1.127 [2.075]<br>N=719 |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.655 [0.471]<br>N=1,144 | 0.708 [0.486]<br>N=1,018 | -0.004 [0.466]<br>N=874 | -0.105 [0.573]<br>N=705 | 0.004 [0.707]<br>N=538 |
| Height or length in cm for all children | -1.594 [1.992]<br>N=1,144 | -0.801 [2.155]<br>N=1,018 | 0.889 [2.497]<br>N=874 | 0.575 [2.968]<br>N=705 | 1.308 [3.308]<br>N=538 |

*Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Weight in kg for all children | 13.167 | 0.188 [0.306]<br>N=1,325 | 0.180 [0.319]<br>N=1,199 | -0.251 [0.318]<br>N=1,055 | -0.414 [0.394]<br>N=886 | -0.338 [0.345]<br>N=719 |
| Height or length in cm for all children | 86.688 | -0.966 [1.542]<br>N=1,325 | -0.375 [1.608]<br>N=1,199 | 0.595 [1.727]<br>N=1,055 | 0.737 [1.892]<br>N=886 | 0.936 [2.102]<br>N=719 |

*Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Weight in kg for all children | 0.654 [0.475]<br>N=1,144 | 0.714 [0.498]<br>N=1,018 | 0.015 [0.467]<br>N=874 | -0.102 [0.557]<br>N=705 | -0.059 [0.714]<br>N=538 |
| Height or length in cm for all children | -1.626 [1.996]<br>N=1,144 | -0.894 [2.161]<br>N=1,018 | 0.688 [2.504]<br>N=874 | 0.076 [2.990]<br>N=705 | 0.850 [3.306]<br>N=538 |

*Notes:* Cells show the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47, split linear trends, and FAKTOR_FERT child survey weights are used. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use 8- to 4-year bandwidths; donuts drop months -12 to +11. One latest-born eligible child is kept per household. *** p<0.01, ** p<0.05, * p<0.10.