Table 10 Reduced Form Effects on Frequent Nutrition for Ages 1-3: Youngest Child

Age reference: 16 December 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,345	0.016 [0.035] N=1,602	0.026 [0.036] N=1,478	0.038 [0.038] N=1,333	0.023 [0.040] N=1,133	0.014 [0.043] N=929
Vegetables consumed daily or several times weekly	0.765 P=1,229	0.029 [0.044] N=1,602	0.032 [0.046] N=1,478	0.024 [0.048] N=1,333	0.003 [0.051] N=1,133	-0.036 [0.055] N=929
Meat fish or poultry consumed daily or several times weekly	0.574 P=918	0.043 [0.052] N=1,602	0.046 [0.054] N=1,478	0.024 [0.058] N=1,333	0.021 [0.066] N=1,133	0.010 [0.073] N=929
Legumes consumed daily or several times weekly	0.568 P=903	0.037 [0.048] N=1,602	0.049 [0.050] N=1,478	0.059 [0.052] N=1,333	**0.097* [0.058] N=1,133**	0.090 [0.064] N=929
Animal products consumed daily or several times weekly	0.855 P=1,367	**0.076** [0.038] N=1,602**	**0.071* [0.039] N=1,478**	0.053 [0.041] N=1,333	0.064 [0.044] N=1,133	0.043 [0.048] N=929
Sweets consumed daily or several times weekly	0.503 P=804	-0.039 [0.046] N=1,602	-0.053 [0.047] N=1,478	-0.045 [0.049] N=1,333	-0.035 [0.050] N=1,133	-0.002 [0.058] N=929
Snack foods consumed daily or several times weekly	0.373 P=590	0.042 [0.045] N=1,602	0.014 [0.047] N=1,478	0.028 [0.050] N=1,333	0.055 [0.052] N=1,133	0.054 [0.056] N=929
Packaged soft drinks consumed daily or several times weekly	0.210 P=327	0.008 [0.044] N=1,602	0.010 [0.047] N=1,478	0.011 [0.051] N=1,333	0.009 [0.056] N=1,133	-0.021 [0.063] N=929
Grains consumed daily or several times weekly	0.828 P=1,322	0.046 [0.042] N=1,602	0.066 [0.043] N=1,478	0.038 [0.045] N=1,333	0.042 [0.048] N=1,133	0.019 [0.055] N=929

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.049 [0.051] N=1,363	0.075 [0.053] N=1,239	**0.106* [0.061] N=1,094**	0.089 [0.075] N=894	0.114 [0.097] N=690
Vegetables consumed daily or several times weekly	0.061 [0.063] N=1,363	0.071 [0.069] N=1,239	0.065 [0.074] N=1,094	0.020 [0.087] N=894	-0.074 [0.107] N=690
Meat fish or poultry consumed daily or several times weekly	0.021 [0.067] N=1,363	0.020 [0.073] N=1,239	-0.023 [0.080] N=1,094	-0.063 [0.098] N=894	-0.120 [0.122] N=690
Legumes consumed daily or several times weekly	0.010 [0.071] N=1,363	0.030 [0.076] N=1,239	0.046 [0.082] N=1,094	0.136 [0.103] N=894	0.159 [0.140] N=690
Animal products consumed daily or several times weekly	0.094 [0.058] N=1,363	0.088 [0.064] N=1,239	0.051 [0.072] N=1,094	0.087 [0.085] N=894	0.029 [0.104] N=690
Sweets consumed daily or several times weekly	-0.057 [0.063] N=1,363	-0.083 [0.066] N=1,239	-0.077 [0.074] N=1,094	-0.050 [0.081] N=894	0.050 [0.114] N=690
Snack foods consumed daily or several times weekly	0.018 [0.063] N=1,363	-0.038 [0.068] N=1,239	-0.024 [0.077] N=1,094	0.034 [0.092] N=894	0.003 [0.109] N=690
Packaged soft drinks consumed daily or several times weekly	0.014 [0.052] N=1,363	0.019 [0.056] N=1,239	0.026 [0.063] N=1,094	0.035 [0.075] N=894	-0.047 [0.092] N=690
Grains consumed daily or several times weekly	0.103 [0.066] N=1,363	**0.156** [0.072] N=1,239**	0.115 [0.081] N=1,094	0.149 [0.099] N=894	0.157 [0.140] N=690

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,345	0.016 [0.035] N=1,602	0.026 [0.036] N=1,478	0.038 [0.038] N=1,333	0.022 [0.040] N=1,133	0.014 [0.043] N=929
Vegetables consumed daily or several times weekly	0.765 P=1,229	0.029 [0.044] N=1,602	0.032 [0.046] N=1,478	0.024 [0.048] N=1,333	0.002 [0.051] N=1,133	-0.036 [0.056] N=929
Meat fish or poultry consumed daily or several times weekly	0.574 P=918	0.043 [0.052] N=1,602	0.045 [0.054] N=1,478	0.025 [0.058] N=1,333	0.021 [0.066] N=1,133	0.010 [0.073] N=929
Legumes consumed daily or several times weekly	0.568 P=903	0.036 [0.048] N=1,602	0.049 [0.051] N=1,478	0.060 [0.052] N=1,333	0.097 [0.059] N=1,133	0.090 [0.065] N=929
Animal products consumed daily or several times weekly	0.855 P=1,367	**0.075** [0.037] N=1,602**	**0.071* [0.039] N=1,478**	0.054 [0.041] N=1,333	0.064 [0.044] N=1,133	0.042 [0.048] N=929
Sweets consumed daily or several times weekly	0.503 P=804	-0.039 [0.046] N=1,602	-0.053 [0.047] N=1,478	-0.045 [0.049] N=1,333	-0.035 [0.050] N=1,133	-0.002 [0.058] N=929
Snack foods consumed daily or several times weekly	0.373 P=590	0.042 [0.045] N=1,602	0.014 [0.047] N=1,478	0.029 [0.050] N=1,333	0.055 [0.052] N=1,133	0.053 [0.056] N=929
Packaged soft drinks consumed daily or several times weekly	0.210 P=327	0.007 [0.044] N=1,602	0.010 [0.047] N=1,478	0.011 [0.051] N=1,333	0.009 [0.056] N=1,133	-0.021 [0.063] N=929
Grains consumed daily or several times weekly	0.828 P=1,322	0.045 [0.042] N=1,602	0.066 [0.043] N=1,478	0.038 [0.045] N=1,333	0.042 [0.048] N=1,133	0.019 [0.055] N=929

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.050 [0.050] N=1,363	0.077 [0.053] N=1,239	**0.109* [0.061] N=1,094**	0.090 [0.074] N=894	0.117 [0.096] N=690
Vegetables consumed daily or several times weekly	0.061 [0.063] N=1,363	0.072 [0.069] N=1,239	0.065 [0.074] N=1,094	0.020 [0.087] N=894	-0.075 [0.107] N=690
Meat fish or poultry consumed daily or several times weekly	0.022 [0.067] N=1,363	0.021 [0.073] N=1,239	-0.019 [0.079] N=1,094	-0.062 [0.098] N=894	-0.120 [0.122] N=690
Legumes consumed daily or several times weekly	0.010 [0.071] N=1,363	0.031 [0.077] N=1,239	0.050 [0.082] N=1,094	0.137 [0.103] N=894	0.161 [0.139] N=690
Animal products consumed daily or several times weekly	0.094 [0.057] N=1,363	0.090 [0.063] N=1,239	0.056 [0.071] N=1,094	0.089 [0.083] N=894	0.032 [0.102] N=690
Sweets consumed daily or several times weekly	-0.057 [0.063] N=1,363	-0.082 [0.066] N=1,239	-0.074 [0.074] N=1,094	-0.050 [0.081] N=894	0.050 [0.114] N=690
Snack foods consumed daily or several times weekly	0.019 [0.064] N=1,363	-0.037 [0.068] N=1,239	-0.020 [0.077] N=1,094	0.036 [0.092] N=894	0.006 [0.110] N=690
Packaged soft drinks consumed daily or several times weekly	0.014 [0.051] N=1,363	0.019 [0.056] N=1,239	0.025 [0.062] N=1,094	0.034 [0.075] N=894	-0.048 [0.093] N=690
Grains consumed daily or several times weekly	0.103 [0.066] N=1,363	**0.156** [0.071] N=1,239**	0.116 [0.081] N=1,094	0.149 [0.099] N=894	0.155 [0.140] N=690

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,345	-0.007 [0.035] N=1,602	0.001 [0.036] N=1,478	0.015 [0.038] N=1,333	0.002 [0.040] N=1,133	-0.006 [0.043] N=929
Vegetables consumed daily or several times weekly	0.765 P=1,229	0.013 [0.045] N=1,602	0.012 [0.047] N=1,478	0.006 [0.049] N=1,333	-0.013 [0.052] N=1,133	-0.052 [0.057] N=929
Meat fish or poultry consumed daily or several times weekly	0.574 P=918	0.010 [0.049] N=1,602	0.008 [0.052] N=1,478	-0.009 [0.056] N=1,333	-0.008 [0.063] N=1,133	-0.016 [0.071] N=929
Legumes consumed daily or several times weekly	0.568 P=903	0.018 [0.049] N=1,602	0.029 [0.051] N=1,478	0.042 [0.052] N=1,333	0.082 [0.058] N=1,133	0.078 [0.064] N=929
Animal products consumed daily or several times weekly	0.855 P=1,367	**0.062* [0.037] N=1,602**	0.055 [0.039] N=1,478	0.039 [0.041] N=1,333	0.052 [0.044] N=1,133	0.029 [0.048] N=929
Sweets consumed daily or several times weekly	0.503 P=804	-0.047 [0.047] N=1,602	-0.062 [0.047] N=1,478	-0.053 [0.049] N=1,333	-0.040 [0.050] N=1,133	-0.006 [0.059] N=929
Snack foods consumed daily or several times weekly	0.373 P=590	0.043 [0.045] N=1,602	0.015 [0.047] N=1,478	0.027 [0.050] N=1,333	0.055 [0.052] N=1,133	0.056 [0.057] N=929
Packaged soft drinks consumed daily or several times weekly	0.210 P=327	0.014 [0.043] N=1,602	0.020 [0.046] N=1,478	0.017 [0.050] N=1,333	0.016 [0.054] N=1,133	-0.013 [0.061] N=929
Grains consumed daily or several times weekly	0.828 P=1,322	0.038 [0.042] N=1,602	0.059 [0.043] N=1,478	0.033 [0.045] N=1,333	0.036 [0.049] N=1,133	0.016 [0.057] N=929

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.026 [0.053] N=1,363	0.048 [0.056] N=1,239	0.084 [0.064] N=1,094	0.076 [0.080] N=894	0.105 [0.109] N=690
Vegetables consumed daily or several times weekly	0.044 [0.064] N=1,363	0.048 [0.069] N=1,239	0.046 [0.074] N=1,094	0.010 [0.089] N=894	-0.081 [0.111] N=690
Meat fish or poultry consumed daily or several times weekly	-0.012 [0.063] N=1,363	-0.025 [0.069] N=1,239	-0.056 [0.077] N=1,094	-0.088 [0.097] N=894	-0.143 [0.128] N=690
Legumes consumed daily or several times weekly	-0.010 [0.072] N=1,363	0.007 [0.078] N=1,239	0.029 [0.083] N=1,094	0.122 [0.104] N=894	0.148 [0.142] N=690
Animal products consumed daily or several times weekly	0.080 [0.055] N=1,363	0.072 [0.060] N=1,239	0.039 [0.069] N=1,094	0.087 [0.080] N=894	0.040 [0.100] N=690
Sweets consumed daily or several times weekly	-0.064 [0.064] N=1,363	-0.093 [0.067] N=1,239	-0.081 [0.074] N=1,094	-0.051 [0.080] N=894	0.047 [0.113] N=690
Snack foods consumed daily or several times weekly	0.020 [0.063] N=1,363	-0.034 [0.067] N=1,239	-0.020 [0.076] N=1,094	0.034 [0.091] N=894	0.001 [0.108] N=690
Packaged soft drinks consumed daily or several times weekly	0.022 [0.050] N=1,363	0.031 [0.054] N=1,239	0.033 [0.061] N=1,094	0.042 [0.074] N=894	-0.043 [0.092] N=690
Grains consumed daily or several times weekly	0.094 [0.066] N=1,363	**0.149** [0.072] N=1,239**	0.108 [0.081] N=1,094	0.135 [0.099] N=894	0.141 [0.143] N=690

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,345	-0.011 [0.035] N=1,602	-0.004 [0.036] N=1,478	0.007 [0.038] N=1,333	-0.004 [0.039] N=1,133	-0.012 [0.042] N=929
Vegetables consumed daily or several times weekly	0.765 P=1,229	0.012 [0.045] N=1,602	0.014 [0.047] N=1,478	0.006 [0.049] N=1,333	-0.014 [0.052] N=1,133	-0.051 [0.056] N=929
Meat fish or poultry consumed daily or several times weekly	0.574 P=918	0.005 [0.049] N=1,602	0.002 [0.051] N=1,478	-0.016 [0.055] N=1,333	-0.015 [0.063] N=1,133	-0.026 [0.070] N=929
Legumes consumed daily or several times weekly	0.568 P=903	0.021 [0.049] N=1,602	0.033 [0.050] N=1,478	0.045 [0.051] N=1,333	0.084 [0.058] N=1,133	0.078 [0.064] N=929
Animal products consumed daily or several times weekly	0.855 P=1,367	0.061 [0.038] N=1,602	0.057 [0.040] N=1,478	0.040 [0.042] N=1,333	0.050 [0.045] N=1,133	0.028 [0.048] N=929
Sweets consumed daily or several times weekly	0.503 P=804	-0.046 [0.047] N=1,602	-0.062 [0.047] N=1,478	-0.054 [0.050] N=1,333	-0.038 [0.050] N=1,133	-0.006 [0.059] N=929
Snack foods consumed daily or several times weekly	0.373 P=590	0.045 [0.045] N=1,602	0.018 [0.047] N=1,478	0.028 [0.050] N=1,333	0.059 [0.052] N=1,133	0.057 [0.056] N=929
Packaged soft drinks consumed daily or several times weekly	0.210 P=327	0.017 [0.043] N=1,602	0.022 [0.045] N=1,478	0.020 [0.049] N=1,333	0.019 [0.053] N=1,133	-0.010 [0.059] N=929
Grains consumed daily or several times weekly	0.828 P=1,322	0.043 [0.042] N=1,602	0.066 [0.043] N=1,478	0.040 [0.045] N=1,333	0.043 [0.049] N=1,133	0.024 [0.056] N=929

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.024 [0.052] N=1,363	0.044 [0.056] N=1,239	0.079 [0.062] N=1,094	0.072 [0.079] N=894	0.088 [0.108] N=690
Vegetables consumed daily or several times weekly	0.042 [0.064] N=1,363	0.049 [0.069] N=1,239	0.043 [0.075] N=1,094	-0.001 [0.090] N=894	-0.111 [0.113] N=690
Meat fish or poultry consumed daily or several times weekly	-0.016 [0.065] N=1,363	-0.028 [0.070] N=1,239	-0.063 [0.078] N=1,094	-0.101 [0.098] N=894	-0.175 [0.128] N=690
Legumes consumed daily or several times weekly	-0.010 [0.072] N=1,363	0.007 [0.079] N=1,239	0.028 [0.084] N=1,094	0.119 [0.106] N=894	0.130 [0.145] N=690
Animal products consumed daily or several times weekly	0.081 [0.056] N=1,363	0.077 [0.062] N=1,239	0.042 [0.070] N=1,094	0.080 [0.083] N=894	0.023 [0.106] N=690
Sweets consumed daily or several times weekly	-0.058 [0.064] N=1,363	-0.090 [0.066] N=1,239	-0.082 [0.073] N=1,094	-0.048 [0.080] N=894	0.043 [0.114] N=690
Snack foods consumed daily or several times weekly	0.026 [0.063] N=1,363	-0.033 [0.067] N=1,239	-0.020 [0.076] N=1,094	0.041 [0.091] N=894	0.016 [0.108] N=690
Packaged soft drinks consumed daily or several times weekly	0.028 [0.050] N=1,363	0.036 [0.055] N=1,239	0.038 [0.062] N=1,094	0.048 [0.074] N=894	-0.026 [0.092] N=690
Grains consumed daily or several times weekly	0.095 [0.066] N=1,363	**0.151** [0.071] N=1,239**	0.110 [0.081] N=1,094	0.137 [0.099] N=894	0.133 [0.142] N=690

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.837 P=1,244	0.000 [0.037] N=1,487	0.005 [0.039] N=1,378	0.020 [0.041] N=1,241	0.010 [0.043] N=1,059	-0.007 [0.046] N=868
Vegetables consumed daily or several times weekly	0.763 P=1,139	0.013 [0.047] N=1,487	0.013 [0.049] N=1,378	0.010 [0.051] N=1,241	-0.006 [0.054] N=1,059	-0.049 [0.059] N=868
Meat fish or poultry consumed daily or several times weekly	0.576 P=853	0.047 [0.050] N=1,487	0.047 [0.051] N=1,378	0.026 [0.055] N=1,241	0.007 [0.062] N=1,059	-0.019 [0.067] N=868
Legumes consumed daily or several times weekly	0.564 P=832	0.040 [0.049] N=1,487	0.045 [0.051] N=1,378	0.063 [0.052] N=1,241	**0.099* [0.059] N=1,059**	0.081 [0.065] N=868
Animal products consumed daily or several times weekly	0.857 P=1,274	**0.075* [0.038] N=1,487**	**0.067* [0.039] N=1,378**	0.050 [0.040] N=1,241	0.047 [0.043] N=1,059	0.018 [0.046] N=868
Sweets consumed daily or several times weekly	0.506 P=750	-0.031 [0.048] N=1,487	-0.047 [0.049] N=1,378	-0.038 [0.051] N=1,241	-0.030 [0.052] N=1,059	0.001 [0.061] N=868
Snack foods consumed daily or several times weekly	0.376 P=552	0.043 [0.048] N=1,487	0.024 [0.051] N=1,378	0.046 [0.054] N=1,241	0.064 [0.057] N=1,059	0.072 [0.062] N=868
Packaged soft drinks consumed daily or several times weekly	0.214 P=310	0.032 [0.044] N=1,487	0.036 [0.046] N=1,378	0.039 [0.050] N=1,241	0.030 [0.054] N=1,059	0.008 [0.061] N=868
Grains consumed daily or several times weekly	0.827 P=1,225	0.043 [0.043] N=1,487	0.060 [0.044] N=1,378	0.030 [0.046] N=1,241	0.032 [0.049] N=1,059	0.002 [0.057] N=868

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.045 [0.052] N=1,263	0.063 [0.056] N=1,154	0.096 [0.063] N=1,017	0.087 [0.076] N=835	0.099 [0.099] N=644
Vegetables consumed daily or several times weekly	0.054 [0.067] N=1,263	0.062 [0.073] N=1,154	0.058 [0.078] N=1,017	0.027 [0.092] N=835	-0.069 [0.114] N=644
Meat fish or poultry consumed daily or several times weekly	0.054 [0.069] N=1,263	0.052 [0.074] N=1,154	0.022 [0.083] N=1,017	-0.042 [0.101] N=835	-0.123 [0.126] N=644
Legumes consumed daily or several times weekly	0.028 [0.074] N=1,263	0.038 [0.081] N=1,154	0.074 [0.087] N=1,017	0.170 [0.105] N=835	0.183 [0.143] N=644
Animal products consumed daily or several times weekly	**0.111* [0.060] N=1,263**	0.104 [0.065] N=1,154	0.071 [0.073] N=1,017	0.087 [0.084] N=835	0.033 [0.108] N=644
Sweets consumed daily or several times weekly	-0.046 [0.067] N=1,263	-0.074 [0.071] N=1,154	-0.072 [0.078] N=1,017	-0.059 [0.086] N=835	0.006 [0.123] N=644
Snack foods consumed daily or several times weekly	0.017 [0.068] N=1,263	-0.020 [0.074] N=1,154	0.006 [0.083] N=1,017	0.046 [0.096] N=835	0.019 [0.119] N=644
Packaged soft drinks consumed daily or several times weekly	0.042 [0.053] N=1,263	0.053 [0.056] N=1,154	0.061 [0.064] N=1,017	0.058 [0.074] N=835	-0.002 [0.094] N=644
Grains consumed daily or several times weekly	**0.113* [0.068] N=1,263**	**0.160** [0.073] N=1,154**	0.111 [0.081] N=1,017	0.141 [0.099] N=835	0.134 [0.143] N=644

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.837 P=1,244	-0.003 [0.037] N=1,487	0.003 [0.038] N=1,378	0.018 [0.040] N=1,241	0.006 [0.042] N=1,059	-0.012 [0.045] N=868
Vegetables consumed daily or several times weekly	0.763 P=1,139	0.010 [0.047] N=1,487	0.011 [0.048] N=1,378	0.007 [0.051] N=1,241	-0.008 [0.053] N=1,059	-0.051 [0.058] N=868
Meat fish or poultry consumed daily or several times weekly	0.576 P=853	0.048 [0.050] N=1,487	0.048 [0.052] N=1,378	0.030 [0.056] N=1,241	0.011 [0.062] N=1,059	-0.010 [0.068] N=868
Legumes consumed daily or several times weekly	0.564 P=832	0.037 [0.049] N=1,487	0.042 [0.051] N=1,378	0.060 [0.052] N=1,241	0.096 [0.058] N=1,059	0.079 [0.064] N=868
Animal products consumed daily or several times weekly	0.857 P=1,274	**0.073* [0.038] N=1,487**	**0.066* [0.039] N=1,378**	0.049 [0.040] N=1,241	0.047 [0.043] N=1,059	0.022 [0.046] N=868
Sweets consumed daily or several times weekly	0.506 P=750	-0.031 [0.048] N=1,487	-0.047 [0.049] N=1,378	-0.037 [0.051] N=1,241	-0.031 [0.051] N=1,059	-0.003 [0.060] N=868
Snack foods consumed daily or several times weekly	0.376 P=552	0.040 [0.048] N=1,487	0.021 [0.050] N=1,378	0.042 [0.054] N=1,241	0.058 [0.056] N=1,059	0.058 [0.061] N=868
Packaged soft drinks consumed daily or several times weekly	0.214 P=310	0.028 [0.045] N=1,487	0.032 [0.047] N=1,378	0.035 [0.052] N=1,241	0.023 [0.056] N=1,059	-0.004 [0.063] N=868
Grains consumed daily or several times weekly	0.827 P=1,225	0.042 [0.043] N=1,487	0.059 [0.044] N=1,378	0.028 [0.046] N=1,241	0.027 [0.049] N=1,059	-0.006 [0.056] N=868

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.040 [0.052] N=1,263	0.059 [0.056] N=1,154	0.098 [0.063] N=1,017	0.089 [0.076] N=835	0.094 [0.098] N=644
Vegetables consumed daily or several times weekly	0.049 [0.066] N=1,263	0.057 [0.071] N=1,154	0.058 [0.077] N=1,017	0.027 [0.090] N=835	-0.067 [0.111] N=644
Meat fish or poultry consumed daily or several times weekly	0.048 [0.068] N=1,263	0.047 [0.073] N=1,154	0.019 [0.081] N=1,017	-0.045 [0.099] N=835	-0.118 [0.122] N=644
Legumes consumed daily or several times weekly	0.026 [0.074] N=1,263	0.036 [0.080] N=1,154	0.072 [0.086] N=1,017	0.167 [0.105] N=835	0.179 [0.142] N=644
Animal products consumed daily or several times weekly	**0.105* [0.060] N=1,263**	0.099 [0.065] N=1,154	0.068 [0.072] N=1,017	0.083 [0.084] N=835	0.033 [0.108] N=644
Sweets consumed daily or several times weekly	-0.056 [0.067] N=1,263	-0.087 [0.071] N=1,154	-0.078 [0.078] N=1,017	-0.058 [0.085] N=835	0.015 [0.122] N=644
Snack foods consumed daily or several times weekly	0.011 [0.068] N=1,263	-0.028 [0.073] N=1,154	0.004 [0.083] N=1,017	0.047 [0.097] N=835	0.016 [0.119] N=644
Packaged soft drinks consumed daily or several times weekly	0.038 [0.053] N=1,263	0.048 [0.056] N=1,154	0.060 [0.064] N=1,017	0.057 [0.075] N=835	-0.009 [0.092] N=644
Grains consumed daily or several times weekly	0.111 [0.068] N=1,263	**0.160** [0.073] N=1,154**	0.116 [0.082] N=1,017	0.144 [0.100] N=835	0.129 [0.144] N=644

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,210	0.026 [0.045] N=1,427	0.031 [0.047] N=1,293	0.043 [0.052] N=1,132	0.042 [0.056] N=950	0.055 [0.066] N=768
Vegetables consumed daily or several times weekly	0.768 P=1,101	0.003 [0.055] N=1,427	0.023 [0.058] N=1,293	0.043 [0.064] N=1,132	0.046 [0.071] N=950	0.063 [0.081] N=768
Meat fish or poultry consumed daily or several times weekly	0.570 P=819	0.065 [0.057] N=1,427	0.065 [0.061] N=1,293	0.058 [0.065] N=1,132	0.085 [0.074] N=950	0.078 [0.084] N=768
Legumes consumed daily or several times weekly	0.574 P=816	0.009 [0.065] N=1,427	0.017 [0.068] N=1,293	0.000 [0.071] N=1,132	-0.046 [0.078] N=950	-0.030 [0.092] N=768
Animal products consumed daily or several times weekly	0.855 P=1,219	0.032 [0.037] N=1,427	0.035 [0.039] N=1,293	0.045 [0.041] N=1,132	0.030 [0.043] N=950	0.051 [0.048] N=768
Sweets consumed daily or several times weekly	0.515 P=736	-0.051 [0.056] N=1,427	-0.066 [0.058] N=1,293	-0.034 [0.064] N=1,132	-0.056 [0.069] N=950	-0.112 [0.075] N=768
Snack foods consumed daily or several times weekly	0.387 P=544	-0.019 [0.050] N=1,427	-0.041 [0.052] N=1,293	-0.043 [0.055] N=1,132	-0.041 [0.059] N=950	**-0.123* [0.063] N=768**
Packaged soft drinks consumed daily or several times weekly	0.209 P=291	0.017 [0.040] N=1,427	0.006 [0.042] N=1,293	0.040 [0.043] N=1,132	0.035 [0.049] N=950	-0.035 [0.054] N=768
Grains consumed daily or several times weekly	0.828 P=1,180	**0.102** [0.050] N=1,427**	**0.102** [0.051] N=1,293**	**0.108* [0.055] N=1,132**	0.099 [0.062] N=950	0.065 [0.069] N=768

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.013 [0.063] N=1,236	-0.013 [0.067] N=1,102	-0.004 [0.080] N=941	0.002 [0.086] N=759	0.023 [0.119] N=577
Vegetables consumed daily or several times weekly	-0.046 [0.070] N=1,236	-0.024 [0.077] N=1,102	-0.004 [0.092] N=941	0.007 [0.099] N=759	0.033 [0.135] N=577
Meat fish or poultry consumed daily or several times weekly	0.020 [0.069] N=1,236	0.015 [0.074] N=1,102	-0.022 [0.082] N=941	0.005 [0.094] N=759	-0.046 [0.116] N=577
Legumes consumed daily or several times weekly	0.095 [0.084] N=1,236	0.111 [0.089] N=1,102	0.104 [0.097] N=941	0.051 [0.110] N=759	0.156 [0.133] N=577
Animal products consumed daily or several times weekly	0.006 [0.053] N=1,236	0.012 [0.058] N=1,102	0.026 [0.061] N=941	-0.001 [0.066] N=759	0.035 [0.077] N=577
Sweets consumed daily or several times weekly	0.005 [0.074] N=1,236	-0.013 [0.078] N=1,102	0.066 [0.086] N=941	0.057 [0.099] N=759	-0.037 [0.123] N=577
Snack foods consumed daily or several times weekly	0.042 [0.067] N=1,236	0.013 [0.073] N=1,102	0.023 [0.081] N=941	0.064 [0.095] N=759	-0.096 [0.119] N=577
Packaged soft drinks consumed daily or several times weekly	-0.015 [0.064] N=1,236	-0.036 [0.069] N=1,102	0.017 [0.076] N=941	0.004 [0.095] N=759	**-0.209* [0.115] N=577**
Grains consumed daily or several times weekly	0.084 [0.059] N=1,236	0.078 [0.061] N=1,102	0.081 [0.066] N=941	0.046 [0.081] N=759	-0.099 [0.098] N=577

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,210	0.028 [0.045] N=1,427	0.033 [0.047] N=1,293	0.045 [0.051] N=1,132	0.042 [0.056] N=950	0.055 [0.066] N=768
Vegetables consumed daily or several times weekly	0.768 P=1,101	0.004 [0.055] N=1,427	0.024 [0.058] N=1,293	0.045 [0.064] N=1,132	0.046 [0.070] N=950	0.063 [0.081] N=768
Meat fish or poultry consumed daily or several times weekly	0.570 P=819	0.067 [0.057] N=1,427	0.068 [0.061] N=1,293	0.061 [0.065] N=1,132	0.085 [0.074] N=950	0.078 [0.084] N=768
Legumes consumed daily or several times weekly	0.574 P=816	0.010 [0.065] N=1,427	0.018 [0.068] N=1,293	0.001 [0.071] N=1,132	-0.046 [0.078] N=950	-0.030 [0.092] N=768
Animal products consumed daily or several times weekly	0.855 P=1,219	0.035 [0.036] N=1,427	0.038 [0.038] N=1,293	0.048 [0.040] N=1,132	0.030 [0.042] N=950	0.051 [0.048] N=768
Sweets consumed daily or several times weekly	0.515 P=736	-0.049 [0.056] N=1,427	-0.063 [0.058] N=1,293	-0.031 [0.064] N=1,132	-0.056 [0.068] N=950	-0.112 [0.074] N=768
Snack foods consumed daily or several times weekly	0.387 P=544	-0.017 [0.050] N=1,427	-0.038 [0.052] N=1,293	-0.041 [0.055] N=1,132	-0.041 [0.059] N=950	**-0.123* [0.063] N=768**
Packaged soft drinks consumed daily or several times weekly	0.209 P=291	0.018 [0.040] N=1,427	0.007 [0.041] N=1,293	0.042 [0.043] N=1,132	0.035 [0.049] N=950	-0.035 [0.053] N=768
Grains consumed daily or several times weekly	0.828 P=1,180	**0.102** [0.050] N=1,427**	**0.102** [0.051] N=1,293**	**0.108* [0.055] N=1,132**	0.099 [0.062] N=950	0.066 [0.070] N=768

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.010 [0.063] N=1,236	-0.009 [0.067] N=1,102	0.001 [0.080] N=941	0.004 [0.086] N=759	0.028 [0.120] N=577
Vegetables consumed daily or several times weekly	-0.044 [0.069] N=1,236	-0.021 [0.076] N=1,102	0.001 [0.091] N=941	0.011 [0.098] N=759	0.042 [0.136] N=577
Meat fish or poultry consumed daily or several times weekly	0.024 [0.068] N=1,236	0.022 [0.073] N=1,102	-0.014 [0.080] N=941	0.010 [0.093] N=759	-0.039 [0.115] N=577
Legumes consumed daily or several times weekly	0.099 [0.084] N=1,236	0.115 [0.089] N=1,102	0.108 [0.097] N=941	0.054 [0.110] N=759	0.159 [0.133] N=577
Animal products consumed daily or several times weekly	0.013 [0.051] N=1,236	0.020 [0.057] N=1,102	0.034 [0.059] N=941	0.005 [0.064] N=759	0.047 [0.075] N=577
Sweets consumed daily or several times weekly	0.009 [0.075] N=1,236	-0.007 [0.079] N=1,102	0.072 [0.086] N=941	0.059 [0.100] N=759	-0.031 [0.124] N=577
Snack foods consumed daily or several times weekly	0.047 [0.067] N=1,236	0.019 [0.073] N=1,102	0.028 [0.080] N=941	0.065 [0.094] N=759	-0.093 [0.119] N=577
Packaged soft drinks consumed daily or several times weekly	-0.013 [0.064] N=1,236	-0.035 [0.069] N=1,102	0.020 [0.076] N=941	0.006 [0.096] N=759	**-0.205* [0.115] N=577**
Grains consumed daily or several times weekly	0.085 [0.059] N=1,236	0.078 [0.061] N=1,102	0.079 [0.066] N=941	0.040 [0.081] N=759	-0.106 [0.098] N=577

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,210	0.020 [0.042] N=1,427	0.027 [0.044] N=1,293	0.046 [0.048] N=1,132	0.042 [0.053] N=950	0.052 [0.062] N=768
Vegetables consumed daily or several times weekly	0.768 P=1,101	-0.002 [0.054] N=1,427	0.020 [0.056] N=1,293	0.045 [0.062] N=1,132	0.046 [0.068] N=950	0.062 [0.078] N=768
Meat fish or poultry consumed daily or several times weekly	0.570 P=819	0.055 [0.056] N=1,427	0.060 [0.059] N=1,293	0.062 [0.062] N=1,132	0.086 [0.069] N=950	0.076 [0.078] N=768
Legumes consumed daily or several times weekly	0.574 P=816	0.003 [0.065] N=1,427	0.014 [0.067] N=1,293	0.002 [0.071] N=1,132	-0.045 [0.076] N=950	-0.031 [0.090] N=768
Animal products consumed daily or several times weekly	0.855 P=1,219	0.031 [0.036] N=1,427	0.036 [0.038] N=1,293	0.049 [0.040] N=1,132	0.030 [0.042] N=950	0.050 [0.046] N=768
Sweets consumed daily or several times weekly	0.515 P=736	-0.050 [0.056] N=1,427	-0.064 [0.058] N=1,293	-0.031 [0.063] N=1,132	-0.057 [0.068] N=950	-0.116 [0.073] N=768
Snack foods consumed daily or several times weekly	0.387 P=544	-0.014 [0.049] N=1,427	-0.037 [0.052] N=1,293	-0.041 [0.055] N=1,132	-0.043 [0.058] N=950	**-0.126** [0.062] N=768**
Packaged soft drinks consumed daily or several times weekly	0.209 P=291	0.023 [0.040] N=1,427	0.010 [0.042] N=1,293	0.041 [0.043] N=1,132	0.033 [0.048] N=950	-0.038 [0.052] N=768
Grains consumed daily or several times weekly	0.828 P=1,180	**0.100** [0.050] N=1,427**	**0.100* [0.051] N=1,293**	**0.108* [0.055] N=1,132**	0.097 [0.062] N=950	0.064 [0.069] N=768

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.014 [0.062] N=1,236	-0.011 [0.066] N=1,102	0.012 [0.078] N=941	0.010 [0.090] N=759	0.036 [0.123] N=577
Vegetables consumed daily or several times weekly	-0.046 [0.069] N=1,236	-0.021 [0.076] N=1,102	0.014 [0.090] N=941	0.024 [0.100] N=759	0.057 [0.138] N=577
Meat fish or poultry consumed daily or several times weekly	0.016 [0.067] N=1,236	0.017 [0.072] N=1,102	-0.000 [0.078] N=941	0.020 [0.091] N=759	-0.028 [0.106] N=577
Legumes consumed daily or several times weekly	0.090 [0.085] N=1,236	0.107 [0.090] N=1,102	0.107 [0.099] N=941	0.054 [0.110] N=759	0.157 [0.132] N=577
Animal products consumed daily or several times weekly	0.009 [0.051] N=1,236	0.017 [0.056] N=1,102	0.038 [0.060] N=941	0.005 [0.067] N=759	0.046 [0.076] N=577
Sweets consumed daily or several times weekly	0.009 [0.075] N=1,236	-0.008 [0.079] N=1,102	0.073 [0.086] N=941	0.059 [0.100] N=759	-0.029 [0.123] N=577
Snack foods consumed daily or several times weekly	0.054 [0.067] N=1,236	0.021 [0.073] N=1,102	0.025 [0.081] N=941	0.061 [0.093] N=759	-0.094 [0.119] N=577
Packaged soft drinks consumed daily or several times weekly	-0.010 [0.064] N=1,236	-0.034 [0.068] N=1,102	0.014 [0.076] N=941	-0.001 [0.094] N=759	**-0.205* [0.112] N=577**
Grains consumed daily or several times weekly	0.082 [0.059] N=1,236	0.075 [0.061] N=1,102	0.080 [0.066] N=941	0.034 [0.082] N=759	-0.111 [0.100] N=577

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,210	0.024 [0.043] N=1,427	0.032 [0.045] N=1,293	0.046 [0.050] N=1,132	0.035 [0.055] N=950	0.045 [0.063] N=768
Vegetables consumed daily or several times weekly	0.768 P=1,101	-0.003 [0.055] N=1,427	0.020 [0.057] N=1,293	0.043 [0.063] N=1,132	0.039 [0.069] N=950	0.055 [0.079] N=768
Meat fish or poultry consumed daily or several times weekly	0.570 P=819	0.059 [0.054] N=1,427	0.067 [0.057] N=1,293	0.063 [0.060] N=1,132	0.080 [0.068] N=950	0.066 [0.076] N=768
Legumes consumed daily or several times weekly	0.574 P=816	0.004 [0.066] N=1,427	0.014 [0.068] N=1,293	-0.002 [0.072] N=1,132	-0.051 [0.077] N=950	-0.033 [0.090] N=768
Animal products consumed daily or several times weekly	0.855 P=1,219	0.038 [0.036] N=1,427	0.042 [0.038] N=1,293	0.055 [0.040] N=1,132	0.032 [0.043] N=950	0.052 [0.047] N=768
Sweets consumed daily or several times weekly	0.515 P=736	-0.042 [0.057] N=1,427	-0.057 [0.059] N=1,293	-0.026 [0.064] N=1,132	-0.054 [0.069] N=950	-0.107 [0.075] N=768
Snack foods consumed daily or several times weekly	0.387 P=544	-0.006 [0.050] N=1,427	-0.029 [0.052] N=1,293	-0.035 [0.055] N=1,132	-0.034 [0.058] N=950	**-0.113* [0.063] N=768**
Packaged soft drinks consumed daily or several times weekly	0.209 P=291	0.032 [0.040] N=1,427	0.018 [0.042] N=1,293	0.050 [0.043] N=1,132	0.046 [0.049] N=950	-0.020 [0.054] N=768
Grains consumed daily or several times weekly	0.828 P=1,180	**0.101** [0.050] N=1,427**	**0.100* [0.052] N=1,293**	**0.105* [0.056] N=1,132**	0.095 [0.063] N=950	0.065 [0.071] N=768

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.008 [0.063] N=1,236	-0.007 [0.068] N=1,102	0.014 [0.083] N=941	-0.004 [0.096] N=759	0.003 [0.127] N=577
Vegetables consumed daily or several times weekly	-0.050 [0.069] N=1,236	-0.022 [0.076] N=1,102	0.006 [0.093] N=941	0.003 [0.102] N=759	0.026 [0.139] N=577
Meat fish or poultry consumed daily or several times weekly	0.025 [0.066] N=1,236	0.032 [0.071] N=1,102	0.005 [0.078] N=941	0.013 [0.094] N=759	-0.065 [0.106] N=577
Legumes consumed daily or several times weekly	0.093 [0.085] N=1,236	0.109 [0.090] N=1,102	0.105 [0.098] N=941	0.046 [0.111] N=759	0.144 [0.131] N=577
Animal products consumed daily or several times weekly	0.014 [0.050] N=1,236	0.022 [0.055] N=1,102	0.039 [0.057] N=941	0.001 [0.065] N=759	0.041 [0.076] N=577
Sweets consumed daily or several times weekly	0.017 [0.074] N=1,236	-0.002 [0.078] N=1,102	0.078 [0.084] N=941	0.055 [0.098] N=759	-0.033 [0.117] N=577
Snack foods consumed daily or several times weekly	0.060 [0.068] N=1,236	0.028 [0.074] N=1,102	0.033 [0.080] N=941	0.068 [0.093] N=759	-0.083 [0.117] N=577
Packaged soft drinks consumed daily or several times weekly	-0.001 [0.064] N=1,236	-0.026 [0.068] N=1,102	0.024 [0.076] N=941	0.013 [0.093] N=759	-0.185 [0.116] N=577
Grains consumed daily or several times weekly	0.080 [0.058] N=1,236	0.069 [0.061] N=1,102	0.068 [0.067] N=941	0.019 [0.083] N=759	-0.126 [0.103] N=577

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=1,120	0.030 [0.045] N=1,324	0.040 [0.048] N=1,198	0.064 [0.052] N=1,054	0.050 [0.056] N=885	0.055 [0.065] N=718
Vegetables consumed daily or several times weekly	0.768 P=1,022	0.003 [0.057] N=1,324	0.025 [0.060] N=1,198	0.049 [0.065] N=1,054	0.034 [0.071] N=885	0.036 [0.083] N=718
Meat fish or poultry consumed daily or several times weekly	0.572 P=761	0.063 [0.060] N=1,324	0.061 [0.064] N=1,198	0.069 [0.068] N=1,054	0.072 [0.078] N=885	0.061 [0.089] N=718
Legumes consumed daily or several times weekly	0.572 P=756	0.012 [0.065] N=1,324	0.024 [0.068] N=1,198	0.003 [0.072] N=1,054	-0.062 [0.079] N=885	-0.056 [0.092] N=718
Animal products consumed daily or several times weekly	0.857 P=1,135	0.046 [0.038] N=1,324	0.050 [0.041] N=1,198	0.062 [0.042] N=1,054	0.028 [0.044] N=885	0.051 [0.049] N=718
Sweets consumed daily or several times weekly	0.522 P=691	-0.054 [0.058] N=1,324	-0.073 [0.061] N=1,198	-0.042 [0.066] N=1,054	-0.077 [0.073] N=885	**-0.134* [0.080] N=718**
Snack foods consumed daily or several times weekly	0.393 P=513	-0.033 [0.051] N=1,324	-0.061 [0.054] N=1,198	-0.068 [0.056] N=1,054	-0.067 [0.059] N=885	**-0.146** [0.064] N=718**
Packaged soft drinks consumed daily or several times weekly	0.216 P=280	0.004 [0.042] N=1,324	-0.012 [0.044] N=1,198	0.021 [0.045] N=1,054	0.017 [0.052] N=885	-0.054 [0.057] N=718
Grains consumed daily or several times weekly	0.826 P=1,093	**0.114** [0.051] N=1,324**	**0.110** [0.052] N=1,198**	**0.111** [0.056] N=1,054**	0.098 [0.064] N=885	0.059 [0.071] N=718

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.006 [0.067] N=1,143	0.016 [0.071] N=1,017	0.050 [0.082] N=873	0.033 [0.090] N=704	0.028 [0.119] N=537
Vegetables consumed daily or several times weekly	-0.032 [0.072] N=1,143	-0.002 [0.079] N=1,017	0.026 [0.091] N=873	0.002 [0.099] N=704	-0.030 [0.136] N=537
Meat fish or poultry consumed daily or several times weekly	0.030 [0.074] N=1,143	0.027 [0.080] N=1,017	0.018 [0.088] N=873	0.004 [0.102] N=704	-0.071 [0.133] N=537
Legumes consumed daily or several times weekly	0.118 [0.085] N=1,143	0.145 [0.090] N=1,017	0.142 [0.099] N=873	0.067 [0.113] N=704	0.148 [0.139] N=537
Animal products consumed daily or several times weekly	0.033 [0.057] N=1,143	0.046 [0.063] N=1,017	0.067 [0.063] N=873	0.008 [0.071] N=704	0.046 [0.084] N=537
Sweets consumed daily or several times weekly	0.014 [0.078] N=1,143	-0.008 [0.084] N=1,017	0.065 [0.090] N=873	0.035 [0.107] N=704	-0.065 [0.136] N=537
Snack foods consumed daily or several times weekly	0.025 [0.071] N=1,143	-0.014 [0.079] N=1,017	-0.022 [0.087] N=873	0.007 [0.104] N=704	-0.159 [0.128] N=537
Packaged soft drinks consumed daily or several times weekly	-0.041 [0.067] N=1,143	-0.070 [0.072] N=1,017	-0.024 [0.080] N=873	-0.042 [0.100] N=704	**-0.278** [0.116] N=537**
Grains consumed daily or several times weekly	**0.110* [0.061] N=1,143**	0.101 [0.064] N=1,017	0.098 [0.070] N=873	0.053 [0.086] N=704	-0.096 [0.111] N=537

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=1,120	0.032 [0.045] N=1,324	0.041 [0.048] N=1,198	0.063 [0.052] N=1,054	0.049 [0.056] N=885	0.053 [0.065] N=718
Vegetables consumed daily or several times weekly	0.768 P=1,022	0.004 [0.057] N=1,324	0.025 [0.060] N=1,198	0.051 [0.065] N=1,054	0.035 [0.072] N=885	0.035 [0.084] N=718
Meat fish or poultry consumed daily or several times weekly	0.572 P=761	0.064 [0.059] N=1,324	0.064 [0.063] N=1,198	0.070 [0.067] N=1,054	0.073 [0.076] N=885	0.060 [0.086] N=718
Legumes consumed daily or several times weekly	0.572 P=756	0.009 [0.066] N=1,324	0.022 [0.069] N=1,198	-0.000 [0.073] N=1,054	-0.070 [0.079] N=885	-0.064 [0.094] N=718
Animal products consumed daily or several times weekly	0.857 P=1,135	0.046 [0.038] N=1,324	0.050 [0.040] N=1,198	0.062 [0.042] N=1,054	0.029 [0.043] N=885	0.052 [0.049] N=718
Sweets consumed daily or several times weekly	0.522 P=691	-0.056 [0.059] N=1,324	-0.074 [0.061] N=1,198	-0.044 [0.068] N=1,054	-0.080 [0.075] N=885	**-0.138* [0.083] N=718**
Snack foods consumed daily or several times weekly	0.393 P=513	-0.032 [0.051] N=1,324	-0.061 [0.053] N=1,198	-0.067 [0.056] N=1,054	-0.068 [0.060] N=885	**-0.148** [0.064] N=718**
Packaged soft drinks consumed daily or several times weekly	0.216 P=280	0.003 [0.042] N=1,324	-0.013 [0.043] N=1,198	0.020 [0.044] N=1,054	0.013 [0.051] N=885	-0.059 [0.057] N=718
Grains consumed daily or several times weekly	0.826 P=1,093	**0.113** [0.051] N=1,324**	**0.109** [0.052] N=1,198**	**0.111** [0.056] N=1,054**	0.098 [0.063] N=885	0.060 [0.071] N=718

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.005 [0.067] N=1,143	0.015 [0.071] N=1,017	0.046 [0.082] N=873	0.026 [0.089] N=704	0.025 [0.120] N=537
Vegetables consumed daily or several times weekly	-0.029 [0.071] N=1,143	-0.002 [0.078] N=1,017	0.030 [0.090] N=873	0.005 [0.098] N=704	-0.013 [0.135] N=537
Meat fish or poultry consumed daily or several times weekly	0.031 [0.074] N=1,143	0.031 [0.080] N=1,017	0.021 [0.087] N=873	0.006 [0.101] N=704	-0.065 [0.132] N=537
Legumes consumed daily or several times weekly	0.117 [0.087] N=1,143	0.148 [0.091] N=1,017	0.143 [0.100] N=873	0.056 [0.114] N=704	0.152 [0.142] N=537
Animal products consumed daily or several times weekly	0.034 [0.057] N=1,143	0.047 [0.063] N=1,017	0.070 [0.063] N=873	0.013 [0.070] N=704	0.057 [0.083] N=537
Sweets consumed daily or several times weekly	0.015 [0.078] N=1,143	-0.007 [0.084] N=1,017	0.067 [0.090] N=873	0.038 [0.107] N=704	-0.063 [0.135] N=537
Snack foods consumed daily or several times weekly	0.025 [0.072] N=1,143	-0.017 [0.079] N=1,017	-0.024 [0.087] N=873	0.010 [0.102] N=704	-0.164 [0.128] N=537
Packaged soft drinks consumed daily or several times weekly	-0.042 [0.068] N=1,143	-0.073 [0.073] N=1,017	-0.025 [0.080] N=873	-0.043 [0.100] N=704	**-0.279** [0.121] N=537**
Grains consumed daily or several times weekly	**0.109* [0.061] N=1,143**	0.100 [0.063] N=1,017	0.098 [0.069] N=873	0.053 [0.085] N=704	-0.097 [0.109] N=537

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.