Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 1-3: Youngest Child

Age reference: 16 December 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.729 P=1,024	**0.077* [0.044] N=1,392**	**0.082* [0.047] N=1,290**	0.071 [0.051] N=1,165	0.078 [0.054] N=992	0.039 [0.059] N=818
Not underweight WAZ at least -2	0.925 P=1,473	**-0.038* [0.023] N=1,594**	-0.035 [0.025] N=1,471	-0.034 [0.026] N=1,326	-0.042 [0.030] N=1,128	**-0.071** [0.036] N=925**
Neither wasted nor overweight WHZ -2 to +2	0.695 P=955	0.005 [0.051] N=1,368	0.009 [0.054] N=1,271	0.027 [0.059] N=1,149	0.014 [0.065] N=979	0.036 [0.071] N=804
Neither low nor high BMIZ -2 to +2	0.650 P=876	0.007 [0.052] N=1,337	0.014 [0.056] N=1,243	0.024 [0.060] N=1,122	0.006 [0.067] N=956	0.011 [0.076] N=788
Strict normal HAZ -2 to +3	0.662 P=930	0.073 [0.044] N=1,392	**0.082* [0.047] N=1,290**	0.063 [0.050] N=1,165	0.033 [0.052] N=992	0.018 [0.059] N=818
Strict normal WAZ -2 to +1	0.711 P=1,138	-0.066 [0.049] N=1,594	-0.084 [0.053] N=1,471	**-0.107* [0.056] N=1,326**	**-0.119* [0.060] N=1,128**	**-0.128* [0.070] N=925**
Strict normal WHZ -2 to +1	0.537 P=737	0.026 [0.054] N=1,368	0.025 [0.058] N=1,271	0.034 [0.063] N=1,149	0.025 [0.070] N=979	0.035 [0.079] N=804
Strict normal BMIZ -2 to +1	0.512 P=691	0.006 [0.052] N=1,337	0.005 [0.056] N=1,243	0.019 [0.060] N=1,122	0.000 [0.069] N=956	-0.010 [0.078] N=788
Above-normal height HAZ above +3	0.067 P=94	0.004 [0.028] N=1,392	-0.000 [0.030] N=1,290	0.009 [0.034] N=1,165	0.045 [0.037] N=992	0.021 [0.041] N=818
Above-normal weight WAZ above +1	0.215 P=335	0.029 [0.045] N=1,594	0.050 [0.049] N=1,471	0.073 [0.051] N=1,326	0.077 [0.055] N=1,128	0.057 [0.063] N=925
Above-normal WHZ above +1	0.355 P=480	0.003 [0.053] N=1,368	0.002 [0.057] N=1,271	-0.006 [0.063] N=1,149	-0.009 [0.071] N=979	-0.002 [0.079] N=804
Above-normal BMIZ above +1	0.370 P=486	0.023 [0.049] N=1,337	0.028 [0.053] N=1,243	0.006 [0.060] N=1,122	-0.013 [0.067] N=956	0.006 [0.077] N=788

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.087 [0.061] N=1,176	0.095 [0.068] N=1,074	0.087 [0.078] N=949	0.120 [0.084] N=776	0.051 [0.115] N=602
Not underweight WAZ at least -2	-0.025 [0.031] N=1,356	-0.021 [0.035] N=1,233	-0.019 [0.039] N=1,088	-0.033 [0.048] N=890	**-0.123* [0.063] N=687**
Neither wasted nor overweight WHZ -2 to +2	0.006 [0.064] N=1,155	0.013 [0.068] N=1,058	0.050 [0.075] N=936	0.027 [0.093] N=766	0.135 [0.104] N=591
Neither low nor high BMIZ -2 to +2	0.028 [0.066] N=1,131	0.043 [0.072] N=1,037	0.081 [0.081] N=916	0.070 [0.103] N=750	0.155 [0.119] N=582
Strict normal HAZ -2 to +3	**0.110* [0.063] N=1,176**	**0.130* [0.071] N=1,074**	0.114 [0.078] N=949	0.063 [0.091] N=776	0.075 [0.128] N=602
Strict normal WAZ -2 to +1	-0.000 [0.062] N=1,356	-0.020 [0.070] N=1,233	-0.060 [0.076] N=1,088	-0.069 [0.086] N=890	-0.088 [0.102] N=687
Strict normal WHZ -2 to +1	0.036 [0.070] N=1,155	0.038 [0.078] N=1,058	0.067 [0.089] N=936	0.050 [0.106] N=766	0.111 [0.132] N=591
Strict normal BMIZ -2 to +1	0.018 [0.067] N=1,131	0.020 [0.073] N=1,037	0.062 [0.083] N=916	0.043 [0.103] N=750	0.060 [0.121] N=582
Above-normal height HAZ above +3	-0.023 [0.034] N=1,176	-0.035 [0.039] N=1,074	-0.027 [0.049] N=949	0.058 [0.060] N=776	-0.024 [0.077] N=602
Above-normal weight WAZ above +1	-0.025 [0.057] N=1,356	-0.001 [0.065] N=1,233	0.040 [0.068] N=1,088	0.036 [0.080] N=890	-0.035 [0.088] N=687
Above-normal WHZ above +1	-0.019 [0.064] N=1,155	-0.026 [0.072] N=1,058	-0.059 [0.086] N=936	-0.078 [0.107] N=766	-0.103 [0.125] N=591
Above-normal BMIZ above +1	0.030 [0.061] N=1,131	0.041 [0.071] N=1,037	-0.013 [0.087] N=916	-0.062 [0.099] N=750	-0.043 [0.120] N=582

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.729 P=1,024	**0.076* [0.044] N=1,392**	**0.082* [0.047] N=1,290**	0.072 [0.050] N=1,165	0.078 [0.054] N=992	0.038 [0.059] N=818
Not underweight WAZ at least -2	0.925 P=1,473	**-0.039* [0.023] N=1,594**	-0.035 [0.025] N=1,471	-0.034 [0.026] N=1,326	-0.042 [0.030] N=1,128	**-0.072** [0.036] N=925**
Neither wasted nor overweight WHZ -2 to +2	0.695 P=955	0.005 [0.052] N=1,368	0.008 [0.055] N=1,271	0.027 [0.059] N=1,149	0.013 [0.066] N=979	0.033 [0.072] N=804
Neither low nor high BMIZ -2 to +2	0.650 P=876	0.007 [0.052] N=1,337	0.013 [0.056] N=1,243	0.024 [0.060] N=1,122	0.005 [0.068] N=956	0.009 [0.076] N=788
Strict normal HAZ -2 to +3	0.662 P=930	**0.072* [0.043] N=1,392**	**0.082* [0.046] N=1,290**	0.063 [0.048] N=1,165	0.033 [0.051] N=992	0.017 [0.058] N=818
Strict normal WAZ -2 to +1	0.711 P=1,138	-0.068 [0.049] N=1,594	-0.085 [0.053] N=1,471	**-0.107* [0.056] N=1,326**	**-0.120* [0.061] N=1,128**	**-0.130* [0.071] N=925**
Strict normal WHZ -2 to +1	0.537 P=737	0.025 [0.055] N=1,368	0.025 [0.059] N=1,271	0.034 [0.064] N=1,149	0.023 [0.071] N=979	0.033 [0.080] N=804
Strict normal BMIZ -2 to +1	0.512 P=691	0.005 [0.053] N=1,337	0.004 [0.056] N=1,243	0.019 [0.061] N=1,122	-0.001 [0.070] N=956	-0.012 [0.079] N=788
Above-normal height HAZ above +3	0.067 P=94	0.004 [0.028] N=1,392	-0.000 [0.030] N=1,290	0.008 [0.034] N=1,165	0.045 [0.037] N=992	0.022 [0.040] N=818
Above-normal weight WAZ above +1	0.215 P=335	0.029 [0.045] N=1,594	0.050 [0.049] N=1,471	0.073 [0.051] N=1,326	0.077 [0.056] N=1,128	0.058 [0.063] N=925
Above-normal WHZ above +1	0.355 P=480	0.003 [0.053] N=1,368	0.002 [0.057] N=1,271	-0.006 [0.063] N=1,149	-0.010 [0.071] N=979	-0.004 [0.079] N=804
Above-normal BMIZ above +1	0.370 P=486	0.023 [0.049] N=1,337	0.028 [0.053] N=1,243	0.006 [0.060] N=1,122	-0.013 [0.067] N=956	0.004 [0.076] N=788

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.088 [0.061] N=1,176	0.097 [0.068] N=1,074	0.089 [0.077] N=949	0.121 [0.084] N=776	0.051 [0.115] N=602
Not underweight WAZ at least -2	-0.025 [0.030] N=1,356	-0.020 [0.035] N=1,233	-0.017 [0.038] N=1,088	-0.032 [0.048] N=890	**-0.120* [0.062] N=687**
Neither wasted nor overweight WHZ -2 to +2	0.006 [0.064] N=1,155	0.013 [0.068] N=1,058	0.052 [0.076] N=936	0.027 [0.095] N=766	0.133 [0.105] N=591
Neither low nor high BMIZ -2 to +2	0.028 [0.066] N=1,131	0.043 [0.072] N=1,037	0.083 [0.082] N=916	0.071 [0.105] N=750	0.153 [0.120] N=582
Strict normal HAZ -2 to +3	**0.112* [0.063] N=1,176**	**0.133* [0.070] N=1,074**	0.119 [0.077] N=949	0.065 [0.090] N=776	0.077 [0.128] N=602
Strict normal WAZ -2 to +1	0.000 [0.062] N=1,356	-0.019 [0.070] N=1,233	-0.056 [0.074] N=1,088	-0.068 [0.086] N=890	-0.085 [0.102] N=687
Strict normal WHZ -2 to +1	0.036 [0.070] N=1,155	0.038 [0.079] N=1,058	0.068 [0.090] N=936	0.050 [0.107] N=766	0.111 [0.132] N=591
Strict normal BMIZ -2 to +1	0.018 [0.067] N=1,131	0.020 [0.073] N=1,037	0.064 [0.084] N=916	0.043 [0.104] N=750	0.060 [0.120] N=582
Above-normal height HAZ above +3	-0.023 [0.034] N=1,176	-0.036 [0.038] N=1,074	-0.030 [0.049] N=949	0.056 [0.059] N=776	-0.025 [0.077] N=602
Above-normal weight WAZ above +1	-0.025 [0.058] N=1,356	-0.001 [0.065] N=1,233	0.039 [0.068] N=1,088	0.036 [0.080] N=890	-0.035 [0.088] N=687
Above-normal WHZ above +1	-0.019 [0.063] N=1,155	-0.026 [0.072] N=1,058	-0.058 [0.086] N=936	-0.078 [0.107] N=766	-0.105 [0.124] N=591
Above-normal BMIZ above +1	0.031 [0.061] N=1,131	0.041 [0.070] N=1,037	-0.011 [0.086] N=916	-0.062 [0.098] N=750	-0.046 [0.118] N=582

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.729 P=1,024	0.067 [0.043] N=1,392	0.067 [0.046] N=1,290	0.062 [0.049] N=1,165	0.073 [0.052] N=992	0.028 [0.056] N=818
Not underweight WAZ at least -2	0.925 P=1,473	**-0.047** [0.022] N=1,594**	**-0.045* [0.023] N=1,471**	**-0.044* [0.025] N=1,326**	**-0.050* [0.028] N=1,128**	**-0.082** [0.033] N=925**
Neither wasted nor overweight WHZ -2 to +2	0.695 P=955	-0.005 [0.051] N=1,368	-0.005 [0.054] N=1,271	0.015 [0.059] N=1,149	0.005 [0.066] N=979	0.026 [0.073] N=804
Neither low nor high BMIZ -2 to +2	0.650 P=876	-0.002 [0.051] N=1,337	-0.002 [0.055] N=1,243	0.011 [0.059] N=1,122	-0.004 [0.066] N=956	0.002 [0.075] N=788
Strict normal HAZ -2 to +3	0.662 P=930	0.060 [0.043] N=1,392	0.063 [0.046] N=1,290	0.050 [0.048] N=1,165	0.024 [0.050] N=992	0.002 [0.057] N=818
Strict normal WAZ -2 to +1	0.711 P=1,138	-0.069 [0.049] N=1,594	**-0.090* [0.053] N=1,471**	**-0.112** [0.056] N=1,326**	**-0.125** [0.062] N=1,128**	**-0.136* [0.071] N=925**
Strict normal WHZ -2 to +1	0.537 P=737	0.020 [0.054] N=1,368	0.014 [0.058] N=1,271	0.023 [0.062] N=1,149	0.014 [0.069] N=979	0.027 [0.079] N=804
Strict normal BMIZ -2 to +1	0.512 P=691	-0.001 [0.052] N=1,337	-0.007 [0.056] N=1,243	0.008 [0.060] N=1,122	-0.010 [0.068] N=956	-0.018 [0.077] N=788
Above-normal height HAZ above +3	0.067 P=94	0.008 [0.028] N=1,392	0.004 [0.031] N=1,290	0.012 [0.035] N=1,165	0.048 [0.037] N=992	0.026 [0.042] N=818
Above-normal weight WAZ above +1	0.215 P=335	0.022 [0.044] N=1,594	0.045 [0.048] N=1,471	0.069 [0.051] N=1,326	0.075 [0.056] N=1,128	0.054 [0.063] N=925
Above-normal WHZ above +1	0.355 P=480	0.002 [0.053] N=1,368	0.004 [0.058] N=1,271	-0.002 [0.063] N=1,149	-0.004 [0.070] N=979	-0.001 [0.078] N=804
Above-normal BMIZ above +1	0.370 P=486	0.023 [0.050] N=1,337	0.029 [0.054] N=1,243	0.008 [0.060] N=1,122	-0.009 [0.066] N=956	0.006 [0.077] N=788

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.079 [0.061] N=1,176	0.077 [0.068] N=1,074	0.075 [0.077] N=949	0.121 [0.082] N=776	0.044 [0.109] N=602
Not underweight WAZ at least -2	-0.032 [0.029] N=1,356	-0.031 [0.034] N=1,233	-0.027 [0.037] N=1,088	-0.035 [0.048] N=890	**-0.117* [0.062] N=687**
Neither wasted nor overweight WHZ -2 to +2	-0.004 [0.064] N=1,155	-0.005 [0.070] N=1,058	0.043 [0.078] N=936	0.024 [0.095] N=766	0.120 [0.105] N=591
Neither low nor high BMIZ -2 to +2	0.018 [0.066] N=1,131	0.023 [0.074] N=1,037	0.070 [0.083] N=916	0.067 [0.106] N=750	0.143 [0.122] N=582
Strict normal HAZ -2 to +3	0.100 [0.063] N=1,176	0.109 [0.070] N=1,074	0.106 [0.076] N=949	0.072 [0.087] N=776	0.075 [0.126] N=602
Strict normal WAZ -2 to +1	-0.001 [0.062] N=1,356	-0.026 [0.070] N=1,233	-0.064 [0.074] N=1,088	-0.074 [0.086] N=890	-0.085 [0.101] N=687
Strict normal WHZ -2 to +1	0.029 [0.070] N=1,155	0.022 [0.080] N=1,058	0.057 [0.090] N=936	0.046 [0.108] N=766	0.100 [0.136] N=591
Strict normal BMIZ -2 to +1	0.009 [0.067] N=1,131	0.000 [0.074] N=1,037	0.050 [0.085] N=916	0.038 [0.107] N=750	0.052 [0.125] N=582
Above-normal height HAZ above +3	-0.021 [0.034] N=1,176	-0.032 [0.039] N=1,074	-0.031 [0.048] N=949	0.049 [0.059] N=776	-0.031 [0.078] N=602
Above-normal weight WAZ above +1	-0.031 [0.057] N=1,356	-0.004 [0.065] N=1,233	0.038 [0.068] N=1,088	0.040 [0.080] N=890	-0.032 [0.088] N=687
Above-normal WHZ above +1	-0.017 [0.064] N=1,155	-0.019 [0.073] N=1,058	-0.049 [0.087] N=936	-0.074 [0.106] N=766	-0.097 [0.125] N=591
Above-normal BMIZ above +1	0.033 [0.062] N=1,131	0.048 [0.072] N=1,037	-0.003 [0.087] N=916	-0.060 [0.098] N=750	-0.040 [0.119] N=582

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.729 P=1,024	0.058 [0.043] N=1,392	0.058 [0.046] N=1,290	0.051 [0.049] N=1,165	0.060 [0.051] N=992	0.016 [0.055] N=818
Not underweight WAZ at least -2	0.925 P=1,473	**-0.050** [0.022] N=1,594**	**-0.049** [0.024] N=1,471**	**-0.049* [0.025] N=1,326**	**-0.055* [0.029] N=1,128**	**-0.088** [0.034] N=925**
Neither wasted nor overweight WHZ -2 to +2	0.695 P=955	-0.007 [0.052] N=1,368	-0.007 [0.055] N=1,271	0.012 [0.060] N=1,149	0.005 [0.067] N=979	0.031 [0.074] N=804
Neither low nor high BMIZ -2 to +2	0.650 P=876	-0.005 [0.052] N=1,337	-0.001 [0.056] N=1,243	0.007 [0.059] N=1,122	-0.007 [0.066] N=956	0.006 [0.077] N=788
Strict normal HAZ -2 to +3	0.662 P=930	0.050 [0.043] N=1,392	0.052 [0.046] N=1,290	0.037 [0.048] N=1,165	0.009 [0.048] N=992	-0.011 [0.056] N=818
Strict normal WAZ -2 to +1	0.711 P=1,138	-0.071 [0.049] N=1,594	**-0.090* [0.054] N=1,471**	**-0.113** [0.056] N=1,326**	**-0.124** [0.062] N=1,128**	**-0.132* [0.072] N=925**
Strict normal WHZ -2 to +1	0.537 P=737	0.020 [0.054] N=1,368	0.019 [0.059] N=1,271	0.025 [0.063] N=1,149	0.018 [0.070] N=979	0.037 [0.081] N=804
Strict normal BMIZ -2 to +1	0.512 P=691	-0.001 [0.052] N=1,337	-0.002 [0.056] N=1,243	0.009 [0.060] N=1,122	-0.009 [0.068] N=956	-0.015 [0.078] N=788
Above-normal height HAZ above +3	0.067 P=94	0.008 [0.028] N=1,392	0.006 [0.031] N=1,290	0.014 [0.035] N=1,165	0.051 [0.037] N=992	0.027 [0.042] N=818
Above-normal weight WAZ above +1	0.215 P=335	0.021 [0.044] N=1,594	0.041 [0.048] N=1,471	0.065 [0.050] N=1,326	0.069 [0.055] N=1,128	0.044 [0.063] N=925
Above-normal WHZ above +1	0.355 P=480	0.003 [0.053] N=1,368	0.001 [0.057] N=1,271	-0.004 [0.063] N=1,149	-0.008 [0.071] N=979	-0.010 [0.079] N=804
Above-normal BMIZ above +1	0.370 P=486	0.024 [0.049] N=1,337	0.027 [0.053] N=1,243	0.008 [0.060] N=1,122	-0.011 [0.066] N=956	0.004 [0.077] N=788

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.074 [0.061] N=1,176	0.077 [0.068] N=1,074	0.078 [0.077] N=949	0.123 [0.081] N=776	0.036 [0.109] N=602
Not underweight WAZ at least -2	-0.035 [0.030] N=1,356	-0.033 [0.034] N=1,233	-0.032 [0.037] N=1,088	-0.037 [0.048] N=890	**-0.121* [0.065] N=687**
Neither wasted nor overweight WHZ -2 to +2	-0.007 [0.064] N=1,155	-0.003 [0.068] N=1,058	0.041 [0.076] N=936	0.018 [0.094] N=766	0.108 [0.105] N=591
Neither low nor high BMIZ -2 to +2	0.015 [0.067] N=1,131	0.031 [0.074] N=1,037	0.073 [0.083] N=916	0.063 [0.105] N=750	0.118 [0.120] N=582
Strict normal HAZ -2 to +3	0.097 [0.063] N=1,176	0.110 [0.069] N=1,074	0.108 [0.076] N=949	0.072 [0.088] N=776	0.074 [0.128] N=602
Strict normal WAZ -2 to +1	-0.001 [0.062] N=1,356	-0.025 [0.070] N=1,233	-0.064 [0.074] N=1,088	-0.073 [0.086] N=890	-0.090 [0.102] N=687
Strict normal WHZ -2 to +1	0.028 [0.070] N=1,155	0.032 [0.078] N=1,058	0.063 [0.088] N=936	0.038 [0.106] N=766	0.078 [0.137] N=591
Strict normal BMIZ -2 to +1	0.010 [0.067] N=1,131	0.019 [0.074] N=1,037	0.065 [0.084] N=916	0.040 [0.103] N=750	0.034 [0.125] N=582
Above-normal height HAZ above +3	-0.023 [0.035] N=1,176	-0.033 [0.039] N=1,074	-0.029 [0.049] N=949	0.051 [0.060] N=776	-0.038 [0.078] N=602
Above-normal weight WAZ above +1	-0.034 [0.057] N=1,356	-0.008 [0.064] N=1,233	0.033 [0.067] N=1,088	0.036 [0.079] N=890	-0.031 [0.085] N=687
Above-normal WHZ above +1	-0.018 [0.064] N=1,155	-0.027 [0.072] N=1,058	-0.055 [0.085] N=936	-0.065 [0.106] N=766	-0.069 [0.127] N=591
Above-normal BMIZ above +1	0.033 [0.062] N=1,131	0.039 [0.071] N=1,037	-0.010 [0.086] N=916	-0.052 [0.098] N=750	-0.009 [0.121] N=582

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.728 P=955	0.064 [0.048] N=1,297	0.070 [0.051] N=1,208	0.059 [0.054] N=1,089	0.071 [0.057] N=933	0.034 [0.061] N=768
Not underweight WAZ at least -2	0.925 P=1,367	-0.032 [0.024] N=1,480	-0.030 [0.026] N=1,372	-0.027 [0.028] N=1,235	-0.035 [0.030] N=1,055	-0.061 [0.038] N=865
Neither wasted nor overweight WHZ -2 to +2	0.695 P=889	-0.002 [0.053] N=1,271	0.001 [0.056] N=1,188	0.015 [0.062] N=1,073	0.006 [0.068] N=920	0.017 [0.075] N=754
Neither low nor high BMIZ -2 to +2	0.650 P=817	-0.008 [0.054] N=1,243	0.001 [0.058] N=1,161	0.011 [0.063] N=1,048	0.004 [0.072] N=899	-0.001 [0.082] N=739
Strict normal HAZ -2 to +3	0.663 P=872	0.065 [0.048] N=1,297	0.075 [0.051] N=1,208	0.053 [0.052] N=1,089	0.031 [0.056] N=933	0.014 [0.062] N=768
Strict normal WAZ -2 to +1	0.708 P=1,052	-0.068 [0.051] N=1,480	-0.082 [0.054] N=1,372	**-0.102* [0.057] N=1,235**	**-0.118* [0.062] N=1,055**	**-0.129* [0.073] N=865**
Strict normal WHZ -2 to +1	0.538 P=686	0.009 [0.056] N=1,271	0.011 [0.061] N=1,188	0.017 [0.066] N=1,073	0.009 [0.072] N=920	-0.003 [0.081] N=754
Strict normal BMIZ -2 to +1	0.515 P=647	-0.015 [0.055] N=1,243	-0.010 [0.058] N=1,161	0.004 [0.063] N=1,048	-0.011 [0.072] N=899	-0.043 [0.081] N=739
Above-normal height HAZ above +3	0.065 P=83	-0.000 [0.029] N=1,297	-0.005 [0.031] N=1,208	0.006 [0.035] N=1,089	0.040 [0.036] N=933	0.020 [0.039] N=768
Above-normal weight WAZ above +1	0.217 P=315	0.036 [0.046] N=1,480	0.053 [0.049] N=1,372	0.075 [0.052] N=1,235	0.082 [0.057] N=1,055	0.067 [0.065] N=865
Above-normal WHZ above +1	0.356 P=446	0.031 [0.055] N=1,271	0.026 [0.059] N=1,188	0.018 [0.066] N=1,073	0.014 [0.073] N=920	0.038 [0.082] N=754
Above-normal BMIZ above +1	0.369 P=449	0.054 [0.051] N=1,243	0.051 [0.055] N=1,161	0.028 [0.061] N=1,048	0.009 [0.068] N=899	0.046 [0.077] N=739

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.085 [0.066] N=1,094	0.100 [0.072] N=1,005	0.090 [0.082] N=886	0.139 [0.089] N=730	0.077 [0.121] N=565
Not underweight WAZ at least -2	-0.023 [0.032] N=1,257	-0.021 [0.036] N=1,149	-0.019 [0.040] N=1,012	-0.041 [0.045] N=832	**-0.127* [0.066] N=642**
Neither wasted nor overweight WHZ -2 to +2	0.015 [0.066] N=1,071	0.029 [0.069] N=988	0.069 [0.080] N=873	0.074 [0.099] N=720	0.178 [0.111] N=554
Neither low nor high BMIZ -2 to +2	0.020 [0.066] N=1,050	0.047 [0.072] N=968	0.085 [0.085] N=855	0.106 [0.108] N=706	0.189 [0.119] N=546
Strict normal HAZ -2 to +3	**0.115* [0.069] N=1,094**	**0.144* [0.074] N=1,005**	0.124 [0.081] N=886	0.093 [0.095] N=730	0.114 [0.129] N=565
Strict normal WAZ -2 to +1	0.014 [0.061] N=1,257	0.001 [0.067] N=1,149	-0.030 [0.073] N=1,012	-0.056 [0.085] N=832	-0.073 [0.106] N=642
Strict normal WHZ -2 to +1	0.050 [0.072] N=1,071	0.064 [0.080] N=988	0.097 [0.092] N=873	0.099 [0.110] N=720	0.140 [0.131] N=554
Strict normal BMIZ -2 to +1	0.016 [0.068] N=1,050	0.032 [0.074] N=968	0.081 [0.086] N=855	0.081 [0.107] N=706	0.077 [0.119] N=546
Above-normal height HAZ above +3	-0.030 [0.036] N=1,094	-0.044 [0.041] N=1,005	-0.033 [0.050] N=886	0.046 [0.061] N=730	-0.037 [0.076] N=565
Above-normal weight WAZ above +1	-0.037 [0.058] N=1,257	-0.022 [0.063] N=1,149	0.011 [0.068] N=1,012	0.015 [0.082] N=832	-0.054 [0.092] N=642
Above-normal WHZ above +1	-0.022 [0.065] N=1,071	-0.040 [0.073] N=988	-0.078 [0.086] N=873	-0.102 [0.111] N=720	-0.086 [0.126] N=554
Above-normal BMIZ above +1	0.039 [0.064] N=1,050	0.031 [0.072] N=968	-0.026 [0.086] N=855	-0.083 [0.102] N=706	-0.029 [0.121] N=546

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.728 P=955	0.062 [0.048] N=1,297	0.068 [0.051] N=1,208	0.056 [0.054] N=1,089	0.067 [0.057] N=933	0.025 [0.061] N=768
Not underweight WAZ at least -2	0.925 P=1,367	-0.034 [0.024] N=1,480	-0.031 [0.026] N=1,372	-0.030 [0.027] N=1,235	-0.041 [0.030] N=1,055	**-0.072* [0.037] N=865**
Neither wasted nor overweight WHZ -2 to +2	0.695 P=889	-0.002 [0.053] N=1,271	0.002 [0.056] N=1,188	0.019 [0.062] N=1,073	0.013 [0.068] N=920	0.026 [0.075] N=754
Neither low nor high BMIZ -2 to +2	0.650 P=817	-0.008 [0.053] N=1,243	0.003 [0.057] N=1,161	0.016 [0.063] N=1,048	0.010 [0.071] N=899	0.009 [0.080] N=739
Strict normal HAZ -2 to +3	0.663 P=872	0.065 [0.047] N=1,297	0.075 [0.050] N=1,208	0.054 [0.052] N=1,089	0.032 [0.055] N=933	0.017 [0.062] N=768
Strict normal WAZ -2 to +1	0.708 P=1,052	-0.070 [0.050] N=1,480	-0.084 [0.054] N=1,372	**-0.105* [0.056] N=1,235**	**-0.124** [0.062] N=1,055**	**-0.141* [0.072] N=865**
Strict normal WHZ -2 to +1	0.538 P=686	0.010 [0.056] N=1,271	0.014 [0.060] N=1,188	0.023 [0.065] N=1,073	0.018 [0.072] N=920	0.016 [0.080] N=754
Strict normal BMIZ -2 to +1	0.515 P=647	-0.017 [0.054] N=1,243	-0.010 [0.058] N=1,161	0.007 [0.063] N=1,048	-0.007 [0.072] N=899	-0.030 [0.079] N=739
Above-normal height HAZ above +3	0.065 P=83	-0.003 [0.029] N=1,297	-0.007 [0.031] N=1,208	0.003 [0.036] N=1,089	0.035 [0.038] N=933	0.008 [0.043] N=768
Above-normal weight WAZ above +1	0.217 P=315	0.036 [0.046] N=1,480	0.053 [0.049] N=1,372	0.075 [0.051] N=1,235	0.083 [0.057] N=1,055	0.069 [0.065] N=865
Above-normal WHZ above +1	0.356 P=446	0.028 [0.054] N=1,271	0.023 [0.059] N=1,188	0.013 [0.065] N=1,073	0.008 [0.073] N=920	0.027 [0.081] N=754
Above-normal BMIZ above +1	0.369 P=449	0.053 [0.050] N=1,243	0.049 [0.054] N=1,161	0.027 [0.061] N=1,048	0.007 [0.067] N=899	0.039 [0.075] N=739

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.083 [0.066] N=1,094	0.096 [0.072] N=1,005	0.090 [0.081] N=886	0.138 [0.089] N=730	0.075 [0.122] N=565
Not underweight WAZ at least -2	-0.019 [0.031] N=1,257	-0.015 [0.036] N=1,149	-0.013 [0.039] N=1,012	-0.035 [0.045] N=832	**-0.130** [0.064] N=642**
Neither wasted nor overweight WHZ -2 to +2	0.010 [0.065] N=1,071	0.022 [0.068] N=988	0.063 [0.079] N=873	0.068 [0.097] N=720	0.181 [0.111] N=554
Neither low nor high BMIZ -2 to +2	0.011 [0.066] N=1,050	0.038 [0.071] N=968	0.080 [0.084] N=855	0.102 [0.107] N=706	0.193 [0.117] N=546
Strict normal HAZ -2 to +3	0.110 [0.068] N=1,094	**0.136* [0.074] N=1,005**	0.121 [0.080] N=886	0.092 [0.094] N=730	0.123 [0.128] N=565
Strict normal WAZ -2 to +1	0.016 [0.061] N=1,257	0.005 [0.068] N=1,149	-0.026 [0.073] N=1,012	-0.048 [0.085] N=832	-0.070 [0.104] N=642
Strict normal WHZ -2 to +1	0.040 [0.072] N=1,071	0.054 [0.079] N=988	0.090 [0.091] N=873	0.096 [0.110] N=720	0.152 [0.130] N=554
Strict normal BMIZ -2 to +1	0.008 [0.068] N=1,050	0.025 [0.074] N=968	0.078 [0.085] N=855	0.077 [0.107] N=706	0.082 [0.117] N=546
Above-normal height HAZ above +3	-0.027 [0.036] N=1,094	-0.040 [0.040] N=1,005	-0.030 [0.050] N=886	0.046 [0.062] N=730	-0.048 [0.080] N=565
Above-normal weight WAZ above +1	-0.035 [0.058] N=1,257	-0.020 [0.063] N=1,149	0.013 [0.068] N=1,012	0.013 [0.082] N=832	-0.060 [0.094] N=642
Above-normal WHZ above +1	-0.011 [0.065] N=1,071	-0.028 [0.073] N=988	-0.069 [0.086] N=873	-0.098 [0.111] N=720	-0.097 [0.127] N=554
Above-normal BMIZ above +1	0.045 [0.063] N=1,050	0.039 [0.071] N=968	-0.021 [0.086] N=855	-0.079 [0.101] N=706	-0.032 [0.119] N=546

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.749 P=937	-0.012 [0.060] N=1,256	-0.008 [0.062] N=1,127	-0.016 [0.063] N=986	-0.050 [0.068] N=835	-0.068 [0.073] N=683
Not underweight WAZ at least -2	0.928 P=1,316	0.004 [0.032] N=1,419	0.011 [0.034] N=1,285	-0.007 [0.036] N=1,124	0.001 [0.037] N=944	-0.001 [0.041] N=764
Neither wasted nor overweight WHZ -2 to +2	0.702 P=865	**-0.117** [0.059] N=1,241**	**-0.114* [0.062] N=1,117**	**-0.137** [0.067] N=979**	-0.087 [0.072] N=827	-0.068 [0.075] N=676
Neither low nor high BMIZ -2 to +2	0.659 P=791	**-0.164*** [0.061] N=1,205**	**-0.163** [0.065] N=1,085**	**-0.152** [0.071] N=952**	-0.094 [0.076] N=803	-0.077 [0.078] N=660
Strict normal HAZ -2 to +3	0.679 P=851	-0.033 [0.063] N=1,256	-0.030 [0.064] N=1,127	-0.039 [0.066] N=986	-0.071 [0.071] N=835	-0.107 [0.076] N=683
Strict normal WAZ -2 to +1	0.715 P=1,015	0.015 [0.047] N=1,419	0.009 [0.048] N=1,285	0.003 [0.053] N=1,124	-0.001 [0.055] N=944	0.010 [0.060] N=764
Strict normal WHZ -2 to +1	0.531 P=649	**-0.127** [0.058] N=1,241**	**-0.141** [0.060] N=1,117**	**-0.156** [0.065] N=979**	-0.089 [0.070] N=827	-0.110 [0.075] N=676
Strict normal BMIZ -2 to +1	0.516 P=616	-0.097 [0.059] N=1,205	**-0.102* [0.061] N=1,085**	-0.073 [0.066] N=952	-0.011 [0.070] N=803	-0.028 [0.074] N=660
Above-normal height HAZ above +3	0.069 P=86	0.021 [0.028] N=1,256	0.022 [0.030] N=1,127	0.023 [0.032] N=986	0.021 [0.034] N=835	0.039 [0.039] N=683
Above-normal weight WAZ above +1	0.213 P=301	-0.011 [0.038] N=1,419	0.003 [0.039] N=1,285	-0.010 [0.040] N=1,124	0.002 [0.042] N=944	-0.010 [0.045] N=764
Above-normal WHZ above +1	0.359 P=455	**0.101* [0.053] N=1,241**	**0.112** [0.056] N=1,117**	**0.102* [0.060] N=979**	0.106 [0.064] N=827	0.115 [0.072] N=676
Above-normal BMIZ above +1	0.363 P=444	0.067 [0.059] N=1,205	0.068 [0.061] N=1,085	0.032 [0.064] N=952	0.024 [0.073] N=803	0.035 [0.079] N=660

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.008 [0.098] N=1,083	0.006 [0.103] N=954	-0.010 [0.116] N=813	-0.102 [0.140] N=662	-0.189 [0.166] N=510
Not underweight WAZ at least -2	0.026 [0.045] N=1,229	0.037 [0.049] N=1,095	0.007 [0.054] N=934	0.039 [0.054] N=754	0.055 [0.063] N=574
Neither wasted nor overweight WHZ -2 to +2	**-0.206*** [0.067] N=1,068**	**-0.207*** [0.075] N=944**	**-0.275*** [0.084] N=806**	**-0.197* [0.100] N=654**	-0.154 [0.113] N=503
Neither low nor high BMIZ -2 to +2	**-0.277*** [0.067] N=1,043**	**-0.288*** [0.076] N=923**	**-0.287*** [0.087] N=790**	**-0.184* [0.100] N=641**	-0.148 [0.114] N=498
Strict normal HAZ -2 to +3	-0.018 [0.099] N=1,083	-0.005 [0.105] N=954	-0.023 [0.117] N=813	-0.107 [0.139] N=662	-0.232 [0.164] N=510
Strict normal WAZ -2 to +1	0.068 [0.068] N=1,229	0.066 [0.070] N=1,095	0.060 [0.082] N=934	0.071 [0.087] N=754	0.097 [0.098] N=574
Strict normal WHZ -2 to +1	**-0.161** [0.078] N=1,068**	**-0.189** [0.084] N=944**	**-0.228** [0.096] N=806**	-0.084 [0.117] N=654	-0.114 [0.139] N=503
Strict normal BMIZ -2 to +1	**-0.169* [0.086] N=1,043**	**-0.188** [0.093] N=923**	-0.153 [0.107] N=790	-0.015 [0.127] N=641	-0.077 [0.150] N=498
Above-normal height HAZ above +3	0.009 [0.037] N=1,083	0.010 [0.041] N=954	0.012 [0.047] N=813	0.005 [0.056] N=662	0.043 [0.076] N=510
Above-normal weight WAZ above +1	-0.042 [0.054] N=1,229	-0.028 [0.058] N=1,095	-0.053 [0.063] N=934	-0.032 [0.065] N=754	-0.042 [0.075] N=574
Above-normal WHZ above +1	0.083 [0.079] N=1,068	0.098 [0.086] N=944	0.080 [0.098] N=806	0.080 [0.111] N=654	0.084 [0.135] N=503
Above-normal BMIZ above +1	0.050 [0.089] N=1,043	0.050 [0.094] N=923	-0.012 [0.106] N=790	-0.037 [0.124] N=641	0.003 [0.142] N=498

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.749 P=937	-0.010 [0.060] N=1,256	-0.005 [0.062] N=1,127	-0.012 [0.063] N=986	-0.049 [0.068] N=835	-0.068 [0.072] N=683
Not underweight WAZ at least -2	0.928 P=1,316	0.006 [0.032] N=1,419	0.013 [0.033] N=1,285	-0.006 [0.035] N=1,124	0.002 [0.037] N=944	-0.001 [0.041] N=764
Neither wasted nor overweight WHZ -2 to +2	0.702 P=865	**-0.115* [0.059] N=1,241**	**-0.110* [0.062] N=1,117**	**-0.132* [0.067] N=979**	-0.085 [0.072] N=827	-0.067 [0.076] N=676
Neither low nor high BMIZ -2 to +2	0.659 P=791	**-0.164*** [0.060] N=1,205**	**-0.162** [0.064] N=1,085**	**-0.149** [0.070] N=952**	-0.094 [0.075] N=803	-0.077 [0.078] N=660
Strict normal HAZ -2 to +3	0.679 P=851	-0.030 [0.063] N=1,256	-0.025 [0.064] N=1,127	-0.034 [0.066] N=986	-0.070 [0.071] N=835	-0.107 [0.076] N=683
Strict normal WAZ -2 to +1	0.715 P=1,015	0.018 [0.046] N=1,419	0.012 [0.047] N=1,285	0.007 [0.052] N=1,124	-0.000 [0.054] N=944	0.009 [0.058] N=764
Strict normal WHZ -2 to +1	0.531 P=649	**-0.125** [0.057] N=1,241**	**-0.138** [0.060] N=1,117**	**-0.151** [0.064] N=979**	-0.089 [0.070] N=827	-0.110 [0.075] N=676
Strict normal BMIZ -2 to +1	0.516 P=616	-0.096 [0.058] N=1,205	**-0.100* [0.060] N=1,085**	-0.070 [0.065] N=952	-0.010 [0.070] N=803	-0.028 [0.074] N=660
Above-normal height HAZ above +3	0.069 P=86	0.020 [0.028] N=1,256	0.020 [0.030] N=1,127	0.022 [0.032] N=986	0.021 [0.034] N=835	0.039 [0.039] N=683
Above-normal weight WAZ above +1	0.213 P=301	-0.012 [0.038] N=1,419	0.001 [0.039] N=1,285	-0.012 [0.040] N=1,124	0.002 [0.041] N=944	-0.010 [0.044] N=764
Above-normal WHZ above +1	0.359 P=455	**0.102* [0.053] N=1,241**	**0.112** [0.056] N=1,117**	**0.101* [0.060] N=979**	**0.107* [0.064] N=827**	0.117 [0.071] N=676
Above-normal BMIZ above +1	0.363 P=444	0.067 [0.059] N=1,205	0.068 [0.061] N=1,085	0.030 [0.064] N=952	0.024 [0.073] N=803	0.035 [0.080] N=660

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.005 [0.098] N=1,083	0.013 [0.102] N=954	-0.001 [0.115] N=813	-0.098 [0.139] N=662	-0.188 [0.164] N=510
Not underweight WAZ at least -2	0.028 [0.045] N=1,229	0.041 [0.048] N=1,095	0.009 [0.053] N=934	0.042 [0.054] N=754	0.060 [0.062] N=574
Neither wasted nor overweight WHZ -2 to +2	**-0.203*** [0.067] N=1,068**	**-0.199*** [0.075] N=944**	**-0.263*** [0.084] N=806**	**-0.186* [0.099] N=654**	-0.141 [0.113] N=503
Neither low nor high BMIZ -2 to +2	**-0.277*** [0.067] N=1,043**	**-0.285*** [0.076] N=923**	**-0.279*** [0.086] N=790**	**-0.182* [0.100] N=641**	-0.149 [0.113] N=498
Strict normal HAZ -2 to +3	-0.010 [0.099] N=1,083	0.008 [0.105] N=954	-0.008 [0.117] N=813	-0.099 [0.138] N=662	-0.223 [0.161] N=510
Strict normal WAZ -2 to +1	0.073 [0.067] N=1,229	0.072 [0.070] N=1,095	0.066 [0.082] N=934	0.075 [0.086] N=754	0.100 [0.097] N=574
Strict normal WHZ -2 to +1	**-0.157** [0.077] N=1,068**	**-0.181** [0.084] N=944**	**-0.213** [0.095] N=806**	-0.081 [0.116] N=654	-0.117 [0.138] N=503
Strict normal BMIZ -2 to +1	**-0.167* [0.086] N=1,043**	**-0.182* [0.093] N=923**	-0.143 [0.106] N=790	-0.013 [0.127] N=641	-0.082 [0.149] N=498
Above-normal height HAZ above +3	0.006 [0.036] N=1,083	0.005 [0.041] N=954	0.007 [0.046] N=813	0.001 [0.054] N=662	0.034 [0.073] N=510
Above-normal weight WAZ above +1	-0.045 [0.054] N=1,229	-0.031 [0.058] N=1,095	-0.057 [0.063] N=934	-0.034 [0.064] N=754	-0.041 [0.073] N=574
Above-normal WHZ above +1	0.085 [0.079] N=1,068	0.099 [0.086] N=944	0.077 [0.098] N=806	0.085 [0.112] N=654	0.102 [0.135] N=503
Above-normal BMIZ above +1	0.052 [0.089] N=1,043	0.051 [0.095] N=923	-0.014 [0.107] N=790	-0.034 [0.125] N=641	0.016 [0.144] N=498

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.749 P=937	-0.013 [0.060] N=1,256	-0.004 [0.061] N=1,127	-0.008 [0.062] N=986	-0.045 [0.067] N=835	-0.068 [0.071] N=683
Not underweight WAZ at least -2	0.928 P=1,316	0.004 [0.032] N=1,419	0.012 [0.034] N=1,285	-0.005 [0.035] N=1,124	0.003 [0.036] N=944	-0.001 [0.040] N=764
Neither wasted nor overweight WHZ -2 to +2	0.702 P=865	**-0.119** [0.060] N=1,241**	**-0.112* [0.063] N=1,117**	**-0.131* [0.068] N=979**	-0.082 [0.074] N=827	-0.066 [0.077] N=676
Neither low nor high BMIZ -2 to +2	0.659 P=791	**-0.169*** [0.061] N=1,205**	**-0.166** [0.065] N=1,085**	**-0.150** [0.072] N=952**	-0.094 [0.077] N=803	-0.081 [0.080] N=660
Strict normal HAZ -2 to +3	0.679 P=851	-0.033 [0.062] N=1,256	-0.026 [0.064] N=1,127	-0.030 [0.065] N=986	-0.066 [0.070] N=835	-0.106 [0.075] N=683
Strict normal WAZ -2 to +1	0.715 P=1,015	0.018 [0.046] N=1,419	0.013 [0.047] N=1,285	0.007 [0.052] N=1,124	0.002 [0.053] N=944	0.010 [0.057] N=764
Strict normal WHZ -2 to +1	0.531 P=649	**-0.127** [0.057] N=1,241**	**-0.139** [0.060] N=1,117**	**-0.151** [0.064] N=979**	-0.087 [0.070] N=827	-0.113 [0.075] N=676
Strict normal BMIZ -2 to +1	0.516 P=616	**-0.099* [0.058] N=1,205**	**-0.103* [0.060] N=1,085**	-0.072 [0.065] N=952	-0.013 [0.069] N=803	-0.036 [0.073] N=660
Above-normal height HAZ above +3	0.069 P=86	0.020 [0.028] N=1,256	0.021 [0.030] N=1,127	0.021 [0.032] N=986	0.021 [0.034] N=835	0.038 [0.039] N=683
Above-normal weight WAZ above +1	0.213 P=301	-0.014 [0.038] N=1,419	-0.000 [0.040] N=1,285	-0.012 [0.041] N=1,124	0.001 [0.041] N=944	-0.011 [0.044] N=764
Above-normal WHZ above +1	0.359 P=455	**0.102* [0.053] N=1,241**	**0.112** [0.056] N=1,117**	**0.101* [0.059] N=979**	0.106 [0.064] N=827	**0.120* [0.071] N=676**
Above-normal BMIZ above +1	0.363 P=444	0.068 [0.059] N=1,205	0.068 [0.061] N=1,085	0.031 [0.064] N=952	0.025 [0.072] N=803	0.040 [0.079] N=660

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.004 [0.097] N=1,083	0.015 [0.102] N=954	0.007 [0.114] N=813	-0.086 [0.138] N=662	-0.175 [0.160] N=510
Not underweight WAZ at least -2	0.027 [0.046] N=1,229	0.040 [0.049] N=1,095	0.012 [0.055] N=934	0.046 [0.056] N=754	0.064 [0.064] N=574
Neither wasted nor overweight WHZ -2 to +2	**-0.205*** [0.069] N=1,068**	**-0.201** [0.077] N=944**	**-0.260*** [0.087] N=806**	**-0.181* [0.103] N=654**	-0.135 [0.118] N=503
Neither low nor high BMIZ -2 to +2	**-0.279*** [0.069] N=1,043**	**-0.287*** [0.078] N=923**	**-0.274*** [0.089] N=790**	**-0.175* [0.104] N=641**	-0.142 [0.122] N=498
Strict normal HAZ -2 to +3	-0.009 [0.098] N=1,083	0.012 [0.105] N=954	0.003 [0.116] N=813	-0.082 [0.138] N=662	-0.201 [0.160] N=510
Strict normal WAZ -2 to +1	0.078 [0.068] N=1,229	0.078 [0.070] N=1,095	0.072 [0.083] N=934	0.087 [0.087] N=754	0.114 [0.100] N=574
Strict normal WHZ -2 to +1	**-0.155** [0.078] N=1,068**	**-0.178** [0.085] N=944**	**-0.209** [0.097] N=806**	-0.071 [0.120] N=654	-0.108 [0.143] N=503
Strict normal BMIZ -2 to +1	**-0.163* [0.087] N=1,043**	**-0.177* [0.093] N=923**	-0.137 [0.108] N=790	0.002 [0.130] N=641	-0.072 [0.153] N=498
Above-normal height HAZ above +3	0.005 [0.036] N=1,083	0.004 [0.040] N=954	0.004 [0.047] N=813	-0.004 [0.055] N=662	0.026 [0.075] N=510
Above-normal weight WAZ above +1	-0.051 [0.055] N=1,229	-0.037 [0.059] N=1,095	-0.059 [0.064] N=934	-0.041 [0.065] N=754	-0.050 [0.074] N=574
Above-normal WHZ above +1	0.082 [0.079] N=1,068	0.096 [0.087] N=944	0.073 [0.099] N=806	0.077 [0.113] N=654	0.098 [0.136] N=503
Above-normal BMIZ above +1	0.049 [0.089] N=1,043	0.048 [0.095] N=923	-0.017 [0.106] N=790	-0.042 [0.126] N=641	0.015 [0.144] N=498

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.749 P=937	-0.007 [0.058] N=1,256	0.001 [0.060] N=1,127	-0.006 [0.062] N=986	-0.046 [0.066] N=835	-0.070 [0.071] N=683
Not underweight WAZ at least -2	0.928 P=1,316	0.005 [0.032] N=1,419	0.013 [0.034] N=1,285	-0.004 [0.036] N=1,124	0.003 [0.037] N=944	0.001 [0.042] N=764
Neither wasted nor overweight WHZ -2 to +2	0.702 P=865	**-0.118** [0.058] N=1,241**	**-0.114* [0.061] N=1,117**	**-0.138** [0.066] N=979**	-0.090 [0.071] N=827	-0.071 [0.073] N=676
Neither low nor high BMIZ -2 to +2	0.659 P=791	**-0.167*** [0.060] N=1,205**	**-0.164** [0.064] N=1,085**	**-0.152** [0.070] N=952**	-0.097 [0.075] N=803	-0.081 [0.077] N=660
Strict normal HAZ -2 to +3	0.679 P=851	-0.027 [0.061] N=1,256	-0.018 [0.064] N=1,127	-0.027 [0.065] N=986	-0.065 [0.070] N=835	-0.105 [0.076] N=683
Strict normal WAZ -2 to +1	0.715 P=1,015	0.017 [0.046] N=1,419	0.010 [0.047] N=1,285	0.006 [0.052] N=1,124	0.002 [0.053] N=944	0.014 [0.058] N=764
Strict normal WHZ -2 to +1	0.531 P=649	**-0.126** [0.056] N=1,241**	**-0.139** [0.059] N=1,117**	**-0.154** [0.064] N=979**	-0.090 [0.069] N=827	-0.113 [0.072] N=676
Strict normal BMIZ -2 to +1	0.516 P=616	-0.091 [0.058] N=1,205	-0.095 [0.060] N=1,085	-0.066 [0.064] N=952	-0.005 [0.068] N=803	-0.025 [0.072] N=660
Above-normal height HAZ above +3	0.069 P=86	0.019 [0.029] N=1,256	0.019 [0.031] N=1,127	0.020 [0.032] N=986	0.019 [0.035] N=835	0.035 [0.040] N=683
Above-normal weight WAZ above +1	0.213 P=301	-0.011 [0.039] N=1,419	0.002 [0.040] N=1,285	-0.009 [0.041] N=1,124	0.001 [0.042] N=944	-0.013 [0.044] N=764
Above-normal WHZ above +1	0.359 P=455	**0.100* [0.053] N=1,241**	**0.111** [0.056] N=1,117**	**0.101* [0.059] N=979**	**0.107* [0.064] N=827**	**0.121* [0.071] N=676**
Above-normal BMIZ above +1	0.363 P=444	0.063 [0.059] N=1,205	0.063 [0.061] N=1,085	0.027 [0.064] N=952	0.020 [0.072] N=803	0.035 [0.080] N=660

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.004 [0.093] N=1,083	0.025 [0.099] N=954	0.015 [0.111] N=813	-0.092 [0.134] N=662	-0.203 [0.155] N=510
Not underweight WAZ at least -2	0.030 [0.045] N=1,229	0.041 [0.048] N=1,095	0.015 [0.054] N=934	0.043 [0.054] N=754	0.064 [0.063] N=574
Neither wasted nor overweight WHZ -2 to +2	**-0.205*** [0.068] N=1,068**	**-0.205*** [0.076] N=944**	**-0.269*** [0.086] N=806**	**-0.189* [0.102] N=654**	-0.153 [0.115] N=503
Neither low nor high BMIZ -2 to +2	**-0.279*** [0.069] N=1,043**	**-0.288*** [0.079] N=923**	**-0.280*** [0.089] N=790**	**-0.188* [0.105] N=641**	-0.169 [0.118] N=498
Strict normal HAZ -2 to +3	0.000 [0.095] N=1,083	0.024 [0.102] N=954	0.012 [0.114] N=813	-0.088 [0.136] N=662	-0.234 [0.158] N=510
Strict normal WAZ -2 to +1	0.072 [0.067] N=1,229	0.069 [0.069] N=1,095	0.066 [0.081] N=934	0.083 [0.085] N=754	0.112 [0.098] N=574
Strict normal WHZ -2 to +1	**-0.160** [0.078] N=1,068**	**-0.186** [0.086] N=944**	**-0.220** [0.098] N=806**	-0.081 [0.121] N=654	-0.132 [0.142] N=503
Strict normal BMIZ -2 to +1	**-0.165* [0.087] N=1,043**	**-0.181* [0.094] N=923**	-0.144 [0.108] N=790	-0.014 [0.130] N=641	-0.096 [0.152] N=498
Above-normal height HAZ above +3	0.003 [0.036] N=1,083	0.000 [0.041] N=954	0.003 [0.046] N=813	-0.004 [0.054] N=662	0.031 [0.072] N=510
Above-normal weight WAZ above +1	-0.042 [0.055] N=1,229	-0.029 [0.059] N=1,095	-0.051 [0.063] N=934	-0.039 [0.066] N=754	-0.048 [0.073] N=574
Above-normal WHZ above +1	0.083 [0.079] N=1,068	0.097 [0.087] N=944	0.074 [0.099] N=806	0.079 [0.116] N=654	0.115 [0.143] N=503
Above-normal BMIZ above +1	0.048 [0.089] N=1,043	0.046 [0.095] N=923	-0.018 [0.106] N=790	-0.038 [0.126] N=641	0.030 [0.150] N=498

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.748 P=874	-0.002 [0.063] N=1,170	-0.000 [0.065] N=1,049	0.006 [0.066] N=923	-0.027 [0.070] N=780	-0.054 [0.075] N=639
Not underweight WAZ at least -2	0.928 P=1,221	0.013 [0.033] N=1,317	0.023 [0.035] N=1,191	0.005 [0.037] N=1,047	0.009 [0.038] N=880	-0.001 [0.042] N=715
Neither wasted nor overweight WHZ -2 to +2	0.701 P=804	**-0.125** [0.057] N=1,153**	**-0.119** [0.060] N=1,037**	**-0.137** [0.065] N=912**	-0.092 [0.069] N=770	-0.078 [0.072] N=631
Neither low nor high BMIZ -2 to +2	0.659 P=738	**-0.167*** [0.063] N=1,120**	**-0.164** [0.066] N=1,008**	**-0.137* [0.071] N=888**	-0.077 [0.077] N=749	-0.062 [0.080] N=617
Strict normal HAZ -2 to +3	0.680 P=797	-0.021 [0.066] N=1,170	-0.023 [0.068] N=1,049	-0.020 [0.069] N=923	-0.046 [0.074] N=780	-0.090 [0.081] N=639
Strict normal WAZ -2 to +1	0.714 P=942	0.015 [0.047] N=1,317	0.015 [0.049] N=1,191	0.024 [0.052] N=1,047	0.023 [0.054] N=880	0.032 [0.055] N=715
Strict normal WHZ -2 to +1	0.533 P=605	**-0.142** [0.057] N=1,153**	**-0.158*** [0.059] N=1,037**	**-0.162** [0.062] N=912**	-0.101 [0.068] N=770	**-0.120* [0.072] N=631**
Strict normal BMIZ -2 to +1	0.519 P=577	**-0.113* [0.060] N=1,120**	**-0.122* [0.062] N=1,008**	-0.079 [0.065] N=888	-0.019 [0.069] N=749	-0.030 [0.073] N=617
Above-normal height HAZ above +3	0.068 P=77	0.019 [0.030] N=1,170	0.023 [0.032] N=1,049	0.025 [0.034] N=923	0.019 [0.037] N=780	0.036 [0.042] N=639
Above-normal weight WAZ above +1	0.213 P=279	-0.002 [0.039] N=1,317	0.009 [0.041] N=1,191	-0.019 [0.041] N=1,047	-0.013 [0.043] N=880	-0.033 [0.042] N=715
Above-normal WHZ above +1	0.358 P=421	**0.117** [0.054] N=1,153**	**0.132** [0.057] N=1,037**	**0.106* [0.060] N=912**	0.106 [0.065] N=770	0.107 [0.072] N=631
Above-normal BMIZ above +1	0.360 P=409	0.077 [0.061] N=1,120	0.084 [0.063] N=1,008	0.031 [0.065] N=888	0.017 [0.073] N=749	0.012 [0.079] N=617

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.012 [0.103] N=1,005	0.025 [0.109] N=884	0.029 [0.121] N=758	-0.050 [0.143] N=615	-0.153 [0.167] N=474
Not underweight WAZ at least -2	0.047 [0.046] N=1,137	0.066 [0.049] N=1,011	0.040 [0.054] N=867	0.075 [0.054] N=700	0.087 [0.060] N=535
Neither wasted nor overweight WHZ -2 to +2	**-0.212*** [0.071] N=989**	**-0.205** [0.079] N=873**	**-0.265*** [0.089] N=748**	**-0.190* [0.106] N=606**	-0.162 [0.119] N=467
Neither low nor high BMIZ -2 to +2	**-0.303*** [0.070] N=965**	**-0.310*** [0.079] N=853**	**-0.282*** [0.086] N=733**	**-0.181* [0.101] N=594**	-0.184 [0.114] N=462
Strict normal HAZ -2 to +3	-0.004 [0.107] N=1,005	0.004 [0.114] N=884	0.005 [0.125] N=758	-0.057 [0.149] N=615	-0.194 [0.178] N=474
Strict normal WAZ -2 to +1	0.060 [0.072] N=1,137	0.069 [0.075] N=1,011	0.093 [0.086] N=867	0.113 [0.094] N=700	0.141 [0.103] N=535
Strict normal WHZ -2 to +1	**-0.185** [0.080] N=989**	**-0.218** [0.087] N=873**	**-0.235** [0.098] N=748**	-0.110 [0.122] N=606	-0.154 [0.149] N=467
Strict normal BMIZ -2 to +1	**-0.206** [0.088] N=965**	**-0.230** [0.094] N=853**	**-0.177* [0.106] N=733**	-0.056 [0.124] N=594	-0.124 [0.149] N=462
Above-normal height HAZ above +3	0.016 [0.038] N=1,005	0.022 [0.043] N=884	0.024 [0.050] N=758	0.007 [0.061] N=615	0.041 [0.084] N=474
Above-normal weight WAZ above +1	-0.014 [0.058] N=1,137	-0.003 [0.062] N=1,011	-0.054 [0.067] N=867	-0.038 [0.072] N=700	-0.054 [0.081] N=535
Above-normal WHZ above +1	0.115 [0.085] N=989	0.143 [0.094] N=873	0.099 [0.105] N=748	0.102 [0.119] N=606	0.119 [0.149] N=467
Above-normal BMIZ above +1	0.081 [0.095] N=965	0.097 [0.102] N=853	0.013 [0.113] N=733	-0.009 [0.127] N=594	0.017 [0.148] N=462

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.748 P=874	-0.005 [0.062] N=1,170	-0.002 [0.064] N=1,049	0.003 [0.065] N=923	-0.031 [0.070] N=780	-0.060 [0.075] N=639
Not underweight WAZ at least -2	0.928 P=1,221	0.012 [0.033] N=1,317	0.022 [0.035] N=1,191	0.004 [0.036] N=1,047	0.008 [0.038] N=880	-0.003 [0.042] N=715
Neither wasted nor overweight WHZ -2 to +2	0.701 P=804	**-0.123** [0.058] N=1,153**	**-0.116* [0.060] N=1,037**	**-0.132** [0.065] N=912**	-0.087 [0.070] N=770	-0.075 [0.072] N=631
Neither low nor high BMIZ -2 to +2	0.659 P=738	**-0.167*** [0.063] N=1,120**	**-0.162** [0.067] N=1,008**	**-0.133* [0.072] N=888**	-0.074 [0.077] N=749	-0.059 [0.079] N=617
Strict normal HAZ -2 to +3	0.680 P=797	-0.023 [0.065] N=1,170	-0.022 [0.067] N=1,049	-0.019 [0.068] N=923	-0.046 [0.073] N=780	-0.091 [0.079] N=639
Strict normal WAZ -2 to +1	0.714 P=942	0.016 [0.047] N=1,317	0.015 [0.048] N=1,191	0.024 [0.052] N=1,047	0.023 [0.053] N=880	0.031 [0.054] N=715
Strict normal WHZ -2 to +1	0.533 P=605	**-0.143** [0.056] N=1,153**	**-0.158*** [0.058] N=1,037**	**-0.158** [0.062] N=912**	-0.099 [0.067] N=770	**-0.118* [0.071] N=631**
Strict normal BMIZ -2 to +1	0.519 P=577	**-0.114* [0.060] N=1,120**	**-0.122** [0.061] N=1,008**	-0.078 [0.064] N=888	-0.020 [0.067] N=749	-0.032 [0.072] N=617
Above-normal height HAZ above +3	0.068 P=77	0.017 [0.030] N=1,170	0.020 [0.033] N=1,049	0.023 [0.034] N=923	0.015 [0.038] N=780	0.031 [0.043] N=639
Above-normal weight WAZ above +1	0.213 P=279	-0.003 [0.039] N=1,317	0.007 [0.041] N=1,191	-0.020 [0.041] N=1,047	-0.015 [0.042] N=880	-0.034 [0.042] N=715
Above-normal WHZ above +1	0.358 P=421	**0.122** [0.053] N=1,153**	**0.135** [0.057] N=1,037**	**0.108* [0.059] N=912**	**0.110* [0.064] N=770**	0.111 [0.071] N=631
Above-normal BMIZ above +1	0.360 P=409	0.082 [0.062] N=1,120	0.088 [0.064] N=1,008	0.036 [0.066] N=888	0.025 [0.073] N=749	0.021 [0.079] N=617

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.008 [0.103] N=1,005	0.024 [0.108] N=884	0.028 [0.120] N=758	-0.061 [0.143] N=615	-0.167 [0.166] N=474
Not underweight WAZ at least -2	0.045 [0.047] N=1,137	0.064 [0.050] N=1,011	0.036 [0.054] N=867	0.067 [0.054] N=700	0.074 [0.061] N=535
Neither wasted nor overweight WHZ -2 to +2	**-0.213*** [0.071] N=989**	**-0.205*** [0.078] N=873**	**-0.262*** [0.088] N=748**	**-0.187* [0.106] N=606**	-0.154 [0.120] N=467
Neither low nor high BMIZ -2 to +2	**-0.304*** [0.070] N=965**	**-0.310*** [0.078] N=853**	**-0.279*** [0.085] N=733**	**-0.178* [0.101] N=594**	-0.167 [0.113] N=462
Strict normal HAZ -2 to +3	-0.005 [0.106] N=1,005	0.005 [0.112] N=884	0.007 [0.123] N=758	-0.060 [0.147] N=615	-0.197 [0.174] N=474
Strict normal WAZ -2 to +1	0.059 [0.072] N=1,137	0.068 [0.075] N=1,011	0.089 [0.086] N=867	0.105 [0.093] N=700	0.124 [0.103] N=535
Strict normal WHZ -2 to +1	**-0.188** [0.081] N=989**	**-0.219** [0.087] N=873**	**-0.233** [0.098] N=748**	-0.109 [0.120] N=606	-0.142 [0.146] N=467
Strict normal BMIZ -2 to +1	**-0.210** [0.089] N=965**	**-0.235** [0.096] N=853**	**-0.181* [0.107] N=733**	-0.063 [0.126] N=594	-0.130 [0.148] N=462
Above-normal height HAZ above +3	0.014 [0.038] N=1,005	0.019 [0.043] N=884	0.021 [0.050] N=758	-0.001 [0.061] N=615	0.030 [0.082] N=474
Above-normal weight WAZ above +1	-0.014 [0.057] N=1,137	-0.004 [0.062] N=1,011	-0.053 [0.067] N=867	-0.038 [0.071] N=700	-0.049 [0.080] N=535
Above-normal WHZ above +1	0.119 [0.085] N=989	0.144 [0.093] N=873	0.097 [0.105] N=748	0.108 [0.117] N=606	0.116 [0.146] N=467
Above-normal BMIZ above +1	0.087 [0.096] N=965	0.101 [0.103] N=853	0.018 [0.114] N=733	0.004 [0.130] N=594	0.038 [0.150] N=462

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 12 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.