Table 14 Reduced Form Effects on Weight and Height

KILO and BOY are reported in their original units without WHO plausibility or other outcome-value restrictions. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.717	0.238 [0.277] N=1,686	0.307 [0.286] N=1,556	0.084 [0.305] N=1,400	0.178 [0.361] N=1,192	0.049 [0.362] N=980
Height in cm for all children	95.072	-0.296 [1.189] N=1,686	-0.182 [1.261] N=1,556	-0.313 [1.374] N=1,400	0.319 [1.370] N=1,192	-0.371 [1.547] N=980

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.382 [0.366] N=1,429	0.513 [0.373] N=1,299	0.078 [0.406] N=1,143	0.284 [0.554] N=935	0.199 [0.612] N=723
Height in cm for all children	-0.460 [1.693] N=1,429	-0.271 [1.875] N=1,299	-0.579 [2.174] N=1,143	0.901 [2.382] N=935	-0.894 [3.041] N=723

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.717	0.243 [0.277] N=1,686	0.311 [0.286] N=1,556	0.088 [0.305] N=1,400	0.178 [0.360] N=1,192	0.049 [0.362] N=980
Height in cm for all children	95.072	-0.243 [1.178] N=1,686	-0.134 [1.251] N=1,556	-0.281 [1.365] N=1,400	0.320 [1.336] N=1,192	-0.369 [1.505] N=980

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.388 [0.365] N=1,429	0.519 [0.373] N=1,299	0.085 [0.406] N=1,143	0.289 [0.550] N=935	0.199 [0.606] N=723
Height in cm for all children	-0.390 [1.679] N=1,429	-0.199 [1.862] N=1,299	-0.527 [2.161] N=1,143	0.936 [2.320] N=935	-0.898 [2.950] N=723

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.717	0.141 [0.275] N=1,686	0.217 [0.285] N=1,556	-0.010 [0.307] N=1,400	0.055 [0.361] N=1,192	-0.087 [0.369] N=980
Height in cm for all children	95.072	-0.843 [1.165] N=1,686	-0.832 [1.242] N=1,556	-0.930 [1.368] N=1,400	-0.496 [1.321] N=1,192	-1.100 [1.496] N=980

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.294 [0.356] N=1,429	0.426 [0.365] N=1,299	-0.012 [0.398] N=1,143	0.142 [0.541] N=935	0.015 [0.602] N=723
Height in cm for all children	-0.921 [1.643] N=1,429	-0.916 [1.827] N=1,299	-1.139 [2.176] N=1,143	-0.155 [2.271] N=935	-1.935 [2.899] N=723

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.717	0.151 [0.273] N=1,686	0.206 [0.283] N=1,556	-0.015 [0.308] N=1,400	0.060 [0.362] N=1,192	-0.112 [0.361] N=980
Height in cm for all children	95.072	-1.112 [1.153] N=1,686	-1.167 [1.231] N=1,556	-1.249 [1.372] N=1,400	-0.746 [1.355] N=1,192	-1.585 [1.518] N=980

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.325 [0.361] N=1,429	0.437 [0.371] N=1,299	-0.004 [0.412] N=1,143	0.203 [0.550] N=935	0.088 [0.615] N=723
Height in cm for all children	-1.124 [1.605] N=1,429	-1.169 [1.777] N=1,299	-1.416 [2.151] N=1,143	-0.168 [2.250] N=935	-2.518 [2.888] N=723

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.721	0.243 [0.286] N=1,588	0.307 [0.292] N=1,471	0.070 [0.320] N=1,322	0.158 [0.380] N=1,129	0.061 [0.395] N=925
Height in cm for all children	95.084	-0.289 [1.186] N=1,588	-0.242 [1.242] N=1,471	-0.355 [1.355] N=1,322	0.359 [1.301] N=1,129	-0.360 [1.504] N=925

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.376 [0.376] N=1,347	0.475 [0.370] N=1,230	0.009 [0.416] N=1,081	0.201 [0.565] N=888	0.119 [0.642] N=684
Height in cm for all children	-0.298 [1.726] N=1,347	-0.261 [1.874] N=1,230	-0.404 [2.145] N=1,081	1.436 [2.252] N=888	-0.389 [2.981] N=684

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.721	0.242 [0.291] N=1,588	0.305 [0.297] N=1,471	0.060 [0.321] N=1,322	0.161 [0.376] N=1,129	0.044 [0.392] N=925
Height in cm for all children	95.084	-0.305 [1.184] N=1,588	-0.240 [1.237] N=1,471	-0.448 [1.359] N=1,322	0.207 [1.318] N=1,129	-0.538 [1.507] N=925

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.424 [0.372] N=1,347	0.536 [0.367] N=1,230	0.069 [0.412] N=1,081	0.300 [0.547] N=888	0.234 [0.623] N=684
Height in cm for all children	-0.172 [1.719] N=1,347	-0.049 [1.863] N=1,230	-0.432 [2.181] N=1,081	1.324 [2.350] N=888	-0.597 [3.138] N=684

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.842	0.171 [0.333] N=1,556	0.252 [0.347] N=1,415	-0.058 [0.350] N=1,233	-0.131 [0.375] N=1,039	-0.110 [0.390] N=834
Height in cm for all children	95.828	-0.294 [1.282] N=1,556	-0.195 [1.398] N=1,415	-0.268 [1.466] N=1,233	-0.115 [1.591] N=1,039	0.422 [1.639] N=834

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.554 [0.502] N=1,350	0.733 [0.528] N=1,209	0.200 [0.568] N=1,027	0.138 [0.683] N=833	0.346 [0.847] N=628
Height in cm for all children	0.683 [1.698] N=1,350	0.804 [1.980] N=1,209	0.926 [2.292] N=1,027	1.285 [2.756] N=833	4.679 [3.029] N=628

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.842	0.169 [0.332] N=1,556	0.248 [0.345] N=1,415	-0.061 [0.348] N=1,233	-0.131 [0.374] N=1,039	-0.106 [0.393] N=834
Height in cm for all children	95.828	-0.326 [1.279] N=1,556	-0.233 [1.397] N=1,415	-0.302 [1.473] N=1,233	-0.116 [1.596] N=1,039	0.520 [1.655] N=834

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.544 [0.499] N=1,350	0.714 [0.521] N=1,209	0.181 [0.560] N=1,027	0.126 [0.676] N=833	0.346 [0.845] N=628
Height in cm for all children	0.512 [1.678] N=1,350	0.573 [1.969] N=1,209	0.725 [2.290] N=1,027	1.069 [2.734] N=833	4.595 [3.005] N=628

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.842	0.150 [0.331] N=1,556	0.244 [0.345] N=1,415	-0.067 [0.348] N=1,233	-0.144 [0.371] N=1,039	-0.113 [0.386] N=834
Height in cm for all children	95.828	-0.420 [1.265] N=1,556	-0.248 [1.378] N=1,415	-0.219 [1.471] N=1,233	-0.025 [1.606] N=1,039	0.464 [1.627] N=834

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.518 [0.494] N=1,350	0.722 [0.522] N=1,209	0.177 [0.568] N=1,027	0.076 [0.696] N=833	0.294 [0.887] N=628
Height in cm for all children	0.755 [1.667] N=1,350	1.030 [1.954] N=1,209	1.550 [2.277] N=1,027	2.080 [2.762] N=833	**5.605* [2.900] N=628**

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.842	0.179 [0.331]	0.267 [0.345]	-0.045	-0.119	-0.106

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
		N=1,556	N=1,415	[0.347] N=1,233	[0.373] N=1,039	[0.391] N=834
Height in cm for all children	95.828	-0.433 [1.258] N=1,556	-0.198 [1.363] N=1,415	-0.174 [1.462] N=1,233	0.047 [1.587] N=1,039	0.596 [1.644] N=834

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.555 [0.484] N=1,350	0.736 [0.510] N=1,209	0.207 [0.543] N=1,027	0.153 [0.661] N=833	0.323 [0.816] N=628
Height in cm for all children	0.544 [1.582] N=1,350	0.878 [1.838] N=1,209	1.232 [2.188] N=1,027	1.772 [2.639] N=833	**5.194* [2.675] N=628**

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.839	0.264 [0.336] N=1,470	0.367 [0.349] N=1,333	0.034 [0.351] N=1,161	-0.063 [0.379] N=978	-0.066 [0.398] N=787
Height in cm for all children	95.824	-0.404 [1.339] N=1,470	-0.185 [1.462] N=1,333	-0.207 [1.538] N=1,161	0.255 [1.670] N=978	0.576 [1.749] N=787

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.637 [0.514] N=1,276	0.861 [0.538] N=1,139	0.282 [0.573] N=967	0.173 [0.700] N=784	0.302 [0.898] N=593
Height in cm for all children	0.450 [1.759] N=1,276	0.760 [2.063] N=1,139	0.976 [2.438] N=967	1.906 [2.934] N=784	4.305 [3.243] N=593

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.839	0.274 [0.341] N=1,470	0.380 [0.356] N=1,333	0.034 [0.360] N=1,161	-0.029 [0.388] N=978	-0.037 [0.408] N=787
Height in cm for all children	95.824	-0.360 [1.348] N=1,470	-0.161 [1.467] N=1,333	-0.134 [1.546] N=1,161	0.249 [1.693] N=978	0.547 [1.762] N=787

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.652 [0.518] N=1,276	0.880 [0.545] N=1,139	0.285 [0.587] N=967	0.265 [0.718] N=784	0.429 [0.926] N=593
Height in cm for all children	0.442 [1.784] N=1,276	0.673 [2.083] N=1,139	1.080 [2.438] N=967	1.778 [2.974] N=784	4.226 [3.256] N=593

Notes: Cells show the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 24 to 59, split linear trends, and FAKTOR_FERT child survey weights are used. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Neither aid control is combined with an income control. Aid specifications use only the six main questions; households with a blank or 99 on any question are excluded. Columns use 8- to 4-year bandwidths; donuts drop months -12 to +11. One latest-born child is kept per household; ages 60 to 62 map to 59. *** p<0.01, ** p<0.05, * p<0.10.