Table 16 Supplementary Reduced Form Effects on WHO Classifications

These outcomes reproduce alternative normal and above-normal graph definitions and are not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.762 P=1,164	0.041 [0.040] N=1,517	0.047 [0.041] N=1,404	0.039 [0.043] N=1,262	0.046 [0.047] N=1,078	-0.002 [0.052] N=886
Not underweight WAZ at least -2	0.936 P=1,571	0.029 [0.021] N=1,679	0.034 [0.022] N=1,550	0.035 [0.022] N=1,395	0.034 [0.024] N=1,189	0.018 [0.028] N=977
Neither wasted nor overweight WHZ -2 to +2	0.698 P=1,008	0.026 [0.048] N=1,440	0.016 [0.049] N=1,342	0.010 [0.052] N=1,206	0.026 [0.058] N=1,030	0.026 [0.060] N=845
Neither low nor high BMIZ -2 to +2	0.668 P=967	-0.007 [0.050] N=1,442	-0.013 [0.051] N=1,341	-0.015 [0.054] N=1,200	-0.000 [0.060] N=1,024	-0.037 [0.064] N=844
Strict normal HAZ -2 to +3	0.704 P=1,078	0.037 [0.042] N=1,517	0.038 [0.043] N=1,404	0.022 [0.046] N=1,262	0.028 [0.050] N=1,078	-0.034 [0.055] N=886
Strict normal WAZ -2 to +1	0.715 P=1,208	-0.001 [0.044] N=1,679	-0.013 [0.046] N=1,550	-0.018 [0.047] N=1,395	-0.010 [0.052] N=1,189	-0.047 [0.059] N=977
Strict normal WHZ -2 to +1	0.542 P=787	0.065 [0.050] N=1,440	0.051 [0.051] N=1,342	0.056 [0.055] N=1,206	0.082 [0.061] N=1,030	0.052 [0.064] N=845
Strict normal BMIZ -2 to +1	0.536 P=778	0.047 [0.050] N=1,442	0.034 [0.051] N=1,341	0.043 [0.054] N=1,200	0.067 [0.060] N=1,024	0.015 [0.063] N=844
Above-normal height HAZ above +3	0.057 P=86	0.004 [0.022] N=1,517	0.008 [0.022] N=1,404	0.017 [0.024] N=1,262	0.019 [0.026] N=1,078	0.033 [0.030] N=886
Above-normal weight WAZ above +1	0.221 P=363	0.031 [0.041] N=1,679	0.047 [0.043] N=1,550	0.054 [0.044] N=1,395	0.044 [0.051] N=1,189	0.065 [0.055] N=977
Above-normal WHZ above +1	0.352 P=494	-0.046 [0.049] N=1,440	-0.040 [0.051] N=1,342	-0.057 [0.055] N=1,206	-0.075 [0.063] N=1,030	-0.028 [0.068] N=845
Above-normal BMIZ above +1	0.355 P=500	-0.051 [0.048] N=1,442	-0.044 [0.051] N=1,341	-0.070 [0.054] N=1,200	-0.099 [0.064] N=1,024	-0.047 [0.067] N=844

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.057 [0.061] N=1,284	0.071 [0.067] N=1,171	0.067 [0.074] N=1,029	0.098 [0.088] N=845	-0.002 [0.118] N=653
Not underweight WAZ at least -2	**0.052* [0.031] N=1,423**	**0.062* [0.034] N=1,294**	**0.069* [0.036] N=1,139**	**0.074* [0.043] N=933**	0.040 [0.053] N=721
Neither wasted nor overweight WHZ -2 to +2	-0.000 [0.058] N=1,216	-0.023 [0.058] N=1,118	-0.040 [0.064] N=982	-0.020 [0.082] N=806	-0.055 [0.093] N=621
Neither low nor high BMIZ -2 to +2	-0.010 [0.065] N=1,220	-0.020 [0.065] N=1,119	-0.016 [0.072] N=978	0.018 [0.089] N=802	-0.088 [0.096] N=622
Strict normal HAZ -2 to +3	0.063 [0.059] N=1,284	0.071 [0.063] N=1,171	0.056 [0.073] N=1,029	0.079 [0.086] N=845	-0.074 [0.113] N=653
Strict normal WAZ -2 to +1	0.046 [0.060] N=1,423	0.037 [0.065] N=1,294	0.037 [0.069] N=1,139	0.064 [0.084] N=933	-0.026 [0.105] N=721
Strict normal WHZ -2 to +1	0.071 [0.067] N=1,216	0.043 [0.071] N=1,118	0.055 [0.079] N=982	0.106 [0.102] N=806	0.020 [0.124] N=621
Strict normal BMIZ -2 to +1	0.063 [0.069] N=1,220	0.042 [0.072] N=1,119	0.069 [0.080] N=978	0.125 [0.101] N=802	0.015 [0.119] N=622
Above-normal height HAZ above +3	-0.006 [0.028] N=1,284	-0.000 [0.030] N=1,171	0.011 [0.033] N=1,029	0.019 [0.038] N=845	0.072 [0.046] N=653

Outcome	8 years	7 years	6 years	5 years	4 years
Above-normal weight WAZ above +1	0.005 [0.054] N=1,423	0.025 [0.058] N=1,294	0.032 [0.059] N=1,139	0.010 [0.078] N=933	0.065 [0.092] N=721
Above-normal WHZ above +1	-0.078 [0.070] N=1,216	-0.067 [0.076] N=1,118	-0.113 [0.086] N=982	-0.161 [0.114] N=806	-0.059 [0.142] N=621
Above-normal BMIZ above +1	-0.062 [0.070] N=1,220	-0.046 [0.077] N=1,119	-0.105 [0.087] N=978	-0.176 [0.116] N=802	-0.070 [0.138] N=622

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.762 P=1,164	0.041 [0.040] N=1,517	0.046 [0.041] N=1,404	0.039 [0.043] N=1,262	0.046 [0.047] N=1,078	-0.001 [0.052] N=886
Not underweight WAZ at least -2	0.936 P=1,571	0.029 [0.021] N=1,679	0.034 [0.022] N=1,550	0.035 [0.022] N=1,395	0.034 [0.024] N=1,189	0.018 [0.028] N=977
Neither wasted nor overweight WHZ -2 to +2	0.698 P=1,008	0.024 [0.047] N=1,440	0.013 [0.047] N=1,342	0.007 [0.051] N=1,206	0.027 [0.057] N=1,030	0.026 [0.058] N=845
Neither low nor high BMIZ -2 to +2	0.668 P=967	-0.008 [0.050] N=1,442	-0.015 [0.050] N=1,341	-0.016 [0.053] N=1,200	0.001 [0.058] N=1,024	-0.037 [0.062] N=844
Strict normal HAZ -2 to +3	0.704 P=1,078	0.036 [0.042] N=1,517	0.038 [0.043] N=1,404	0.022 [0.046] N=1,262	0.027 [0.050] N=1,078	-0.034 [0.055] N=886
Strict normal WAZ -2 to +1	0.715 P=1,208	-0.002 [0.044] N=1,679	-0.014 [0.046] N=1,550	-0.019 [0.047] N=1,395	-0.010 [0.052] N=1,189	-0.047 [0.059] N=977
Strict normal WHZ -2 to +1	0.542 P=787	0.064 [0.049] N=1,440	0.049 [0.050] N=1,342	0.054 [0.054] N=1,206	0.083 [0.060] N=1,030	0.052 [0.063] N=845
Strict normal BMIZ -2 to +1	0.536 P=778	0.046 [0.049] N=1,442	0.033 [0.050] N=1,341	0.043 [0.053] N=1,200	0.067 [0.059] N=1,024	0.015 [0.062] N=844
Above-normal height HAZ above +3	0.057 P=86	0.004 [0.022] N=1,517	0.008 [0.023] N=1,404	0.017 [0.024] N=1,262	0.019 [0.026] N=1,078	0.033 [0.029] N=886
Above-normal weight WAZ above +1	0.221 P=363	0.031 [0.041] N=1,679	0.047 [0.043] N=1,550	0.054 [0.044] N=1,395	0.044 [0.051] N=1,189	0.065 [0.055] N=977
Above-normal WHZ above +1	0.352 P=494	-0.046 [0.049] N=1,440	-0.040 [0.052] N=1,342	-0.058 [0.055] N=1,206	-0.075 [0.063] N=1,030	-0.028 [0.068] N=845
Above-normal BMIZ above +1	0.355 P=500	-0.052 [0.048] N=1,442	-0.044 [0.051] N=1,341	-0.071 [0.054] N=1,200	-0.098 [0.064] N=1,024	-0.047 [0.067] N=844

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.057 [0.061] N=1,284	0.070 [0.067] N=1,171	0.068 [0.074] N=1,029	0.099 [0.088] N=845	0.000 [0.117] N=653
Not underweight WAZ at least -2	0.051 [0.031] N=1,423	**0.062* [0.034] N=1,294**	**0.069* [0.036] N=1,139**	**0.073* [0.043] N=933**	0.039 [0.052] N=721
Neither wasted nor overweight WHZ -2 to +2	-0.004 [0.058] N=1,216	-0.031 [0.058] N=1,118	-0.049 [0.064] N=982	-0.026 [0.082] N=806	-0.066 [0.093] N=621
Neither low nor high BMIZ -2 to +2	-0.012 [0.065] N=1,220	-0.024 [0.065] N=1,119	-0.022 [0.072] N=978	0.013 [0.089] N=802	-0.094 [0.096] N=622
Strict normal HAZ -2 to +3	0.063 [0.059] N=1,284	0.071 [0.063] N=1,171	0.057 [0.073] N=1,029	0.079 [0.086] N=845	-0.073 [0.113] N=653
Strict normal WAZ -2 to +1	0.045 [0.060] N=1,423	0.036 [0.065] N=1,294	0.036 [0.069] N=1,139	0.064 [0.084] N=933	-0.026 [0.103] N=721
Strict normal WHZ -2 to +1	0.069 [0.067] N=1,216	0.040 [0.071] N=1,118	0.051 [0.079] N=982	0.103 [0.102] N=806	0.021 [0.124] N=621

Outcome	8 years	7 years	6 years	5 years	4 years
Strict normal BMIZ -2 to +1	0.063 [0.069] N=1,220	0.040 [0.072] N=1,119	0.067 [0.080] N=978	0.124 [0.101] N=802	0.016 [0.120] N=622
Above-normal height HAZ above +3	-0.006 [0.028] N=1,284	-0.001 [0.030] N=1,171	0.011 [0.033] N=1,029	0.020 [0.038] N=845	0.073 [0.045] N=653
Above-normal weight WAZ above +1	0.006 [0.054] N=1,423	0.025 [0.058] N=1,294	0.033 [0.059] N=1,139	0.010 [0.078] N=933	0.066 [0.092] N=721
Above-normal WHZ above +1	-0.079 [0.070] N=1,216	-0.070 [0.077] N=1,118	-0.116 [0.086] N=982	-0.163 [0.114] N=806	-0.068 [0.143] N=621
Above-normal BMIZ above +1	-0.064 [0.070] N=1,220	-0.049 [0.077] N=1,119	-0.108 [0.087] N=978	-0.178 [0.116] N=802	-0.078 [0.139] N=622

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.762 P=1,164	0.028 [0.039] N=1,517	0.030 [0.040] N=1,404	0.028 [0.042] N=1,262	0.032 [0.045] N=1,078	-0.019 [0.049] N=886
Not underweight WAZ at least -2	0.936 P=1,571	0.020 [0.021] N=1,679	0.022 [0.021] N=1,550	0.023 [0.022] N=1,395	0.020 [0.024] N=1,189	0.002 [0.026] N=977
Neither wasted nor overweight WHZ -2 to +2	0.698 P=1,008	0.019 [0.048] N=1,440	0.006 [0.048] N=1,342	0.003 [0.051] N=1,206	0.023 [0.057] N=1,030	0.024 [0.059] N=845
Neither low nor high BMIZ -2 to +2	0.668 P=967	-0.014 [0.051] N=1,442	-0.024 [0.051] N=1,341	-0.025 [0.053] N=1,200	-0.006 [0.059] N=1,024	-0.045 [0.063] N=844
Strict normal HAZ -2 to +3	0.704 P=1,078	0.021 [0.041] N=1,517	0.018 [0.041] N=1,404	0.008 [0.044] N=1,262	0.011 [0.048] N=1,078	-0.055 [0.053] N=886
Strict normal WAZ -2 to +1	0.715 P=1,208	-0.000 [0.044] N=1,679	-0.017 [0.047] N=1,550	-0.022 [0.048] N=1,395	-0.013 [0.053] N=1,189	-0.051 [0.060] N=977
Strict normal WHZ -2 to +1	0.542 P=787	0.062 [0.049] N=1,440	0.043 [0.051] N=1,342	0.049 [0.054] N=1,206	0.075 [0.060] N=1,030	0.044 [0.066] N=845
Strict normal BMIZ -2 to +1	0.536 P=778	0.044 [0.050] N=1,442	0.027 [0.052] N=1,341	0.036 [0.054] N=1,200	0.057 [0.060] N=1,024	0.002 [0.065] N=844
Above-normal height HAZ above +3	0.057 P=86	0.007 [0.022] N=1,517	0.012 [0.022] N=1,404	0.020 [0.024] N=1,262	0.021 [0.025] N=1,078	0.036 [0.028] N=886
Above-normal weight WAZ above +1	0.221 P=363	0.020 [0.040] N=1,679	0.039 [0.043] N=1,550	0.045 [0.044] N=1,395	0.033 [0.051] N=1,189	0.052 [0.057] N=977
Above-normal WHZ above +1	0.352 P=494	-0.051 [0.049] N=1,440	-0.042 [0.052] N=1,342	-0.060 [0.055] N=1,206	-0.074 [0.064] N=1,030	-0.026 [0.070] N=845
Above-normal BMIZ above +1	0.355 P=500	-0.054 [0.049] N=1,442	-0.045 [0.051] N=1,341	-0.071 [0.055] N=1,200	-0.095 [0.064] N=1,024	-0.040 [0.068] N=844

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.050 [0.059] N=1,284	0.057 [0.064] N=1,171	0.061 [0.071] N=1,029	0.088 [0.085] N=845	-0.013 [0.113] N=653
Not underweight WAZ at least -2	0.043 [0.030] N=1,423	0.049 [0.033] N=1,294	0.058 [0.035] N=1,139	0.059 [0.041] N=933	0.022 [0.051] N=721
Neither wasted nor overweight WHZ -2 to +2	-0.011 [0.060] N=1,216	-0.043 [0.060] N=1,118	-0.055 [0.066] N=982	-0.035 [0.084] N=806	-0.070 [0.096] N=621
Neither low nor high BMIZ -2 to +2	-0.016 [0.066] N=1,220	-0.034 [0.066] N=1,119	-0.027 [0.072] N=978	0.003 [0.091] N=802	-0.098 [0.099] N=622
Strict normal HAZ -2 to +3	0.053 [0.057] N=1,284	0.054 [0.060] N=1,171	0.047 [0.068] N=1,029	0.066 [0.082] N=845	-0.089 [0.109] N=653

Outcome	8 years	7 years	6 years	5 years	4 years
Strict normal WAZ -2 to +1	0.047 [0.060] N=1,423	0.031 [0.065] N=1,294	0.034 [0.068] N=1,139	0.067 [0.084] N=933	-0.023 [0.101] N=721
Strict normal WHZ -2 to +1	0.067 [0.068] N=1,216	0.030 [0.072] N=1,118	0.045 [0.079] N=982	0.088 [0.103] N=806	0.012 [0.127] N=621
Strict normal BMIZ -2 to +1	0.064 [0.069] N=1,220	0.034 [0.074] N=1,119	0.064 [0.080] N=978	0.109 [0.102] N=802	0.006 [0.122] N=622
Above-normal height HAZ above +3	-0.003 [0.028] N=1,284	0.004 [0.030] N=1,171	0.014 [0.033] N=1,029	0.022 [0.038] N=845	**0.076* [0.045] N=653**
Above-normal weight WAZ above +1	-0.004 [0.053] N=1,423	0.017 [0.057] N=1,294	0.024 [0.058] N=1,139	-0.008 [0.078] N=933	0.044 [0.091] N=721
Above-normal WHZ above +1	-0.082 [0.070] N=1,216	-0.068 [0.077] N=1,118	-0.115 [0.086] N=982	-0.156 [0.115] N=806	-0.066 [0.145] N=621
Above-normal BMIZ above +1	-0.067 [0.070] N=1,220	-0.048 [0.077] N=1,119	-0.108 [0.087] N=978	-0.173 [0.118] N=802	-0.072 [0.142] N=622

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.762 P=1,164	0.022 [0.039] N=1,517	0.023 [0.040] N=1,404	0.019 [0.042] N=1,262	0.021 [0.045] N=1,078	-0.030 [0.049] N=886
Not underweight WAZ at least -2	0.936 P=1,571	0.019 [0.021] N=1,679	0.022 [0.022] N=1,550	0.022 [0.023] N=1,395	0.019 [0.024] N=1,189	0.001 [0.028] N=977
Neither wasted nor overweight WHZ -2 to +2	0.698 P=1,008	0.014 [0.048] N=1,440	0.002 [0.049] N=1,342	-0.003 [0.052] N=1,206	0.016 [0.057] N=1,030	0.019 [0.058] N=845
Neither low nor high BMIZ -2 to +2	0.668 P=967	-0.021 [0.051] N=1,442	-0.028 [0.051] N=1,341	-0.031 [0.053] N=1,200	-0.016 [0.059] N=1,024	-0.049 [0.063] N=844
Strict normal HAZ -2 to +3	0.704 P=1,078	0.017 [0.041] N=1,517	0.014 [0.041] N=1,404	0.002 [0.044] N=1,262	0.001 [0.048] N=1,078	-0.064 [0.053] N=886
Strict normal WAZ -2 to +1	0.715 P=1,208	-0.003 [0.045] N=1,679	-0.017 [0.047] N=1,550	-0.024 [0.049] N=1,395	-0.015 [0.053] N=1,189	-0.049 [0.061] N=977
Strict normal WHZ -2 to +1	0.542 P=787	0.050 [0.050] N=1,440	0.031 [0.051] N=1,342	0.036 [0.054] N=1,206	0.063 [0.060] N=1,030	0.031 [0.064] N=845
Strict normal BMIZ -2 to +1	0.536 P=778	0.033 [0.050] N=1,442	0.016 [0.051] N=1,341	0.023 [0.054] N=1,200	0.046 [0.060] N=1,024	-0.007 [0.064] N=844
Above-normal height HAZ above +3	0.057 P=86	0.005 [0.022] N=1,517	0.009 [0.022] N=1,404	0.017 [0.024] N=1,262	0.020 [0.026] N=1,078	0.033 [0.029] N=886
Above-normal weight WAZ above +1	0.221 P=363	0.022 [0.040] N=1,679	0.039 [0.043] N=1,550	0.047 [0.044] N=1,395	0.033 [0.051] N=1,189	0.050 [0.055] N=977
Above-normal WHZ above +1	0.352 P=494	-0.035 [0.050] N=1,440	-0.025 [0.052] N=1,342	-0.044 [0.056] N=1,206	-0.060 [0.065] N=1,030	-0.010 [0.070] N=845
Above-normal BMIZ above +1	0.355 P=500	-0.040 [0.050] N=1,442	-0.029 [0.052] N=1,341	-0.055 [0.056] N=1,200	-0.082 [0.066] N=1,024	-0.027 [0.070] N=844

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.046 [0.060] N=1,284	0.053 [0.065] N=1,171	0.059 [0.073] N=1,029	0.088 [0.086] N=845	-0.031 [0.115] N=653
Not underweight WAZ at least -2	0.040 [0.030] N=1,423	0.048 [0.033] N=1,294	0.054 [0.036] N=1,139	0.054 [0.042] N=933	0.015 [0.053] N=721

Outcome	8 years	7 years	6 years	5 years	4 years
Neither wasted nor overweight WHZ -2 to +2	-0.017 [0.060] N=1,216	-0.044 [0.060] N=1,118	-0.058 [0.066] N=982	-0.038 [0.084] N=806	-0.079 [0.095] N=621
Neither low nor high BMIZ -2 to +2	-0.025 [0.067] N=1,220	-0.036 [0.068] N=1,119	-0.031 [0.075] N=978	0.001 [0.092] N=802	-0.113 [0.101] N=622
Strict normal HAZ -2 to +3	0.050 [0.059] N=1,284	0.051 [0.062] N=1,171	0.045 [0.070] N=1,029	0.061 [0.084] N=845	-0.111 [0.112] N=653
Strict normal WAZ -2 to +1	0.042 [0.060] N=1,423	0.029 [0.065] N=1,294	0.027 [0.069] N=1,139	0.052 [0.085] N=933	-0.043 [0.104] N=721
Strict normal WHZ -2 to +1	0.056 [0.067] N=1,216	0.024 [0.072] N=1,118	0.040 [0.079] N=982	0.088 [0.102] N=806	-0.002 [0.126] N=621
Strict normal BMIZ -2 to +1	0.053 [0.069] N=1,220	0.029 [0.074] N=1,119	0.059 [0.081] N=978	0.111 [0.102] N=802	-0.005 [0.122] N=622
Above-normal height HAZ above +3	-0.003 [0.028] N=1,284	0.003 [0.030] N=1,171	0.014 [0.033] N=1,029	0.026 [0.037] N=845	**0.080* [0.045] N=653**
Above-normal weight WAZ above +1	-0.002 [0.054] N=1,423	0.019 [0.057] N=1,294	0.027 [0.059] N=1,139	0.002 [0.079] N=933	0.058 [0.092] N=721
Above-normal WHZ above +1	-0.073 [0.070] N=1,216	-0.059 [0.077] N=1,118	-0.110 [0.086] N=982	-0.156 [0.116] N=806	-0.049 [0.142] N=621
Above-normal BMIZ above +1	-0.059 [0.071] N=1,220	-0.040 [0.077] N=1,119	-0.103 [0.087] N=978	-0.171 [0.118] N=802	-0.056 [0.139] N=622

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.761 P=1,098	0.027 [0.043] N=1,430	0.031 [0.044] N=1,329	0.024 [0.046] N=1,192	0.044 [0.048] N=1,021	-0.007 [0.054] N=835
Not underweight WAZ at least -2	0.935 P=1,477	0.025 [0.022] N=1,581	0.028 [0.023] N=1,465	0.029 [0.024] N=1,317	0.029 [0.026] N=1,126	0.017 [0.031] N=922
Neither wasted nor overweight WHZ -2 to +2	0.696 P=950	0.014 [0.050] N=1,359	0.010 [0.050] N=1,273	0.000 [0.054] N=1,143	0.025 [0.060] N=979	0.023 [0.063] N=800
Neither low nor high BMIZ -2 to +2	0.668 P=913	-0.024 [0.052] N=1,358	-0.022 [0.051] N=1,269	-0.026 [0.055] N=1,135	0.000 [0.062] N=971	-0.037 [0.068] N=797
Strict normal HAZ -2 to +3	0.705 P=1,019	0.026 [0.044] N=1,430	0.027 [0.044] N=1,329	0.012 [0.047] N=1,192	0.033 [0.050] N=1,021	-0.031 [0.055] N=835
Strict normal WAZ -2 to +1	0.713 P=1,134	0.004 [0.047] N=1,581	-0.010 [0.050] N=1,465	-0.015 [0.052] N=1,317	-0.005 [0.057] N=1,126	-0.041 [0.066] N=922
Strict normal WHZ -2 to +1	0.541 P=744	0.048 [0.052] N=1,359	0.041 [0.053] N=1,273	0.044 [0.056] N=1,143	0.078 [0.063] N=979	0.035 [0.067] N=800
Strict normal BMIZ -2 to +1	0.537 P=736	0.030 [0.052] N=1,358	0.021 [0.052] N=1,269	0.032 [0.055] N=1,135	0.063 [0.061] N=971	-0.001 [0.065] N=797
Above-normal height HAZ above +3	0.056 P=79	0.001 [0.021] N=1,430	0.003 [0.022] N=1,329	0.012 [0.023] N=1,192	0.011 [0.024] N=1,021	0.024 [0.027] N=835
Above-normal weight WAZ above +1	0.221 P=343	0.021 [0.044] N=1,581	0.038 [0.046] N=1,465	0.044 [0.048] N=1,317	0.035 [0.055] N=1,126	0.058 [0.061] N=922
Above-normal WHZ above +1	0.351 P=463	-0.033 [0.052] N=1,359	-0.031 [0.054] N=1,273	-0.050 [0.058] N=1,143	-0.071 [0.065] N=979	-0.015 [0.072] N=800
Above-normal BMIZ above +1	0.354 P=468	-0.036 [0.052] N=1,358	-0.031 [0.054] N=1,269	-0.059 [0.057] N=1,135	-0.091 [0.066] N=971	-0.030 [0.070] N=797

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.040 [0.064] N=1,212	0.049 [0.070] N=1,111	0.047 [0.077] N=974	0.105 [0.086] N=803	-0.002 [0.118] N=617
Not underweight WAZ at least -2	0.046 [0.031] N=1,341	0.052 [0.032] N=1,225	0.054 [0.036] N=1,077	0.053 [0.041] N=886	0.021 [0.056] N=682
Neither wasted nor overweight WHZ -2 to +2	-0.012 [0.061] N=1,147	-0.024 [0.060] N=1,061	-0.054 [0.066] N=931	-0.009 [0.086] N=767	-0.055 [0.103] N=588
Neither low nor high BMIZ -2 to +2	-0.032 [0.066] N=1,150	-0.031 [0.065] N=1,061	-0.041 [0.074] N=927	0.017 [0.092] N=763	-0.093 [0.102] N=589
Strict normal HAZ -2 to +3	0.044 [0.062] N=1,212	0.050 [0.065] N=1,111	0.035 [0.075] N=974	0.088 [0.085] N=803	-0.062 [0.112] N=617
Strict normal WAZ -2 to +1	0.051 [0.062] N=1,341	0.039 [0.066] N=1,225	0.034 [0.070] N=1,077	0.051 [0.085] N=886	-0.046 [0.108] N=682
Strict normal WHZ -2 to +1	0.053 [0.073] N=1,147	0.038 [0.076] N=1,061	0.044 [0.087] N=931	0.113 [0.110] N=767	0.009 [0.137] N=588
Strict normal BMIZ -2 to +1	0.042 [0.073] N=1,150	0.027 [0.076] N=1,061	0.053 [0.086] N=927	0.123 [0.108] N=763	-0.008 [0.128] N=589
Above-normal height HAZ above +3	-0.005 [0.029] N=1,212	-0.001 [0.031] N=1,111	0.012 [0.034] N=974	0.018 [0.039] N=803	0.060 [0.048] N=617
Above-normal weight WAZ above +1	-0.006 [0.057] N=1,341	0.013 [0.059] N=1,225	0.020 [0.062] N=1,077	0.002 [0.081] N=886	0.067 [0.097] N=682
Above-normal WHZ above +1	-0.064 [0.076] N=1,147	-0.063 [0.081] N=1,061	-0.109 [0.092] N=931	-0.163 [0.120] N=767	-0.042 [0.153] N=588
Above-normal BMIZ above +1	-0.050 [0.076] N=1,150	-0.039 [0.082] N=1,061	-0.099 [0.094] N=927	-0.175 [0.123] N=763	-0.048 [0.147] N=589

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.761 P=1,098	0.028 [0.043] N=1,430	0.032 [0.044] N=1,329	0.022 [0.046] N=1,192	0.040 [0.049] N=1,021	-0.010 [0.055] N=835
Not underweight WAZ at least -2	0.935 P=1,477	0.027 [0.022] N=1,581	0.031 [0.023] N=1,465	0.031 [0.024] N=1,317	0.031 [0.026] N=1,126	0.017 [0.030] N=922
Neither wasted nor overweight WHZ -2 to +2	0.696 P=950	0.015 [0.050] N=1,359	0.010 [0.050] N=1,273	0.000 [0.054] N=1,143	0.026 [0.060] N=979	0.027 [0.063] N=800
Neither low nor high BMIZ -2 to +2	0.668 P=913	-0.022 [0.052] N=1,358	-0.021 [0.051] N=1,269	-0.025 [0.055] N=1,135	0.001 [0.061] N=971	-0.033 [0.066] N=797
Strict normal HAZ -2 to +3	0.705 P=1,019	0.028 [0.043] N=1,430	0.030 [0.044] N=1,329	0.012 [0.047] N=1,192	0.033 [0.051] N=1,021	-0.025 [0.056] N=835
Strict normal WAZ -2 to +1	0.713 P=1,134	0.005 [0.047] N=1,581	-0.008 [0.049] N=1,465	-0.013 [0.051] N=1,317	-0.005 [0.056] N=1,126	-0.041 [0.064] N=922
Strict normal WHZ -2 to +1	0.541 P=744	0.049 [0.052] N=1,359	0.043 [0.053] N=1,273	0.046 [0.057] N=1,143	0.079 [0.063] N=979	0.045 [0.067] N=800
Strict normal BMIZ -2 to +1	0.537 P=736	0.031 [0.052] N=1,358	0.023 [0.052] N=1,269	0.032 [0.056] N=1,135	0.062 [0.061] N=971	0.006 [0.066] N=797
Above-normal height HAZ above +3	0.056 P=79	0.000 [0.021] N=1,430	0.003 [0.021] N=1,329	0.010 [0.023] N=1,192	0.007 [0.025] N=1,021	0.015 [0.028] N=835
Above-normal weight WAZ above +1	0.221 P=343	0.022 [0.044] N=1,581	0.038 [0.046] N=1,465	0.044 [0.048] N=1,317	0.036 [0.054] N=1,126	0.058 [0.060] N=922
Above-normal WHZ above +1	0.351 P=463	-0.034 [0.052] N=1,359	-0.033 [0.053] N=1,273	-0.051 [0.057] N=1,143	-0.069 [0.064] N=979	-0.016 [0.070] N=800
Above-normal BMIZ above +1	0.354 P=468	-0.037 [0.051] N=1,358	-0.032 [0.053] N=1,269	-0.057 [0.057] N=1,135	-0.087 [0.065] N=971	-0.030 [0.069] N=797

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.048 [0.063] N=1,212	0.058 [0.069] N=1,111	0.052 [0.076] N=974	0.113 [0.088] N=803	0.006 [0.120] N=617
Not underweight WAZ at least -2	0.049 [0.031] N=1,341	**0.057* [0.034] N=1,225**	**0.064* [0.036] N=1,077**	0.065 [0.041] N=886	0.035 [0.053] N=682
Neither wasted nor overweight WHZ -2 to +2	-0.017 [0.060] N=1,147	-0.032 [0.060] N=1,061	-0.060 [0.067] N=931	-0.017 [0.087] N=767	-0.057 [0.104] N=588
Neither low nor high BMIZ -2 to +2	-0.036 [0.066] N=1,150	-0.036 [0.066] N=1,061	-0.042 [0.074] N=927	0.015 [0.093] N=763	-0.088 [0.101] N=589
Strict normal HAZ -2 to +3	0.051 [0.061] N=1,212	0.058 [0.064] N=1,111	0.041 [0.073] N=974	0.102 [0.084] N=803	-0.041 [0.111] N=617
Strict normal WAZ -2 to +1	0.052 [0.061] N=1,341	0.042 [0.065] N=1,225	0.041 [0.070] N=1,077	0.062 [0.085] N=886	-0.027 [0.106] N=682
Strict normal WHZ -2 to +1	0.050 [0.072] N=1,147	0.036 [0.076] N=1,061	0.042 [0.086] N=931	0.110 [0.109] N=767	0.013 [0.134] N=588
Strict normal BMIZ -2 to +1	0.043 [0.073] N=1,150	0.029 [0.076] N=1,061	0.053 [0.085] N=927	0.123 [0.107] N=763	0.002 [0.125] N=589
Above-normal height HAZ above +3	-0.003 [0.029] N=1,212	0.000 [0.030] N=1,111	0.010 [0.033] N=974	0.011 [0.040] N=803	0.046 [0.051] N=617
Above-normal weight WAZ above +1	-0.003 [0.057] N=1,341	0.015 [0.059] N=1,225	0.023 [0.061] N=1,077	0.003 [0.081] N=886	0.062 [0.096] N=682
Above-normal WHZ above +1	-0.063 [0.076] N=1,147	-0.062 [0.082] N=1,061	-0.109 [0.093] N=931	-0.160 [0.121] N=767	-0.040 [0.154] N=588
Above-normal BMIZ above +1	-0.051 [0.076] N=1,150	-0.041 [0.082] N=1,061	-0.098 [0.093] N=927	-0.172 [0.123] N=763	-0.048 [0.147] N=589

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.764 P=1,076	-0.034 [0.046] N=1,410	-0.046 [0.049] N=1,274	-0.048 [0.050] N=1,115	-0.068 [0.054] N=943	-0.069 [0.059] N=766
Not underweight WAZ at least -2	0.938 P=1,452	0.024 [0.027] N=1,550	0.040 [0.029] N=1,410	0.014 [0.030] N=1,228	0.022 [0.033] N=1,034	0.028 [0.036] N=830
Neither wasted nor overweight WHZ -2 to +2	0.701 P=938	**-0.098* [0.051] N=1,342**	**-0.094* [0.053] N=1,214**	**-0.128** [0.057] N=1,066**	**-0.106* [0.060] N=899**	**-0.113* [0.063] N=728**
Neither low nor high BMIZ -2 to +2	0.679 P=906	**-0.108** [0.055] N=1,339**	**-0.101* [0.058] N=1,213**	**-0.121* [0.064] N=1,065**	-0.102 [0.067] N=897	-0.099 [0.072] N=731
Strict normal HAZ -2 to +3	0.707 P=999	-0.029 [0.056] N=1,410	-0.047 [0.059] N=1,274	-0.055 [0.061] N=1,115	-0.075 [0.067] N=943	-0.091 [0.074] N=766
Strict normal WAZ -2 to +1	0.720 P=1,115	0.056 [0.043] N=1,550	0.061 [0.045] N=1,410	0.067 [0.050] N=1,228	**0.098* [0.054] N=1,034**	0.094 [0.061] N=830
Strict normal WHZ -2 to +1	0.548 P=730	**-0.147*** [0.055] N=1,342**	**-0.162*** [0.058] N=1,214**	**-0.187*** [0.066] N=1,066**	**-0.112* [0.067] N=899**	**-0.142* [0.072] N=728**
Strict normal BMIZ -2 to +1	0.544 P=723	**-0.093* [0.053] N=1,339**	**-0.103* [0.056] N=1,213**	**-0.128* [0.065] N=1,065**	-0.069 [0.064] N=897	-0.089 [0.069] N=731
Above-normal height HAZ above +3	0.057 P=77	-0.004 [0.029] N=1,410	0.002 [0.031] N=1,274	0.007 [0.032] N=1,115	0.007 [0.036] N=943	0.021 [0.040] N=766
Above-normal weight WAZ above +1	0.218 P=337	-0.032 [0.038] N=1,550	-0.021 [0.040] N=1,410	-0.053 [0.042] N=1,228	**-0.076* [0.045] N=1,034**	-0.066 [0.052] N=830
Above-normal WHZ above +1	0.347 P=470	**0.094* [0.052] N=1,342**	**0.119** [0.053] N=1,214**	**0.118** [0.059] N=1,066**	0.063 [0.063] N=899	0.086 [0.070] N=728
Above-normal BMIZ above +1	0.350 P=471	0.047 [0.051] N=1,339	0.061 [0.053] N=1,213	0.061 [0.059] N=1,065	0.016 [0.063] N=897	0.039 [0.069] N=731

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.002 [0.070] N=1,219	-0.011 [0.077] N=1,083	0.003 [0.086] N=924	-0.026 [0.108] N=752	-0.004 [0.132] N=575
Not underweight WAZ at least -2	0.045 [0.038] N=1,345	**0.073* [0.042] N=1,205**	0.030 [0.046] N=1,023	0.064 [0.055] N=829	**0.109* [0.056] N=625**
Neither wasted nor overweight WHZ -2 to +2	-0.117 [0.071] N=1,167	-0.107 [0.077] N=1,039	**-0.182** [0.087] N=891**	-0.141 [0.106] N=724	-0.143 [0.130] N=553
Neither low nor high BMIZ -2 to +2	**-0.144** [0.067] N=1,165**	**-0.135* [0.076] N=1,039**	**-0.189** [0.089] N=891**	**-0.167* [0.099] N=723**	-0.187 [0.114] N=557
Strict normal HAZ -2 to +3	0.014 [0.079] N=1,219	-0.003 [0.087] N=1,083	0.001 [0.097] N=924	-0.026 [0.119] N=752	-0.056 [0.145] N=575
Strict normal WAZ -2 to +1	0.047 [0.056] N=1,345	0.048 [0.061] N=1,205	0.056 [0.071] N=1,023	0.124 [0.085] N=829	0.132 [0.104] N=625
Strict normal WHZ -2 to +1	**-0.200*** [0.074] N=1,167**	**-0.233*** [0.083] N=1,039**	**-0.312*** [0.104] N=891**	-0.192 [0.117] N=724	**-0.299* [0.151] N=553**
Strict normal BMIZ -2 to +1	**-0.137* [0.073] N=1,165**	**-0.162** [0.081] N=1,039**	**-0.231** [0.107] N=891**	-0.142 [0.112] N=723	**-0.235* [0.141] N=557**

Outcome	8 years	7 years	6 years	5 years	4 years
Above-normal height HAZ above +3	-0.016 [0.031] N=1,219	-0.008 [0.035] N=1,083	0.002 [0.038] N=924	-0.000 [0.045] N=752	0.052 [0.058] N=575
Above-normal weight WAZ above +1	-0.001 [0.054] N=1,345	0.025 [0.058] N=1,205	-0.026 [0.065] N=1,023	-0.060 [0.077] N=829	-0.023 [0.101] N=625
Above-normal WHZ above +1	0.111 [0.077] N=1,167	**0.160* [0.082] N=1,039**	**0.181* [0.099] N=891**	0.093 [0.118] N=724	0.149 [0.163] N=553
Above-normal BMIZ above +1	0.041 [0.075] N=1,165	0.065 [0.083] N=1,039	0.075 [0.102] N=891	0.000 [0.120] N=723	0.048 [0.158] N=557

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.764 P=1,076	-0.034 [0.046] N=1,410	-0.046 [0.048] N=1,274	-0.047 [0.050] N=1,115	-0.068 [0.054] N=943	-0.069 [0.059] N=766
Not underweight WAZ at least -2	0.938 P=1,452	0.024 [0.027] N=1,550	0.040 [0.029] N=1,410	0.015 [0.030] N=1,228	0.022 [0.033] N=1,034	0.026 [0.036] N=830
Neither wasted nor overweight WHZ -2 to +2	0.701 P=938	**-0.097* [0.051] N=1,342**	**-0.094* [0.053] N=1,214**	**-0.126** [0.057] N=1,066**	**-0.107* [0.060] N=899**	**-0.122* [0.063] N=728**
Neither low nor high BMIZ -2 to +2	0.679 P=906	**-0.109** [0.054] N=1,339**	**-0.101* [0.058] N=1,213**	**-0.121* [0.063] N=1,065**	-0.103 [0.066] N=897	-0.104 [0.071] N=731
Strict normal HAZ -2 to +3	0.707 P=999	-0.030 [0.056] N=1,410	-0.047 [0.059] N=1,274	-0.054 [0.061] N=1,115	-0.075 [0.067] N=943	-0.092 [0.075] N=766
Strict normal WAZ -2 to +1	0.720 P=1,115	0.057 [0.043] N=1,550	0.061 [0.045] N=1,410	0.067 [0.049] N=1,228	**0.098* [0.054] N=1,034**	0.091 [0.061] N=830
Strict normal WHZ -2 to +1	0.548 P=730	**-0.147*** [0.055] N=1,342**	**-0.162*** [0.058] N=1,214**	**-0.186*** [0.065] N=1,066**	**-0.112* [0.067] N=899**	**-0.145** [0.072] N=728**
Strict normal BMIZ -2 to +1	0.544 P=723	**-0.093* [0.053] N=1,339**	**-0.103* [0.055] N=1,213**	**-0.127** [0.064] N=1,065**	-0.070 [0.064] N=897	-0.091 [0.069] N=731
Above-normal height HAZ above +3	0.057 P=77	-0.004 [0.029] N=1,410	0.002 [0.031] N=1,274	0.007 [0.033] N=1,115	0.007 [0.036] N=943	0.023 [0.040] N=766
Above-normal weight WAZ above +1	0.218 P=337	-0.032 [0.038] N=1,550	-0.022 [0.040] N=1,410	-0.053 [0.042] N=1,228	**-0.076* [0.045] N=1,034**	-0.065 [0.052] N=830
Above-normal WHZ above +1	0.347 P=470	**0.095* [0.052] N=1,342**	**0.119** [0.054] N=1,214**	**0.118** [0.059] N=1,066**	0.063 [0.064] N=899	0.081 [0.072] N=728
Above-normal BMIZ above +1	0.350 P=471	0.047 [0.052] N=1,339	0.061 [0.054] N=1,213	0.061 [0.059] N=1,065	0.016 [0.063] N=897	0.034 [0.070] N=731

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.002 [0.070] N=1,219	-0.009 [0.078] N=1,083	0.009 [0.087] N=924	-0.021 [0.107] N=752	-0.003 [0.132] N=575
Not underweight WAZ at least -2	0.047 [0.038] N=1,345	**0.074* [0.042] N=1,205**	0.032 [0.046] N=1,023	0.067 [0.055] N=829	**0.111* [0.057] N=625**
Neither wasted nor overweight WHZ -2 to +2	-0.109 [0.070] N=1,167	-0.094 [0.076] N=1,039	**-0.165* [0.087] N=891**	-0.123 [0.105] N=724	-0.132 [0.127] N=553
Neither low nor high BMIZ -2 to +2	**-0.139** [0.067] N=1,165**	**-0.127* [0.076] N=1,039**	**-0.178** [0.088] N=891**	-0.158 [0.098] N=723	-0.184 [0.112] N=557

Outcome	8 years	7 years	6 years	5 years	4 years
Strict normal HAZ -2 to +3	0.014 [0.079] N=1,219	-0.003 [0.088] N=1,083	0.006 [0.098] N=924	-0.022 [0.119] N=752	-0.053 [0.147] N=575
Strict normal WAZ -2 to +1	0.049 [0.056] N=1,345	0.050 [0.061] N=1,205	0.057 [0.071] N=1,023	0.127 [0.085] N=829	0.133 [0.103] N=625
Strict normal WHZ -2 to +1	**-0.197*** [0.074] N=1,167**	**-0.227*** [0.082] N=1,039**	**-0.300*** [0.103] N=891**	-0.186 [0.116] N=724	**-0.296* [0.150] N=553**
Strict normal BMIZ -2 to +1	**-0.137* [0.072] N=1,165**	**-0.159** [0.080] N=1,039**	**-0.224** [0.106] N=891**	-0.139 [0.111] N=723	**-0.234* [0.140] N=557**
Above-normal height HAZ above +3	-0.015 [0.031] N=1,219	-0.006 [0.035] N=1,083	0.003 [0.038] N=924	0.001 [0.045] N=752	0.049 [0.058] N=575
Above-normal weight WAZ above +1	-0.002 [0.054] N=1,345	0.024 [0.058] N=1,205	-0.026 [0.065] N=1,023	-0.060 [0.077] N=829	-0.023 [0.101] N=625
Above-normal WHZ above +1	0.115 [0.077] N=1,167	**0.165** [0.082] N=1,039**	**0.182* [0.099] N=891**	0.101 [0.118] N=724	0.157 [0.164] N=553
Above-normal BMIZ above +1	0.045 [0.075] N=1,165	0.070 [0.083] N=1,039	0.076 [0.102] N=891	0.007 [0.120] N=723	0.053 [0.160] N=557

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.764 P=1,076	-0.039 [0.046] N=1,410	-0.046 [0.048] N=1,274	-0.046 [0.050] N=1,115	-0.065 [0.053] N=943	-0.070 [0.057] N=766
Not underweight WAZ at least -2	0.938 P=1,452	0.023 [0.028] N=1,550	0.040 [0.029] N=1,410	0.015 [0.030] N=1,228	0.022 [0.033] N=1,034	0.025 [0.035] N=830
Neither wasted nor overweight WHZ -2 to +2	0.701 P=938	**-0.095* [0.050] N=1,342**	**-0.090* [0.053] N=1,214**	**-0.123** [0.056] N=1,066**	**-0.099* [0.059] N=899**	**-0.115* [0.060] N=728**
Neither low nor high BMIZ -2 to +2	0.679 P=906	**-0.110** [0.054] N=1,339**	**-0.100* [0.057] N=1,213**	**-0.120* [0.062] N=1,065**	-0.098 [0.064] N=897	-0.102 [0.068] N=731
Strict normal HAZ -2 to +3	0.707 P=999	-0.035 [0.056] N=1,410	-0.049 [0.059] N=1,274	-0.053 [0.061] N=1,115	-0.072 [0.067] N=943	-0.092 [0.074] N=766
Strict normal WAZ -2 to +1	0.720 P=1,115	0.057 [0.042] N=1,550	0.061 [0.044] N=1,410	0.067 [0.048] N=1,228	**0.100* [0.053] N=1,034**	0.093 [0.059] N=830
Strict normal WHZ -2 to +1	0.548 P=730	**-0.142** [0.055] N=1,342**	**-0.155*** [0.057] N=1,214**	**-0.180*** [0.065] N=1,066**	-0.105 [0.066] N=899	**-0.138* [0.071] N=728**
Strict normal BMIZ -2 to +1	0.544 P=723	**-0.091* [0.053] N=1,339**	**-0.099* [0.055] N=1,213**	**-0.123* [0.063] N=1,065**	-0.066 [0.062] N=897	-0.089 [0.067] N=731
Above-normal height HAZ above +3	0.057 P=77	-0.004 [0.029] N=1,410	0.002 [0.031] N=1,274	0.007 [0.033] N=1,115	0.007 [0.036] N=943	0.022 [0.040] N=766
Above-normal weight WAZ above +1	0.218 P=337	-0.034 [0.038] N=1,550	-0.022 [0.040] N=1,410	-0.052 [0.042] N=1,228	**-0.078* [0.045] N=1,034**	-0.068 [0.051] N=830
Above-normal WHZ above +1	0.347 P=470	**0.091* [0.052] N=1,342**	**0.114** [0.054] N=1,214**	**0.115* [0.060] N=1,066**	0.061 [0.064] N=899	0.081 [0.072] N=728
Above-normal BMIZ above +1	0.350 P=471	0.046 [0.052] N=1,339	0.058 [0.054] N=1,213	0.060 [0.060] N=1,065	0.015 [0.064] N=897	0.035 [0.071] N=731

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.004 [0.070] N=1,219	0.001 [0.078] N=1,083	0.023 [0.088] N=924	0.000 [0.108] N=752	0.032 [0.130] N=575
Not underweight WAZ at least -2	0.052 [0.038] N=1,345	**0.084** [0.042] N=1,205**	0.045 [0.047] N=1,023	0.080 [0.056] N=829	**0.119** [0.057] N=625**
Neither wasted nor overweight WHZ -2 to +2	-0.102 [0.072] N=1,167	-0.086 [0.079] N=1,039	**-0.154* [0.091] N=891**	-0.099 [0.111] N=724	-0.101 [0.133] N=553
Neither low nor high BMIZ -2 to +2	**-0.133* [0.069] N=1,165**	-0.118 [0.079] N=1,039	**-0.166* [0.093] N=891**	-0.134 [0.105] N=723	-0.152 [0.120] N=557
Strict normal HAZ -2 to +3	0.020 [0.081] N=1,219	0.008 [0.089] N=1,083	0.019 [0.099] N=924	-0.002 [0.121] N=752	-0.016 [0.147] N=575
Strict normal WAZ -2 to +1	0.059 [0.057] N=1,345	0.062 [0.063] N=1,205	0.072 [0.073] N=1,023	**0.151* [0.087] N=829**	0.160 [0.108] N=625
Strict normal WHZ -2 to +1	**-0.183** [0.077] N=1,167**	**-0.209** [0.086] N=1,039**	**-0.280** [0.108] N=891**	-0.155 [0.124] N=724	-0.255 [0.159] N=553
Strict normal BMIZ -2 to +1	-0.121 [0.076] N=1,165	-0.140 [0.085] N=1,039	**-0.201* [0.111] N=891**	-0.106 [0.119] N=723	-0.195 [0.150] N=557
Above-normal height HAZ above +3	-0.016 [0.031] N=1,219	-0.007 [0.034] N=1,083	0.004 [0.038] N=924	0.002 [0.045] N=752	0.049 [0.058] N=575
Above-normal weight WAZ above +1	-0.007 [0.053] N=1,345	0.022 [0.058] N=1,205	-0.027 [0.065] N=1,023	-0.071 [0.078] N=829	-0.040 [0.104] N=625
Above-normal WHZ above +1	0.103 [0.080] N=1,167	**0.151* [0.086] N=1,039**	0.164 [0.104] N=891	0.075 [0.126] N=724	0.122 [0.173] N=553
Above-normal BMIZ above +1	0.033 [0.079] N=1,165	0.056 [0.087] N=1,039	0.056 [0.108] N=891	-0.023 [0.128] N=723	0.016 [0.169] N=557

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.764 P=1,076	-0.037 [0.045] N=1,410	-0.044 [0.048] N=1,274	-0.044 [0.050] N=1,115	-0.063 [0.053] N=943	-0.063 [0.058] N=766
Not underweight WAZ at least -2	0.938 P=1,452	0.024 [0.028] N=1,550	0.041 [0.029] N=1,410	0.017 [0.030] N=1,228	0.025 [0.033] N=1,034	0.029 [0.036] N=830
Neither wasted nor overweight WHZ -2 to +2	0.701 P=938	**-0.099* [0.050] N=1,342**	**-0.094* [0.052] N=1,214**	**-0.128** [0.056] N=1,066**	**-0.110* [0.059] N=899**	**-0.120* [0.061] N=728**
Neither low nor high BMIZ -2 to +2	0.679 P=906	**-0.110** [0.053] N=1,339**	**-0.101* [0.056] N=1,213**	**-0.121** [0.061] N=1,065**	**-0.103* [0.062] N=897**	-0.094 [0.065] N=731
Strict normal HAZ -2 to +3	0.707 P=999	-0.034 [0.056] N=1,410	-0.046 [0.058] N=1,274	-0.052 [0.061] N=1,115	-0.069 [0.066] N=943	-0.083 [0.073] N=766
Strict normal WAZ -2 to +1	0.720 P=1,115	0.053 [0.042] N=1,550	0.058 [0.044] N=1,410	0.065 [0.048] N=1,228	**0.096* [0.053] N=1,034**	0.092 [0.059] N=830
Strict normal WHZ -2 to +1	0.548 P=730	**-0.146*** [0.054] N=1,342**	**-0.159*** [0.056] N=1,214**	**-0.185*** [0.064] N=1,066**	**-0.112* [0.064] N=899**	**-0.139** [0.069] N=728**
Strict normal BMIZ -2 to +1	0.544 P=723	**-0.091* [0.051] N=1,339**	**-0.099* [0.054] N=1,213**	**-0.124** [0.062] N=1,065**	-0.065 [0.060] N=897	-0.078 [0.064] N=731
Above-normal height HAZ above +3	0.057 P=77	-0.004 [0.028] N=1,410	0.002 [0.030] N=1,274	0.007 [0.032] N=1,115	0.006 [0.036] N=943	0.020 [0.039] N=766
Above-normal weight WAZ above +1	0.218 P=337	-0.029 [0.038] N=1,550	-0.017 [0.039] N=1,410	-0.048 [0.041] N=1,228	-0.071 [0.044] N=1,034	-0.063 [0.049] N=830
Above-normal WHZ above +1	0.347 P=470	**0.094***	**0.118****	**0.118****	0.062 [0.062]	0.077 [0.071]

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
		[0.051] N=1,342	**[0.053] N=1,214**	**[0.059] N=1,066**	N=899	N=728
Above-normal BMIZ above +1	0.350 P=471	0.047 [0.051] N=1,339	0.060 [0.053] N=1,213	0.060 [0.058] N=1,065	0.013 [0.061] N=897	0.028 [0.068] N=731

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.000 [0.069] N=1,219	-0.000 [0.077] N=1,083	0.021 [0.087] N=924	-0.003 [0.106] N=752	0.020 [0.130] N=575
Not underweight WAZ at least -2	0.047 [0.037] N=1,345	**0.078* [0.041] N=1,205**	0.037 [0.045] N=1,023	0.074 [0.054] N=829	**0.114** [0.056] N=625**
Neither wasted nor overweight WHZ -2 to +2	-0.105 [0.071] N=1,167	-0.088 [0.078] N=1,039	**-0.157* [0.089] N=891**	-0.113 [0.106] N=724	-0.113 [0.124] N=553
Neither low nor high BMIZ -2 to +2	**-0.135** [0.068] N=1,165**	-0.121 [0.078] N=1,039	**-0.170* [0.091] N=891**	-0.147 [0.099] N=723	-0.156 [0.113] N=557
Strict normal HAZ -2 to +3	0.015 [0.080] N=1,219	0.007 [0.088] N=1,083	0.018 [0.099] N=924	-0.003 [0.119] N=752	-0.026 [0.148] N=575
Strict normal WAZ -2 to +1	0.045 [0.056] N=1,345	0.050 [0.062] N=1,205	0.059 [0.071] N=1,023	0.130 [0.085] N=829	0.143 [0.104] N=625
Strict normal WHZ -2 to +1	**-0.191** [0.074] N=1,167**	**-0.218*** [0.083] N=1,039**	**-0.291*** [0.104] N=891**	-0.172 [0.115] N=724	**-0.272* [0.146] N=553**
Strict normal BMIZ -2 to +1	**-0.130* [0.073] N=1,165**	**-0.150* [0.082] N=1,039**	**-0.214* [0.108] N=891**	-0.123 [0.111] N=723	-0.206 [0.137] N=557
Above-normal height HAZ above +3	-0.015 [0.031] N=1,219	-0.007 [0.035] N=1,083	0.002 [0.038] N=924	0.000 [0.045] N=752	0.046 [0.057] N=575
Above-normal weight WAZ above +1	0.002 [0.052] N=1,345	0.028 [0.057] N=1,205	-0.022 [0.063] N=1,023	-0.056 [0.076] N=829	-0.028 [0.099] N=625
Above-normal WHZ above +1	0.110 [0.076] N=1,167	**0.157* [0.081] N=1,039**	**0.175* [0.098] N=891**	0.089 [0.116] N=724	0.135 [0.161] N=553
Above-normal BMIZ above +1	0.041 [0.075] N=1,165	0.063 [0.083] N=1,039	0.068 [0.102] N=891	-0.008 [0.118] N=723	0.030 [0.157] N=557

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.762 P=1,015	-0.045 [0.046] N=1,332	-0.059 [0.048] N=1,200	-0.060 [0.049] N=1,050	-0.081 [0.052] N=887	-0.091 [0.059] N=722
Not underweight WAZ at least -2	0.937 P=1,369	0.028 [0.029] N=1,464	0.044 [0.030] N=1,328	0.021 [0.030] N=1,156	0.025 [0.035] N=973	0.024 [0.037] N=783
Neither wasted nor overweight WHZ -2 to +2	0.699 P=885	**-0.111** [0.052] N=1,269**	**-0.107** [0.054] N=1,145**	**-0.135** [0.056] N=1,005**	**-0.119* [0.061] N=848**	**-0.137** [0.064] N=688**
Neither low nor high BMIZ -2 to +2	0.679 P=857	**-0.130** [0.055] N=1,263**	**-0.123** [0.057] N=1,141**	**-0.135** [0.062] N=1,001**	**-0.123* [0.066] N=843**	**-0.127* [0.072] N=689**
Strict normal HAZ -2 to +3	0.706 P=945	-0.040 [0.056] N=1,332	-0.061 [0.058] N=1,200	-0.067 [0.060] N=1,050	-0.091 [0.066] N=887	-0.123 [0.076] N=722
Strict normal WAZ -2 to +1	0.721 P=1,055	0.032 [0.045] N=1,464	0.037 [0.048] N=1,328	0.050 [0.052] N=1,156	0.078 [0.058] N=973	0.069 [0.066] N=783
Strict normal WHZ -2 to +1	0.549 P=693	**-0.173*** [0.056] N=1,269**	**-0.191*** [0.058] N=1,145**	**-0.211*** [0.065] N=1,005**	**-0.141** [0.067] N=848**	**-0.164** [0.071] N=688**
Strict normal BMIZ -2 to +1	0.545 P=686	**-0.122****	**-0.136****	**-0.159****	**-0.113***	**-0.122***

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
		[0.054] N=1,263	**[0.055] N=1,141**	**[0.064] N=1,001**	**[0.064] N=843**	**[0.069] N=689**
Above-normal height HAZ above +3	0.055 P=70	-0.005 [0.029] N=1,332	0.002 [0.031] N=1,200	0.007 [0.032] N=1,050	0.010 [0.036] N=887	0.032 [0.040] N=722
Above-normal weight WAZ above +1	0.216 P=314	-0.004 [0.041] N=1,464	0.007 [0.042] N=1,328	-0.029 [0.045] N=1,156	-0.053 [0.050] N=973	-0.044 [0.057] N=783
Above-normal WHZ above +1	0.344 P=439	**0.117** [0.053] N=1,269**	**0.148*** [0.054] N=1,145**	**0.143** [0.060] N=1,005**	0.083 [0.064] N=848	0.085 [0.071] N=688
Above-normal BMIZ above +1	0.348 P=440	0.070 [0.052] N=1,263	**0.089* [0.054] N=1,141**	0.088 [0.059] N=1,001	0.040 [0.063] N=843	0.039 [0.069] N=689

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.004 [0.071] N=1,152	-0.003 [0.078] N=1,020	0.024 [0.089] N=870	0.000 [0.106] N=707	-0.005 [0.131] N=542
Not underweight WAZ at least -2	0.055 [0.040] N=1,271	**0.086** [0.043] N=1,135**	0.050 [0.046] N=963	0.082 [0.057] N=780	**0.119** [0.055] N=590**
Neither wasted nor overweight WHZ -2 to +2	**-0.125* [0.072] N=1,102**	-0.108 [0.077] N=978	**-0.166* [0.085] N=838**	-0.133 [0.110] N=681	-0.151 [0.135] N=521
Neither low nor high BMIZ -2 to +2	**-0.160** [0.066] N=1,098**	**-0.146* [0.074] N=976**	**-0.176** [0.084] N=836**	**-0.168* [0.097] N=678**	**-0.200* [0.111] N=524**
Strict normal HAZ -2 to +3	0.018 [0.079] N=1,152	0.001 [0.087] N=1,020	0.019 [0.096] N=870	-0.005 [0.117] N=707	-0.070 [0.148] N=542
Strict normal WAZ -2 to +1	0.024 [0.059] N=1,271	0.028 [0.065] N=1,135	0.048 [0.076] N=963	0.116 [0.094] N=780	0.120 [0.114] N=590
Strict normal WHZ -2 to +1	**-0.234*** [0.075] N=1,102**	**-0.271*** [0.083] N=978**	**-0.335*** [0.106] N=838**	**-0.238* [0.120] N=681**	**-0.323** [0.158] N=521**
Strict normal BMIZ -2 to +1	**-0.167** [0.072] N=1,098**	**-0.194** [0.080] N=976**	**-0.256** [0.108] N=836**	**-0.202* [0.114] N=678**	**-0.271* [0.145] N=524**
Above-normal height HAZ above +3	-0.014 [0.032] N=1,152	-0.004 [0.036] N=1,020	0.004 [0.040] N=870	0.005 [0.047] N=707	0.065 [0.064] N=542
Above-normal weight WAZ above +1	0.031 [0.057] N=1,271	0.058 [0.061] N=1,135	0.002 [0.069] N=963	-0.035 [0.085] N=780	-0.002 [0.114] N=590
Above-normal WHZ above +1	**0.155** [0.077] N=1,102**	**0.217*** [0.083] N=978**	**0.230** [0.101] N=838**	0.150 [0.119] N=681	0.178 [0.170] N=521
Above-normal BMIZ above +1	0.078 [0.075] N=1,098	0.112 [0.083] N=976	0.120 [0.104] N=836	0.056 [0.121] N=678	0.075 [0.164] N=524

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.762 P=1,015	-0.044 [0.046] N=1,332	-0.059 [0.048] N=1,200	-0.058 [0.050] N=1,050	-0.081 [0.053] N=887	-0.093 [0.059] N=722
Not underweight WAZ at least -2	0.937 P=1,369	0.027 [0.028] N=1,464	0.044 [0.030] N=1,328	0.019 [0.030] N=1,156	0.024 [0.034] N=973	0.023 [0.036] N=783
Neither wasted nor overweight WHZ -2 to +2	0.699 P=885	**-0.109** [0.052] N=1,269**	**-0.106* [0.054] N=1,145**	**-0.133** [0.057] N=1,005**	**-0.118* [0.061] N=848**	**-0.135** [0.065] N=688**
Neither low nor high BMIZ -2 to +2	0.679 P=857	**-0.129** [0.055]**	**-0.122** [0.058]**	**-0.135** [0.063]**	**-0.120* [0.067]**	**-0.124* [0.072]**

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
		N=1,263	**N=1,141**	**N=1,001**	**N=843**	**N=689**
Strict normal HAZ -2 to +3	0.706 P=945	-0.039 [0.056] N=1,332	-0.060 [0.059] N=1,200	-0.066 [0.060] N=1,050	-0.090 [0.066] N=887	-0.121 [0.076] N=722
Strict normal WAZ -2 to +1	0.721 P=1,055	0.033 [0.045] N=1,464	0.037 [0.047] N=1,328	0.051 [0.052] N=1,156	0.078 [0.058] N=973	0.069 [0.066] N=783
Strict normal WHZ -2 to +1	0.549 P=693	**-0.171*** [0.056] N=1,269**	**-0.189*** [0.058] N=1,145**	**-0.209*** [0.066] N=1,005**	**-0.138** [0.067] N=848**	**-0.159** [0.072] N=688**
Strict normal BMIZ -2 to +1	0.545 P=686	**-0.120** [0.054] N=1,263**	**-0.134** [0.056] N=1,141**	**-0.156** [0.064] N=1,001**	**-0.109* [0.064] N=843**	**-0.119* [0.069] N=689**
Above-normal height HAZ above +3	0.055 P=70	-0.005 [0.029] N=1,332	0.001 [0.031] N=1,200	0.008 [0.032] N=1,050	0.009 [0.036] N=887	0.028 [0.041] N=722
Above-normal weight WAZ above +1	0.216 P=314	-0.006 [0.040] N=1,464	0.007 [0.042] N=1,328	-0.031 [0.045] N=1,156	-0.054 [0.050] N=973	-0.046 [0.057] N=783
Above-normal WHZ above +1	0.344 P=439	**0.116** [0.052] N=1,269**	**0.145*** [0.054] N=1,145**	**0.140** [0.059] N=1,005**	0.082 [0.063] N=848	0.084 [0.071] N=688
Above-normal BMIZ above +1	0.348 P=440	0.068 [0.052] N=1,263	0.087 [0.054] N=1,141	0.084 [0.059] N=1,001	0.039 [0.062] N=843	0.040 [0.069] N=689

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.001 [0.071] N=1,152	-0.009 [0.078] N=1,020	0.021 [0.088] N=870	-0.012 [0.108] N=707	-0.024 [0.131] N=542
Not underweight WAZ at least -2	0.055 [0.038] N=1,271	**0.085** [0.042] N=1,135**	0.044 [0.046] N=963	0.077 [0.055] N=780	**0.112** [0.055] N=590**
Neither wasted nor overweight WHZ -2 to +2	**-0.125* [0.071] N=1,102**	-0.110 [0.077] N=978	**-0.172** [0.085] N=838**	-0.136 [0.108] N=681	-0.155 [0.134] N=521
Neither low nor high BMIZ -2 to +2	**-0.162** [0.066] N=1,098**	**-0.150** [0.074] N=976**	**-0.186** [0.084] N=836**	**-0.170* [0.097] N=678**	**-0.208* [0.111] N=524**
Strict normal HAZ -2 to +3	0.017 [0.079] N=1,152	-0.004 [0.087] N=1,020	0.015 [0.096] N=870	-0.016 [0.117] N=707	-0.079 [0.144] N=542
Strict normal WAZ -2 to +1	0.026 [0.058] N=1,271	0.026 [0.064] N=1,135	0.047 [0.074] N=963	0.109 [0.092] N=780	0.108 [0.112] N=590
Strict normal WHZ -2 to +1	**-0.234*** [0.075] N=1,102**	**-0.273*** [0.083] N=978**	**-0.341*** [0.105] N=838**	**-0.236** [0.119] N=681**	**-0.325** [0.156] N=521**
Strict normal BMIZ -2 to +1	**-0.170** [0.072] N=1,098**	**-0.200** [0.081] N=976**	**-0.261** [0.108] N=836**	**-0.198* [0.114] N=678**	**-0.277* [0.145] N=524**
Above-normal height HAZ above +3	-0.015 [0.032] N=1,152	-0.005 [0.036] N=1,020	0.006 [0.040] N=870	0.004 [0.047] N=707	0.055 [0.063] N=542
Above-normal weight WAZ above +1	0.029 [0.057] N=1,271	0.059 [0.061] N=1,135	-0.002 [0.068] N=963	-0.032 [0.085] N=780	0.004 [0.114] N=590
Above-normal WHZ above +1	**0.155** [0.077] N=1,102**	**0.219*** [0.082] N=978**	**0.230** [0.099] N=838**	0.152 [0.119] N=681	0.181 [0.170] N=521
Above-normal BMIZ above +1	0.080 [0.076] N=1,098	0.117 [0.084] N=976	0.119 [0.103] N=836	0.058 [0.123] N=678	0.085 [0.166] N=524

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 24 to 59 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Neither aid control is combined with an income control. Aid specifications use only the six main questions; households with a blank or 99 on any question are excluded. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every

regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household; raw ages 60 to 62 months map to analysis month 59. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.