Table 14 Reduced Form Effects on Weight and Height With Monthly Child Age Controls Using 12 November 2022 Child Age

KILO and BOY are reported in their original units without WHO plausibility or other outcome-value restrictions. Child age is calculated on 12 November 2022 and capped at 24 and 59 months. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.724	0.254 [0.285] N=1,688	0.320 [0.294] N=1,558	0.103 [0.304] N=1,402	0.133 [0.362] N=1,194	-0.018 [0.371] N=982
Height in cm for all children	95.103	-0.238 [1.220] N=1,688	-0.169 [1.291] N=1,558	-0.272 [1.410] N=1,402	0.224 [1.430] N=1,194	-0.383 [1.615] N=982

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.424 [0.364] N=1,430	0.570 [0.369] N=1,300	0.205 [0.391] N=1,144	0.356 [0.543] N=936	0.182 [0.610] N=724
Height in cm for all children	-0.537 [1.752] N=1,430	-0.439 [1.939] N=1,300	-0.751 [2.236] N=1,144	0.651 [2.396] N=936	-1.329 [3.054] N=724

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.724	0.259 [0.284] N=1,688	0.326 [0.294] N=1,558	0.108 [0.303] N=1,402	0.134 [0.360] N=1,194	-0.017 [0.370] N=982
Height in cm for all children	95.103	-0.176 [1.209] N=1,688	-0.109 [1.280] N=1,558	-0.240 [1.399] N=1,402	0.227 [1.396] N=1,194	-0.378 [1.576] N=982

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.430 [0.363] N=1,430	0.576 [0.369] N=1,300	0.208 [0.389] N=1,144	0.353 [0.538] N=936	0.181 [0.603] N=724
Height in cm for all children	-0.458 [1.732] N=1,430	-0.363 [1.920] N=1,300	-0.728 [2.214] N=1,144	0.633 [2.323] N=936	-1.336 [2.971] N=724

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.724	0.162 [0.282] N=1,688	0.237 [0.293] N=1,558	0.016 [0.305] N=1,402	0.018 [0.360] N=1,194	-0.145 [0.378] N=982
Height in cm for all children	95.103	-0.783 [1.198] N=1,688	-0.808 [1.277] N=1,558	-0.897 [1.412] N=1,402	-0.571 [1.394] N=1,194	-1.094 [1.576] N=982

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.331 [0.356] N=1,430	0.481 [0.363] N=1,300	0.103 [0.385] N=1,144	0.182 [0.528] N=936	-0.049 [0.604] N=724
Height in cm for all children	-1.067 [1.693] N=1,430	-1.142 [1.884] N=1,300	-1.444 [2.233] N=1,144	-0.585 [2.273] N=936	-2.591 [2.935] N=724

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.724	0.170 [0.281] N=1,688	0.227 [0.292] N=1,558	0.011 [0.307] N=1,402	0.018 [0.363] N=1,194	-0.177 [0.371] N=982
Height in cm for all children	95.103	-1.054 [1.187] N=1,688	-1.138 [1.267] N=1,558	-1.202 [1.418] N=1,402	-0.854 [1.428] N=1,194	-1.612 [1.595] N=982

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.366 [0.359] N=1,430	0.494 [0.368] N=1,300	0.118 [0.398] N=1,144	0.257 [0.538] N=936	0.033 [0.609] N=724
Height in cm for all children	-1.239 [1.656] N=1,430	-1.357 [1.837] N=1,300	-1.670 [2.217] N=1,144	-0.658 [2.280] N=936	-3.248 [2.943] N=724

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.729	0.262 [0.293] N=1,590	0.329 [0.298] N=1,473	0.088 [0.315] N=1,324	0.105 [0.373] N=1,131	-0.002 [0.395] N=927
Height in cm for all children	95.118	-0.231 [1.228] N=1,590	-0.222 [1.278] N=1,473	-0.367 [1.394] N=1,324	0.230 [1.383] N=1,131	-0.398 [1.595] N=927

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.429 [0.372] N=1,348	0.546 [0.367] N=1,231	0.133 [0.394] N=1,082	0.271 [0.545] N=889	0.141 [0.632] N=685
Height in cm for all children	-0.388 [1.789] N=1,348	-0.404 [1.935] N=1,231	-0.673 [2.183] N=1,082	1.145 [2.306] N=889	-0.794 [3.087] N=685

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.729	0.262 [0.298] N=1,590	0.326 [0.304] N=1,473	0.080 [0.315] N=1,324	0.111 [0.369] N=1,131	-0.016 [0.392] N=927
Height in cm for all children	95.118	-0.237 [1.225] N=1,590	-0.214 [1.274] N=1,473	-0.450 [1.397] N=1,324	0.084 [1.395] N=1,131	-0.552 [1.594] N=927

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.477 [0.369] N=1,348	**0.606* [0.364] N=1,231**	0.194 [0.389] N=1,082	0.371 [0.526] N=889	0.265 [0.605] N=685
Height in cm for all children	-0.235 [1.783] N=1,348	-0.184 [1.922] N=1,231	-0.673 [2.217] N=1,082	1.025 [2.399] N=889	-0.994 [3.205] N=685

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.849	0.175 [0.326] N=1,558	0.259 [0.343] N=1,417	-0.071 [0.346] N=1,235	-0.168 [0.366] N=1,041	-0.152 [0.392] N=836
Height in cm for all children	95.862	-0.307 [1.303] N=1,558	-0.307 [1.409] N=1,417	-0.390 [1.474] N=1,235	-0.213 [1.609] N=1,041	0.271 [1.656] N=836

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.559 [0.504] N=1,352	0.738 [0.534] N=1,211	0.166 [0.580] N=1,029	0.076 [0.695] N=835	0.254 [0.851] N=630
Height in cm for all children	1.012 [1.709] N=1,352	0.937 [1.977] N=1,211	0.968 [2.264] N=1,029	1.434 [2.694] N=835	4.942 [3.002] N=630

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.849	0.172 [0.325] N=1,558	0.253 [0.340] N=1,417	-0.075 [0.343] N=1,235	-0.166 [0.365] N=1,041	-0.145 [0.394] N=836
Height in cm for all children	95.862	-0.351 [1.301] N=1,558	-0.365 [1.409] N=1,417	-0.423 [1.482] N=1,235	-0.194 [1.614] N=1,041	0.381 [1.675] N=836

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.548 [0.501] N=1,352	0.716 [0.526] N=1,211	0.147 [0.572] N=1,029	0.063 [0.687] N=835	0.253 [0.848] N=630
Height in cm for all children	0.817 [1.687] N=1,352	0.649 [1.967] N=1,211	0.740 [2.262] N=1,029	1.222 [2.672] N=835	4.905 [2.999] N=630

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.849	0.155 [0.324] N=1,558	0.249 [0.339] N=1,417	-0.083 [0.344] N=1,235	-0.187 [0.363] N=1,041	-0.156 [0.389] N=836
Height in cm for all children	95.862	-0.464 [1.284] N=1,558	-0.398 [1.393] N=1,417	-0.369 [1.482] N=1,235	-0.127 [1.627] N=1,041	0.332 [1.653] N=836

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.529 [0.497] N=1,352	0.726 [0.527] N=1,211	0.145 [0.578] N=1,029	0.004 [0.705] N=835	0.190 [0.887] N=630
Height in cm for all children	0.991 [1.679] N=1,352	1.034 [1.961] N=1,211	1.485 [2.258] N=1,029	2.171 [2.718] N=835	**5.875** [2.906] N=630**

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.849	0.181 [0.322] N=1,558	0.270 [0.339] N=1,417	-0.057 [0.341] N=1,235	-0.151 [0.363] N=1,041	-0.145 [0.392] N=836
Height in cm for all children	95.862	-0.451 [1.277] N=1,558	-0.335 [1.380] N=1,417	-0.306 [1.479] N=1,235	-0.037 [1.608] N=1,041	0.478 [1.656] N=836

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.561 [0.486] N=1,352	0.738 [0.517] N=1,211	0.177 [0.557] N=1,029	0.096 [0.676] N=835	0.238 [0.822] N=630
Height in cm for all children	0.822 [1.597] N=1,352	0.928 [1.854] N=1,211	1.233 [2.179] N=1,029	1.956 [2.607] N=835	**5.545** [2.705] N=630**

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.847	0.265 [0.329] N=1,472	0.365 [0.344] N=1,335	0.020 [0.347] N=1,163	-0.092 [0.373] N=980	-0.123 [0.405] N=789
Height in cm for all children	95.860	-0.408 [1.351] N=1,472	-0.321 [1.466] N=1,335	-0.264 [1.542] N=1,163	0.319 [1.673] N=980	0.513 [1.749] N=789

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.657 [0.513] N=1,278	0.872 [0.539] N=1,141	0.261 [0.578] N=969	0.171 [0.706] N=786	0.264 [0.890] N=595
Height in cm for all children	0.683 [1.762] N=1,278	0.716 [2.049] N=1,141	0.942 [2.402] N=969	2.069 [2.843] N=786	4.729 [3.197] N=595

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	15.847	0.271 [0.334] N=1,472	0.375 [0.350] N=1,335	0.015 [0.355] N=1,163	-0.064 [0.380] N=980	-0.094 [0.413] N=789
Height in cm for all children	95.860	-0.367 [1.359] N=1,472	-0.298 [1.471] N=1,335	-0.182 [1.547] N=1,163	0.322 [1.690] N=980	0.523 [1.757] N=789

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Weight in kg for all children	0.667 [0.518] N=1,278	0.885 [0.545] N=1,141	0.257 [0.592] N=969	0.246 [0.725] N=786	0.357 [0.918] N=595
Height in cm for all children	0.672 [1.784] N=1,278	0.641 [2.069] N=1,141	1.083 [2.405] N=969	2.020 [2.901] N=786	4.683 [3.234] N=595

Notes: Cells show the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 24 to 59, split linear trends, and FAKTOR_FERT child survey weights are used. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Neither aid control is combined with an income control. Aid specifications use only the six main questions; households with a blank or 99 on any question are excluded. Columns use 8- to 4-year bandwidths; donuts drop months -12 to +11. One latest-born child is kept per household; all complete-DOB development respondents are included, with ages below 24 mapped to 24 and ages above 59 mapped to 59. *** p<0.01, ** p<0.05, * p<0.10.