Table 8 Reduced Form Effects on Hygiene

Structurally unasked hygiene questions and unknown responses remain missing rather than zero. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects ***No donut hole***

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Brushes teeth daily or more often	0.504 P=582	0.039 [0.056] N=1,131	0.021 [0.058] N=1,044	0.043 [0.062] N=943	0.036 [0.067] N=810	-0.001 [0.077] N=657
Visited a dentist in the past year	0.144 P=169	-0.037 [0.036] N=1,132	-0.035 [0.037] N=1,045	-0.034 [0.041] N=944	-0.028 [0.045] N=811	0.021 [0.051] N=658
Washes hands in the morning	0.866 P=978	-0.018 [0.036] N=1,132	0.008 [0.037] N=1,045	-0.006 [0.040] N=944	-0.011 [0.042] N=811	-0.025 [0.048] N=658
Washes hands after returning home	0.924 P=1,048	0.038 [0.031] N=1,132	0.054 [0.033] N=1,045	0.032 [0.036] N=944	0.017 [0.039] N=811	0.003 [0.043] N=658
Washes hands before meals	0.830 P=947	0.002 [0.044] N=1,132	0.014 [0.046] N=1,045	0.013 [0.050] N=944	0.018 [0.057] N=811	-0.014 [0.066] N=658
Washes hands after meals	0.906 P=1,033	-0.007 [0.034] N=1,132	-0.004 [0.036] N=1,045	-0.004 [0.041] N=944	0.004 [0.044] N=811	0.027 [0.052] N=658
Washes hands after toilet use	0.969 P=1,096	0.007 [0.021] N=1,132	0.022 [0.020] N=1,045	0.012 [0.021] N=944	0.019 [0.024] N=811	0.033 [0.025] N=658
Bathes at least twice per week	0.856 P=1,460	**0.055* [0.031] N=1,686**	**0.069** [0.031] N=1,556**	**0.063* [0.033] N=1,400**	**0.079** [0.039] N=1,192**	**0.093** [0.043] N=980**

Specification 1 Monthly child-age fixed effects ***12 month donut hole***

Outcome	8 years	7 years	6 years	5 years	4 years
Brushes teeth daily or more often	0.077 [0.072] N=961	0.054 [0.077] N=874	0.105 [0.083] N=773	0.093 [0.096] N=640	0.041 [0.129] N=487
Visited a dentist in the past year	-0.073 [0.053] N=962	-0.076 [0.057] N=875	-0.079 [0.068] N=774	-0.084 [0.080] N=641	0.038 [0.114] N=488
Washes hands in the morning	0.006 [0.054] N=962	0.057 [0.057] N=875	0.037 [0.068] N=774	0.045 [0.077] N=641	0.051 [0.106] N=488
Washes hands after returning home	0.035 [0.042] N=962	0.062 [0.044] N=875	0.018 [0.053] N=774	-0.025 [0.054] N=641	-0.069 [0.081] N=488
Washes hands before meals	0.026 [0.058] N=962	0.051 [0.060] N=875	0.050 [0.068] N=774	0.079 [0.086] N=641	0.066 [0.109] N=488
Washes hands after meals	-0.051 [0.043] N=962	-0.054 [0.046] N=875	-0.063 [0.056] N=774	-0.054 [0.061] N=641	0.001 [0.081] N=488
Washes hands after toilet use	-0.005 [0.033] N=962	0.022 [0.032] N=875	-0.000 [0.037] N=774	0.013 [0.045] N=641	0.060 [0.053] N=488
Bathes at least twice per week	**0.080* [0.044] N=1,429**	**0.114** [0.044] N=1,299**	**0.113** [0.050] N=1,143**	**0.165** [0.067] N=935**	**0.252*** [0.089] N=723**

Specification 2 Monthly fixed effects and female ***No donut hole***

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Brushes teeth daily or more often	0.504 P=582	0.035 [0.056] N=1,131	0.018 [0.058] N=1,044	0.041 [0.062] N=943	0.035 [0.068] N=810	-0.003 [0.078] N=657
Visited a dentist in the past year	0.144 P=169	-0.036	-0.033	-0.032	-0.027	0.022 [0.051]

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
		[0.036] N=1,132	[0.037] N=1,045	[0.041] N=944	[0.045] N=811	N=658
Washes hands in the morning	0.866 P=978	-0.021 [0.036] N=1,132	0.005 [0.038] N=1,045	-0.010 [0.041] N=944	-0.012 [0.043] N=811	-0.026 [0.049] N=658
Washes hands after returning home	0.924 P=1,048	0.036 [0.032] N=1,132	0.051 [0.034] N=1,045	0.029 [0.037] N=944	0.016 [0.040] N=811	0.002 [0.044] N=658
Washes hands before meals	0.830 P=947	-0.000 [0.045] N=1,132	0.012 [0.046] N=1,045	0.010 [0.050] N=944	0.017 [0.058] N=811	-0.015 [0.067] N=658
Washes hands after meals	0.906 P=1,033	-0.009 [0.035] N=1,132	-0.006 [0.037] N=1,045	-0.007 [0.042] N=944	0.003 [0.045] N=811	0.027 [0.053] N=658
Washes hands after toilet use	0.969 P=1,096	0.006 [0.021] N=1,132	0.021 [0.020] N=1,045	0.011 [0.022] N=944	0.019 [0.024] N=811	0.033 [0.025] N=658
Bathes at least twice per week	0.856 P=1,460	**0.055* [0.031] N=1,686**	**0.069** [0.031] N=1,556**	**0.063* [0.033] N=1,400**	**0.079** [0.039] N=1,192**	**0.093** [0.043] N=980**

Specification 2 Monthly fixed effects and female ***12 month donut hole***

Outcome	8 years	7 years	6 years	5 years	4 years
Brushes teeth daily or more often	0.073 [0.073] N=961	0.050 [0.078] N=874	0.102 [0.084] N=773	0.093 [0.097] N=640	0.042 [0.132] N=487
Visited a dentist in the past year	-0.073 [0.053] N=962	-0.075 [0.056] N=875	-0.076 [0.067] N=774	-0.085 [0.079] N=641	0.037 [0.113] N=488
Washes hands in the morning	0.004 [0.054] N=962	0.054 [0.058] N=875	0.034 [0.069] N=774	0.045 [0.078] N=641	0.052 [0.106] N=488
Washes hands after returning home	0.033 [0.043] N=962	0.059 [0.045] N=875	0.014 [0.053] N=774	-0.025 [0.056] N=641	-0.068 [0.082] N=488
Washes hands before meals	0.025 [0.058] N=962	0.049 [0.060] N=875	0.047 [0.068] N=774	0.080 [0.086] N=641	0.067 [0.107] N=488
Washes hands after meals	-0.053 [0.043] N=962	-0.056 [0.046] N=875	-0.066 [0.056] N=774	-0.053 [0.061] N=641	0.002 [0.081] N=488
Washes hands after toilet use	-0.006 [0.033] N=962	0.021 [0.032] N=875	-0.002 [0.038] N=774	0.013 [0.045] N=641	0.060 [0.053] N=488
Bathes at least twice per week	**0.080* [0.044] N=1,429**	**0.114** [0.044] N=1,299**	**0.113** [0.050] N=1,143**	**0.165** [0.067] N=935**	**0.252*** [0.089] N=723**

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects ***No donut hole***

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Brushes teeth daily or more often	0.511 P=555	-0.082 [0.063] N=1,073	-0.089 [0.067] N=974	-0.060 [0.070] N=852	-0.042 [0.074] N=717	-0.067 [0.082] N=568
Visited a dentist in the past year	0.148 P=165	-0.005 [0.045] N=1,075	0.006 [0.048] N=975	0.013 [0.051] N=852	0.015 [0.054] N=717	0.038 [0.059] N=568
Washes hands in the morning	0.855 P=917	-0.001 [0.042] N=1,075	0.007 [0.045] N=975	0.000 [0.046] N=852	-0.020 [0.047] N=717	-0.022 [0.051] N=568
Washes hands after returning home	0.917 P=987	0.019 [0.034] N=1,075	0.007 [0.036] N=975	0.014 [0.038] N=852	0.009 [0.040] N=717	0.010 [0.045] N=568
Washes hands before meals	0.827 P=892	0.001 [0.049] N=1,075	0.018 [0.052] N=975	0.060 [0.052] N=852	0.087 [0.054] N=717	**0.113* [0.058] N=568**

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Washes hands after meals	0.896 P=971	-0.040 [0.043] N=1,075	-0.044 [0.046] N=975	-0.034 [0.048] N=852	-0.025 [0.050] N=717	-0.025 [0.053] N=568
Washes hands after toilet use	0.962 P=1,033	0.016 [0.028] N=1,075	0.014 [0.030] N=975	0.019 [0.031] N=852	0.021 [0.033] N=717	0.029 [0.036] N=568
Bathes at least twice per week	0.855 P=1,338	-0.025 [0.035] N=1,556	-0.017 [0.035] N=1,415	0.009 [0.037] N=1,233	0.019 [0.043] N=1,039	0.041 [0.045] N=834

Specification 1 Monthly child-age fixed effects ***12 month donut hole***

Outcome	8 years	7 years	6 years	5 years	4 years
Brushes teeth daily or more often	-0.055 [0.088] N=925	-0.058 [0.098] N=826	0.010 [0.105] N=704	0.083 [0.115] N=569	0.051 [0.142] N=420
Visited a dentist in the past year	-0.058 [0.064] N=927	-0.043 [0.071] N=827	-0.035 [0.078] N=704	-0.041 [0.093] N=569	0.013 [0.121] N=420
Washes hands in the morning	-0.014 [0.054] N=927	0.006 [0.063] N=827	-0.009 [0.065] N=704	-0.078 [0.076] N=569	-0.111 [0.095] N=420
Washes hands after returning home	-0.007 [0.047] N=927	-0.032 [0.052] N=827	-0.029 [0.057] N=704	-0.058 [0.063] N=569	-0.083 [0.073] N=420
Washes hands before meals	-0.100 [0.071] N=927	-0.081 [0.081] N=827	-0.026 [0.083] N=704	-0.005 [0.093] N=569	0.029 [0.117] N=420
Washes hands after meals	-0.067 [0.066] N=927	-0.070 [0.073] N=827	-0.054 [0.080] N=704	-0.047 [0.092] N=569	-0.026 [0.113] N=420
Washes hands after toilet use	0.015 [0.035] N=927	0.011 [0.040] N=827	0.026 [0.042] N=704	0.031 [0.049] N=569	0.070 [0.057] N=420
Bathes at least twice per week	-0.047 [0.051] N=1,350	-0.034 [0.052] N=1,209	0.015 [0.056] N=1,027	0.038 [0.073] N=833	0.131 [0.086] N=628

Specification 2 Monthly fixed effects and female ***No donut hole***

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Brushes teeth daily or more often	0.511 P=555	-0.082 [0.062] N=1,073	-0.089 [0.066] N=974	-0.062 [0.069] N=852	-0.047 [0.073] N=717	-0.083 [0.082] N=568
Visited a dentist in the past year	0.148 P=165	-0.005 [0.046] N=1,075	0.006 [0.049] N=975	0.014 [0.052] N=852	0.016 [0.056] N=717	0.043 [0.061] N=568
Washes hands in the morning	0.855 P=917	-0.001 [0.042] N=1,075	0.007 [0.045] N=975	-0.000 [0.046] N=852	-0.022 [0.048] N=717	-0.027 [0.052] N=568
Washes hands after returning home	0.917 P=987	0.019 [0.034] N=1,075	0.007 [0.036] N=975	0.014 [0.038] N=852	0.008 [0.040] N=717	0.006 [0.045] N=568
Washes hands before meals	0.827 P=892	0.001 [0.049] N=1,075	0.019 [0.052] N=975	0.060 [0.052] N=852	0.086 [0.053] N=717	**0.107* [0.057] N=568**
Washes hands after meals	0.896 P=971	-0.040 [0.043] N=1,075	-0.043 [0.045] N=975	-0.034 [0.047] N=852	-0.027 [0.050] N=717	-0.031 [0.052] N=568
Washes hands after toilet use	0.962 P=1,033	0.016 [0.028] N=1,075	0.014 [0.030] N=975	0.019 [0.031] N=852	0.021 [0.033] N=717	0.028 [0.036] N=568
Bathes at least twice per week	0.855 P=1,338	-0.025 [0.035] N=1,556	-0.017 [0.035] N=1,415	0.009 [0.037] N=1,233	0.019 [0.043] N=1,039	0.041 [0.046] N=834

Specification 2 Monthly fixed effects and female ***12 month donut hole***

Outcome	8 years	7 years	6 years	5 years	4 years
Brushes teeth daily or more often	-0.049 [0.086] N=925	-0.048 [0.095] N=826	0.018 [0.103] N=704	0.086 [0.112] N=569	0.035 [0.140] N=420
Visited a dentist in the past year	-0.060 [0.065] N=927	-0.046 [0.072] N=827	-0.038 [0.080] N=704	-0.042 [0.096] N=569	0.019 [0.125] N=420
Washes hands in the morning	-0.009 [0.054] N=927	0.012 [0.062] N=827	-0.005 [0.064] N=704	-0.076 [0.075] N=569	-0.117 [0.093] N=420
Washes hands after returning home	-0.003 [0.046] N=927	-0.028 [0.051] N=827	-0.026 [0.056] N=704	-0.058 [0.063] N=569	-0.088 [0.073] N=420
Washes hands before meals	-0.097 [0.069] N=927	-0.076 [0.078] N=827	-0.024 [0.082] N=704	-0.005 [0.091] N=569	0.023 [0.112] N=420
Washes hands after meals	-0.064 [0.065] N=927	-0.066 [0.072] N=827	-0.051 [0.079] N=704	-0.046 [0.090] N=569	-0.033 [0.109] N=420
Washes hands after toilet use	0.016 [0.035] N=927	0.012 [0.040] N=827	0.027 [0.042] N=704	0.031 [0.049] N=569	0.068 [0.056] N=420
Bathes at least twice per week	-0.047 [0.051] N=1,350	-0.033 [0.052] N=1,209	0.017 [0.056] N=1,027	0.039 [0.072] N=833	0.131 [0.085] N=628

Notes: Each cell reports the OLS policy coefficient, its birth-month-clustered standard error in brackets, and the estimation-sample N. Exact child-month fixed effects for analysis months 24 to 59 are included but not displayed. Specification 2 adds a female indicator. Columns report bandwidths of 8 to 4 years on each side of the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and report only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The primary sample retains one latest-born eligible child per household, and raw child ages 60 to 62 months are assigned to analysis month 59. Significant policy coefficients are bolded. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.