Table 10 Reduced Form Effects on Frequent Nutrition

Food indicators equal one for consumption daily or several times per week and form a stricter sensitivity analysis. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,433	0.038 [0.037] N=1,686	0.047 [0.038] N=1,556	0.063 [0.041] N=1,400	0.052 [0.043] N=1,192	0.032 [0.044] N=980
Vegetables consumed daily or several times weekly	0.762 P=1,288	0.037 [0.042] N=1,686	0.060 [0.045] N=1,556	0.066 [0.045] N=1,400	0.054 [0.048] N=1,192	-0.003 [0.050] N=980
Meat fish or poultry consumed daily or several times weekly	0.581 P=984	0.065 [0.054] N=1,686	0.054 [0.056] N=1,556	0.033 [0.060] N=1,400	0.090 [0.068] N=1,192	0.074 [0.076] N=980
Legumes consumed daily or several times weekly	0.575 P=967	0.042 [0.052] N=1,686	0.049 [0.056] N=1,556	0.043 [0.059] N=1,400	**0.127* [0.064] N=1,192**	**0.127* [0.073] N=980**
Animal products consumed daily or several times weekly	0.865 P=1,455	**0.126*** [0.035] N=1,686**	**0.128*** [0.037] N=1,556**	**0.105*** [0.039] N=1,400**	**0.130*** [0.043] N=1,192**	**0.098** [0.046] N=980**
Sweets consumed daily or several times weekly	0.662 P=1,114	-0.032 [0.044] N=1,686	-0.034 [0.044] N=1,556	-0.053 [0.045] N=1,400	-0.033 [0.049] N=1,192	-0.007 [0.058] N=980
Snack foods consumed daily or several times weekly	0.492 P=819	0.007 [0.044] N=1,686	-0.000 [0.047] N=1,556	-0.006 [0.050] N=1,400	0.029 [0.054] N=1,192	0.027 [0.063] N=980
Packaged soft drinks consumed daily or several times weekly	0.308 P=509	-0.035 [0.047] N=1,686	-0.023 [0.049] N=1,556	-0.028 [0.055] N=1,400	0.008 [0.060] N=1,192	-0.006 [0.069] N=980
Grains consumed daily or several times weekly	0.887 P=1,487	0.027 [0.030] N=1,686	0.025 [0.030] N=1,556	0.019 [0.032] N=1,400	0.035 [0.035] N=1,192	0.004 [0.038] N=980

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.066 [0.056] N=1,429	0.089 [0.060] N=1,299	**0.127* [0.068] N=1,143**	0.132 [0.081] N=935	0.128 [0.104] N=723
Vegetables consumed daily or several times weekly	0.072 [0.062] N=1,429	**0.122* [0.071] N=1,299**	**0.147* [0.075] N=1,143**	**0.151* [0.087] N=935**	0.054 [0.106] N=723
Meat fish or poultry consumed daily or several times weekly	0.034 [0.067] N=1,429	0.011 [0.071] N=1,299	-0.044 [0.077] N=1,143	0.038 [0.092] N=935	-0.030 [0.104] N=723
Legumes consumed daily or several times weekly	0.021 [0.071] N=1,429	0.035 [0.080] N=1,299	0.023 [0.088] N=1,143	**0.208* [0.107] N=935**	**0.277* [0.141] N=723**
Animal products consumed daily or several times weekly	**0.169*** [0.049] N=1,429**	**0.181*** [0.053] N=1,299**	**0.141** [0.061] N=1,143**	**0.232*** [0.069] N=935**	**0.187** [0.088] N=723**
Sweets consumed daily or several times weekly	-0.058 [0.059] N=1,429	-0.064 [0.061] N=1,299	**-0.108* [0.063] N=1,143**	-0.073 [0.075] N=935	-0.031 [0.095] N=723
Snack foods consumed daily or several times weekly	-0.024 [0.062] N=1,429	-0.035 [0.067] N=1,299	-0.050 [0.073] N=1,143	0.012 [0.091] N=935	-0.026 [0.128] N=723
Packaged soft drinks consumed daily or several times weekly	-0.075 [0.058] N=1,429	-0.056 [0.063] N=1,299	-0.065 [0.076] N=1,143	-0.010 [0.090] N=935	-0.062 [0.115] N=723
Grains consumed daily or several times weekly	0.073 [0.045] N=1,429	**0.077* [0.046] N=1,299**	0.076 [0.052] N=1,143	**0.133** [0.065] N=935**	0.113 [0.087] N=723

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,433	0.038 [0.037] N=1,686	0.047 [0.038] N=1,556	0.063 [0.041] N=1,400	0.052 [0.043] N=1,192	0.032 [0.044] N=980
Vegetables consumed daily or several times weekly	0.762 P=1,288	0.037 [0.042] N=1,686	0.060 [0.045] N=1,556	0.066 [0.045] N=1,400	0.054 [0.048] N=1,192	-0.003 [0.051] N=980
Meat fish or poultry consumed daily or several times weekly	0.581 P=984	0.065 [0.054] N=1,686	0.054 [0.057] N=1,556	0.033 [0.060] N=1,400	0.090 [0.068] N=1,192	0.074 [0.076] N=980
Legumes consumed daily or several times weekly	0.575 P=967	0.041 [0.052] N=1,686	0.049 [0.056] N=1,556	0.043 [0.059] N=1,400	**0.127* [0.064] N=1,192**	**0.127* [0.073] N=980**
Animal products consumed daily or several times weekly	0.865 P=1,455	**0.126*** [0.035] N=1,686**	**0.128*** [0.037] N=1,556**	**0.104*** [0.039] N=1,400**	**0.130*** [0.044] N=1,192**	**0.098** [0.046] N=980**
Sweets consumed daily or several times weekly	0.662 P=1,114	-0.032 [0.044] N=1,686	-0.034 [0.044] N=1,556	-0.053 [0.045] N=1,400	-0.033 [0.049] N=1,192	-0.007 [0.058] N=980
Snack foods consumed daily or several times weekly	0.492 P=819	0.007 [0.044] N=1,686	-0.000 [0.047] N=1,556	-0.006 [0.050] N=1,400	0.029 [0.054] N=1,192	0.027 [0.063] N=980
Packaged soft drinks consumed daily or several times weekly	0.308 P=509	-0.034 [0.047] N=1,686	-0.022 [0.049] N=1,556	-0.027 [0.055] N=1,400	0.008 [0.060] N=1,192	-0.006 [0.069] N=980
Grains consumed daily or several times weekly	0.887 P=1,487	0.027 [0.030] N=1,686	0.025 [0.030] N=1,556	0.019 [0.032] N=1,400	0.035 [0.035] N=1,192	0.004 [0.038] N=980

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.066 [0.056] N=1,429	0.089 [0.060] N=1,299	**0.127* [0.068] N=1,143**	0.131 [0.081] N=935	0.128 [0.104] N=723
Vegetables consumed daily or several times weekly	0.073 [0.062] N=1,429	**0.123* [0.071] N=1,299**	**0.147* [0.075] N=1,143**	**0.151* [0.087] N=935**	0.054 [0.106] N=723
Meat fish or poultry consumed daily or several times weekly	0.034 [0.067] N=1,429	0.011 [0.071] N=1,299	-0.044 [0.077] N=1,143	0.038 [0.093] N=935	-0.030 [0.105] N=723
Legumes consumed daily or several times weekly	0.020 [0.071] N=1,429	0.034 [0.080] N=1,299	0.022 [0.088] N=1,143	**0.208* [0.107] N=935**	**0.277* [0.141] N=723**
Animal products consumed daily or several times weekly	**0.169*** [0.049] N=1,429**	**0.180*** [0.053] N=1,299**	**0.140** [0.061] N=1,143**	**0.231*** [0.068] N=935**	**0.187** [0.088] N=723**
Sweets consumed daily or several times weekly	-0.058 [0.059] N=1,429	-0.065 [0.061] N=1,299	**-0.109* [0.063] N=1,143**	-0.073 [0.076] N=935	-0.031 [0.095] N=723
Snack foods consumed daily or several times weekly	-0.024 [0.062] N=1,429	-0.036 [0.067] N=1,299	-0.050 [0.072] N=1,143	0.012 [0.091] N=935	-0.026 [0.128] N=723
Packaged soft drinks consumed daily or several times weekly	-0.074 [0.058] N=1,429	-0.056 [0.063] N=1,299	-0.065 [0.076] N=1,143	-0.010 [0.090] N=935	-0.062 [0.115] N=723
Grains consumed daily or several times weekly	0.073 [0.045] N=1,429	**0.077* [0.046] N=1,299**	0.076 [0.052] N=1,143	**0.133** [0.065] N=935**	0.113 [0.087] N=723

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,433	0.014 [0.037] N=1,686	0.020 [0.038] N=1,556	0.037 [0.040] N=1,400	0.018 [0.042] N=1,192	0.001 [0.044] N=980
Vegetables consumed daily or several times weekly	0.762 P=1,288	0.021 [0.041] N=1,686	0.042 [0.044] N=1,556	0.050 [0.044] N=1,400	0.034 [0.047] N=1,192	-0.022 [0.050] N=980
Meat fish or poultry consumed daily or several times weekly	0.581 P=984	0.026 [0.052] N=1,686	0.011 [0.054] N=1,556	-0.007 [0.058] N=1,400	0.040 [0.065] N=1,192	0.021 [0.072] N=980

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Legumes consumed daily or several times weekly	0.575 P=967	0.020 [0.051] N=1,686	0.026 [0.055] N=1,556	0.021 [0.059] N=1,400	0.101 [0.064] N=1,192	0.102 [0.072] N=980
Animal products consumed daily or several times weekly	0.865 P=1,455	**0.114*** [0.035] N=1,686**	**0.114*** [0.037] N=1,556**	**0.091** [0.039] N=1,400**	**0.113*** [0.043] N=1,192**	**0.078* [0.046] N=980**
Sweets consumed daily or several times weekly	0.662 P=1,114	-0.047 [0.044] N=1,686	-0.051 [0.045] N=1,556	-0.069 [0.045] N=1,400	-0.047 [0.049] N=1,192	-0.017 [0.058] N=980
Snack foods consumed daily or several times weekly	0.492 P=819	0.005 [0.045] N=1,686	-0.001 [0.048] N=1,556	-0.010 [0.050] N=1,400	0.029 [0.055] N=1,192	0.033 [0.065] N=980
Packaged soft drinks consumed daily or several times weekly	0.308 P=509	-0.025 [0.047] N=1,686	-0.010 [0.049] N=1,556	-0.018 [0.055] N=1,400	0.025 [0.060] N=1,192	0.013 [0.069] N=980
Grains consumed daily or several times weekly	0.887 P=1,487	0.021 [0.031] N=1,686	0.019 [0.031] N=1,556	0.012 [0.033] N=1,400	0.025 [0.036] N=1,192	-0.003 [0.040] N=980

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.046 [0.056] N=1,429	0.062 [0.059] N=1,299	0.102 [0.066] N=1,143	0.096 [0.080] N=935	0.092 [0.106] N=723
Vegetables consumed daily or several times weekly	0.060 [0.062] N=1,429	0.106 [0.070] N=1,299	**0.134* [0.074] N=1,143**	0.134 [0.087] N=935	0.039 [0.108] N=723
Meat fish or poultry consumed daily or several times weekly	0.003 [0.065] N=1,429	-0.029 [0.068] N=1,299	-0.076 [0.078] N=1,143	-0.011 [0.092] N=935	-0.080 [0.110] N=723
Legumes consumed daily or several times weekly	0.003 [0.071] N=1,429	0.013 [0.079] N=1,299	0.003 [0.088] N=1,143	**0.179* [0.106] N=935**	**0.251* [0.142] N=723**
Animal products consumed daily or several times weekly	**0.158*** [0.048] N=1,429**	**0.166*** [0.051] N=1,299**	**0.126** [0.059] N=1,143**	**0.213*** [0.066] N=935**	**0.164* [0.087] N=723**
Sweets consumed daily or several times weekly	-0.071 [0.060] N=1,429	-0.081 [0.062] N=1,299	**-0.125* [0.064] N=1,143**	-0.091 [0.074] N=935	-0.046 [0.096] N=723
Snack foods consumed daily or several times weekly	-0.028 [0.063] N=1,429	-0.038 [0.068] N=1,299	-0.058 [0.074] N=1,143	0.005 [0.093] N=935	-0.032 [0.132] N=723
Packaged soft drinks consumed daily or several times weekly	-0.068 [0.058] N=1,429	-0.046 [0.062] N=1,299	-0.059 [0.074] N=1,143	0.001 [0.089] N=935	-0.051 [0.112] N=723
Grains consumed daily or several times weekly	0.068 [0.045] N=1,429	0.072 [0.047] N=1,299	0.069 [0.053] N=1,143	**0.122* [0.067] N=935**	0.101 [0.091] N=723

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,433	0.014 [0.037] N=1,686	0.021 [0.038] N=1,556	0.035 [0.040] N=1,400	0.018 [0.043] N=1,192	-0.000 [0.044] N=980
Vegetables consumed daily or several times weekly	0.762 P=1,288	0.024 [0.041] N=1,686	0.048 [0.044] N=1,556	0.052 [0.045] N=1,400	0.037 [0.046] N=1,192	-0.020 [0.049] N=980
Meat fish or poultry consumed daily or several times weekly	0.581 P=984	0.030 [0.052] N=1,686	0.015 [0.054] N=1,556	-0.010 [0.058] N=1,400	0.040 [0.065] N=1,192	0.018 [0.073] N=980
Legumes consumed daily or several times weekly	0.575 P=967	0.029 [0.052] N=1,686	0.037 [0.055] N=1,556	0.030 [0.059] N=1,400	**0.112* [0.064] N=1,192**	0.113 [0.073] N=980
Animal products consumed daily or several times weekly	0.865 P=1,455	**0.113*** [0.035] N=1,686**	**0.115*** [0.037] N=1,556**	**0.092** [0.039] N=1,400**	**0.114*** [0.043] N=1,192**	**0.082* [0.046] N=980**

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Sweets consumed daily or several times weekly	0.662 P=1,114	-0.050 [0.045] N=1,686	-0.055 [0.045] N=1,556	-0.073 [0.046] N=1,400	-0.049 [0.050] N=1,192	-0.022 [0.060] N=980
Snack foods consumed daily or several times weekly	0.492 P=819	0.004 [0.046] N=1,686	-0.003 [0.048] N=1,556	-0.011 [0.051] N=1,400	0.032 [0.056] N=1,192	0.036 [0.064] N=980
Packaged soft drinks consumed daily or several times weekly	0.308 P=509	-0.026 [0.046] N=1,686	-0.013 [0.048] N=1,556	-0.019 [0.054] N=1,400	0.023 [0.058] N=1,192	0.013 [0.066] N=980
Grains consumed daily or several times weekly	0.887 P=1,487	0.024 [0.030] N=1,686	0.024 [0.031] N=1,556	0.017 [0.032] N=1,400	0.034 [0.035] N=1,192	0.007 [0.039] N=980

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.041 [0.055] N=1,429	0.060 [0.059] N=1,299	0.099 [0.065] N=1,143	0.092 [0.080] N=935	0.084 [0.107] N=723
Vegetables consumed daily or several times weekly	0.059 [0.062] N=1,429	0.109 [0.070] N=1,299	**0.135* [0.075] N=1,143**	0.130 [0.087] N=935	0.029 [0.108] N=723
Meat fish or poultry consumed daily or several times weekly	0.003 [0.067] N=1,429	-0.028 [0.070] N=1,299	-0.080 [0.077] N=1,143	-0.013 [0.094] N=935	-0.094 [0.113] N=723
Legumes consumed daily or several times weekly	0.005 [0.072] N=1,429	0.019 [0.080] N=1,299	0.005 [0.089] N=1,143	**0.185* [0.109] N=935**	**0.246* [0.145] N=723**
Animal products consumed daily or several times weekly	**0.160*** [0.049] N=1,429**	**0.171*** [0.052] N=1,299**	**0.129** [0.061] N=1,143**	**0.215*** [0.069] N=935**	**0.169* [0.090] N=723**
Sweets consumed daily or several times weekly	-0.074 [0.060] N=1,429	-0.086 [0.062] N=1,299	**-0.131** [0.065] N=1,143**	-0.096 [0.074] N=935	-0.058 [0.095] N=723
Snack foods consumed daily or several times weekly	-0.029 [0.062] N=1,429	-0.043 [0.067] N=1,299	-0.063 [0.073] N=1,143	0.006 [0.091] N=935	-0.026 [0.126] N=723
Packaged soft drinks consumed daily or several times weekly	-0.069 [0.057] N=1,429	-0.046 [0.062] N=1,299	-0.058 [0.074] N=1,143	0.002 [0.088] N=935	-0.042 [0.111] N=723
Grains consumed daily or several times weekly	0.067 [0.044] N=1,429	0.074 [0.046] N=1,299	0.071 [0.052] N=1,143	**0.125* [0.065] N=935**	0.101 [0.089] N=723

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.848 P=1,347	0.023 [0.039] N=1,588	0.028 [0.040] N=1,471	0.046 [0.042] N=1,322	0.041 [0.045] N=1,129	0.012 [0.047] N=925
Vegetables consumed daily or several times weekly	0.762 P=1,214	0.033 [0.042] N=1,588	0.054 [0.045] N=1,471	0.064 [0.046] N=1,322	0.056 [0.049] N=1,129	-0.012 [0.053] N=925
Meat fish or poultry consumed daily or several times weekly	0.579 P=924	0.056 [0.053] N=1,588	0.044 [0.055] N=1,471	0.015 [0.059] N=1,322	0.064 [0.065] N=1,129	0.034 [0.073] N=925
Legumes consumed daily or several times weekly	0.570 P=903	0.055 [0.053] N=1,588	0.053 [0.057] N=1,471	0.047 [0.060] N=1,322	**0.139** [0.066] N=1,129**	**0.124* [0.074] N=925**
Animal products consumed daily or several times weekly	0.867 P=1,375	**0.128*** [0.037] N=1,588**	**0.128*** [0.038] N=1,471**	**0.104** [0.041] N=1,322**	**0.121*** [0.046] N=1,129**	**0.081* [0.048] N=925**
Sweets consumed daily or several times weekly	0.661 P=1,048	-0.028 [0.046] N=1,588	-0.033 [0.048] N=1,471	-0.052 [0.049] N=1,322	-0.027 [0.054] N=1,129	-0.010 [0.063] N=925
Snack foods consumed daily or several times weekly	0.494 P=775	0.007 [0.046] N=1,588	0.002 [0.049] N=1,471	0.001 [0.051] N=1,322	0.036 [0.056] N=1,129	0.043 [0.063] N=925
Packaged soft drinks consumed daily or several times weekly	0.311 P=485	-0.020 [0.047]	-0.007 [0.049]	-0.006 [0.055]	0.021 [0.059] N=1,129	0.017 [0.068] N=925

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
		N=1,588	N=1,471	N=1,322		
Grains consumed daily or several times weekly	0.887 P=1,401	0.033 [0.031] N=1,588	0.028 [0.031] N=1,471	0.022 [0.033] N=1,322	0.037 [0.036] N=1,129	0.004 [0.040] N=925

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.056 [0.057] N=1,347	0.070 [0.061] N=1,230	0.109 [0.068] N=1,081	0.126 [0.081] N=888	0.100 [0.102] N=684
Vegetables consumed daily or several times weekly	0.083 [0.061] N=1,347	**0.132* [0.069] N=1,230**	**0.162** [0.073] N=1,081**	**0.181** [0.085] N=888**	0.066 [0.108] N=684
Meat fish or poultry consumed daily or several times weekly	0.045 [0.069] N=1,347	0.021 [0.072] N=1,230	-0.046 [0.079] N=1,081	0.025 [0.094] N=888	-0.065 [0.110] N=684
Legumes consumed daily or several times weekly	0.045 [0.072] N=1,347	0.041 [0.082] N=1,230	0.027 [0.092] N=1,081	**0.232** [0.111] N=888**	**0.267* [0.149] N=684**
Animal products consumed daily or several times weekly	**0.187*** [0.050] N=1,347**	**0.196*** [0.053] N=1,230**	**0.158** [0.061] N=1,081**	**0.242*** [0.068] N=888**	**0.201** [0.089] N=684**
Sweets consumed daily or several times weekly	-0.053 [0.060] N=1,347	-0.066 [0.065] N=1,230	**-0.116* [0.067] N=1,081**	-0.073 [0.082] N=888	-0.060 [0.103] N=684
Snack foods consumed daily or several times weekly	-0.020 [0.066] N=1,347	-0.026 [0.072] N=1,230	-0.033 [0.078] N=1,081	0.032 [0.099] N=888	0.022 [0.136] N=684
Packaged soft drinks consumed daily or several times weekly	-0.053 [0.060] N=1,347	-0.029 [0.064] N=1,230	-0.031 [0.079] N=1,081	0.012 [0.093] N=888	-0.016 [0.124] N=684
Grains consumed daily or several times weekly	**0.088* [0.046] N=1,347**	**0.088* [0.048] N=1,230**	0.081 [0.054] N=1,081	**0.136** [0.068] N=888**	0.113 [0.093] N=684

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.848 P=1,347	0.026 [0.039] N=1,588	0.030 [0.040] N=1,471	0.049 [0.042] N=1,322	0.044 [0.045] N=1,129	0.019 [0.046] N=925
Vegetables consumed daily or several times weekly	0.762 P=1,214	0.033 [0.042] N=1,588	0.054 [0.045] N=1,471	0.062 [0.045] N=1,322	0.055 [0.049] N=1,129	-0.011 [0.052] N=925
Meat fish or poultry consumed daily or several times weekly	0.579 P=924	0.061 [0.053] N=1,588	0.049 [0.055] N=1,471	0.025 [0.059] N=1,322	0.075 [0.065] N=1,129	0.045 [0.072] N=925
Legumes consumed daily or several times weekly	0.570 P=903	0.057 [0.052] N=1,588	0.055 [0.056] N=1,471	0.048 [0.060] N=1,322	**0.140** [0.065] N=1,129**	**0.130* [0.074] N=925**
Animal products consumed daily or several times weekly	0.867 P=1,375	**0.129*** [0.036] N=1,588**	**0.130*** [0.038] N=1,471**	**0.108*** [0.040] N=1,322**	**0.128*** [0.046] N=1,129**	**0.093* [0.049] N=925**
Sweets consumed daily or several times weekly	0.661 P=1,048	-0.026 [0.046] N=1,588	-0.032 [0.048] N=1,471	-0.050 [0.049] N=1,322	-0.027 [0.054] N=1,129	-0.008 [0.062] N=925
Snack foods consumed daily or several times weekly	0.494 P=775	0.006 [0.046] N=1,588	0.000 [0.049] N=1,471	-0.003 [0.052] N=1,322	0.030 [0.056] N=1,129	0.030 [0.063] N=925
Packaged soft drinks consumed daily or several times weekly	0.311 P=485	-0.022 [0.048] N=1,588	-0.010 [0.050] N=1,471	-0.011 [0.056] N=1,322	0.013 [0.060] N=1,129	0.005 [0.069] N=925
Grains consumed daily or several times weekly	0.887 P=1,401	0.033 [0.031] N=1,588	0.028 [0.032] N=1,471	0.022 [0.033] N=1,322	0.036 [0.037] N=1,129	-0.001 [0.039] N=925

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.058 [0.057] N=1,347	0.071 [0.061] N=1,230	**0.115* [0.069] N=1,081**	**0.137* [0.082] N=888**	0.119 [0.106] N=684
Vegetables consumed daily or several times weekly	0.081 [0.060] N=1,347	**0.130* [0.068] N=1,230**	**0.162** [0.072] N=1,081**	**0.186** [0.083] N=888**	0.084 [0.103] N=684
Meat fish or poultry consumed daily or several times weekly	0.045 [0.069] N=1,347	0.020 [0.071] N=1,230	-0.038 [0.079] N=1,081	0.041 [0.093] N=888	-0.046 [0.107] N=684
Legumes consumed daily or several times weekly	0.044 [0.072] N=1,347	0.041 [0.081] N=1,230	0.027 [0.091] N=1,081	**0.230** [0.110] N=888**	**0.273* [0.148] N=684**
Animal products consumed daily or several times weekly	**0.182*** [0.050] N=1,347**	**0.191*** [0.053] N=1,230**	**0.161*** [0.061] N=1,081**	**0.246*** [0.068] N=888**	**0.210** [0.091] N=684**
Sweets consumed daily or several times weekly	-0.052 [0.060] N=1,347	-0.066 [0.064] N=1,230	**-0.110* [0.065] N=1,081**	-0.064 [0.080] N=888	-0.049 [0.102] N=684
Snack foods consumed daily or several times weekly	-0.021 [0.067] N=1,347	-0.027 [0.072] N=1,230	-0.034 [0.079] N=1,081	0.033 [0.099] N=888	0.010 [0.138] N=684
Packaged soft drinks consumed daily or several times weekly	-0.056 [0.061] N=1,347	-0.034 [0.065] N=1,230	-0.035 [0.079] N=1,081	0.002 [0.094] N=888	-0.030 [0.123] N=684
Grains consumed daily or several times weekly	**0.089* [0.046] N=1,347**	**0.090* [0.048] N=1,230**	0.087 [0.055] N=1,081	**0.142** [0.068] N=888**	0.108 [0.092] N=684

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.858 P=1,338	-0.000 [0.043] N=1,556	-0.006 [0.045] N=1,415	0.008 [0.050] N=1,233	0.001 [0.052] N=1,039	0.028 [0.061] N=834
Vegetables consumed daily or several times weekly	0.760 P=1,191	-0.016 [0.049] N=1,556	-0.012 [0.052] N=1,415	0.028 [0.058] N=1,233	0.022 [0.062] N=1,039	0.038 [0.072] N=834
Meat fish or poultry consumed daily or several times weekly	0.591 P=920	0.043 [0.047] N=1,556	0.062 [0.049] N=1,415	0.061 [0.053] N=1,233	0.058 [0.060] N=1,039	0.042 [0.070] N=834
Legumes consumed daily or several times weekly	0.596 P=923	-0.002 [0.058] N=1,556	0.008 [0.063] N=1,415	-0.007 [0.067] N=1,233	-0.033 [0.071] N=1,039	-0.026 [0.082] N=834
Animal products consumed daily or several times weekly	0.866 P=1,346	0.055 [0.037] N=1,556	0.049 [0.040] N=1,415	0.068 [0.042] N=1,233	0.063 [0.044] N=1,039	**0.095* [0.051] N=834**
Sweets consumed daily or several times weekly	0.686 P=1,062	-0.005 [0.049] N=1,556	-0.018 [0.052] N=1,415	0.015 [0.055] N=1,233	0.012 [0.061] N=1,039	-0.033 [0.067] N=834
Snack foods consumed daily or several times weekly	0.499 P=766	0.087 [0.060] N=1,556	0.077 [0.064] N=1,415	0.071 [0.069] N=1,233	0.089 [0.076] N=1,039	0.048 [0.082] N=834
Packaged soft drinks consumed daily or several times weekly	0.302 P=462	0.022 [0.051] N=1,556	0.026 [0.054] N=1,415	0.044 [0.058] N=1,233	0.037 [0.066] N=1,039	-0.006 [0.071] N=834
Grains consumed daily or several times weekly	0.892 P=1,380	**0.096** [0.039] N=1,556**	**0.091** [0.041] N=1,415**	**0.108** [0.044] N=1,233**	**0.128*** [0.048] N=1,039**	**0.112** [0.053] N=834**

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.042 [0.061] N=1,350	-0.065 [0.066] N=1,209	-0.052 [0.080] N=1,027	-0.069 [0.082] N=833	-0.027 [0.117] N=628
Vegetables consumed daily or several times weekly	-0.082 [0.069] N=1,350	-0.081 [0.073] N=1,209	-0.021 [0.088] N=1,027	-0.030 [0.094] N=833	-0.004 [0.130] N=628
Meat fish or poultry consumed daily or several times weekly	-0.021 [0.054] N=1,350	0.012 [0.059] N=1,209	0.004 [0.065] N=1,027	-0.021 [0.080] N=833	-0.107 [0.088] N=628
Legumes consumed daily or several times weekly	0.029 [0.082] N=1,350	0.060 [0.090] N=1,209	0.053 [0.100] N=1,027	0.018 [0.108] N=833	0.080 [0.133] N=628
Animal products consumed daily or several times weekly	0.029 [0.047] N=1,350	0.015 [0.054] N=1,209	0.046 [0.055] N=1,027	0.031 [0.060] N=833	0.100 [0.080] N=628
Sweets consumed daily or several times weekly	0.056 [0.067] N=1,350	0.039 [0.074] N=1,209	0.118 [0.081] N=1,027	0.148 [0.090] N=833	0.092 [0.118] N=628
Snack foods consumed daily or several times weekly	**0.138* [0.076] N=1,350**	0.124 [0.084] N=1,209	0.131 [0.093] N=1,027	**0.194* [0.104] N=833**	0.139 [0.130] N=628
Packaged soft drinks consumed daily or several times weekly	0.027 [0.068] N=1,350	0.037 [0.074] N=1,209	0.065 [0.084] N=1,027	0.067 [0.103] N=833	-0.056 [0.126] N=628
Grains consumed daily or several times weekly	**0.109** [0.049] N=1,350**	**0.098* [0.053] N=1,209**	**0.138** [0.058] N=1,027**	**0.187*** [0.064] N=833**	**0.161* [0.088] N=628**

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.858 P=1,338	-0.000 [0.043] N=1,556	-0.006 [0.045] N=1,415	0.009 [0.050] N=1,233	0.001 [0.052] N=1,039	0.028 [0.060] N=834
Vegetables consumed daily or several times weekly	0.760 P=1,191	-0.016 [0.049]	-0.012 [0.052]	0.028 [0.058] N=1,233	0.022 [0.062] N=1,039	0.035 [0.072] N=834

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
		N=1,556	N=1,415			
Meat fish or poultry consumed daily or several times weekly	0.591 P=920	0.043 [0.047] N=1,556	0.062 [0.049] N=1,415	0.062 [0.053] N=1,233	0.058 [0.060] N=1,039	0.042 [0.070] N=834
Legumes consumed daily or several times weekly	0.596 P=923	-0.002 [0.059] N=1,556	0.008 [0.063] N=1,415	-0.007 [0.067] N=1,233	-0.033 [0.071] N=1,039	-0.025 [0.082] N=834
Animal products consumed daily or several times weekly	0.866 P=1,346	0.055 [0.037] N=1,556	0.050 [0.040] N=1,415	0.068 [0.042] N=1,233	0.063 [0.045] N=1,039	**0.094* [0.052] N=834**
Sweets consumed daily or several times weekly	0.686 P=1,062	-0.004 [0.049] N=1,556	-0.017 [0.052] N=1,415	0.015 [0.055] N=1,233	0.012 [0.061] N=1,039	-0.034 [0.067] N=834
Snack foods consumed daily or several times weekly	0.499 P=766	0.087 [0.060] N=1,556	0.077 [0.064] N=1,415	0.071 [0.069] N=1,233	0.089 [0.076] N=1,039	0.047 [0.082] N=834
Packaged soft drinks consumed daily or several times weekly	0.302 P=462	0.021 [0.051] N=1,556	0.026 [0.054] N=1,415	0.043 [0.058] N=1,233	0.037 [0.066] N=1,039	-0.004 [0.072] N=834
Grains consumed daily or several times weekly	0.892 P=1,380	**0.096** [0.040] N=1,556**	**0.091** [0.041] N=1,415**	**0.108** [0.044] N=1,233**	**0.128*** [0.049] N=1,039**	**0.114** [0.053] N=834**

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.041 [0.061] N=1,350	-0.064 [0.066] N=1,209	-0.050 [0.080] N=1,027	-0.067 [0.083] N=833	-0.026 [0.117] N=628
Vegetables consumed daily or several times weekly	-0.080 [0.068] N=1,350	-0.079 [0.073] N=1,209	-0.019 [0.087] N=1,027	-0.025 [0.094] N=833	-0.002 [0.130] N=628
Meat fish or poultry consumed daily or several times weekly	-0.019 [0.054] N=1,350	0.014 [0.059] N=1,209	0.006 [0.064] N=1,027	-0.019 [0.079] N=833	-0.108 [0.088] N=628
Legumes consumed daily or several times weekly	0.031 [0.082] N=1,350	0.061 [0.090] N=1,209	0.054 [0.100] N=1,027	0.021 [0.108] N=833	0.080 [0.133] N=628
Animal products consumed daily or several times weekly	0.032 [0.047] N=1,350	0.020 [0.053] N=1,209	0.050 [0.055] N=1,027	0.035 [0.061] N=833	0.101 [0.081] N=628
Sweets consumed daily or several times weekly	0.057 [0.068] N=1,350	0.041 [0.075] N=1,209	0.122 [0.082] N=1,027	0.147 [0.091] N=833	0.092 [0.118] N=628
Snack foods consumed daily or several times weekly	**0.139* [0.076] N=1,350**	0.127 [0.084] N=1,209	0.134 [0.093] N=1,027	**0.195* [0.104] N=833**	0.140 [0.131] N=628
Packaged soft drinks consumed daily or several times weekly	0.025 [0.067] N=1,350	0.033 [0.073] N=1,209	0.060 [0.083] N=1,027	0.061 [0.102] N=833	-0.058 [0.125] N=628
Grains consumed daily or several times weekly	**0.108** [0.050] N=1,350**	**0.097* [0.054] N=1,209**	**0.136** [0.059] N=1,027**	**0.182*** [0.066] N=833**	**0.159* [0.089] N=628**

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.858 P=1,338	-0.003 [0.041] N=1,556	-0.006 [0.043] N=1,415	0.014 [0.048] N=1,233	0.004 [0.050] N=1,039	0.023 [0.059] N=834
Vegetables consumed daily or several times weekly	0.760 P=1,191	-0.017 [0.047] N=1,556	-0.011 [0.050] N=1,415	0.031 [0.057] N=1,233	0.025 [0.061] N=1,039	0.031 [0.071] N=834
Meat fish or poultry consumed daily or several times weekly	0.591 P=920	0.034 [0.045] N=1,556	0.059 [0.047] N=1,415	0.068 [0.051] N=1,233	0.064 [0.058] N=1,039	0.035 [0.066] N=834
Legumes consumed daily or several times weekly	0.596 P=923	-0.006 [0.059] N=1,556	0.008 [0.062] N=1,415	-0.002 [0.066] N=1,233	-0.027 [0.069] N=1,039	-0.023 [0.080] N=834
Animal products consumed daily or several times	0.866	0.052 [0.037]	0.049 [0.040]	**0.071***	0.066 [0.043]	**0.095***

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
weekly	P=1,346	N=1,556	N=1,415	**[0.041] N=1,233**	N=1,039	**[0.050] N=834**
Sweets consumed daily or several times weekly	0.686 P=1,062	-0.007 [0.049] N=1,556	-0.018 [0.052] N=1,415	0.017 [0.055] N=1,233	0.013 [0.060] N=1,039	-0.040 [0.066] N=834
Snack foods consumed daily or several times weekly	0.499 P=766	0.088 [0.060] N=1,556	0.078 [0.064] N=1,415	0.070 [0.069] N=1,233	0.087 [0.076] N=1,039	0.042 [0.083] N=834
Packaged soft drinks consumed daily or several times weekly	0.302 P=462	0.023 [0.051] N=1,556	0.026 [0.054] N=1,415	0.041 [0.058] N=1,233	0.032 [0.065] N=1,039	-0.009 [0.071] N=834
Grains consumed daily or several times weekly	0.892 P=1,380	**0.095** [0.040] N=1,556**	**0.092** [0.042] N=1,415**	**0.110** [0.044] N=1,233**	**0.128*** [0.049] N=1,039**	**0.113** [0.053] N=834**

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.030 [0.057] N=1,350	-0.043 [0.062] N=1,209	-0.017 [0.077] N=1,027	-0.027 [0.078] N=833	0.010 [0.111] N=628
Vegetables consumed daily or several times weekly	-0.070 [0.066] N=1,350	-0.064 [0.070] N=1,209	0.008 [0.085] N=1,027	0.011 [0.091] N=833	0.034 [0.131] N=628
Meat fish or poultry consumed daily or several times weekly	-0.009 [0.053] N=1,350	0.038 [0.058] N=1,209	0.054 [0.063] N=1,027	0.040 [0.082] N=833	-0.058 [0.083] N=628
Legumes consumed daily or several times weekly	0.033 [0.086] N=1,350	0.067 [0.093] N=1,209	0.065 [0.103] N=1,027	0.033 [0.110] N=833	0.093 [0.134] N=628
Animal products consumed daily or several times weekly	0.035 [0.046] N=1,350	0.025 [0.053] N=1,209	0.063 [0.055] N=1,027	0.053 [0.061] N=833	0.119 [0.080] N=628
Sweets consumed daily or several times weekly	0.061 [0.068] N=1,350	0.049 [0.075] N=1,209	**0.138* [0.082] N=1,027**	**0.170* [0.093] N=833**	0.107 [0.118] N=628
Snack foods consumed daily or several times weekly	**0.135* [0.076] N=1,350**	0.119 [0.083] N=1,209	0.122 [0.091] N=1,027	**0.181* [0.103] N=833**	0.122 [0.130] N=628
Packaged soft drinks consumed daily or several times weekly	0.015 [0.068] N=1,350	0.018 [0.074] N=1,209	0.043 [0.082] N=1,027	0.037 [0.099] N=833	-0.080 [0.125] N=628
Grains consumed daily or several times weekly	**0.109** [0.051] N=1,350**	**0.102* [0.055] N=1,209**	**0.144** [0.060] N=1,027**	**0.186*** [0.067] N=833**	**0.160* [0.090] N=628**

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.858 P=1,338	-0.001 [0.041] N=1,556	-0.003 [0.043] N=1,415	0.016 [0.048] N=1,233	0.009 [0.050] N=1,039	0.031 [0.058] N=834
Vegetables consumed daily or several times weekly	0.760 P=1,191	-0.019 [0.048] N=1,556	-0.013 [0.051] N=1,415	0.031 [0.058] N=1,233	0.025 [0.061] N=1,039	0.036 [0.071] N=834
Meat fish or poultry consumed daily or several times weekly	0.591 P=920	0.039 [0.044] N=1,556	0.065 [0.046] N=1,415	0.070 [0.050] N=1,233	0.068 [0.056] N=1,039	0.048 [0.064] N=834
Legumes consumed daily or several times weekly	0.596 P=923	-0.007 [0.060] N=1,556	0.006 [0.064] N=1,415	-0.006 [0.068] N=1,233	-0.033 [0.072] N=1,039	-0.026 [0.082] N=834
Animal products consumed daily or several times weekly	0.866 P=1,346	0.058 [0.036] N=1,556	0.053 [0.040] N=1,415	**0.074* [0.041] N=1,233**	0.068 [0.044] N=1,039	**0.094* [0.050] N=834**
Sweets consumed daily or several times weekly	0.686 P=1,062	0.001 [0.049] N=1,556	-0.011 [0.051] N=1,415	0.022 [0.054] N=1,233	0.022 [0.060] N=1,039	-0.026 [0.066] N=834
Snack foods consumed daily or several times weekly	0.499 P=766	0.096 [0.059] N=1,556	0.083 [0.064] N=1,415	0.077 [0.068] N=1,233	0.097 [0.075] N=1,039	0.051 [0.082] N=834

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Packaged soft drinks consumed daily or several times weekly	0.302 P=462	0.030 [0.050] N=1,556	0.030 [0.053] N=1,415	0.045 [0.057] N=1,233	0.042 [0.064] N=1,039	-0.000 [0.070] N=834
Grains consumed daily or several times weekly	0.892 P=1,380	**0.095** [0.040] N=1,556**	**0.092** [0.042] N=1,415**	**0.108** [0.044] N=1,233**	**0.128** [0.049] N=1,039**	**0.112** [0.054] N=834**

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.039 [0.059] N=1,350	-0.053 [0.063] N=1,209	-0.031 [0.079] N=1,027	-0.037 [0.083] N=833	-0.011 [0.117] N=628
Vegetables consumed daily or several times weekly	-0.079 [0.068] N=1,350	-0.073 [0.072] N=1,209	-0.007 [0.087] N=1,027	-0.007 [0.094] N=833	0.013 [0.132] N=628
Meat fish or poultry consumed daily or several times weekly	-0.017 [0.054] N=1,350	0.030 [0.059] N=1,209	0.033 [0.065] N=1,027	0.019 [0.082] N=833	-0.081 [0.083] N=628
Legumes consumed daily or several times weekly	0.027 [0.085] N=1,350	0.063 [0.093] N=1,209	0.060 [0.103] N=1,027	0.028 [0.111] N=833	0.084 [0.134] N=628
Animal products consumed daily or several times weekly	0.037 [0.046] N=1,350	0.026 [0.053] N=1,209	0.059 [0.055] N=1,027	0.048 [0.061] N=833	0.106 [0.080] N=628
Sweets consumed daily or several times weekly	0.063 [0.067] N=1,350	0.049 [0.074] N=1,209	0.133 [0.081] N=1,027	**0.165* [0.091] N=833**	0.095 [0.115] N=628
Snack foods consumed daily or several times weekly	**0.145* [0.074] N=1,350**	0.126 [0.082] N=1,209	0.130 [0.089] N=1,027	**0.192* [0.098] N=833**	0.125 [0.125] N=628
Packaged soft drinks consumed daily or several times weekly	0.029 [0.067] N=1,350	0.029 [0.073] N=1,209	0.051 [0.082] N=1,027	0.050 [0.097] N=833	-0.078 [0.123] N=628
Grains consumed daily or several times weekly	**0.107** [0.050] N=1,350**	**0.097* [0.053] N=1,209**	**0.136** [0.059] N=1,027**	**0.183*** [0.066] N=833**	**0.154* [0.089] N=628**

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.857 P=1,263	-0.000 [0.044] N=1,470	-0.000 [0.047] N=1,333	0.017 [0.052] N=1,161	0.001 [0.053] N=978	0.023 [0.063] N=787
Vegetables consumed daily or several times weekly	0.761 P=1,129	-0.013 [0.052] N=1,470	-0.007 [0.055] N=1,333	0.025 [0.062] N=1,161	0.011 [0.067] N=978	0.019 [0.079] N=787
Meat fish or poultry consumed daily or several times weekly	0.590 P=869	0.046 [0.049] N=1,470	0.068 [0.051] N=1,333	0.071 [0.055] N=1,161	0.051 [0.063] N=978	0.032 [0.073] N=787
Legumes consumed daily or several times weekly	0.593 P=868	-0.008 [0.061] N=1,470	0.006 [0.065] N=1,333	-0.009 [0.070] N=1,161	-0.044 [0.074] N=978	-0.056 [0.086] N=787
Animal products consumed daily or several times weekly	0.868 P=1,276	0.059 [0.039] N=1,470	0.056 [0.041] N=1,333	**0.078* [0.043] N=1,161**	0.066 [0.046] N=978	0.089 [0.054] N=787
Sweets consumed daily or several times weekly	0.686 P=1,004	-0.013 [0.050] N=1,470	-0.028 [0.052] N=1,333	-0.001 [0.056] N=1,161	-0.006 [0.062] N=978	-0.063 [0.068] N=787
Snack foods consumed daily or several times weekly	0.502 P=729	0.068 [0.061] N=1,470	0.056 [0.065] N=1,333	0.041 [0.070] N=1,161	0.064 [0.077] N=978	0.013 [0.083] N=787
Packaged soft drinks consumed daily or several times weekly	0.306 P=445	0.011 [0.053] N=1,470	0.013 [0.057] N=1,333	0.025 [0.061] N=1,161	0.025 [0.068] N=978	-0.021 [0.074] N=787
Grains consumed daily or several times weekly	0.892 P=1,304	**0.099** [0.042] N=1,470**	**0.096** [0.044] N=1,333**	**0.112** [0.047] N=1,161**	**0.132** [0.052] N=978**	**0.119** [0.058] N=787**

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.037 [0.062] N=1,276	-0.047 [0.067] N=1,139	-0.025 [0.081] N=967	-0.054 [0.084] N=784	-0.035 [0.121] N=593
Vegetables consumed daily or several times weekly	-0.073 [0.071] N=1,276	-0.067 [0.075] N=1,139	-0.017 [0.090] N=967	-0.044 [0.095] N=784	-0.058 [0.139] N=593
Meat fish or poultry consumed daily or several times weekly	-0.031 [0.059] N=1,276	0.012 [0.065] N=1,139	0.010 [0.074] N=967	-0.056 [0.091] N=784	**-0.197* [0.099] N=593**
Legumes consumed daily or several times weekly	0.021 [0.084] N=1,276	0.061 [0.092] N=1,139	0.060 [0.104] N=967	0.015 [0.111] N=784	0.028 [0.137] N=593
Animal products consumed daily or several times weekly	0.041 [0.050] N=1,276	0.037 [0.057] N=1,139	0.084 [0.056] N=967	0.062 [0.063] N=784	0.121 [0.090] N=593
Sweets consumed daily or several times weekly	0.055 [0.069] N=1,276	0.037 [0.076] N=1,139	0.114 [0.083] N=967	0.140 [0.093] N=784	0.053 [0.124] N=593
Snack foods consumed daily or several times weekly	0.117 [0.079] N=1,276	0.100 [0.087] N=1,139	0.094 [0.096] N=967	0.163 [0.109] N=784	0.077 [0.138] N=593
Packaged soft drinks consumed daily or several times weekly	0.006 [0.070] N=1,276	0.007 [0.076] N=1,139	0.027 [0.087] N=967	0.039 [0.103] N=784	-0.101 [0.124] N=593
Grains consumed daily or several times weekly	**0.112** [0.052] N=1,276**	**0.104* [0.056] N=1,139**	**0.142** [0.062] N=967**	**0.194*** [0.071] N=784**	**0.180* [0.101] N=593**

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.857 P=1,263	-0.001 [0.044] N=1,470	-0.003 [0.046] N=1,333	0.014 [0.052] N=1,161	-0.001 [0.054] N=978	0.020 [0.063] N=787
Vegetables consumed daily or several times weekly	0.761 P=1,129	-0.013 [0.052] N=1,470	-0.008 [0.055] N=1,333	0.026 [0.062] N=1,161	0.012 [0.066] N=978	0.020 [0.079] N=787
Meat fish or poultry consumed daily or several times weekly	0.590 P=869	0.045 [0.049] N=1,470	0.065 [0.051] N=1,333	0.064 [0.055] N=1,161	0.049 [0.062] N=978	0.036 [0.073] N=787
Legumes consumed daily or several times weekly	0.593 P=868	-0.008 [0.061] N=1,470	0.007 [0.065] N=1,333	-0.010 [0.070] N=1,161	-0.046 [0.074] N=978	-0.061 [0.086] N=787
Animal products consumed daily or several times weekly	0.868 P=1,276	0.059 [0.038] N=1,470	0.055 [0.041] N=1,333	**0.075* [0.042] N=1,161**	0.065 [0.045] N=978	0.088 [0.053] N=787
Sweets consumed daily or several times weekly	0.686 P=1,004	-0.012 [0.050] N=1,470	-0.028 [0.052] N=1,333	-0.000 [0.056] N=1,161	-0.008 [0.062] N=978	-0.064 [0.068] N=787
Snack foods consumed daily or several times weekly	0.502 P=729	0.070 [0.061] N=1,470	0.058 [0.066] N=1,333	0.044 [0.070] N=1,161	0.064 [0.077] N=978	0.014 [0.083] N=787
Packaged soft drinks consumed daily or several times weekly	0.306 P=445	0.010 [0.053] N=1,470	0.012 [0.056] N=1,333	0.024 [0.060] N=1,161	0.021 [0.068] N=978	-0.028 [0.074] N=787
Grains consumed daily or several times weekly	0.892 P=1,304	**0.100** [0.042] N=1,470**	**0.096** [0.044] N=1,333**	**0.111** [0.047] N=1,161**	**0.131** [0.052] N=978**	**0.118** [0.058] N=787**

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.043 [0.062] N=1,276	-0.056 [0.067] N=1,139	-0.035 [0.081] N=967	-0.062 [0.083] N=784	-0.045 [0.119] N=593
Vegetables consumed daily or several times weekly	-0.080 [0.070] N=1,276	-0.074 [0.074] N=1,139	-0.025 [0.089] N=967	-0.051 [0.094] N=784	-0.061 [0.138] N=593
Meat fish or poultry consumed daily or several times weekly	-0.033 [0.057] N=1,276	0.004 [0.062] N=1,139	-0.008 [0.069] N=967	-0.066 [0.085] N=784	**-0.184* [0.099] N=593**

Outcome	8 years	7 years	6 years	5 years	4 years
Legumes consumed daily or several times weekly	0.019 [0.083] N=1,276	0.059 [0.091] N=1,139	0.051 [0.101] N=967	0.003 [0.108] N=784	0.006 [0.135] N=593
Animal products consumed daily or several times weekly	0.041 [0.050] N=1,276	0.033 [0.057] N=1,139	0.071 [0.057] N=967	0.055 [0.064] N=784	0.109 [0.090] N=593
Sweets consumed daily or several times weekly	0.054 [0.070] N=1,276	0.035 [0.077] N=1,139	0.112 [0.084] N=967	0.130 [0.094] N=784	0.048 [0.124] N=593
Snack foods consumed daily or several times weekly	0.116 [0.079] N=1,276	0.099 [0.088] N=1,139	0.091 [0.097] N=967	0.155 [0.110] N=784	0.072 [0.139] N=593
Packaged soft drinks consumed daily or several times weekly	0.007 [0.070] N=1,276	0.009 [0.077] N=1,139	0.025 [0.086] N=967	0.030 [0.105] N=784	-0.108 [0.129] N=593
Grains consumed daily or several times weekly	**0.113** [0.052] N=1,276**	**0.104* [0.056] N=1,139**	**0.140** [0.061] N=967**	**0.191*** [0.070] N=784**	**0.178* [0.099] N=593**

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 24 to 59 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Neither aid control is combined with an income control. Aid specifications use only the six main questions; households with a blank or 99 on any question are excluded. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household; raw ages 60 to 62 months map to analysis month 59. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.