Table 15 WHO base anthropometric outcomes for high school, oldest child

Current school enrollment defines the high school sample. One oldest child per household is selected within this level. WHO 2007 sex-specific monthly growth references use age on 16 December 2022. WAZ is defined only through month 120. Father and mother reform estimates use the established weighted RDD.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.137	-0.076 [0.412] N=785	-0.028 [0.409] N=619	-0.071 [0.492] N=468	-0.412 [0.494] N=328	-0.375 [0.672] N=198
BMI-for-age z score	0.076	0.096 [0.605] N=787	0.173 [0.619] N=621	0.306 [0.723] N=470	0.469 [0.818] N=328	0.023 [0.913] N=198
Stunted, HAZ below -2	0.039 P=28	0.117 [0.136] N=785	0.123 [0.137] N=619	0.102 [0.151] N=468	0.140 [0.141] N=328	0.165 [0.188] N=198
Thinness, BMIZ below -2	0.052 P=36	0.102 [0.120] N=787	0.094 [0.118] N=621	0.130 [0.145] N=470	0.091 [0.161] N=328	0.109 [0.192] N=198
Overweight including obesity, BMIZ above +1	0.233 P=183	0.243 [0.201] N=787	0.311 [0.210] N=621	0.370 [0.227] N=470	0.393 [0.244] N=328	0.313 [0.292] N=198
Obesity, BMIZ above +2	0.058 P=44	-0.041 [0.043] N=787	-0.024 [0.056] N=621	0.061 [0.083] N=470	0.015 [0.089] N=328	-0.051 [0.072] N=198

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.385 [0.421] N=769	-0.291 [0.415] N=603	-0.383 [0.497] N=452	-0.629 [0.534] N=312	-0.578 [0.717] N=182
BMI-for-age z score	0.206 [0.685] N=771	0.256 [0.716] N=605	0.406 [0.873] N=454	0.717 [1.008] N=312	0.380 [1.143] N=182
Stunted, HAZ below -2	0.191 [0.153] N=769	0.201 [0.152] N=603	0.186 [0.169] N=452	0.179 [0.166] N=312	0.208 [0.230] N=182
Thinness, BMIZ below -2	0.131 [0.156] N=771	0.121 [0.153] N=605	0.163 [0.193] N=454	0.104 [0.217] N=312	0.102 [0.267] N=182
Overweight including obesity, BMIZ above +1	0.222 [0.219] N=771	0.286 [0.237] N=605	0.354 [0.258] N=454	0.412 [0.281] N=312	0.330 [0.347] N=182
Obesity, BMIZ above +2	-0.032 [0.050] N=771	-0.026 [0.069] N=605	0.074 [0.105] N=454	0.013 [0.112] N=312	-0.025 [0.081] N=182

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.137	-0.084 [0.412] N=785	-0.038 [0.408] N=619	-0.077 [0.492] N=468	-0.407 [0.495] N=328	-0.414 [0.672] N=198
BMI-for-age z score	0.076	0.081 [0.611] N=787	0.158 [0.623] N=621	0.289 [0.727] N=470	0.461 [0.822] N=328	-0.001 [0.896] N=198
Stunted, HAZ below -2	0.039 P=28	0.118 [0.136] N=785	0.124 [0.137] N=619	0.105 [0.152] N=468	0.140 [0.142] N=328	0.165 [0.186] N=198
Thinness, BMIZ below -2	0.052 P=36	0.100 [0.122] N=787	0.092 [0.119] N=621	0.128 [0.147] N=470	0.091 [0.162] N=328	0.112 [0.187] N=198
Overweight including obesity, BMIZ above +1	0.233 P=183	0.233 [0.204] N=787	0.298 [0.212] N=621	0.355 [0.229] N=470	0.387 [0.245] N=328	0.322 [0.294] N=198
Obesity, BMIZ above +2	0.058 P=44	-0.042 [0.045] N=787	-0.027 [0.056] N=621	0.058 [0.083] N=470	0.015 [0.089] N=328	-0.043 [0.071] N=198

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.380 [0.429] N=769	-0.289 [0.423] N=603	-0.384 [0.503] N=452	-0.632 [0.528] N=312	-0.668 [0.685] N=182
BMI-for-age z score	0.216 [0.682] N=771	0.259 [0.715] N=605	0.403 [0.872] N=454	0.721 [1.006] N=312	0.338 [1.123] N=182
Stunted, HAZ below -2	0.191 [0.153] N=769	0.201 [0.152] N=603	0.186 [0.170] N=452	0.179 [0.166] N=312	0.218 [0.229] N=182
Thinness, BMIZ below -2	0.132 [0.156] N=771	0.121 [0.154] N=605	0.163 [0.194] N=454	0.104 [0.217] N=312	0.107 [0.259] N=182
Overweight including obesity, BMIZ above +1	0.229 [0.220] N=771	0.288 [0.237] N=605	0.351 [0.258] N=454	0.415 [0.282] N=312	0.335 [0.351] N=182
Obesity, BMIZ above +2	-0.031 [0.050] N=771	-0.026 [0.069] N=605	0.074 [0.105] N=454	0.013 [0.112] N=312	-0.019 [0.077] N=182

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.137	-0.330 [0.419] N=785	-0.243 [0.418] N=619	-0.277 [0.484] N=468	-0.601 [0.496] N=328	-0.624 [0.672] N=198
BMI-for-age z score	0.076	0.097 [0.614] N=787	0.064 [0.621] N=621	0.262 [0.709] N=470	0.583 [0.800] N=328	0.003 [0.906] N=198
Stunted, HAZ below -2	0.039 P=28	0.140 [0.139] N=785	0.141 [0.141] N=619	0.112 [0.154] N=468	0.147 [0.147] N=328	0.177 [0.192] N=198
Thinness, BMIZ below -2	0.052 P=36	0.109 [0.122] N=787	0.126 [0.120] N=621	0.146 [0.143] N=470	0.091 [0.156] N=328	0.118 [0.183] N=198
Overweight including obesity, BMIZ above +1	0.233 P=183	0.277 [0.215] N=787	0.333 [0.217] N=621	**0.414* [0.232] N=470**	**0.462* [0.253] N=328**	0.299 [0.310] N=198
Obesity, BMIZ above +2	0.058 P=44	-0.046 [0.047] N=787	-0.038 [0.056] N=621	0.042 [0.082] N=470	-0.003 [0.088] N=328	-0.085 [0.087] N=198

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.634 [0.436] N=769	-0.484 [0.440] N=603	-0.564 [0.518] N=452	-0.825 [0.543] N=312	-0.884 [0.771] N=182
BMI-for-age z score	0.248 [0.663] N=771	0.161 [0.689] N=605	0.408 [0.823] N=454	0.952 [0.953] N=312	0.410 [1.107] N=182
Stunted, HAZ below -2	0.218 [0.156] N=769	0.222 [0.158] N=603	0.195 [0.178] N=452	0.186 [0.179] N=312	0.243 [0.252] N=182
Thinness, BMIZ below -2	0.149 [0.157] N=771	0.166 [0.155] N=605	0.187 [0.190] N=454	0.102 [0.210] N=312	0.106 [0.259] N=182
Overweight including obesity, BMIZ above +1	0.290 [0.226] N=771	0.341 [0.236] N=605	**0.449* [0.251] N=454**	**0.547* [0.282] N=312**	0.344 [0.337] N=182
Obesity, BMIZ above +2	-0.029 [0.052] N=771	-0.030 [0.067] N=605	0.071 [0.101] N=454	0.006 [0.110] N=312	-0.062 [0.099] N=182

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.137	-0.189 [0.407] N=785	-0.137 [0.407] N=619	-0.128 [0.464] N=468	-0.464 [0.482] N=328	-0.413 [0.687] N=198
BMI-for-age z score	0.076	0.123 [0.607] N=787	0.112 [0.625] N=621	0.274 [0.715] N=470	0.468 [0.808] N=328	-0.059 [0.921] N=198
Stunted, HAZ below -2	0.039 P=28	0.122 [0.140] N=785	0.130 [0.142] N=619	0.097 [0.155] N=468	0.135 [0.148] N=328	0.151 [0.196] N=198
Thinness, BMIZ below -2	0.052 P=36	0.088 [0.120] N=787	0.092 [0.117] N=621	0.119 [0.149] N=470	0.088 [0.164] N=328	0.098 [0.189] N=198
Overweight including obesity, BMIZ above +1	0.233 P=183	0.272 [0.216] N=787	0.313 [0.222] N=621	0.394 [0.242] N=470	**0.433* [0.258] N=328**	0.313 [0.316] N=198
Obesity, BMIZ above +2	0.058 P=44	-0.044 [0.045] N=787	-0.036 [0.055] N=621	0.041 [0.082] N=470	0.002 [0.092] N=328	-0.079 [0.075] N=198

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.498 [0.408] N=769	-0.404 [0.405] N=603	-0.442 [0.456] N=452	-0.710 [0.481] N=312	-0.740 [0.622] N=182
BMI-for-age z score	0.251 [0.642] N=771	0.207 [0.672] N=605	0.380 [0.818] N=454	0.692 [0.978] N=312	0.167 [1.183] N=182
Stunted, HAZ below -2	0.197 [0.158] N=769	0.209 [0.157] N=603	0.179 [0.176] N=452	0.177 [0.173] N=312	0.207 [0.237] N=182
Thinness, BMIZ below -2	0.120 [0.155] N=771	0.122 [0.152] N=605	0.159 [0.198] N=454	0.111 [0.222] N=312	0.112 [0.272] N=182
Overweight including obesity, BMIZ above +1	0.271 [0.221] N=771	0.304 [0.232] N=605	0.398 [0.252] N=454	0.461 [0.280] N=312	0.307 [0.359] N=182
Obesity, BMIZ above +2	-0.029 [0.051] N=771	-0.033 [0.067] N=605	0.060 [0.103] N=454	0.005 [0.116] N=312	-0.066 [0.095] N=182

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.148	-0.178 [0.389] N=744	-0.138 [0.383] N=588	-0.210 [0.467] N=447	-0.560 [0.487] N=316	-0.664 [0.674] N=190
BMI-for-age z score	0.073	0.076 [0.614] N=746	0.135 [0.622] N=590	0.214 [0.721] N=449	0.425 [0.819] N=316	-0.045 [0.938] N=190
Stunted, HAZ below -2	0.041 P=28	0.138 [0.140] N=744	0.144 [0.140] N=588	0.136 [0.150] N=447	0.182 [0.137] N=316	0.208 [0.184] N=190
Thinness, BMIZ below -2	0.054 P=36	0.117 [0.112] N=746	0.109 [0.109] N=590	0.150 [0.139] N=449	0.102 [0.148] N=316	0.119 [0.172] N=190
Overweight including obesity, BMIZ above +1	0.238 P=177	0.250 [0.209] N=746	0.300 [0.219] N=590	0.362 [0.232] N=449	0.404 [0.250] N=316	0.310 [0.319] N=190
Obesity, BMIZ above +2	0.058 P=42	-0.029 [0.049] N=746	-0.028 [0.058] N=590	0.045 [0.082] N=449	0.021 [0.089] N=316	-0.029 [0.082] N=190

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.458 [0.398] N=728	-0.366 [0.394] N=572	-0.515 [0.470] N=431	-0.781 [0.514] N=300	-0.942 [0.686] N=174
BMI-for-age z score	0.214 [0.682] N=730	0.255 [0.701] N=574	0.347 [0.851] N=433	0.721 [0.995] N=300	0.312 [1.179] N=174
Stunted, HAZ below -2	0.212 [0.160] N=728	0.222 [0.157] N=572	0.221 [0.170] N=431	0.221 [0.163] N=300	0.266 [0.235] N=174
Thinness, BMIZ below -2	0.145 [0.143] N=730	0.133 [0.140] N=574	0.181 [0.183] N=433	0.108 [0.199] N=300	0.117 [0.244] N=174
Overweight including obesity, BMIZ above +1	0.241 [0.230] N=730	0.290 [0.246] N=574	0.362 [0.263] N=433	0.439 [0.290] N=300	0.346 [0.390] N=174
Obesity, BMIZ above +2	-0.013 [0.055] N=730	-0.022 [0.070] N=574	0.065 [0.102] N=433	0.027 [0.110] N=300	0.009 [0.084] N=174

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.148	-0.117 [0.399] N=744	-0.052 [0.395] N=588	-0.084 [0.488] N=447	-0.408 [0.496] N=316	-0.381 [0.676] N=190
BMI-for-age z score	0.073	0.104 [0.613] N=746	0.171 [0.619] N=590	0.239 [0.716] N=449	0.443 [0.814] N=316	0.037 [0.912] N=190
Stunted, HAZ below -2	0.041 P=28	0.126 [0.136] N=744	0.129 [0.139] N=588	0.112 [0.152] N=447	0.149 [0.140] N=316	0.156 [0.185] N=190
Thinness, BMIZ below -2	0.054 P=36	0.105 [0.117] N=746	0.097 [0.112] N=590	0.139 [0.142] N=449	0.101 [0.155] N=316	0.111 [0.180] N=190
Overweight including obesity, BMIZ above +1	0.238 P=177	0.244 [0.206] N=746	0.299 [0.216] N=590	0.355 [0.230] N=449	0.398 [0.247] N=316	0.328 [0.302] N=190
Obesity, BMIZ above +2	0.058 P=42	-0.037 [0.048] N=746	-0.032 [0.059] N=590	0.039 [0.082] N=449	0.012 [0.088] N=316	-0.036 [0.076] N=190

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.385 [0.417] N=728	-0.271 [0.411] N=572	-0.369 [0.505] N=431	-0.615 [0.537] N=300	-0.626 [0.714] N=174
BMI-for-age z score	0.240 [0.682] N=730	0.288 [0.700] N=574	0.359 [0.848] N=433	0.725 [0.993] N=300	0.396 [1.148] N=174
Stunted, HAZ below -2	0.197 [0.155] N=728	0.205 [0.155] N=572	0.193 [0.173] N=431	0.185 [0.168] N=300	0.205 [0.238] N=174
Thinness, BMIZ below -2	0.132 [0.150] N=730	0.121 [0.144] N=574	0.172 [0.185] N=433	0.108 [0.206] N=300	0.107 [0.253] N=174
Overweight including obesity, BMIZ above +1	0.232 [0.225] N=730	0.288 [0.244] N=574	0.348 [0.261] N=433	0.426 [0.286] N=300	0.345 [0.366] N=174
Obesity, BMIZ above +2	-0.023 [0.056] N=730	-0.028 [0.072] N=574	0.056 [0.103] N=433	0.013 [0.113] N=300	-0.011 [0.082] N=174

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.050	0.020 [0.147] N=1,486	-0.000 [0.152] N=1,328	-0.011 [0.161] N=1,133	-0.068 [0.175] N=943	0.144 [0.177] N=759
BMI-for-age z score	0.114	**0.259* [0.144] N=1,488**	**0.255* [0.147] N=1,330**	**0.312** [0.149] N=1,135**	0.217 [0.149] N=945	0.194 [0.170] N=761
Stunted, HAZ below -2	0.033 P=47	-0.009 [0.029] N=1,486	-0.008 [0.030] N=1,328	-0.006 [0.031] N=1,133	0.006 [0.029] N=943	-0.022 [0.035] N=759
Thinness, BMIZ below -2	0.047 P=70	-0.005 [0.024] N=1,488	-0.007 [0.025] N=1,330	-0.019 [0.027] N=1,135	-0.011 [0.029] N=945	-0.010 [0.033] N=761
Overweight including obesity, BMIZ above +1	0.246 P=363	0.080 [0.055] N=1,488	0.078 [0.056] N=1,330	**0.101* [0.057] N=1,135**	0.081 [0.058] N=945	0.072 [0.061] N=761
Obesity, BMIZ above +2	0.060 P=87	**0.057* [0.034] N=1,488**	**0.058* [0.034] N=1,330**	**0.072** [0.034] N=1,135**	**0.066* [0.036] N=945**	**0.084** [0.037] N=761**

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.156 [0.225] N=1,279	-0.238 [0.226] N=1,121	-0.271 [0.231] N=926	**-0.551** [0.264] N=736**	-0.187 [0.263] N=552
BMI-for-age z score	0.360 [0.266] N=1,279	0.336 [0.271] N=1,121	0.426 [0.268] N=926	0.178 [0.295] N=736	0.246 [0.382] N=552
Stunted, HAZ below -2	-0.049 [0.046] N=1,279	-0.044 [0.046] N=1,121	-0.040 [0.048] N=926	-0.008 [0.033] N=736	-0.092 [0.056] N=552
Thinness, BMIZ below -2	0.029 [0.039] N=1,279	0.032 [0.040] N=1,121	0.012 [0.042] N=926	0.039 [0.046] N=736	0.069 [0.058] N=552
Overweight including obesity, BMIZ above +1	0.167 [0.109] N=1,279	0.162 [0.111] N=1,121	**0.205* [0.115] N=926**	0.160 [0.130] N=736	0.224 [0.155] N=552
Obesity, BMIZ above +2	0.034 [0.061] N=1,279	0.036 [0.061] N=1,121	0.057 [0.062] N=926	0.043 [0.072] N=736	0.103 [0.082] N=552

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.050	0.016 [0.146] N=1,486	-0.007 [0.152] N=1,328	-0.017 [0.160] N=1,133	-0.070 [0.174] N=943	0.143 [0.177] N=759
BMI-for-age z score	0.114	**0.253* [0.142] N=1,488**	**0.248* [0.146] N=1,330**	**0.307** [0.147] N=1,135**	0.215 [0.149] N=945	0.191 [0.170] N=761
Stunted, HAZ below -2	0.033 P=47	-0.009 [0.029] N=1,486	-0.008 [0.030] N=1,328	-0.006 [0.031] N=1,133	0.006 [0.029] N=943	-0.022 [0.035] N=759
Thinness, BMIZ below -2	0.047 P=70	-0.005 [0.025] N=1,488	-0.008 [0.025] N=1,330	-0.020 [0.027] N=1,135	-0.012 [0.029] N=945	-0.011 [0.033] N=761
Overweight including obesity, BMIZ above +1	0.246 P=363	0.077 [0.054] N=1,488	0.074 [0.055] N=1,330	**0.098* [0.056] N=1,135**	0.079 [0.058] N=945	0.070 [0.060] N=761
Obesity, BMIZ above +2	0.060 P=87	**0.056* [0.034] N=1,488**	**0.057* [0.034] N=1,330**	**0.071** [0.034] N=1,135**	**0.066* [0.036] N=945**	**0.084** [0.037] N=761**

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.160 [0.219] N=1,279	-0.245 [0.220] N=1,121	-0.275 [0.226] N=926	**-0.547** [0.259] N=736**	-0.182 [0.260] N=552
BMI-for-age z score	0.357 [0.262] N=1,279	0.333 [0.266] N=1,121	0.425 [0.266] N=926	0.177 [0.297] N=736	0.248 [0.381] N=552
Stunted, HAZ below -2	-0.049 [0.046] N=1,279	-0.044 [0.046] N=1,121	-0.040 [0.048] N=926	-0.008 [0.033] N=736	-0.092 [0.056] N=552
Thinness, BMIZ below -2	0.029 [0.039] N=1,279	0.031 [0.041] N=1,121	0.011 [0.043] N=926	0.040 [0.047] N=736	0.071 [0.059] N=552
Overweight including obesity, BMIZ above +1	0.166 [0.108] N=1,279	0.160 [0.109] N=1,121	**0.204* [0.113] N=926**	0.161 [0.130] N=736	0.226 [0.155] N=552
Obesity, BMIZ above +2	0.034 [0.061] N=1,279	0.035 [0.061] N=1,121	0.057 [0.062] N=926	0.042 [0.072] N=736	0.103 [0.082] N=552

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.050	0.022 [0.138] N=1,486	-0.006 [0.143] N=1,328	-0.007 [0.153] N=1,133	-0.051 [0.164] N=943	0.156 [0.167] N=759
BMI-for-age z score	0.114	**0.258* [0.141] N=1,488**	**0.250* [0.145] N=1,330**	**0.315** [0.146] N=1,135**	0.224 [0.146] N=945	0.225 [0.168] N=761
Stunted, HAZ below -2	0.033 P=47	-0.011 [0.029] N=1,486	-0.010 [0.029] N=1,328	-0.009 [0.031] N=1,133	0.003 [0.029] N=943	-0.022 [0.034] N=759
Thinness, BMIZ below -2	0.047 P=70	-0.006 [0.025] N=1,488	-0.009 [0.025] N=1,330	-0.021 [0.027] N=1,135	-0.013 [0.029] N=945	-0.014 [0.034] N=761
Overweight including obesity, BMIZ above +1	0.246 P=363	0.078 [0.054] N=1,488	0.074 [0.055] N=1,330	**0.099* [0.056] N=1,135**	0.079 [0.058] N=945	0.079 [0.060] N=761
Obesity, BMIZ above +2	0.060 P=87	0.055 [0.034] N=1,488	0.056 [0.035] N=1,330	**0.070** [0.034] N=1,135**	**0.064* [0.036] N=945**	**0.083** [0.037] N=761**

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.123 [0.214] N=1,279	-0.214 [0.214] N=1,121	-0.242 [0.222] N=926	**-0.476* [0.252] N=736**	-0.114 [0.274] N=552
BMI-for-age z score	0.359 [0.261] N=1,279	0.335 [0.267] N=1,121	0.431 [0.266] N=926	0.165 [0.299] N=736	0.287 [0.387] N=552
Stunted, HAZ below -2	-0.053 [0.046] N=1,279	-0.048 [0.046] N=1,121	-0.045 [0.049] N=926	-0.013 [0.035] N=736	-0.095 [0.059] N=552
Thinness, BMIZ below -2	0.028 [0.039] N=1,279	0.029 [0.040] N=1,121	0.009 [0.042] N=926	0.041 [0.045] N=736	0.064 [0.058] N=552
Overweight including obesity, BMIZ above +1	0.160 [0.109] N=1,279	0.154 [0.110] N=1,121	**0.197* [0.114] N=926**	0.154 [0.132] N=736	0.228 [0.157] N=552
Obesity, BMIZ above +2	0.036 [0.062] N=1,279	0.036 [0.062] N=1,121	0.059 [0.063] N=926	0.040 [0.073] N=736	0.103 [0.082] N=552

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.050	0.007 [0.138] N=1,486	-0.013 [0.143] N=1,328	-0.020 [0.154] N=1,133	-0.060 [0.169] N=943	0.153 [0.177] N=759
BMI-for-age z score	0.114	**0.255* [0.142] N=1,488**	**0.250* [0.146] N=1,330**	**0.305** [0.146] N=1,135**	0.221 [0.148] N=945	0.192 [0.167] N=761
Stunted, HAZ below -2	0.033 P=47	-0.009 [0.029] N=1,486	-0.009 [0.029] N=1,328	-0.006 [0.031] N=1,133	0.005 [0.029] N=943	-0.023 [0.035] N=759
Thinness, BMIZ below -2	0.047 P=70	-0.006 [0.024] N=1,488	-0.008 [0.025] N=1,330	-0.020 [0.027] N=1,135	-0.013 [0.029] N=945	-0.012 [0.033] N=761
Overweight including obesity, BMIZ above +1	0.246 P=363	0.075 [0.054] N=1,488	0.071 [0.055] N=1,330	0.093 [0.056] N=1,135	0.077 [0.058] N=945	0.066 [0.060] N=761
Obesity, BMIZ above +2	0.060 P=87	**0.056* [0.034] N=1,488**	0.057 [0.035] N=1,330	**0.071** [0.035] N=1,135**	**0.066* [0.036] N=945**	**0.082** [0.037] N=761**

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.125 [0.200] N=1,279	-0.204 [0.201] N=1,121	-0.242 [0.210] N=926	**-0.474* [0.238] N=736**	-0.123 [0.257] N=552
BMI-for-age z score	0.369 [0.260] N=1,279	0.347 [0.265] N=1,121	0.429 [0.263] N=926	0.203 [0.293] N=736	0.284 [0.368] N=552
Stunted, HAZ below -2	-0.050 [0.045] N=1,279	-0.046 [0.045] N=1,121	-0.040 [0.048] N=926	-0.011 [0.034] N=736	**-0.098* [0.056] N=552**
Thinness, BMIZ below -2	0.029 [0.039] N=1,279	0.032 [0.040] N=1,121	0.012 [0.042] N=926	0.043 [0.045] N=736	0.067 [0.055] N=552
Overweight including obesity, BMIZ above +1	0.164 [0.107] N=1,279	0.159 [0.108] N=1,121	**0.197* [0.113] N=926**	0.171 [0.128] N=736	0.232 [0.152] N=552
Obesity, BMIZ above +2	0.035 [0.062] N=1,279	0.037 [0.061] N=1,121	0.058 [0.062] N=926	0.045 [0.072] N=736	0.106 [0.082] N=552

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.065	0.036 [0.136] N=1,409	0.018 [0.143] N=1,261	0.007 [0.151] N=1,077	-0.020 [0.160] N=898	0.120 [0.170] N=722
BMI-for-age z score	0.116	**0.272* [0.150] N=1,411**	**0.268* [0.153] N=1,263**	**0.325** [0.155] N=1,079**	0.242 [0.162] N=900	0.212 [0.183] N=724
Stunted, HAZ below -2	0.035 P=46	-0.017 [0.030] N=1,409	-0.015 [0.030] N=1,261	-0.014 [0.032] N=1,077	-0.000 [0.029] N=898	-0.022 [0.035] N=722
Thinness, BMIZ below -2	0.049 P=69	-0.009 [0.026] N=1,411	-0.013 [0.027] N=1,263	-0.024 [0.028] N=1,079	-0.016 [0.031] N=900	-0.013 [0.036] N=724
Overweight including obesity, BMIZ above +1	0.249 P=348	0.081 [0.051] N=1,411	0.077 [0.052] N=1,263	**0.097* [0.053] N=1,079**	0.078 [0.055] N=900	0.085 [0.057] N=724
Obesity, BMIZ above +2	0.061 P=84	**0.063* [0.035] N=1,411**	**0.065* [0.036] N=1,263**	**0.082** [0.036] N=1,079**	**0.078** [0.038] N=900**	**0.099** [0.039] N=724**

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.028 [0.215] N=1,211	-0.119 [0.217] N=1,063	-0.177 [0.214] N=879	-0.345 [0.229] N=700	-0.219 [0.263] N=524
BMI-for-age z score	0.415 [0.267] N=1,211	0.394 [0.272] N=1,063	**0.468* [0.271] N=879**	0.259 [0.316] N=700	0.293 [0.390] N=524
Stunted, HAZ below -2	-0.068 [0.049] N=1,211	-0.062 [0.049] N=1,063	-0.058 [0.052] N=879	-0.029 [0.038] N=700	**-0.103* [0.055] N=524**
Thinness, BMIZ below -2	0.019 [0.038] N=1,211	0.019 [0.039] N=1,063	0.003 [0.042] N=879	0.029 [0.048] N=700	0.059 [0.061] N=524
Overweight including obesity, BMIZ above +1	0.159 [0.107] N=1,211	0.152 [0.108] N=1,063	0.185 [0.112] N=879	0.134 [0.130] N=700	0.226 [0.152] N=524
Obesity, BMIZ above +2	0.029 [0.058] N=1,211	0.029 [0.057] N=1,063	0.057 [0.060] N=879	0.040 [0.072] N=700	0.105 [0.078] N=524

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.065	0.025 [0.146] N=1,409	0.010 [0.153] N=1,261	-0.000 [0.161] N=1,077	-0.018 [0.172] N=898	0.138 [0.183] N=722
BMI-for-age z score	0.116	**0.269* [0.148] N=1,411**	**0.268* [0.152] N=1,263**	**0.328** [0.154] N=1,079**	0.244 [0.162] N=900	0.216 [0.184] N=724
Stunted, HAZ below -2	0.035 P=46	-0.011 [0.031] N=1,409	-0.011 [0.031] N=1,261	-0.010 [0.033] N=1,077	0.002 [0.031] N=898	-0.022 [0.036] N=722
Thinness, BMIZ below -2	0.049 P=69	-0.004 [0.025] N=1,411	-0.007 [0.026] N=1,263	-0.020 [0.028] N=1,079	-0.011 [0.031] N=900	-0.007 [0.035] N=724
Overweight including obesity, BMIZ above +1	0.249 P=348	0.083 [0.052] N=1,411	0.081 [0.053] N=1,263	**0.101* [0.054] N=1,079**	0.080 [0.057] N=900	0.087 [0.059] N=724
Obesity, BMIZ above +2	0.061 P=84	**0.064* [0.035] N=1,411**	**0.067* [0.036] N=1,263**	**0.082** [0.036] N=1,079**	**0.079** [0.038] N=900**	**0.098** [0.039] N=724**

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.099 [0.205] N=1,211	-0.184 [0.206] N=1,063	-0.229 [0.205] N=879	**-0.423* [0.216] N=700**	-0.263 [0.259] N=524
BMI-for-age z score	0.399 [0.270] N=1,211	0.378 [0.274] N=1,063	**0.457* [0.273] N=879**	0.251 [0.314] N=700	0.273 [0.382] N=524
Stunted, HAZ below -2	-0.055 [0.049] N=1,211	-0.050 [0.048] N=1,063	-0.046 [0.050] N=879	-0.012 [0.036] N=700	-0.091 [0.055] N=524
Thinness, BMIZ below -2	0.026 [0.039] N=1,211	0.027 [0.041] N=1,063	0.008 [0.044] N=879	0.035 [0.048] N=700	0.074 [0.059] N=524
Overweight including obesity, BMIZ above +1	0.154 [0.106] N=1,211	0.150 [0.107] N=1,063	0.182 [0.111] N=879	0.130 [0.129] N=700	0.213 [0.149] N=524
Obesity, BMIZ above +2	0.035 [0.062] N=1,211	0.037 [0.062] N=1,063	0.061 [0.063] N=879	0.048 [0.075] N=700	0.105 [0.082] N=524

Notes: Cells report the reform coefficient, clustered standard error in brackets, and N; bold stars indicate *** p<0.01, ** p<0.05, * p<0.10. Five columns use 8- to 4-year parental birth-month bandwidths. The 12-month donut omits months -12 through +11. All specifications include exact child-month fixed effects, split linear trends, and FAKTOR_FERT survey weights. Specification 2 adds female; specifications 3 and 4 separately add household and per-person income groups; specifications 5 and 6 separately add aid count and any aid. WHO 2007 HAZ and BMIZ are valid at months 61-228; WAZ ends at month 120. Implausible z scores are excluded. P is the positive-case count in the eight-year no-donut sample. NA indicates zero standard error. School-level and measurement selection affect interpretation.