Table 15 WHO base anthropometric outcomes for high school, youngest child

Current school enrollment defines the high school sample. One youngest child per household is selected within this level. WHO 2007 sex-specific monthly growth references use age on 16 December 2022. WAZ is defined only through month 120. Father and mother reform estimates use the established weighted RDD.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.137	0.039 [0.437] N=786	-0.029 [0.426] N=621	-0.093 [0.445] N=470	-0.443 [0.428] N=329	-0.488 [0.695] N=198
BMI-for-age z score	0.104	0.198 [0.595] N=788	0.266 [0.599] N=623	0.101 [0.645] N=472	0.092 [0.737] N=329	-0.477 [0.833] N=198
Stunted, HAZ below -2	0.041 P=30	0.129 [0.133] N=786	0.131 [0.138] N=621	0.124 [0.144] N=470	0.163 [0.137] N=329	0.149 [0.194] N=198
Thinness, BMIZ below -2	0.047 P=33	0.143 [0.118] N=788	0.142 [0.112] N=623	0.193 [0.130] N=472	0.153 [0.137] N=329	0.200 [0.159] N=198
Overweight including obesity, BMIZ above +1	0.247 P=193	0.251 [0.198] N=788	0.293 [0.210] N=623	0.317 [0.211] N=472	0.317 [0.244] N=329	0.194 [0.301] N=198
Obesity, BMIZ above +2	0.060 P=46	-0.061 [0.047] N=788	-0.062 [0.057] N=623	-0.037 [0.072] N=472	-0.112 [0.070] N=329	-0.113 [0.086] N=198

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.269 [0.459] N=770	-0.291 [0.435] N=605	-0.376 [0.429] N=454	**-0.719* [0.404] N=313**	-0.815 [0.675] N=182
BMI-for-age z score	0.286 [0.675] N=772	0.360 [0.686] N=607	0.157 [0.766] N=456	0.219 [0.906] N=313	-0.344 [1.052] N=182
Stunted, HAZ below -2	0.204 [0.150] N=770	0.213 [0.153] N=605	0.213 [0.162] N=454	0.223 [0.159] N=313	0.211 [0.240] N=182
Thinness, BMIZ below -2	0.184 [0.152] N=772	0.185 [0.144] N=607	0.246 [0.169] N=456	0.195 [0.180] N=313	0.265 [0.217] N=182
Overweight including obesity, BMIZ above +1	0.224 [0.217] N=772	0.268 [0.240] N=607	0.305 [0.240] N=456	0.326 [0.285] N=313	0.191 [0.368] N=182
Obesity, BMIZ above +2	-0.058 [0.057] N=772	-0.069 [0.069] N=607	-0.035 [0.089] N=456	-0.124 [0.083] N=313	-0.115 [0.101] N=182

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.137	0.031 [0.435] N=786	-0.034 [0.424] N=621	-0.094 [0.444] N=470	-0.430 [0.436] N=329	-0.501 [0.705] N=198
BMI-for-age z score	0.104	0.171 [0.594] N=788	0.227 [0.600] N=623	0.059 [0.642] N=472	0.067 [0.733] N=329	-0.470 [0.829] N=198
Stunted, HAZ below -2	0.041 P=30	0.130 [0.133] N=786	0.128 [0.138] N=621	0.121 [0.145] N=470	0.160 [0.138] N=329	0.151 [0.195] N=198
Thinness, BMIZ below -2	0.047 P=33	0.141 [0.120] N=788	0.142 [0.113] N=623	0.190 [0.134] N=472	0.153 [0.138] N=329	0.201 [0.159] N=198
Overweight including obesity, BMIZ above +1	0.247 P=193	0.239 [0.200] N=788	0.274 [0.212] N=623	0.294 [0.213] N=472	0.304 [0.248] N=329	0.199 [0.304] N=198
Obesity, BMIZ above +2	0.060 P=46	-0.065 [0.048] N=788	-0.071 [0.057] N=623	-0.046 [0.071] N=472	-0.115 [0.069] N=329	-0.110 [0.084] N=198

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.271 [0.462] N=770	-0.293 [0.436] N=605	-0.377 [0.429] N=454	**-0.725* [0.401] N=313**	-0.868 [0.660] N=182
BMI-for-age z score	0.281 [0.667] N=772	0.344 [0.677] N=607	0.137 [0.755] N=456	0.230 [0.893] N=313	-0.326 [1.042] N=182
Stunted, HAZ below -2	0.204 [0.150] N=770	0.212 [0.153] N=605	0.211 [0.162] N=454	0.224 [0.158] N=313	0.220 [0.238] N=182
Thinness, BMIZ below -2	0.183 [0.153] N=772	0.185 [0.144] N=607	0.244 [0.171] N=456	0.195 [0.180] N=313	0.267 [0.214] N=182
Overweight including obesity, BMIZ above +1	0.222 [0.218] N=772	0.259 [0.240] N=607	0.293 [0.240] N=456	0.331 [0.290] N=313	0.205 [0.371] N=182
Obesity, BMIZ above +2	-0.059 [0.057] N=772	-0.073 [0.069] N=607	-0.039 [0.088] N=456	-0.123 [0.082] N=313	-0.109 [0.097] N=182

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.137	-0.181 [0.434] N=786	-0.212 [0.421] N=621	-0.219 [0.434] N=470	-0.509 [0.444] N=329	-0.606 [0.724] N=198
BMI-for-age z score	0.104	0.244 [0.591] N=788	0.202 [0.602] N=623	0.092 [0.642] N=472	0.216 [0.720] N=329	-0.512 [0.867] N=198
Stunted, HAZ below -2	0.041 P=30	0.152 [0.136] N=786	0.148 [0.142] N=621	0.139 [0.149] N=470	0.174 [0.143] N=329	0.159 [0.199] N=198
Thinness, BMIZ below -2	0.047 P=33	0.141 [0.117] N=788	0.162 [0.110] N=623	0.192 [0.126] N=472	0.134 [0.130] N=329	0.201 [0.162] N=198
Overweight including obesity, BMIZ above +1	0.247 P=193	0.291 [0.210] N=788	0.306 [0.219] N=623	0.347 [0.224] N=472	0.365 [0.259] N=329	0.210 [0.323] N=198
Obesity, BMIZ above +2	0.060 P=46	-0.072 [0.051] N=788	-0.089 [0.059] N=623	-0.058 [0.070] N=472	-0.112 [0.072] N=329	-0.121 [0.105] N=198

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.488 [0.463] N=770	-0.460 [0.440] N=605	-0.473 [0.441] N=454	**-0.752* [0.434] N=313**	-0.925 [0.785] N=182
BMI-for-age z score	0.394 [0.636] N=772	0.327 [0.656] N=607	0.195 [0.731] N=456	0.443 [0.857] N=313	-0.394 [1.103] N=182
Stunted, HAZ below -2	0.230 [0.153] N=770	0.235 [0.158] N=605	0.234 [0.167] N=454	0.240 [0.166] N=313	0.238 [0.256] N=182
Thinness, BMIZ below -2	0.187 [0.150] N=772	0.210 [0.140] N=607	0.249 [0.165] N=456	0.172 [0.173] N=313	0.268 [0.227] N=182
Overweight including obesity, BMIZ above +1	0.301 [0.224] N=772	0.309 [0.243] N=607	0.379 [0.246] N=456	0.431 [0.294] N=313	0.231 [0.382] N=182
Obesity, BMIZ above +2	-0.064 [0.060] N=772	-0.092 [0.070] N=607	-0.048 [0.083] N=456	-0.122 [0.081] N=313	-0.127 [0.122] N=182

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.137	-0.039 [0.418] N=786	-0.077 [0.418] N=621	-0.041 [0.414] N=470	-0.359 [0.434] N=329	-0.365 [0.725] N=198
BMI-for-age z score	0.104	0.262 [0.592] N=788	0.230 [0.600] N=623	0.058 [0.636] N=472	0.097 [0.730] N=329	-0.614 [0.849] N=198
Stunted, HAZ below -2	0.041 P=30	0.123 [0.139] N=786	0.123 [0.144] N=621	0.101 [0.153] N=470	0.150 [0.150] N=329	0.120 [0.206] N=198
Thinness, BMIZ below -2	0.047 P=33	0.125 [0.116] N=788	0.139 [0.110] N=623	0.184 [0.135] N=472	0.142 [0.139] N=329	0.189 [0.169] N=198
Overweight including obesity, BMIZ above +1	0.247 P=193	0.282 [0.210] N=788	0.296 [0.218] N=623	0.322 [0.224] N=472	0.337 [0.254] N=329	0.201 [0.316] N=198
Obesity, BMIZ above +2	0.060 P=46	-0.063 [0.051] N=788	-0.079 [0.056] N=623	-0.058 [0.069] N=472	**-0.120* [0.072] N=329**	-0.145 [0.089] N=198

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.332 [0.427] N=770	-0.337 [0.411] N=605	-0.288 [0.382] N=454	**-0.665* [0.364] N=313**	-0.799 [0.611] N=182
BMI-for-age z score	0.394 [0.616] N=772	0.353 [0.633] N=607	0.130 [0.719] N=456	0.217 [0.877] N=313	-0.642 [1.123] N=182
Stunted, HAZ below -2	0.194 [0.159] N=770	0.206 [0.162] N=605	0.188 [0.174] N=454	0.218 [0.171] N=313	0.192 [0.249] N=182
Thinness, BMIZ below -2	0.164 [0.148] N=772	0.182 [0.141] N=607	0.244 [0.174] N=456	0.191 [0.184] N=313	0.272 [0.238] N=182
Overweight including obesity, BMIZ above +1	0.281 [0.214] N=772	0.293 [0.231] N=607	0.340 [0.235] N=456	0.367 [0.279] N=313	0.174 [0.368] N=182
Obesity, BMIZ above +2	-0.052 [0.060] N=772	-0.081 [0.068] N=607	-0.050 [0.086] N=456	-0.133 [0.088] N=313	-0.161 [0.106] N=182

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.142	-0.080 [0.412] N=746	-0.162 [0.400] N=590	-0.197 [0.440] N=449	-0.551 [0.439] N=317	-0.863 [0.695] N=190
BMI-for-age z score	0.101	0.152 [0.608] N=748	0.134 [0.606] N=592	0.016 [0.647] N=451	0.093 [0.743] N=317	-0.447 [0.888] N=190
Stunted, HAZ below -2	0.040 P=28	0.144 [0.138] N=746	0.149 [0.141] N=590	0.141 [0.145] N=449	0.181 [0.134] N=317	0.191 [0.192] N=190
Thinness, BMIZ below -2	0.049 P=33	0.150 [0.111] N=748	0.151 [0.105] N=592	0.191 [0.128] N=451	0.149 [0.130] N=317	0.190 [0.148] N=190
Overweight including obesity, BMIZ above +1	0.250 P=185	0.243 [0.204] N=748	0.250 [0.213] N=592	0.282 [0.215] N=451	0.310 [0.254] N=317	0.192 [0.322] N=190
Obesity, BMIZ above +2	0.059 P=43	-0.053 [0.051] N=748	-0.079 [0.057] N=592	-0.058 [0.073] N=451	-0.115 [0.073] N=317	-0.097 [0.092] N=190

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.375 [0.424] N=730	-0.400 [0.406] N=574	-0.448 [0.434] N=433	**-0.814* [0.418] N=301**	**-1.283** [0.599] N=174**
BMI-for-age z score	0.276 [0.680] N=732	0.261 [0.675] N=576	0.115 [0.747] N=435	0.280 [0.901] N=301	-0.307 [1.130] N=174
Stunted, HAZ below -2	0.216 [0.159] N=730	0.231 [0.158] N=574	0.228 [0.162] N=433	0.242 [0.154] N=301	0.267 [0.245] N=174
Thinness, BMIZ below -2	0.189 [0.140] N=732	0.190 [0.133] N=576	0.243 [0.163] N=435	0.188 [0.170] N=301	0.261 [0.202] N=174
Overweight including obesity, BMIZ above +1	0.228 [0.227] N=732	0.238 [0.244] N=576	0.290 [0.243] N=435	0.344 [0.300] N=301	0.209 [0.401] N=174
Obesity, BMIZ above +2	-0.042 [0.059] N=732	-0.078 [0.069] N=576	-0.052 [0.089] N=435	-0.124 [0.087] N=301	-0.093 [0.107] N=174

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.142	0.023 [0.422] N=746	-0.030 [0.409] N=590	-0.094 [0.441] N=449	-0.431 [0.432] N=317	-0.485 [0.734] N=190
BMI-for-age z score	0.101	0.189 [0.603] N=748	0.191 [0.593] N=592	0.019 [0.633] N=451	0.078 [0.737] N=317	-0.396 [0.851] N=190
Stunted, HAZ below -2	0.040 P=28	0.129 [0.135] N=746	0.131 [0.139] N=590	0.126 [0.147] N=449	0.163 [0.139] N=317	0.137 [0.199] N=190
Thinness, BMIZ below -2	0.049 P=33	0.141 [0.116] N=748	0.142 [0.108] N=592	0.191 [0.129] N=451	0.153 [0.134] N=317	0.202 [0.153] N=190
Overweight including obesity, BMIZ above +1	0.250 P=185	0.246 [0.203] N=748	0.262 [0.213] N=592	0.286 [0.213] N=451	0.313 [0.252] N=317	0.221 [0.315] N=190
Obesity, BMIZ above +2	0.059 P=43	-0.062 [0.049] N=748	-0.081 [0.057] N=592	-0.062 [0.073] N=451	-0.118 [0.071] N=317	-0.110 [0.088] N=190

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.260 [0.446] N=730	-0.258 [0.424] N=574	-0.358 [0.433] N=433	**-0.712* [0.403] N=301**	-0.893 [0.714] N=174
BMI-for-age z score	0.311 [0.674] N=732	0.318 [0.661] N=576	0.111 [0.732] N=435	0.259 [0.894] N=301	-0.241 [1.085] N=174
Stunted, HAZ below -2	0.199 [0.154] N=730	0.213 [0.156] N=574	0.215 [0.166] N=433	0.226 [0.161] N=301	0.207 [0.256] N=174
Thinness, BMIZ below -2	0.180 [0.148] N=732	0.181 [0.137] N=576	0.244 [0.165] N=435	0.194 [0.174] N=301	0.273 [0.207] N=174
Overweight including obesity, BMIZ above +1	0.229 [0.224] N=732	0.249 [0.243] N=576	0.290 [0.242] N=435	0.343 [0.298] N=301	0.227 [0.392] N=174
Obesity, BMIZ above +2	-0.052 [0.058] N=732	-0.081 [0.070] N=576	-0.056 [0.090] N=435	-0.127 [0.085] N=301	-0.116 [0.104] N=174

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.046	0.012 [0.144] N=1,484	-0.009 [0.150] N=1,327	-0.019 [0.154] N=1,132	-0.040 [0.169] N=943	0.182 [0.174] N=758
BMI-for-age z score	0.147	**0.233* [0.141] N=1,485**	0.229 [0.144] N=1,328	**0.284* [0.146] N=1,133**	0.190 [0.146] N=944	0.166 [0.168] N=759
Stunted, HAZ below -2	0.032 P=45	-0.005 [0.029] N=1,484	-0.007 [0.029] N=1,327	-0.006 [0.031] N=1,132	0.001 [0.031] N=943	-0.035 [0.038] N=758
Thinness, BMIZ below -2	0.042 P=65	-0.009 [0.023] N=1,485	-0.008 [0.023] N=1,328	-0.020 [0.025] N=1,133	-0.018 [0.027] N=944	-0.009 [0.030] N=759
Overweight including obesity, BMIZ above +1	0.254 P=374	0.046 [0.050] N=1,485	0.042 [0.050] N=1,328	0.061 [0.051] N=1,133	0.036 [0.053] N=944	0.040 [0.056] N=759
Obesity, BMIZ above +2	0.061 P=89	**0.065** [0.033] N=1,485**	**0.066* [0.033] N=1,328**	**0.078** [0.033] N=1,133**	**0.062* [0.034] N=944**	**0.086** [0.038] N=759**

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.281 [0.233] N=1,277	-0.355 [0.233] N=1,120	-0.378 [0.244] N=925	**-0.569** [0.283] N=736**	-0.188 [0.309] N=551
BMI-for-age z score	0.336 [0.276] N=1,276	0.341 [0.277] N=1,119	0.464 [0.281] N=924	0.230 [0.317] N=735	0.266 [0.422] N=550
Stunted, HAZ below -2	-0.019 [0.047] N=1,277	-0.018 [0.047] N=1,120	-0.018 [0.049] N=925	0.007 [0.039] N=736	-0.090 [0.072] N=551
Thinness, BMIZ below -2	0.016 [0.039] N=1,276	0.023 [0.038] N=1,119	-0.003 [0.040] N=924	0.014 [0.046] N=735	0.054 [0.060] N=550
Overweight including obesity, BMIZ above +1	0.104 [0.101] N=1,276	0.106 [0.102] N=1,119	0.152 [0.104] N=924	0.096 [0.120] N=735	0.160 [0.147] N=550
Obesity, BMIZ above +2	0.041 [0.061] N=1,276	0.043 [0.059] N=1,119	0.072 [0.061] N=924	0.037 [0.066] N=735	0.098 [0.082] N=550

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.046	0.006 [0.145] N=1,484	-0.023 [0.151] N=1,327	-0.028 [0.155] N=1,132	-0.044 [0.170] N=943	0.178 [0.176] N=758
BMI-for-age z score	0.147	0.223 [0.139] N=1,485	0.212 [0.142] N=1,328	**0.271* [0.144] N=1,133**	0.185 [0.146] N=944	0.158 [0.168] N=759
Stunted, HAZ below -2	0.032 P=45	-0.005 [0.029] N=1,484	-0.007 [0.029] N=1,327	-0.007 [0.031] N=1,132	0.000 [0.031] N=943	-0.035 [0.038] N=758
Thinness, BMIZ below -2	0.042 P=65	-0.010 [0.023] N=1,485	-0.008 [0.023] N=1,328	-0.021 [0.025] N=1,133	-0.019 [0.027] N=944	-0.010 [0.030] N=759
Overweight including obesity, BMIZ above +1	0.254 P=374	0.042 [0.050] N=1,485	0.036 [0.050] N=1,328	0.056 [0.050] N=1,133	0.033 [0.053] N=944	0.036 [0.056] N=759
Obesity, BMIZ above +2	0.061 P=89	**0.063* [0.033] N=1,485**	**0.063* [0.033] N=1,328**	**0.076** [0.033] N=1,133**	**0.061* [0.034] N=944**	**0.085** [0.038] N=759**

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.298 [0.229] N=1,277	**-0.389* [0.229] N=1,120**	**-0.400* [0.240] N=925**	**-0.575** [0.276] N=736**	-0.186 [0.306] N=551
BMI-for-age z score	0.324 [0.273] N=1,276	0.322 [0.274] N=1,119	0.452 [0.278] N=924	0.230 [0.318] N=735	0.267 [0.423] N=550
Stunted, HAZ below -2	-0.019 [0.047] N=1,277	-0.018 [0.047] N=1,120	-0.017 [0.049] N=925	0.007 [0.039] N=736	-0.090 [0.073] N=551
Thinness, BMIZ below -2	0.015 [0.039] N=1,276	0.021 [0.039] N=1,119	-0.004 [0.041] N=924	0.013 [0.047] N=735	0.054 [0.060] N=550
Overweight including obesity, BMIZ above +1	0.099 [0.100] N=1,276	0.099 [0.101] N=1,119	0.148 [0.104] N=924	0.095 [0.120] N=735	0.160 [0.147] N=550
Obesity, BMIZ above +2	0.039 [0.061] N=1,276	0.040 [0.059] N=1,119	0.071 [0.061] N=924	0.037 [0.066] N=735	0.097 [0.082] N=550

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.046	0.011 [0.138] N=1,484	-0.024 [0.143] N=1,327	-0.022 [0.148] N=1,132	-0.028 [0.160] N=943	0.178 [0.165] N=758
BMI-for-age z score	0.147	0.226 [0.138] N=1,485	0.213 [0.140] N=1,328	**0.277* [0.142] N=1,133**	0.193 [0.143] N=944	0.190 [0.166] N=759
Stunted, HAZ below -2	0.032 P=45	-0.007 [0.029] N=1,484	-0.009 [0.029] N=1,327	-0.009 [0.031] N=1,132	-0.002 [0.030] N=943	-0.034 [0.036] N=758
Thinness, BMIZ below -2	0.042 P=65	-0.010 [0.023] N=1,485	-0.009 [0.023] N=1,328	-0.021 [0.025] N=1,133	-0.019 [0.027] N=944	-0.012 [0.030] N=759
Overweight including obesity, BMIZ above +1	0.254 P=374	0.045 [0.050] N=1,485	0.038 [0.050] N=1,328	0.058 [0.051] N=1,133	0.035 [0.054] N=944	0.044 [0.057] N=759
Obesity, BMIZ above +2	0.061 P=89	**0.063* [0.033] N=1,485**	**0.061* [0.033] N=1,328**	**0.074** [0.033] N=1,133**	**0.059* [0.035] N=944**	**0.084** [0.038] N=759**

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.271 [0.224] N=1,277	-0.364 [0.221] N=1,120	-0.377 [0.238] N=925	**-0.505* [0.271] N=736**	-0.145 [0.312] N=551
BMI-for-age z score	0.322 [0.280] N=1,276	0.318 [0.280] N=1,119	0.450 [0.284] N=924	0.218 [0.324] N=735	0.300 [0.433] N=550
Stunted, HAZ below -2	-0.023 [0.048] N=1,277	-0.020 [0.047] N=1,120	-0.020 [0.050] N=925	0.004 [0.041] N=736	-0.087 [0.074] N=551
Thinness, BMIZ below -2	0.016 [0.039] N=1,276	0.021 [0.039] N=1,119	-0.003 [0.041] N=924	0.018 [0.047] N=735	0.052 [0.061] N=550
Overweight including obesity, BMIZ above +1	0.098 [0.103] N=1,276	0.096 [0.103] N=1,119	0.144 [0.106] N=924	0.095 [0.123] N=735	0.165 [0.152] N=550
Obesity, BMIZ above +2	0.040 [0.062] N=1,276	0.039 [0.060] N=1,119	0.069 [0.062] N=924	0.034 [0.067] N=735	0.096 [0.083] N=550

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.046	-0.002 [0.137] N=1,484	-0.026 [0.143] N=1,327	-0.031 [0.149] N=1,132	-0.032 [0.164] N=943	0.188 [0.173] N=758
BMI-for-age z score	0.147	0.228 [0.138] N=1,485	0.217 [0.140] N=1,328	**0.273* [0.142] N=1,133**	0.197 [0.145] N=944	0.165 [0.164] N=759
Stunted, HAZ below -2	0.032 P=45	-0.004 [0.028] N=1,484	-0.007 [0.029] N=1,327	-0.006 [0.031] N=1,132	-0.000 [0.030] N=943	-0.035 [0.037] N=758
Thinness, BMIZ below -2	0.042 P=65	-0.009 [0.022] N=1,485	-0.008 [0.023] N=1,328	-0.020 [0.025] N=1,133	-0.019 [0.027] N=944	-0.009 [0.030] N=759
Overweight including obesity, BMIZ above +1	0.254 P=374	0.044 [0.050] N=1,485	0.037 [0.050] N=1,328	0.054 [0.050] N=1,133	0.036 [0.053] N=944	0.037 [0.055] N=759
Obesity, BMIZ above +2	0.061 P=89	**0.064* [0.033] N=1,485**	**0.063* [0.033] N=1,328**	**0.075** [0.033] N=1,133**	**0.062* [0.035] N=944**	**0.084** [0.038] N=759**

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.275 [0.212] N=1,277	**-0.356* [0.209] N=1,120**	-0.375 [0.226] N=925	**-0.507* [0.258] N=736**	-0.126 [0.296] N=551
BMI-for-age z score	0.335 [0.272] N=1,276	0.335 [0.271] N=1,119	0.452 [0.274] N=924	0.273 [0.309] N=735	0.324 [0.406] N=550
Stunted, HAZ below -2	-0.019 [0.047] N=1,277	-0.018 [0.047] N=1,120	-0.016 [0.049] N=925	0.005 [0.040] N=736	-0.093 [0.073] N=551
Thinness, BMIZ below -2	0.016 [0.039] N=1,276	0.022 [0.039] N=1,119	-0.002 [0.040] N=924	0.011 [0.045] N=735	0.047 [0.056] N=550
Overweight including obesity, BMIZ above +1	0.099 [0.100] N=1,276	0.098 [0.100] N=1,119	0.141 [0.103] N=924	0.105 [0.119] N=735	0.170 [0.144] N=550
Obesity, BMIZ above +2	0.039 [0.061] N=1,276	0.041 [0.059] N=1,119	0.069 [0.061] N=924	0.041 [0.066] N=735	0.101 [0.082] N=550

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.060	0.026 [0.131] N=1,407	0.006 [0.138] N=1,260	0.004 [0.142] N=1,076	0.018 [0.149] N=898	0.180 [0.161] N=721
BMI-for-age z score	0.149	0.229 [0.148] N=1,408	0.219 [0.150] N=1,261	**0.275* [0.153] N=1,077**	0.201 [0.159] N=899	0.171 [0.185] N=722
Stunted, HAZ below -2	0.034 P=44	-0.012 [0.029] N=1,407	-0.013 [0.029] N=1,260	-0.014 [0.031] N=1,076	-0.006 [0.030] N=898	-0.039 [0.037] N=721
Thinness, BMIZ below -2	0.044 P=64	-0.015 [0.023] N=1,408	-0.014 [0.024] N=1,261	-0.026 [0.025] N=1,077	-0.026 [0.028] N=899	-0.013 [0.031] N=722
Overweight including obesity, BMIZ above +1	0.257 P=358	0.039 [0.049] N=1,408	0.034 [0.049] N=1,261	0.050 [0.049] N=1,077	0.026 [0.052] N=899	0.045 [0.054] N=722
Obesity, BMIZ above +2	0.062 P=85	**0.073** [0.035] N=1,408**	**0.074** [0.035] N=1,261**	**0.090** [0.035] N=1,077**	**0.077** [0.037] N=899**	**0.104** [0.041] N=722**

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.198 [0.215] N=1,209	-0.289 [0.216] N=1,062	-0.312 [0.224] N=878	-0.366 [0.245] N=700	-0.175 [0.305] N=523
BMI-for-age z score	0.336 [0.294] N=1,208	0.328 [0.290] N=1,061	0.434 [0.290] N=877	0.213 [0.340] N=699	0.202 [0.442] N=522
Stunted, HAZ below -2	-0.033 [0.049] N=1,209	-0.029 [0.049] N=1,062	-0.029 [0.052] N=878	-0.009 [0.043] N=700	-0.105 [0.072] N=523
Thinness, BMIZ below -2	0.003 [0.044] N=1,208	0.009 [0.043] N=1,061	-0.012 [0.044] N=877	0.003 [0.051] N=699	0.047 [0.066] N=522
Overweight including obesity, BMIZ above +1	0.076 [0.106] N=1,208	0.076 [0.107] N=1,061	0.117 [0.109] N=877	0.046 [0.128] N=699	0.126 [0.150] N=522
Obesity, BMIZ above +2	0.034 [0.059] N=1,208	0.033 [0.057] N=1,061	0.069 [0.061] N=877	0.029 [0.068] N=699	0.095 [0.084] N=522

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.060	0.016 [0.144] N=1,407	-0.005 [0.151] N=1,260	-0.009 [0.156] N=1,076	0.015 [0.166] N=898	0.191 [0.180] N=721
BMI-for-age z score	0.149	0.227 [0.147] N=1,408	0.223 [0.149] N=1,261	**0.280* [0.153] N=1,077**	0.202 [0.159] N=899	0.173 [0.184] N=722
Stunted, HAZ below -2	0.034 P=44	-0.007 [0.030] N=1,407	-0.009 [0.030] N=1,260	-0.009 [0.032] N=1,076	-0.004 [0.032] N=898	-0.038 [0.039] N=721
Thinness, BMIZ below -2	0.044 P=64	-0.010 [0.023] N=1,408	-0.010 [0.024] N=1,261	-0.023 [0.026] N=1,077	-0.021 [0.028] N=899	-0.007 [0.032] N=722
Overweight including obesity, BMIZ above +1	0.257 P=358	0.041 [0.049] N=1,408	0.037 [0.049] N=1,261	0.052 [0.050] N=1,077	0.026 [0.053] N=899	0.045 [0.056] N=722
Obesity, BMIZ above +2	0.062 P=85	**0.073** [0.034] N=1,408**	**0.076** [0.035] N=1,261**	**0.090** [0.035] N=1,077**	**0.077** [0.036] N=899**	**0.105** [0.040] N=722**

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.252 [0.211] N=1,209	-0.343 [0.209] N=1,062	**-0.366* [0.217] N=878**	**-0.446* [0.237] N=700**	-0.230 [0.306] N=523
BMI-for-age z score	0.317 [0.290] N=1,208	0.317 [0.288] N=1,061	0.427 [0.292] N=877	0.218 [0.335] N=699	0.205 [0.425] N=522
Stunted, HAZ below -2	-0.023 [0.050] N=1,209	-0.021 [0.049] N=1,062	-0.020 [0.051] N=878	0.003 [0.042] N=700	-0.095 [0.073] N=523
Thinness, BMIZ below -2	0.009 [0.042] N=1,208	0.016 [0.041] N=1,061	-0.009 [0.043] N=877	0.005 [0.048] N=699	0.055 [0.060] N=522
Overweight including obesity, BMIZ above +1	0.068 [0.105] N=1,208	0.070 [0.105] N=1,061	0.107 [0.108] N=877	0.037 [0.125] N=699	0.122 [0.147] N=522
Obesity, BMIZ above +2	0.037 [0.062] N=1,208	0.039 [0.060] N=1,061	0.071 [0.063] N=877	0.033 [0.068] N=699	0.099 [0.085] N=522

Notes: Cells report the reform coefficient, clustered standard error in brackets, and N; bold stars indicate *** p<0.01, ** p<0.05, * p<0.10. Five columns use 8- to 4-year parental birth-month bandwidths. The 12-month donut omits months -12 through +11. All specifications include exact child-month fixed effects, split linear trends, and FAKTOR_FERT survey weights. Specification 2 adds female; specifications 3 and 4 separately add household and per-person income groups; specifications 5 and 6 separately add aid count and any aid. WHO 2007 HAZ and BMIZ are valid at months 61-228; WAZ ends at month 120. Implausible z scores are excluded. P is the positive-case count in the eight-year no-donut sample. NA indicates zero standard error. School-level and measurement selection affect interpretation.