Table 15 WHO base anthropometric outcomes for middle school, youngest child

Current school enrollment defines the middle school sample. One youngest child per household is selected within this level. WHO 2007 sex-specific monthly growth references use age on 16 December 2022. WAZ is defined only through month 120. Father and mother reform estimates use the established weighted RDD.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.119	-0.120 [0.225] N=1,393	-0.034 [0.221] N=1,248	-0.019 [0.235] N=1,070	0.034 [0.262] N=886	-0.132 [0.292] N=708
Weight-for-age z score, through 120 months	0.477	0.640 [0.438] N=57	0.606 [0.440] N=54	0.551 [0.542] N=48	0.769 [0.625] N=44	0.544 [0.629] N=39
BMI-for-age z score	0.438	-0.016 [0.199] N=1,390	0.019 [0.210] N=1,246	-0.061 [0.217] N=1,068	0.058 [0.211] N=885	0.000 [0.237] N=708
Stunted, HAZ below -2	0.110 P=152	0.054 [0.052] N=1,393	0.051 [0.055] N=1,248	0.034 [0.059] N=1,070	0.046 [0.067] N=886	0.094 [0.075] N=708
Underweight, WAZ below -2, through 120 months	0.000 P=0	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	0.061 P=84	-0.037 [0.037] N=1,390	-0.043 [0.040] N=1,246	-0.018 [0.030] N=1,068	-0.021 [0.033] N=885	-0.003 [0.036] N=708
Overweight including obesity, BMIZ above +1	0.385 P=533	-0.006 [0.078] N=1,390	0.016 [0.078] N=1,246	-0.002 [0.085] N=1,068	0.040 [0.088] N=885	0.008 [0.101] N=708
Obesity, BMIZ above +2	0.128 P=179	-0.038 [0.042] N=1,390	-0.047 [0.044] N=1,246	-0.075 [0.046] N=1,068	-0.047 [0.042] N=885	-0.043 [0.049] N=708

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.259 [0.342] N=1,225	-0.089 [0.328] N=1,080	-0.061 [0.368] N=902	0.082 [0.430] N=718	-0.437 [0.580] N=540
Weight-for-age z score, through 120 months	-0.163 [0.928] N=44	-0.183 [0.932] N=41	-1.393 [1.062] N=35	-1.000 [1.370] N=31	-2.905 [1.881] N=26
BMI-for-age z score	-0.219 [0.333] N=1,223	-0.168 [0.365] N=1,079	-0.470 [0.344] N=901	-0.221 [0.371] N=718	-0.505 [0.522] N=541
Stunted, HAZ below -2	-0.004 [0.068] N=1,225	-0.016 [0.072] N=1,080	-0.058 [0.079] N=902	-0.053 [0.098] N=718	0.088 [0.127] N=540
Underweight, WAZ below -2, through 120 months	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	-0.020 [0.067] N=1,223	-0.033 [0.076] N=1,079	0.038 [0.046] N=901	0.037 [0.056] N=718	**0.126* [0.065] N=541**
Overweight including obesity, BMIZ above +1	-0.047 [0.118] N=1,223	-0.002 [0.117] N=1,079	-0.068 [0.127] N=901	0.044 [0.143] N=718	-0.045 [0.205] N=541
Obesity, BMIZ above +2	-0.010 [0.074] N=1,223	-0.027 [0.079] N=1,079	-0.080 [0.090] N=901	-0.012 [0.080] N=718	-0.001 [0.112] N=541

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.119	-0.121 [0.223] N=1,393	-0.035 [0.221] N=1,248	-0.016 [0.235] N=1,070	0.039 [0.261] N=886	-0.126 [0.292] N=708
Weight-for-age z score, through 120 months	0.477	0.400 [0.439] N=57	0.354 [0.442] N=54	0.415 [0.512] N=48	0.600 [0.607] N=44	0.411 [0.613] N=39
BMI-for-age z score	0.438	-0.015 [0.200] N=1,390	0.017 [0.211] N=1,246	-0.049 [0.220] N=1,068	0.071 [0.214] N=885	0.030 [0.239] N=708
Stunted, HAZ below -2	0.110 P=152	0.055 [0.052] N=1,393	0.051 [0.055] N=1,248	0.034 [0.059] N=1,070	0.045 [0.067] N=886	0.093 [0.074] N=708
Underweight, WAZ below -2, through 120 months	0.000 P=0	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	0.061 P=84	-0.037 [0.036] N=1,390	-0.043 [0.040] N=1,246	-0.018 [0.030] N=1,068	-0.021 [0.033] N=885	-0.005 [0.036] N=708
Overweight including obesity, BMIZ above +1	0.385 P=533	-0.006 [0.079] N=1,390	0.015 [0.080] N=1,246	0.002 [0.087] N=1,068	0.046 [0.090] N=885	0.019 [0.104] N=708
Obesity, BMIZ above +2	0.128 P=179	-0.038 [0.042] N=1,390	-0.047 [0.044] N=1,246	-0.073 [0.047] N=1,068	-0.046 [0.043] N=885	-0.041 [0.050] N=708

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.252 [0.338] N=1,225	-0.089 [0.328] N=1,080	-0.058 [0.369] N=902	0.087 [0.429] N=718	-0.440 [0.577] N=540
Weight-for-age z score, through 120 months	-0.122 [0.803] N=44	-0.179 [0.793] N=41	-1.113 [1.324] N=35	-0.283 [1.783] N=31	-2.057 [2.302] N=26
BMI-for-age z score	-0.195 [0.334] N=1,223	-0.165 [0.368] N=1,079	-0.444 [0.355] N=901	-0.200 [0.385] N=718	-0.468 [0.530] N=541
Stunted, HAZ below -2	-0.004 [0.068] N=1,225	-0.016 [0.072] N=1,080	-0.059 [0.079] N=902	-0.053 [0.098] N=718	0.088 [0.127] N=540
Underweight, WAZ below -2, through 120 months	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	-0.022 [0.066] N=1,223	-0.033 [0.076] N=1,079	0.036 [0.047] N=901	0.035 [0.056] N=718	**0.123* [0.066] N=541**
Overweight including obesity, BMIZ above +1	-0.039 [0.120] N=1,223	-0.001 [0.121] N=1,079	-0.059 [0.132] N=901	0.052 [0.150] N=718	-0.031 [0.211] N=541
Obesity, BMIZ above +2	-0.007 [0.075] N=1,223	-0.027 [0.080] N=1,079	-0.077 [0.091] N=901	-0.011 [0.081] N=718	-0.000 [0.113] N=541

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.119	-0.076 [0.225] N=1,393	0.012 [0.219] N=1,248	0.012 [0.227] N=1,070	0.042 [0.257] N=886	-0.119 [0.288] N=708
Weight-for-age z score, through 120 months	0.477	0.413 [0.398] N=57	0.354 [0.398] N=54	0.216 [0.457] N=48	0.497 [0.600] N=44	0.205 [0.659] N=39
BMI-for-age z score	0.438	-0.012 [0.197] N=1,390	0.027 [0.209] N=1,246	-0.043 [0.216] N=1,068	0.065 [0.212] N=885	0.026 [0.238] N=708
Stunted, HAZ below -2	0.110 P=152	0.049 [0.054] N=1,393	0.046 [0.057] N=1,248	0.031 [0.061] N=1,070	0.045 [0.069] N=886	0.093 [0.076] N=708
Underweight, WAZ below -2, through 120 months	0.000 P=0	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	0.061 P=84	-0.035 [0.036] N=1,390	-0.042 [0.040] N=1,246	-0.017 [0.030] N=1,068	-0.019 [0.034] N=885	-0.007 [0.037] N=708
Overweight including obesity, BMIZ above +1	0.385 P=533	-0.001 [0.079] N=1,390	0.021 [0.080] N=1,246	0.007 [0.086] N=1,068	0.045 [0.088] N=885	0.017 [0.102] N=708
Obesity, BMIZ above +2	0.128 P=179	-0.036 [0.042] N=1,390	-0.044 [0.044] N=1,246	-0.071 [0.047] N=1,068	-0.046 [0.044] N=885	-0.045 [0.052] N=708

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.229 [0.344] N=1,225	-0.064 [0.326] N=1,080	-0.082 [0.352] N=902	0.017 [0.431] N=718	-0.514 [0.566] N=540
Weight-for-age z score, through 120 months	0.002 [0.914] N=44	-0.073 [0.908] N=41	-1.151 [1.386] N=35	-0.384 [1.812] N=31	-2.895 [2.174] N=26
BMI-for-age z score	-0.175 [0.334] N=1,223	-0.139 [0.368] N=1,079	-0.450 [0.355] N=901	-0.225 [0.394] N=718	-0.510 [0.539] N=541
Stunted, HAZ below -2	-0.010 [0.070] N=1,225	-0.022 [0.074] N=1,080	-0.061 [0.081] N=902	-0.049 [0.103] N=718	0.086 [0.131] N=540
Underweight, WAZ below -2, through 120 months	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	-0.020 [0.068] N=1,223	-0.032 [0.077] N=1,079	0.045 [0.047] N=901	0.050 [0.057] N=718	**0.131** [0.065] N=541**
Overweight including obesity, BMIZ above +1	-0.024 [0.117] N=1,223	0.011 [0.119] N=1,079	-0.053 [0.128] N=901	0.063 [0.146] N=718	-0.022 [0.208] N=541
Obesity, BMIZ above +2	-0.003 [0.074] N=1,223	-0.023 [0.079] N=1,079	-0.072 [0.091] N=901	-0.001 [0.080] N=718	0.007 [0.109] N=541

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.119	-0.137 [0.220] N=1,393	-0.045 [0.212] N=1,248	-0.039 [0.223] N=1,070	0.002 [0.254] N=886	-0.169 [0.282] N=708
Weight-for-age z score, through 120 months	0.477	0.075 [0.432] N=57	0.156 [0.424] N=54	0.196 [0.488] N=48	0.438 [0.613] N=44	0.048 [0.682] N=39
BMI-for-age z score	0.438	-0.019 [0.201] N=1,390	0.017 [0.210] N=1,246	-0.052 [0.217] N=1,068	0.063 [0.213] N=885	0.022 [0.241] N=708
Stunted, HAZ below -2	0.110 P=152	0.057 [0.053] N=1,393	0.054 [0.056] N=1,248	0.038 [0.060] N=1,070	0.052 [0.068] N=886	0.099 [0.074] N=708
Underweight, WAZ below -2, through 120 months	0.000 P=0	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	0.061 P=84	-0.036 [0.037] N=1,390	-0.042 [0.040] N=1,246	-0.017 [0.030] N=1,068	-0.020 [0.033] N=885	-0.005 [0.036] N=708
Overweight including obesity, BMIZ above +1	0.385 P=533	-0.004 [0.080] N=1,390	0.019 [0.080] N=1,246	0.005 [0.087] N=1,068	0.043 [0.090] N=885	0.015 [0.105] N=708
Obesity, BMIZ above +2	0.128 P=179	-0.037 [0.042] N=1,390	-0.044 [0.044] N=1,246	-0.072 [0.046] N=1,068	-0.047 [0.043] N=885	-0.043 [0.050] N=708

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.269 [0.339] N=1,225	-0.074 [0.308] N=1,080	-0.053 [0.329] N=902	0.026 [0.396] N=718	-0.511 [0.522] N=540
Weight-for-age z score, through 120 months	-0.585 [0.853] N=44	-0.234 [0.776] N=41	-0.842 [1.730] N=35	0.129 [2.213] N=31	-3.172 [3.540] N=26
BMI-for-age z score	-0.179 [0.342] N=1,223	-0.141 [0.372] N=1,079	-0.432 [0.357] N=901	-0.209 [0.393] N=718	-0.483 [0.539] N=541
Stunted, HAZ below -2	-0.003 [0.069] N=1,225	-0.018 [0.072] N=1,080	-0.059 [0.080] N=902	-0.045 [0.101] N=718	0.093 [0.127] N=540
Underweight, WAZ below -2, through 120 months	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	-0.023 [0.067] N=1,223	-0.036 [0.076] N=1,079	0.034 [0.048] N=901	0.033 [0.058] N=718	**0.118* [0.068] N=541**
Overweight including obesity, BMIZ above +1	-0.033 [0.123] N=1,223	0.008 [0.122] N=1,079	-0.056 [0.132] N=901	0.043 [0.152] N=718	-0.042 [0.214] N=541
Obesity, BMIZ above +2	-0.005 [0.074] N=1,223	-0.023 [0.079] N=1,079	-0.074 [0.090] N=901	-0.017 [0.082] N=718	-0.010 [0.114] N=541

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.126	-0.075 [0.217] N=1,324	0.018 [0.214] N=1,186	0.040 [0.234] N=1,017	0.104 [0.264] N=844	-0.045 [0.297] N=674
Weight-for-age z score, through 120 months	0.467	0.678 [0.523] N=56	0.564 [0.533] N=53	0.603 [0.607] N=47	0.727 [0.716] N=43	0.657 [0.660] N=38
BMI-for-age z score	0.445	-0.077 [0.205] N=1,322	-0.055 [0.221] N=1,184	-0.124 [0.228] N=1,015	-0.013 [0.225] N=843	-0.024 [0.252] N=674
Stunted, HAZ below -2	0.111 P=148	0.027 [0.055] N=1,324	0.022 [0.059] N=1,186	0.003 [0.064] N=1,017	0.012 [0.072] N=844	0.064 [0.079] N=674
Underweight, WAZ below -2, through 120 months	0.000 P=0	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	0.060 P=79	-0.036 [0.039] N=1,322	-0.042 [0.042] N=1,184	-0.021 [0.033] N=1,015	-0.024 [0.036] N=843	-0.012 [0.039] N=674
Overweight including obesity, BMIZ above +1	0.388 P=512	-0.021 [0.084] N=1,322	-0.005 [0.086] N=1,184	-0.023 [0.095] N=1,015	0.020 [0.098] N=843	-0.009 [0.112] N=674
Obesity, BMIZ above +2	0.128 P=172	-0.060 [0.041] N=1,322	**-0.073* [0.042] N=1,184**	**-0.102** [0.046] N=1,015**	**-0.073* [0.040] N=843**	-0.076 [0.048] N=674

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.241 [0.317] N=1,166	-0.079 [0.305] N=1,028	-0.045 [0.358] N=859	0.118 [0.436] N=686	-0.376 [0.603] N=516
Weight-for-age z score, through 120 months	-0.044 [0.748] N=44	-0.094 [0.735] N=41	-0.624 [1.213] N=35	0.657 [1.511] N=31	-1.603 [2.192] N=26
BMI-for-age z score	-0.200 [0.325] N=1,165	-0.192 [0.361] N=1,027	-0.471 [0.332] N=858	-0.214 [0.360] N=686	-0.340 [0.508] N=517
Stunted, HAZ below -2	-0.018 [0.070] N=1,166	-0.032 [0.075] N=1,028	-0.083 [0.083] N=859	-0.083 [0.106] N=686	0.074 [0.138] N=516
Underweight, WAZ below -2, through 120 months	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	-0.016 [0.068] N=1,165	-0.023 [0.078] N=1,027	0.042 [0.050] N=858	0.040 [0.061] N=686	0.114 [0.070] N=517
Overweight including obesity, BMIZ above +1	-0.030 [0.117] N=1,165	0.002 [0.119] N=1,027	-0.063 [0.129] N=858	0.053 [0.149] N=686	-0.009 [0.207] N=517
Obesity, BMIZ above +2	-0.004 [0.075] N=1,165	-0.030 [0.080] N=1,027	-0.080 [0.092] N=858	0.002 [0.082] N=686	0.010 [0.117] N=517

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.126	-0.082 [0.218] N=1,324	0.006 [0.216] N=1,186	0.028 [0.235] N=1,017	0.097 [0.264] N=844	-0.052 [0.294] N=674
Weight-for-age z score, through 120 months	0.467	0.709 [0.522] N=56	0.605 [0.526] N=53	0.535 [0.626] N=47	0.700 [0.731] N=43	0.443 [0.661] N=38
BMI-for-age z score	0.445	-0.075 [0.207] N=1,322	-0.044 [0.221] N=1,184	-0.115 [0.229] N=1,015	-0.008 [0.225] N=843	-0.012 [0.252] N=674
Stunted, HAZ below -2	0.111 P=148	0.028 [0.055] N=1,324	0.023 [0.059] N=1,186	0.001 [0.064] N=1,017	0.010 [0.072] N=844	0.060 [0.079] N=674
Underweight, WAZ below -2, through 120 months	0.000 P=0	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	0.060 P=79	-0.036 [0.039] N=1,322	-0.042 [0.042] N=1,184	-0.020 [0.032] N=1,015	-0.023 [0.036] N=843	-0.012 [0.039] N=674
Overweight including obesity, BMIZ above +1	0.388 P=512	-0.019 [0.084] N=1,322	0.002 [0.086] N=1,184	-0.017 [0.095] N=1,015	0.025 [0.098] N=843	-0.001 [0.113] N=674
Obesity, BMIZ above +2	0.128 P=172	-0.059 [0.041] N=1,322	**-0.071* [0.042] N=1,184**	**-0.101** [0.045] N=1,015**	**-0.073* [0.041] N=843**	-0.075 [0.048] N=674

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.229 [0.323] N=1,166	-0.073 [0.313] N=1,028	-0.018 [0.365] N=859	0.152 [0.438] N=686	-0.320 [0.600] N=516
Weight-for-age z score, through 120 months	-0.053 [0.720] N=44	-0.149 [0.707] N=41	-0.653 [1.177] N=35	0.416 [1.482] N=31	-1.603 [2.192] N=26
BMI-for-age z score	-0.219 [0.328] N=1,165	-0.203 [0.364] N=1,027	-0.482 [0.339] N=858	-0.241 [0.368] N=686	-0.363 [0.517] N=517
Stunted, HAZ below -2	-0.017 [0.072] N=1,166	-0.029 [0.078] N=1,028	-0.086 [0.084] N=859	-0.087 [0.106] N=686	0.063 [0.141] N=516
Underweight, WAZ below -2, through 120 months	NA	NA	NA	NA	NA
Thinness, BMIZ below -2	-0.013 [0.068] N=1,165	-0.022 [0.078] N=1,027	0.042 [0.050] N=858	0.041 [0.061] N=686	0.112 [0.069] N=517
Overweight including obesity, BMIZ above +1	-0.038 [0.119] N=1,165	0.000 [0.120] N=1,027	-0.068 [0.130] N=858	0.043 [0.151] N=686	-0.017 [0.209] N=517
Obesity, BMIZ above +2	-0.005 [0.076] N=1,165	-0.028 [0.080] N=1,027	-0.081 [0.092] N=858	-0.004 [0.082] N=686	0.002 [0.118] N=517

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.078	-0.123 [0.125] N=2,026	-0.206 [0.134] N=1,880	-0.200 [0.136] N=1,672	-0.181 [0.146] N=1,460	-0.166 [0.156] N=1,200
Weight-for-age z score, through 120 months	0.353	-0.214 [0.509] N=75	0.038 [0.506] N=70	-0.338 [0.565] N=65	-0.673 [0.612] N=58	-0.052 [0.624] N=48
BMI-for-age z score	0.468	-0.046 [0.147] N=2,020	0.022 [0.152] N=1,875	-0.092 [0.165] N=1,666	-0.079 [0.178] N=1,454	-0.080 [0.204] N=1,197
Stunted, HAZ below -2	0.102 P=206	0.015 [0.026] N=2,026	0.015 [0.027] N=1,880	0.016 [0.027] N=1,672	0.027 [0.029] N=1,460	0.025 [0.032] N=1,200
Underweight, WAZ below -2, through 120 months	0.016 P=1	-0.025 [0.033] N=75	-0.007 [0.026] N=70	0.015 [0.032] N=65	0.037 [0.047] N=58	0.071 [0.064] N=48
Thinness, BMIZ below -2	0.055 P=111	0.016 [0.022] N=2,020	0.009 [0.023] N=1,875	0.020 [0.026] N=1,666	0.013 [0.025] N=1,454	0.003 [0.027] N=1,197
Overweight including obesity, BMIZ above +1	0.385 P=781	0.035 [0.051] N=2,020	0.057 [0.054] N=1,875	0.035 [0.058] N=1,666	0.033 [0.063] N=1,454	0.040 [0.074] N=1,197
Obesity, BMIZ above +2	0.137 P=279	-0.049 [0.030] N=2,020	-0.041 [0.031] N=1,875	**-0.083** [0.034] N=1,666**	**-0.083** [0.037] N=1,454**	**-0.101** [0.040] N=1,197**

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.213 [0.200] N=1,698	**-0.387* [0.224] N=1,552**	**-0.454* [0.235] N=1,344**	**-0.483* [0.285] N=1,132**	**-0.610* [0.359] N=872**
Weight-for-age z score, through 120 months	-0.801 [0.754] N=63	-0.399 [0.822] N=58	-1.306 [1.092] N=53	**-2.212* [1.167] N=46**	-1.659 [1.722] N=36
BMI-for-age z score	-0.194 [0.211] N=1,693	-0.076 [0.227] N=1,548	-0.326 [0.259] N=1,339	-0.378 [0.308] N=1,127	-0.538 [0.419] N=870
Stunted, HAZ below -2	0.023 [0.042] N=1,698	0.019 [0.047] N=1,552	0.020 [0.048] N=1,344	0.030 [0.058] N=1,132	0.040 [0.077] N=872
Underweight, WAZ below -2, through 120 months	-0.041 [0.057] N=63	0.005 [0.046] N=58	0.057 [0.077] N=53	0.151 [0.142] N=46	0.315 [0.195] N=36
Thinness, BMIZ below -2	0.057 [0.037] N=1,693	0.047 [0.039] N=1,548	0.076 [0.047] N=1,339	0.072 [0.051] N=1,127	0.071 [0.066] N=870
Overweight including obesity, BMIZ above +1	0.032 [0.064] N=1,693	0.075 [0.068] N=1,548	0.033 [0.077] N=1,339	0.023 [0.091] N=1,127	0.032 [0.130] N=870
Obesity, BMIZ above +2	0.009 [0.042] N=1,693	0.029 [0.045] N=1,548	-0.042 [0.053] N=1,339	-0.031 [0.063] N=1,127	-0.073 [0.080] N=870

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.078	-0.116 [0.124] N=2,026	-0.196 [0.133] N=1,880	-0.189 [0.136] N=1,672	-0.164 [0.146] N=1,460	-0.161 [0.156] N=1,200
Weight-for-age z score, through 120 months	0.353	-0.253 [0.497] N=75	-0.019 [0.489] N=70	-0.371 [0.562] N=65	-0.695 [0.617] N=58	-0.121 [0.635] N=48
BMI-for-age z score	0.468	-0.031 [0.144] N=2,020	0.045 [0.149] N=1,875	-0.076 [0.163] N=1,666	-0.056 [0.175] N=1,454	-0.074 [0.199] N=1,197
Stunted, HAZ below -2	0.102 P=206	0.015 [0.026] N=2,026	0.014 [0.027] N=1,880	0.015 [0.027] N=1,672	0.025 [0.029] N=1,460	0.025 [0.032] N=1,200
Underweight, WAZ below -2, through 120 months	0.016 P=1	-0.027 [0.036] N=75	-0.010 [0.030] N=70	0.012 [0.033] N=65	0.037 [0.048] N=58	0.074 [0.067] N=48
Thinness, BMIZ below -2	0.055 P=111	0.016 [0.022] N=2,020	0.009 [0.022] N=1,875	0.020 [0.026] N=1,666	0.014 [0.025] N=1,454	0.002 [0.027] N=1,197
Overweight including obesity, BMIZ above +1	0.385 P=781	0.041 [0.050] N=2,020	0.066 [0.053] N=1,875	0.041 [0.057] N=1,666	0.042 [0.062] N=1,454	0.043 [0.073] N=1,197
Obesity, BMIZ above +2	0.137 P=279	-0.046 [0.030] N=2,020	-0.037 [0.031] N=1,875	**-0.080** [0.034] N=1,666**	**-0.078** [0.037] N=1,454**	**-0.099** [0.040] N=1,197**

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.202 [0.199] N=1,698	**-0.369* [0.221] N=1,552**	**-0.431* [0.232] N=1,344**	-0.438 [0.278] N=1,132	**-0.591* [0.353] N=872**
Weight-for-age z score, through 120 months	-0.775 [0.739] N=63	-0.402 [0.789] N=58	-1.283 [1.108] N=53	**-2.208* [1.210] N=46**	-1.779 [1.692] N=36
BMI-for-age z score	-0.160 [0.213] N=1,693	-0.023 [0.228] N=1,548	-0.281 [0.261] N=1,339	-0.302 [0.309] N=1,127	-0.480 [0.417] N=870
Stunted, HAZ below -2	0.022 [0.042] N=1,698	0.018 [0.047] N=1,552	0.019 [0.047] N=1,344	0.027 [0.057] N=1,132	0.038 [0.077] N=872
Underweight, WAZ below -2, through 120 months	-0.039 [0.059] N=63	0.005 [0.051] N=58	0.061 [0.082] N=53	0.152 [0.144] N=46	0.320 [0.199] N=36
Thinness, BMIZ below -2	0.057 [0.037] N=1,693	0.046 [0.039] N=1,548	0.076 [0.047] N=1,339	0.073 [0.051] N=1,127	0.069 [0.066] N=870
Overweight including obesity, BMIZ above +1	0.046 [0.064] N=1,693	0.095 [0.068] N=1,548	0.051 [0.077] N=1,339	0.055 [0.090] N=1,127	0.056 [0.129] N=870
Obesity, BMIZ above +2	0.016 [0.042] N=1,693	0.040 [0.046] N=1,548	-0.033 [0.054] N=1,339	-0.013 [0.064] N=1,127	-0.061 [0.081] N=870

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.078	-0.120 [0.124] N=2,026	-0.199 [0.132] N=1,880	-0.191 [0.135] N=1,672	-0.153 [0.143] N=1,460	-0.139 [0.153] N=1,200
Weight-for-age z score, through 120 months	0.353	-0.149 [0.509] N=75	-0.041 [0.538] N=70	-0.208 [0.630] N=65	-0.315 [0.634] N=58	0.335 [0.641] N=48
BMI-for-age z score	0.468	-0.031 [0.145] N=2,020	0.047 [0.149] N=1,875	-0.080 [0.162] N=1,666	-0.059 [0.175] N=1,454	-0.082 [0.200] N=1,197
Stunted, HAZ below -2	0.102 P=206	0.017 [0.026] N=2,026	0.015 [0.027] N=1,880	0.017 [0.027] N=1,672	0.024 [0.029] N=1,460	0.023 [0.033] N=1,200
Underweight, WAZ below -2, through 120 months	0.016 P=1	-0.031 [0.040] N=75	-0.023 [0.038] N=70	-0.010 [0.037] N=65	0.001 [0.047] N=58	0.035 [0.051] N=48
Thinness, BMIZ below -2	0.055 P=111	0.017 [0.022] N=2,020	0.009 [0.023] N=1,875	0.021 [0.026] N=1,666	0.014 [0.025] N=1,454	0.003 [0.028] N=1,197
Overweight including obesity, BMIZ above +1	0.385 P=781	0.042 [0.050] N=2,020	0.067 [0.053] N=1,875	0.040 [0.057] N=1,666	0.043 [0.062] N=1,454	0.042 [0.073] N=1,197
Obesity, BMIZ above +2	0.137 P=279	-0.045 [0.030] N=2,020	-0.036 [0.031] N=1,875	**-0.081** [0.034] N=1,666**	**-0.079** [0.036] N=1,454**	**-0.100** [0.040] N=1,197**

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.206 [0.200] N=1,698	**-0.371* [0.222] N=1,552**	**-0.442* [0.232] N=1,344**	-0.424 [0.277] N=1,132	-0.554 [0.356] N=872
Weight-for-age z score, through 120 months	-0.736 [0.769] N=63	-0.639 [0.901] N=58	-1.258 [1.161] N=53	-1.619 [1.125] N=46	-1.199 [1.364] N=36
BMI-for-age z score	-0.163 [0.213] N=1,693	-0.023 [0.229] N=1,548	-0.285 [0.262] N=1,339	-0.305 [0.311] N=1,127	-0.484 [0.417] N=870
Stunted, HAZ below -2	0.023 [0.042] N=1,698	0.018 [0.047] N=1,552	0.021 [0.047] N=1,344	0.025 [0.057] N=1,132	0.034 [0.078] N=872
Underweight, WAZ below -2, through 120 months	-0.029 [0.046] N=63	0.006 [0.046] N=58	0.042 [0.065] N=53	0.080 [0.100] N=46	0.214 [0.144] N=36
Thinness, BMIZ below -2	0.057 [0.036] N=1,693	0.046 [0.039] N=1,548	0.076 [0.047] N=1,339	0.072 [0.051] N=1,127	0.068 [0.066] N=870
Overweight including obesity, BMIZ above +1	0.046 [0.063] N=1,693	0.095 [0.068] N=1,548	0.049 [0.077] N=1,339	0.058 [0.089] N=1,127	0.061 [0.126] N=870
Obesity, BMIZ above +2	0.016 [0.042] N=1,693	0.039 [0.046] N=1,548	-0.034 [0.054] N=1,339	-0.013 [0.064] N=1,127	-0.060 [0.081] N=870

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.078	-0.107 [0.120] N=2,026	-0.186 [0.128] N=1,880	-0.189 [0.130] N=1,672	-0.141 [0.137] N=1,460	-0.157 [0.148] N=1,200
Weight-for-age z score, through 120 months	0.353	0.083 [0.494] N=75	0.100 [0.515] N=70	-0.280 [0.612] N=65	-0.525 [0.761] N=58	0.498 [0.669] N=48
BMI-for-age z score	0.468	-0.030 [0.143] N=2,020	0.048 [0.147] N=1,875	-0.078 [0.161] N=1,666	-0.051 [0.172] N=1,454	-0.076 [0.198] N=1,197
Stunted, HAZ below -2	0.102 P=206	0.014 [0.026] N=2,026	0.013 [0.027] N=1,880	0.016 [0.027] N=1,672	0.022 [0.029] N=1,460	0.024 [0.032] N=1,200
Underweight, WAZ below -2, through 120 months	0.016 P=1	-0.024 [0.036] N=75	-0.009 [0.031] N=70	0.019 [0.038] N=65	0.028 [0.050] N=58	0.068 [0.068] N=48
Thinness, BMIZ below -2	0.055 P=111	0.016 [0.022] N=2,020	0.008 [0.022] N=1,875	0.021 [0.026] N=1,666	0.013 [0.025] N=1,454	0.003 [0.027] N=1,197
Overweight including obesity, BMIZ above +1	0.385 P=781	0.041 [0.049] N=2,020	0.067 [0.052] N=1,875	0.042 [0.056] N=1,666	0.044 [0.061] N=1,454	0.044 [0.072] N=1,197
Obesity, BMIZ above +2	0.137 P=279	-0.045 [0.030] N=2,020	-0.036 [0.031] N=1,875	**-0.080** [0.033] N=1,666**	**-0.078** [0.036] N=1,454**	**-0.099** [0.039] N=1,197**

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.168 [0.199] N=1,698	-0.331 [0.221] N=1,552	**-0.413* [0.230] N=1,344**	-0.367 [0.273] N=1,132	-0.539 [0.348] N=872
Weight-for-age z score, through 120 months	-0.424 [0.785] N=63	-0.365 [0.850] N=58	-1.319 [1.172] N=53	**-2.331* [1.358] N=46**	-0.921 [1.771] N=36
BMI-for-age z score	-0.151 [0.211] N=1,693	-0.009 [0.226] N=1,548	-0.271 [0.257] N=1,339	-0.280 [0.305] N=1,127	-0.464 [0.408] N=870
Stunted, HAZ below -2	0.017 [0.043] N=1,698	0.012 [0.048] N=1,552	0.016 [0.048] N=1,344	0.016 [0.059] N=1,132	0.030 [0.078] N=872
Underweight, WAZ below -2, through 120 months	-0.028 [0.052] N=63	0.011 [0.048] N=58	0.081 [0.084] N=53	0.115 [0.119] N=46	0.304 [0.190] N=36
Thinness, BMIZ below -2	0.055 [0.037] N=1,693	0.044 [0.039] N=1,548	0.075 [0.048] N=1,339	0.069 [0.052] N=1,127	0.066 [0.065] N=870
Overweight including obesity, BMIZ above +1	0.049 [0.063] N=1,693	0.100 [0.067] N=1,548	0.056 [0.076] N=1,339	0.062 [0.089] N=1,127	0.066 [0.127] N=870
Obesity, BMIZ above +2	0.018 [0.042] N=1,693	0.042 [0.045] N=1,548	-0.031 [0.053] N=1,339	-0.009 [0.063] N=1,127	-0.059 [0.081] N=870

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.094	-0.136 [0.130] N=1,915	-0.223 [0.139] N=1,779	-0.224 [0.144] N=1,577	-0.213 [0.156] N=1,376	-0.241 [0.165] N=1,135
Weight-for-age z score, through 120 months	0.343	-0.243 [0.498] N=73	-0.016 [0.508] N=68	-0.550 [0.605] N=63	-0.838 [0.665] N=56	-0.434 [0.771] N=47
BMI-for-age z score	0.473	-0.046 [0.158] N=1,910	0.043 [0.162] N=1,775	-0.064 [0.179] N=1,572	-0.036 [0.196] N=1,371	-0.061 [0.224] N=1,132
Stunted, HAZ below -2	0.105 P=201	0.013 [0.027] N=1,915	0.012 [0.028] N=1,779	0.016 [0.028] N=1,577	0.031 [0.031] N=1,376	0.037 [0.033] N=1,135
Underweight, WAZ below -2, through 120 months	0.016 P=1	-0.027 [0.038] N=73	-0.007 [0.034] N=68	0.027 [0.045] N=63	0.054 [0.065] N=56	0.107 [0.093] N=47
Thinness, BMIZ below -2	0.054 P=103	0.012 [0.023] N=1,910	0.003 [0.024] N=1,775	0.013 [0.027] N=1,572	0.011 [0.027] N=1,371	0.003 [0.029] N=1,132
Overweight including obesity, BMIZ above +1	0.385 P=741	0.023 [0.053] N=1,910	0.052 [0.055] N=1,775	0.028 [0.061] N=1,572	0.036 [0.066] N=1,371	0.033 [0.076] N=1,132
Obesity, BMIZ above +2	0.138 P=267	-0.041 [0.031] N=1,910	-0.030 [0.033] N=1,775	**-0.067* [0.036] N=1,572**	-0.060 [0.039] N=1,371	**-0.081* [0.043] N=1,132**

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.200 [0.204] N=1,603	**-0.381* [0.227] N=1,467**	**-0.466* [0.242] N=1,265**	**-0.505* [0.289] N=1,064**	**-0.729** [0.352] N=823**
Weight-for-age z score, through 120 months	-0.664 [0.702] N=61	-0.266 [0.777] N=56	-1.297 [1.145] N=51	-2.069 [1.321] N=44	-2.266 [2.102] N=35
BMI-for-age z score	-0.206 [0.224] N=1,599	-0.050 [0.240] N=1,464	-0.278 [0.275] N=1,261	-0.302 [0.332] N=1,060	-0.511 [0.438] N=821
Stunted, HAZ below -2	0.014 [0.043] N=1,603	0.010 [0.048] N=1,467	0.017 [0.048] N=1,265	0.035 [0.058] N=1,064	0.063 [0.072] N=823
Underweight, WAZ below -2, through 120 months	-0.035 [0.059] N=61	0.009 [0.056] N=56	0.088 [0.101] N=51	0.171 [0.163] N=44	**0.433* [0.239] N=35**
Thinness, BMIZ below -2	0.056 [0.037] N=1,599	0.043 [0.040] N=1,464	0.070 [0.048] N=1,261	0.078 [0.053] N=1,060	0.089 [0.067] N=821
Overweight including obesity, BMIZ above +1	0.024 [0.068] N=1,599	0.077 [0.073] N=1,464	0.035 [0.083] N=1,261	0.051 [0.099] N=1,060	0.037 [0.138] N=821
Obesity, BMIZ above +2	0.009 [0.043] N=1,599	0.037 [0.047] N=1,464	-0.025 [0.056] N=1,261	0.003 [0.067] N=1,060	-0.046 [0.084] N=821

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.094	-0.122 [0.128] N=1,915	-0.208 [0.138] N=1,779	-0.209 [0.143] N=1,577	-0.191 [0.155] N=1,376	-0.217 [0.163] N=1,135
Weight-for-age z score, through 120 months	0.343	-0.255 [0.496] N=73	-0.026 [0.502] N=68	-0.378 [0.593] N=63	-0.719 [0.654] N=56	-0.069 [0.705] N=47
BMI-for-age z score	0.473	-0.051 [0.152] N=1,910	0.040 [0.155] N=1,775	-0.060 [0.171] N=1,572	-0.045 [0.184] N=1,371	-0.070 [0.210] N=1,132
Stunted, HAZ below -2	0.105 P=201	0.010 [0.027] N=1,915	0.010 [0.028] N=1,779	0.013 [0.029] N=1,577	0.027 [0.031] N=1,376	0.031 [0.033] N=1,135
Underweight, WAZ below -2, through 120 months	0.016 P=1	-0.027 [0.037] N=73	-0.011 [0.033] N=68	0.011 [0.036] N=63	0.041 [0.053] N=56	0.089 [0.079] N=47
Thinness, BMIZ below -2	0.054 P=103	0.011 [0.023] N=1,910	0.002 [0.023] N=1,775	0.011 [0.026] N=1,572	0.010 [0.026] N=1,371	0.002 [0.028] N=1,132
Overweight including obesity, BMIZ above +1	0.385 P=741	0.022 [0.051] N=1,910	0.050 [0.053] N=1,775	0.029 [0.058] N=1,572	0.035 [0.063] N=1,371	0.032 [0.074] N=1,132
Obesity, BMIZ above +2	0.138 P=267	-0.044 [0.031] N=1,910	-0.033 [0.033] N=1,775	**-0.069* [0.036] N=1,572**	-0.064 [0.039] N=1,371	**-0.086** [0.042] N=1,132**

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Height-for-age z score	-0.207 [0.203] N=1,603	**-0.388* [0.226] N=1,467**	**-0.472* [0.240] N=1,265**	**-0.505* [0.289] N=1,064**	**-0.744** [0.355] N=823**
Weight-for-age z score, through 120 months	-0.759 [0.727] N=61	-0.395 [0.796] N=56	-1.288 [1.155] N=51	**-2.316* [1.306] N=44**	-2.126 [2.065] N=35
BMI-for-age z score	-0.205 [0.222] N=1,599	-0.045 [0.236] N=1,464	-0.257 [0.270] N=1,261	-0.279 [0.323] N=1,060	-0.479 [0.431] N=821
Stunted, HAZ below -2	0.015 [0.043] N=1,603	0.012 [0.048] N=1,467	0.018 [0.049] N=1,265	0.036 [0.058] N=1,064	0.066 [0.072] N=823
Underweight, WAZ below -2, through 120 months	-0.036 [0.058] N=61	0.006 [0.053] N=56	0.067 [0.087] N=51	0.170 [0.160] N=44	**0.423* [0.233] N=35**
Thinness, BMIZ below -2	0.055 [0.037] N=1,599	0.042 [0.040] N=1,464	0.067 [0.048] N=1,261	0.077 [0.053] N=1,060	0.088 [0.067] N=821
Overweight including obesity, BMIZ above +1	0.024 [0.067] N=1,599	0.079 [0.071] N=1,464	0.042 [0.081] N=1,261	0.060 [0.096] N=1,060	0.051 [0.136] N=821
Obesity, BMIZ above +2	0.009 [0.043] N=1,599	0.037 [0.047] N=1,464	-0.024 [0.055] N=1,261	0.006 [0.066] N=1,060	-0.042 [0.083] N=821

Notes: Cells report the reform coefficient, clustered standard error in brackets, and N; bold stars indicate *** p<0.01, ** p<0.05, * p<0.10. Five columns use 8- to 4-year parental birth-month bandwidths. The 12-month donut omits months -12 through +11. All specifications include exact child-month fixed effects, split linear trends, and FAKTOR_FERT survey weights. Specification 2 adds female; specifications 3 and 4 separately add household and per-person income groups; specifications 5 and 6 separately add aid count and any aid. WHO 2007 HAZ and BMIZ are valid at months 61-228; WAZ ends at month 120. Implausible z scores are excluded. P is the positive-case count in the eight-year no-donut sample. NA indicates zero standard error. School-level and measurement selection affect interpretation.