
sparsepoly
τ(net time, DFG n) +0.68
τ(net n, DFG n) +0.67
stair5
τ(net time, DFG n) +0.31
τ(net n, DFG n) +0.39
mux
τ(net time, DFG n) +0.09
τ(net n, DFG n) +0.21
majpar
τ(net time, DFG n) +0.71
τ(net n, DFG n) all tied
rmaj9
τ(net time, DFG n) +0.68
τ(net n, DFG n) +0.37
andxor
τ(net time, DFG n) all tied
τ(net n, DFG n) all tied
dlist5
τ(net time, DFG n) +0.40
τ(net n, DFG n) +0.50
parmaj
τ(net time, DFG n) all tied
τ(net n, DFG n) all tied
dnf3
τ(net time, DFG n) +0.22
τ(net n, DFG n) +0.17
rand1
τ(net time, DFG n) +0.44
τ(net n, DFG n) +0.49
rand3
τ(net time, DFG n) +0.24
τ(net n, DFG n) +0.41
order agreement per target
n from which the final model carries the character
never
16384
4096
1024
256
64
16
x2x3x4x5x6
x4x5x6
x1x2x3x4x5
x1x2x3x4
x1x2x3x4x5x6
network onset step (online, seed mean)
sparsepoly
stair5
mux
majpar
rmaj9
andxor
dlist5
parmaj
dnf3
rand1
rand3
net time vs DFG n
net n vs DFG n (|S|<=4)
net time vs net n
−1.0
−0.5
0.0
0.5
1.0
Kendall tau-b
DFG alone (filled; median of 3 seeds)
networks, fixed-n study (open; |S| <= 4)
degree 1
degree 2
degree 3
degree 4
degree >= 5