1 Related work

Universal and operator induction. Solomonoff induction predicts sequences with a universal prior over programs (Solomonoff, 1964, 1978; Li and Vitányi, 2008). Operator induction predicts the answer to a new question from an unordered set of question–answer pairs (Solomonoff, 1999, 2008); the companion paper (Hänni and Claude (Anthropic), 2026c) and the companion paper on steeper priors (Hänni and Claude (Anthropic), 2026d) develop its one-tape universal law and its versions, and by **??** SAI agrees, version by version and up to constants, with operator induction over consistent labellers of sentences, in which deduction ties the answers together. Whether a universal prior justifies a preference for simplicity is disputed (Sterkenburg, 2016, 2019). Our theorems do not depend on it; our use of SAI as an ideal of the evaluation of theories does, and we take the universal prior as a modelling choice whose dependence on the machine and the language is bounded by constants that, at the scale of our examples, are not small (**??????**). The computable, finite-class precursors are our earlier report (Hänni and Claude (Anthropic), 2026a), on a Bayesian axiom inducer with template priors and derivation likelihoods and on coin-free axiom induction under time penalties, which **??** extends, and a second report (Hänni and Claude (Anthropic), 2026b), on learning axioms and schemas from their instances.

Probabilities on sentences. Logical probabilities on sentences go back to Carnap (1950), coherent probabilities on first-order sentences to Gaifman (1964); Scott and Krauss (1966); Gaifman and Snir (1982); Hutter et al. (2013) extend given probabilities of some sentences to all sentences of a higher-order logic under desiderata that include the Gaifman condition; Christiano (2014) gives a tractable algorithm; and logical inductors (Garrabrant et al., 2016a) refine probabilities on the sentences of a given theory over time. These are probabilities of truth, and logical inductors are given the axioms; SAI is given labelled sentences and is uncertain about the axioms. Bel is a belief function (Dempster, 1967; Shafer, 1976) and satisfies the Gaifman condition exactly when the instances prove the universal sentence (**??**). Sawin and Demski (2013) show that computable distributions that satisfy natural coherence conditions and come to believe the true Π_1 sentences must give some short true Π_2 sentences arbitrarily low limiting probability; **????** show a parallel divide for the ideal SAI posterior, not a consequence of theirs. Demski's prior (Demski, 2012), as usually described, draws random sentences and keeps each one consistent with those kept; the modification due to Fallenstein, Demski and Garrabrant (Garrabrant, 2015), used in Garrabrant et al. (2016b), draws theories as the outputs of a universal machine on random bits, which is the sampling stage of M_A. Those processes iterate draws until the theory is complete; M_A uses a single draw, whose theory is incomplete with positive probability, and for complete theories proof-requiring and consistency-requiring compatibility coincide (**????**).

Learning theories from data. Formal learning theory studies identification in the limit (Gold, 1967; Putnam, 1965b), also of first-order theories (Osherson et al., 1991; Kelly, 1996; Martin and Osherson, 1998); **??** is a Bayesian form of Gold's distinction between text and informant. Shapiro's model inference infers theories from facts by conjectures and refutations (Shapiro, 1981, 1991); it outputs one conjecture at a time, without a prior. Inductive logic programming (cf. Muggleton and De Raedt, 1994; Cropper and Dumančić, 2022) asks a hypothesis to entail the positive examples and to be consistent with the negative ones, a mixture of the two compatibility notions of **??**, invents predicates (Muggleton and Buntine, 1988), and justifies theories by compression (Muggleton, 1995; Conklin and Witten, 1994). In cognitive science, intuitive theories are modelled as logical laws from a probabilistic grammar, learned by Bayesian inference over a finite space

(Kemp et al., 2008, 2010; Ullman et al., 2012).

Random axioms and Gödel phenomena. What a probabilistic machine produces with positive probability can be produced deterministically (cf. de Leeuw et al., 1956); the lottery (**??**) is where this averaging fails for random theories, since majority votes over consistency constraints of unbounded arity can be inconsistent (cf. the lottery paradox, Kyburg, 1961). Its closer relative is that randomness helps for mass problems: a class of positive measure, such as a class of bounded diagonally non-computable functions, can have no computable member (cf. Kučera, 1985; Bienvenu and Porter, 2016). That randomisation can succeed where determinism cannot, below a success-probability threshold, is familiar for learners (Pitt, 1989; Ambainis, 1999); here the random objects are the hypotheses themselves. Bienvenu et al. (2014) add randomly chosen true complexity axioms to PA and show that they do not help to prove new interesting theorems but can shorten proofs unless NP = PSPACE; the threshold theories of **??** use a soundness threshold of a related kind, placed just above the unknown inconsistency probability of the universal random theory. **??** also meets Chaitin's theorem (Chaitin, 1974; Raatikainen, 1998), flexible formulas (cf. Kripke, 1962; Woodin, 2011), Kreisel's conjecture (cf. Hrubeš, 2009) and the problem of old evidence (Garber, 1983).

Craig, Ramsey, Hempel. Craig's theorem (Craig, 1953, 1956) is the background of Hempel's theoretician's dilemma (Hempel, 1958) and of its replies (Craigian axiomatisations are unmanageable; theoretical terms serve inductive systematisation, cf. Niiniluoto, 1972; science does not aim only at prediction, cf. Putnam, 1965a), which **??** sets against our results. In monadic inductive logic theoretical concepts can change inductive probabilities (cf. Niiniluoto and Tuomela, 1973); in the universal mixture they cannot, beyond a constant factor, that is, by more than a bounded number of bits over all data (**??**). Every r.e. theory has a polynomial-time axiomatisation by a variant of Craig's trick (Krajíček, 2025), and every r.e. theory without finite models has a finitely axiomatised conservative extension with one more binary relation symbol (Kleene, 1952; Craig and Vaught, 1958, as reported by Pakhomov and Visser, 2019), of which **??** is an effective many-sorted form. Ramsey sentences and Lewis's definitions (Ramsey, 1931; Lewis, 1970) appear in **??**.

Usable theories. Knowledge compilation studies the size of theories a weak reasoner can use (Selman and Kautz, 1996; Darwiche and Marquis, 2002; del Val, 1994; Babka et al., 2013); the declarative/procedural question is old in AI (McCarthy, 1959; Winograd, 1975; Kowalski, 1979).

Laws, approximation, explanation, and what a theory is. Lewis's best-system account (Lewis, 1983, 1994) and its language-relative version (Cohen and Callender, 2009) are the counterpart of **??**, by analogy only. That a model includes its noise distribution, and that the precision of measurement enters the code length, are standard in MDL and MML (Rissanen, 1978; Wallace, 2005; Grünwald, 2007); the split into model and noise is the subject of algorithmic statistics (Gács et al., 2001; Vereshchagin and Vitányi, 2004); Akaike-based accounts give a statistical form of the dependence of selection on precision (Forster and Sober, 1994). Accounts of truthlikeness, explanation and what a theory is are discussed in **????**. Discovery systems such as BACON, which finds Kepler's third law (Langley et al., 1987), symbolic regression (Schmidt and Lipson, 2009; Udrescu and Tegmark, 2020) and the Apperception Engine (Evans et al., 2021) search, where SAI evaluates.

What is new. To our knowledge the following are new: the single-draw proof-requiring law M_A and its basic theory (**??**); the one-tape and Kolmogorov equivalences with consistent SOI and the transfer principle (**??????**); the lottery, its comparison of versions and its arithmetic versions with true data (**????**); the threshold theories on Π_1 data and the coding theorem for an inductive inference rule (**????**); the reasoner-relative separations inside a universal inducer (**??**), where the bound for systems of laws (**??**) is a short combination of known results that we did not find stated and that is probably known to specialists; a complexity-theoretic form of the impracticality reply to Hempel, which we did not find in the literature, and the derivation-bounded constructions and fit classes of **??**; and, for a proof-requiring inducer, the choice between honest laws, laws with exceptions and laws with error models (**????**). Not new are random axiom systems drawn by a universal machine, the mixture and dominance arguments, Craig's construction (the coin-free weight equivalence is that construction inside the universal prior, proved for deciders in the earlier report), the rules of conditioning for belief functions, and the reading of a law with its noise distribution as a two-part code.

References

Andris Ambainis. Probabilistic inductive inference: A survey. arXiv:cs/9902026, 1999.

M. Babka, T. Balyo, O. Čepek, Š. Gurský, P. Kučera, and V. Vlček. Complexity issues related to propagation completeness. *Artificial Intelligence*, 203:19–34, 2013.

L. Bienvenu and C. P. Porter. Deep Π^0_1 classes. *Bulletin of Symbolic Logic*, 22, 2016. arXiv:1403.0450.

Laurent Bienvenu, Andrei Romashchenko, Alexander Shen, Antoine Taveneaux, and Stijn Vermeeren. The axiomatic power of Kolmogorov complexity. *Annals of Pure and Applied Logic*, 165(9):1380–1402, 2014. doi: 10.1016/j.apal.2014.04.009.

Rudolf Carnap. *Logical Foundations of Probability*. University of Chicago Press, Chicago, 1950.

Gregory J. Chaitin. Information-theoretic limitations of formal systems. *Journal of the ACM*, 21 (3):403–424, 1974.

Paul Christiano. Non-omniscience, probabilistic inference, and metamathematics. Technical Report 2014-3, Machine Intelligence Research Institute, Berkeley, CA, 2014.

Jonathan Cohen and Craig Callender. A better best system account of lawhood. *Philosophical Studies*, 145:1–34, 2009. doi: 10.1007/s11098-009-9389-3.

Darrell Conklin and Ian H. Witten. Complexity-based induction. *Machine Learning*, 16:203–225, 1994. doi: 10.1007/BF00993307.

William Craig. On axiomatizability within a system. *Journal of Symbolic Logic*, 18(1):30–32, 1953. doi: 10.2307/2266324.

William Craig. Replacement of auxiliary expressions. *Philosophical Review*, 65(1):38–55, 1956.

William Craig and Robert L. Vaught. Finite axiomatizability using additional predicates. *Journal of Symbolic Logic*, 23(3):289–308, 1958.

Andrew Cropper and Sebastijan Dumančić. Inductive logic programming at 30: A new introduction. *Journal of Artificial Intelligence Research*, 74:765–850, 2022. doi: 10.1613/jair.1.13507.

Adnan Darwiche and Pierre Marquis. A knowledge compilation map. *Journal of Artificial Intelligence Research*, 17:229–264, 2002. doi: 10.1613/jair.989.

K. de Leeuw, E. F. Moore, C. E. Shannon, and N. Shapiro. Computability by probabilistic machines. In C. E. Shannon and J. McCarthy, editors, *Automata Studies*, volume 34 of *Annals of Mathematics Studies*, pages 183–212. Princeton University Press, Princeton, NJ, 1956.

Alvaro del Val. Tractable databases: How to make propositional unit resolution complete through compilation. In Jon Doyle, Erik Sandewall, and Pietro Torasso, editors, *Principles of Knowledge Representation and Reasoning: Proceedings of the Fourth International Conference (KR'94)*, pages 551–561. Morgan Kaufmann, 1994.

A. P. Dempster. Upper and lower probabilities induced by a multivalued mapping. *The Annals of Mathematical Statistics*, 38(2):325–339, 1967.

Abram Demski. Logical prior probability. In Joscha Bach, Ben Goertzel, and Matthew Iklé, editors, *Artificial General Intelligence (AGI 2012)*, volume 7716 of *Lecture Notes in Computer Science*, pages 50–59. Springer, 2012. doi: 10.1007/978-3-642-35506-6_6.

Richard Evans, José Hernández-Orallo, Johannes Welbl, Pushmeet Kohli, and Marek Sergot. Making sense of sensory input. *Artificial Intelligence*, 293:103438, 2021. doi: 10.1016/j.artint.2020.103438.

Malcolm Forster and Elliott Sober. How to tell when simpler, more unified, or less ad hoc theories will provide more accurate predictions. *British Journal for the Philosophy of Science*, 45(1): 1–35, 1994.

Péter Gács, John T. Tromp, and Paul M. B. Vitányi. Algorithmic statistics. *IEEE Transactions on Information Theory*, 47(6):2443–2463, 2001.

Haim Gaifman. Concerning measures in first order calculi. *Israel Journal of Mathematics*, 2(1): 1–18, 1964.

Haim Gaifman and Marc Snir. Probabilities over rich languages, testing and randomness. *Journal of Symbolic Logic*, 47(3):495–548, 1982. doi: 10.2307/2273587.

Daniel Garber. Old evidence and logical omniscience in Bayesian confirmation theory. In John Earman, editor, *Testing Scientific Theories*, volume 10 of *Minnesota Studies in the Philosophy of Science*, pages 99–131. University of Minnesota Press, Minneapolis, 1983.

Scott Garrabrant. Asymptotic logical uncertainty: A modification to the Demski prior. Intelligent Agent Foundations Forum post; mirrored at `https://www.alignmentforum.org/posts/5bd75cc58225bf067037500a`, 2015. August 2015.

Scott Garrabrant, Tsvi Benson-Tilsen, Andrew Critch, Nate Soares, and Jessica Taylor. Logical induction. arXiv:1609.03543, 2016a.

Scott Garrabrant, Benya Fallenstein, Abram Demski, and Nate Soares. Inductive coherence. arXiv:1604.05288, 2016b.

E. Mark Gold. Language identification in the limit. *Information and Control*, 10(5):447–474, 1967.

Peter D. Grünwald. *The Minimum Description Length Principle*. Adaptive Computation and Machine Learning. MIT Press, Cambridge, MA, 2007.

Kaarel Hänni and Claude (Anthropic). Bayesian axiom induction from instances: Template priors, derivation likelihoods and time penalties. Report, 2026a. Folder `axiom-induction` of `https://github.com/kaarelh/AI-works`.

Kaarel Hänni and Claude (Anthropic). Learning axioms and axiom schemas from their instances. Report, 2026b. Folder `axiom-schemas` of `https://github.com/kaarelh/AI-works`.

Kaarel Hänni and Claude (Anthropic). Solomonoff operator induction: Definitions, versions and basic theorems. Preprint, 2026c. Folder `solomonoff-operator-induction` of `https://github.com/kaarelh/AI-works`.

Kaarel Hänni and Claude (Anthropic). Steeper simplicity priors in Solomonoff operator induction: The model–randomness split and the teacher's mistakes. Preprint, 2026d. Folder `solomonoff-operator-induction` of `https://github.com/kaarelh/AI-works`.

Carl G. Hempel. The theoretician's dilemma: A study in the logic of theory construction. In Herbert Feigl, Michael Scriven, and Grover Maxwell, editors, *Concepts, Theories, and the Mind–Body Problem*, volume 2 of *Minnesota Studies in the Philosophy of Science*, pages 37–98. University of Minnesota Press, Minneapolis, 1958.

P. Hrubeš. Kreisel's conjecture with minimality principle. *Journal of Symbolic Logic*, 74(3): 976–988, 2009.

Marcus Hutter, John W. Lloyd, Kee Siong Ng, and William T. B. Uther. Probabilities on sentences in an expressive logic. *Journal of Applied Logic*, 11(4):386–420, 2013. doi: 10.1016/j.jal.2013.03.003.

Kevin T. Kelly. *The Logic of Reliable Inquiry*. Oxford University Press, New York, 1996.

Charles Kemp, Noah D. Goodman, and Joshua B. Tenenbaum. Theory acquisition and the language of thought. In *Proceedings of the 30th Annual Conference of the Cognitive Science Society*, 2008.

Charles Kemp, Joshua B. Tenenbaum, Sourabh Niyogi, and Thomas L. Griffiths. A probabilistic model of theory formation. *Cognition*, 114(2):165–196, 2010.

Stephen C. Kleene. Finite axiomatizability of theories in the predicate calculus using additional predicate symbols. In *Two Papers on the Predicate Calculus*, number 10 in Memoirs of the American Mathematical Society, pages 27–66. American Mathematical Society, Providence, RI, 1952.

Robert Kowalski. Algorithm = logic + control. *Communications of the ACM*, 22(7):424–436, 1979.

Jan Krajíček. A proof complexity conjecture and the incompleteness theorem. *Journal of Symbolic Logic*, 90(3), 2025. arXiv:2303.10637.

S. Kripke. "Flexible" predicates of formal number theory. *Proceedings of the American Mathematical Society*, 13(4):647–650, 1962.

A. Kučera. Measure, Π^0_1-classes and complete extensions of PA. In *Recursion Theory Week (Oberwolfach 1984)*, volume 1141 of *Lecture Notes in Mathematics*, pages 245–259. Springer, 1985.

H. E. Kyburg. *Probability and the Logic of Rational Belief*. Wesleyan University Press, 1961.

Pat Langley, Herbert A. Simon, Gary L. Bradshaw, and Jan M. Zytkow. *Scientific Discovery: Computational Explorations of the Creative Processes*. MIT Press, Cambridge, MA, 1987.

David Lewis. How to define theoretical terms. *Journal of Philosophy*, 67(13):427–446, 1970.

David Lewis. New work for a theory of universals. *Australasian Journal of Philosophy*, 61(4): 343–377, 1983.

David Lewis. Humean supervenience debugged. *Mind*, 103(412):473–490, 1994. doi: 10.1093/mind/103.412.473.

Ming Li and Paul Vitányi. *An Introduction to Kolmogorov Complexity and Its Applications*. Texts in Computer Science. Springer, New York, third edition, 2008. doi: 10.1007/978-0-387-49820-1.

Eric Martin and Daniel N. Osherson. *Elements of Scientific Inquiry*. MIT Press, Cambridge, MA, 1998.

John McCarthy. Programs with common sense. In *Mechanisation of Thought Processes: Proceedings of the Symposium at the National Physical Laboratory, Teddington*, pages 75–91, London, 1959. Her Majesty's Stationery Office.

Stephen Muggleton. Inverse entailment and Progol. *New Generation Computing*, 13(3–4):245–286, 1995. doi: 10.1007/BF03037227.

Stephen Muggleton and Wray Buntine. Machine invention of first-order predicates by inverting resolution. In *Proceedings of the Fifth International Conference on Machine Learning*, pages 339–351, 1988. doi: 10.1016/B978-0-934613-64-4.50040-2.

Stephen Muggleton and Luc De Raedt. Inductive logic programming: Theory and methods. *Journal of Logic Programming*, 19–20:629–679, 1994.

Ilkka Niiniluoto. Inductive systematization: Definition and a critical survey. *Synthese*, 25:25–81, 1972. doi: 10.1007/BF00484998.

Ilkka Niiniluoto and Raimo Tuomela. *Theoretical Concepts and Hypothetico-Inductive Inference*. Synthese Library. D. Reidel, Dordrecht, 1973.

Daniel N. Osherson, Michael Stob, and Scott Weinstein. A universal inductive inference machine. *Journal of Symbolic Logic*, 56(2):661–672, 1991.

F. Pakhomov and A. Visser. On a question of Krajewski's. *Journal of Symbolic Logic*, 84(1): 343–358, 2019. arXiv:1712.01713.

Leonard Pitt. Probabilistic inductive inference. *Journal of the ACM*, 36(2):383–433, 1989.

Hilary Putnam. Craig's theorem. *Journal of Philosophy*, 62(10):251–260, 1965a. doi: 10.2307/2023298.

Hilary Putnam. Trial and error predicates and the solution to a problem of Mostowski. *Journal of Symbolic Logic*, 30(1):49–57, 1965b.

Panu Raatikainen. On interpreting Chaitin's incompleteness theorem. *Journal of Philosophical Logic*, 27(6):569–586, 1998.

Frank P. Ramsey. Theories. In R. B. Braithwaite, editor, *The Foundations of Mathematics and Other Logical Essays*, pages 212–236. Kegan Paul, Trench, Trubner & Co., London, 1931. Written 1929.

Jorma Rissanen. Modeling by shortest data description. *Automatica*, 14:465–471, 1978. doi: 10.1016/0005-1098(78)90005-5.

Will Sawin and Abram Demski. Computable probability distributions which converge on believing true Π_1 sentences will disbelieve true Π_2 sentences. Technical report, Machine Intelligence Research Institute, Berkeley, CA, 2013.

Michael Schmidt and Hod Lipson. Distilling free-form natural laws from experimental data. *Science*, 324(5923):81–85, 2009. doi: 10.1126/science.1165893.

Dana Scott and Peter Krauss. Assigning probabilities to logical formulas. In Jaakko Hintikka and Patrick Suppes, editors, *Aspects of Inductive Logic*, volume 43 of *Studies in Logic and the Foundations of Mathematics*, pages 219–264. North-Holland, Amsterdam, 1966.

Bart Selman and Henry Kautz. Knowledge compilation and theory approximation. *Journal of the ACM*, 43(2):193–224, 1996.

Glenn Shafer. *A Mathematical Theory of Evidence*. Princeton University Press, Princeton, NJ, 1976.

Ehud Y. Shapiro. An algorithm that infers theories from facts. In *Proceedings of the Seventh International Joint Conference on Artificial Intelligence (IJCAI)*, pages 446–451, 1981.

Ehud Y. Shapiro. Inductive inference of theories from facts. In *Computational Logic: Essays in Honor of Alan Robinson*, pages 199–254. 1991.

Ray J. Solomonoff. A formal theory of inductive inference, parts I and II. *Information and Control*, 7:1–22 and 224–254, 1964.

Ray J. Solomonoff. Complexity-based induction systems: Comparisons and convergence theorems. *IEEE Transactions on Information Theory*, 24(4):422–432, 1978.

Ray J. Solomonoff. Two kinds of probabilistic induction. *The Computer Journal*, 42(4):256–259, 1999.

Ray J. Solomonoff. Three kinds of probabilistic induction: Universal distributions and convergence theorems. *The Computer Journal*, 51(5):566–570, 2008. doi: 10.1093/comjnl/bxm120.

Tom F. Sterkenburg. Solomonoff prediction and Occam's razor. *Philosophy of Science*, 83(4):459–479, 2016. doi: 10.1086/687257.

Tom F. Sterkenburg. Putnam's diagonal argument and the impossibility of a universal learning machine. *Erkenntnis*, 84(3):633–656, 2019. doi: 10.1007/s10670-018-9975-x.

Silviu-Marian Udrescu and Max Tegmark. AI Feynman: A physics-inspired method for symbolic regression. *Science Advances*, 6(16):eaay2631, 2020.

Tomer D. Ullman, Noah D. Goodman, and Joshua B. Tenenbaum. Theory learning as stochastic search in the language of thought. *Cognitive Development*, 27(4):455–480, 2012.

Nikolai K. Vereshchagin and Paul M. B. Vitányi. Kolmogorov's structure functions and model selection. *IEEE Transactions on Information Theory*, 50(12):3265–3290, 2004. doi: 10.1109/TIT.2004.838346.

Christopher S. Wallace. *Statistical and Inductive Inference by Minimum Message Length*. Information Science and Statistics. Springer, New York, 2005.

Terry Winograd. Frame representations and the declarative/procedural controversy. In Daniel G. Bobrow and A. Collins, editors, *Representation and Understanding: Studies in Cognitive Science*, pages 185–210. Academic Press, New York, 1975.

W. Hugh Woodin. A potential subtlety concerning the distinction between determinism and nondeterminism. In Michael Heller and W. Hugh Woodin, editors, *Infinity: New Research Frontiers*. Cambridge University Press, Cambridge, 2011.