CFDefect.

This document explains how to install and use CFDefect. I have planned to write a separate technical review document which will list details about various design principle employed in this application. Please feel free to contact me at qasimrasheed@gmail.com if you have any questions. I would like to take an opportunity to thank Ray Camden for his wonderful product Lighthouse Pro, which is the inspiration for this application. Ray was also kind enough to let me use the DB schema and application feature from Lighthouse in this application.

License:

Copyright 2007, Qasim Rasheed

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Pre-requisites:

- 1. ColdFusion MX 7 (It might work on CFMX 6.1 although I haven't tested it.
- 2. Fusebox framework (version 5.1) (www.fusebox.com)
- 3. ColdSpring Framework (<u>www.coldspringframework.com</u>)
- 4. Reactor Framework. (http://livedocs.reactorframework.com)

Installation

Database:

SQL scripts for creating required tables are included with the distribution zip under install folder. There are scripts for mySQL, SQL Server and Oracle. I believe it will be quite trivial to modify those for other RDBMS. Please bear in mind that Access is not supported.

Application:

Following mappings are required for this application to work

- 1. /coldspring for ColdSpring Framework.
- 2. /reactor for Reactor Framework
- 3. /fusebox5 for Fusebox framework (Optional). If you do not have this mapping, copy the fusebox 5.1 core files from fusebox site..

Extract the zip file into your webserver document root in a directory named cfdefect. If you decide on upzipping it under some directory not underneath the web root, you will have to create a mapping name /cfdefect which points to the root of your installation directory.

Configuration:

Once all files are unzipped, open appconfig.xml under config directory in your favorite XML editor. List below are different configuration settings

- 1. AppTitle: This is the name of your application that will be displayed as page title and email subject.
- 2. attachementPath: Path to the folder where issue attachments are kept.
- 3. xsltPath: location of xslt that are used for reports. Default should be fine unless you have moved the provided xslt or created your own.
- 4. mailServer (Required): as ColdFusion default will not be used.
- 5. mailDefaultFrom: From address this will be used in emails generated from the system
- 6. mailCSS: CSS file for html emails. For the most part you do not have to change this since print CSS are included with core distribustion.

Now let's discuss Reactor Configuration within the same appconfig.xml file

- 1. project: The directory under /reactor/project in which Reactor will put generated base code. Do not modify this.
- 2. dsn: Name of your datasource
- 3. username: Datasource user name.
- 4. password: Datasource password.
- 5. type: type of database i.e. oracle, mssql, mysql4 etc.
- 6. mapping: Directory in which Reactor will put your project's custom generated files. Do not modify this.
- 7. mode: indicate the conditions under which reactor will regenerate files.

Running CFDefect:

If you have followed the installation instruction, CFdefect should be ready to use and you can browse to the site using your favorite browser to:

http://~yourservername~/cfdefect

You will be prompted to login. For starter that default username is 'admin' with password 'password'. You will want to change this immediately of course. Now let's briefly discuss various section of CFDefect.

COMING SOON