

```

import aiosqlite

DB_PATH = "shop.db"

async def init_db():
    async with aiosqlite.connect(DB_PATH)
    as db:
        await db.execute("""
            CREATE TABLE IF NOT EXISTS
products (
            id INTEGER PRIMARY KEY
AUTOINCREMENT,
            name TEXT NOT NULL,
            description TEXT,
            price_cents INTEGER NOT
NULL,
            photo_url TEXT,
            is_active INTEGER DEFAULT 1
        )
        """)
        await db.execute("""
            CREATE TABLE IF NOT EXISTS
cart_items (
            id INTEGER PRIMARY KEY
AUTOINCREMENT,
            user_id INTEGER NOT NULL,
            product_id INTEGER NOT
NULL,
            quantity INTEGER NOT NULL

```

```

DEFAULT 1,
        FOREIGN KEY(product_id)
REFERENCES products(id)
    )
    "")
    await db.execute("""
        CREATE TABLE IF NOT EXISTS
orders (
        id INTEGER PRIMARY KEY
AUTOINCREMENT,
        user_id INTEGER NOT NULL,
        username TEXT,
        total_cents INTEGER NOT
NULL,
        items_json TEXT NOT NULL,
        status TEXT DEFAULT 'paid',
        created_at TEXT DEFAULT
CURRENT_TIMESTAMP,
        telegram_payment_charge_id
TEXT
    )
    "")
    await db.commit()

    # Добавим пару демо-товаров, если
таблица пустая
    cursor = await db.execute("SELECT
COUNT(*) FROM products")
    count = (await cursor.fetchone())
[0]

    if count == 0:
        demo_products = [
            ("Футболка «Классика»",
"Хлопковая футболка, унисекс, размеры S-

```

```

XL", 150000, None),
        ("Кружка с логотипом",
         "Керамическая кружка 350 мл", 80000, None),
        ("Стикерпак", "10 виниловых
стикеров", 30000, None),
    ]
    await db.executemany(
        "INSERT INTO products
(name, description, price_cents, photo_url)
VALUES (?, ?, ?, ?)",
        demo_products,
    )
    await db.commit()

```

```

async def get_active_products():
    async with aioredislite.connect(DB_PATH)
as db:
        db.row_factory = aioredislite.Row
        cursor = await db.execute("SELECT *
FROM products WHERE is_active = 1 ORDER BY
id")
        return await cursor.fetchall()

```

```

async def get_product(product_id: int):
    async with aioredislite.connect(DB_PATH)
as db:
        db.row_factory = aioredislite.Row
        cursor = await db.execute("SELECT *
FROM products WHERE id = ?", (product_id,))
        return await cursor.fetchone()

```

```

async def add_product(name, description,
price_cents, photo_url=None):
    async with aiosqlite.connect(DB_PATH)
as db:
        await db.execute(
            "INSERT INTO products (name,
description, price_cents, photo_url) VALUES
(?, ?, ?, ?)",
            (name, description,
price_cents, photo_url),
            )
        await db.commit()

async def add_to_cart(user_id: int,
product_id: int, quantity: int = 1):
    async with aiosqlite.connect(DB_PATH)
as db:
        db.row_factory = aiosqlite.Row
        cursor = await db.execute(
            "SELECT * FROM cart_items WHERE
user_id = ? AND product_id = ?",
            (user_id, product_id),
            )
        existing = await cursor.fetchone()
        if existing:
            await db.execute(
                "UPDATE cart_items SET
quantity = quantity + ? WHERE id = ?",
                (quantity, existing["id"]),
                )
        else:
            await db.execute(
                "INSERT INTO cart_items

```

```

(user_id, product_id, quantity) VALUES (?,
?, ?)",
            (user_id, product_id,
quantity),
        )
        await db.commit()

async def get_cart(user_id: int):
    async with aiosqlite.connect(DB_PATH)
as db:
        db.row_factory = aiosqlite.Row
        cursor = await db.execute(
            """
            SELECT ci.id as cart_item_id,
ci.quantity, p.*
            FROM cart_items ci
            JOIN products p ON p.id =
ci.product_id
            WHERE ci.user_id = ?
            """,
            (user_id,),
        )
        return await cursor.fetchall()

async def clear_cart(user_id: int):
    async with aiosqlite.connect(DB_PATH)
as db:
        await db.execute("DELETE FROM
cart_items WHERE user_id = ?", (user_id,))
        await db.commit()

```

```

async def remove_cart_item(cart_item_id:
int):
    async with aiosqlite.connect(DB_PATH)
as db:
        await db.execute("DELETE FROM
cart_items WHERE id = ?", (cart_item_id,))
        await db.commit()

async def save_order(user_id: int,
username: str, total_cents: int,
items_json: str, charge_id: str):
    async with aiosqlite.connect(DB_PATH)
as db:
        await db.execute(
            """
            INSERT INTO orders (user_id,
username, total_cents, items_json,
telegram_payment_charge_id)
            VALUES (?, ?, ?, ?, ?)
            """,
            (user_id, username,
total_cents, items_json, charge_id),
        )
        await db.commit()

```