

Live Clustering Test — General Analysis

Business Analytics Report

Project: Live Clustering Test

Dataset: live_clustering.csv

Analysis date: 2026-09-25

Prepared by: kabeer ali

Generated by the AI Data Scientist Platform

Table of Contents

1. Executive Summary	4
Key verified findings	4
Top recommendations	4
2. About the Dataset	5
Column dictionary	5
3. Data Quality & Cleaning	6
Original dataset quality (as uploaded)	6
Cleaning performed	6
4. Key EDA Findings	7
5. Cluster Analysis	8
Cluster 0 — 95 rows (47.5%)	8
Cluster 1 — 105 rows (52.5%)	8
9. AI Business Insights AI-generated	9
10. Limitations	10
11. Appendix	11
Dataset statistics	11

1. Executive Summary

This report analyzes **live_clustering.csv** (200 rows, 4 columns) .

Key verified findings

- The original dataset contained 0 missing value(s) and 0 duplicate row(s), which have since been cleaned.
- No target column was confidently detected, so this dataset was analyzed with unsupervised **K-Means clustering** instead — 2 natural group(s) found.

Top recommendations

- No verified model-driven recommendations are available for this report.

2. About the Dataset

`live_clustering.csv` contains 200 rows and 4 columns.

Column dictionary

Column	Type	Missing	Notes
Record Id	Identifier	0.0%	
Region Index	Numeric	0.0%	typical range 0.68–99.13
Channel Score	Numeric	0.0%	typical range -11.99–70.15
Name Metric	Numeric	0.0%	typical range -39.51–39.54

3. Data Quality & Cleaning

Original dataset quality (as uploaded)

Total rows	Missing cells	Duplicate rows	Issues detected
200	0	0	0

Cleaning performed

The dataset was marked cleaned, but no specific actions were logged.


4. Key EDA Findings

Total Rows	Total Region Index	Total Channel Score	Total Name Metric
200	10,360	6,152	188

5. Cluster Analysis

No target column was confidently detected for this dataset, so **unsupervised clustering** (K-Means) was used instead to find natural groupings in the data — **2 cluster(s)** identified across 200 row(s), using 3 numeric feature(s).

Features used: Region Index, Channel Score, Name Metric · Silhouette score: 0.3891 (higher is better-separated, range -1 to 1)



Cluster 0 — 95 rows (47.5%)

Feature	Average value
Region Index	25.25
Channel Score	13.32
Name Metric	1.38

Cluster 1 — 105 rows (52.5%)

Feature	Average value
Region Index	75.82
Channel Score	46.54
Name Metric	0.54

9. AI Business Insights AI-generated

AI insights are unavailable right now (gemini: Gemini rate limit exceeded — too many requests. Try again shortly.; ollama fallback: The AI service is currently unavailable.). The rest of this report contains verified analytical results only.

10. Limitations

- Model predictions are estimates based on historical patterns and may not hold if underlying business conditions change. They should inform, not replace, domain expertise.
- These groups come from unsupervised clustering (no target column was available), so they describe similarity patterns in the data, not a prediction — validate any business interpretation with domain expertise before acting on it.

11. Appendix

Dataset statistics

Statistic	Value
Rows	200
Columns	4