
Started At: Jul 25, 9:24:18.641 PM


Finished At: Jul 25, 9:24:21.493 PM

Duration : 2.852 s






## FEATURES SUMMARY 1 - 1



#	Feature Name	Т	P	F	S	Duration
1	Search movies by title	1	1	0	0	2.852 s



#	Feature Name	Scenario Name	Т	P	F	S	Duration
1	Search movies by title	Search movies by title for 'Harr	5	5	0	0	2.845 s

## (F) - Search movies by title

// Jul 25, 9:24:18.641 PM // Jul 25, 9:24:21.493 PM //

Duration 2.852 s

@Tags -










## (F) - Search movies by title

## (S) - Search movies by title for 'Harry Potter' and list ...

// Jul 25, 9:24:18.648 PM // Jul 25, 9:24:21.493 PM //









#	Step / Hook Text	Status	Duration
	before - stepDefinitions.OMDApiSteps.before(io.cucumber.java.Sc	PASSED	0.023 s
	Search movies by title for 'Harry Potter' and list the IDs of all results.		
1	Given I prepare GET request to OMDB api endpoint	PASSED	0.509 s
2	When I Set query param	PASSED	0.216 s
3	And Send a GET HTTP request	PASSED	1.382 s
4	Then I receive valid Response	PASSED	0.002 s
5	And I list the id of all results	PASSED	0.672 s