

95.14

Inventory Accuracy %

3.61

Defect Rate %


0.50

Average Variance


2M

Sum of Units_Sold


Warehouse_ID	Inventory Accuracy %	Defect Rate %
WH_1	95.36	3.43
WH_2	95.17	3.65
WH_3	95.10	3.55
WH_4	95.04	3.65
WH_5	95.01	3.76
Total	95.14	3.61




Count of Defect_Count by Region



Count of Defect_Count by Warehouse_ID




Supplier_ID, Avg_Lead_Time and Avg_Accuracy_Pct




No significant impact
on inventory accuracy
from region, warehouse
location, or supplier
lead time


Inventory Accuracy % by SKU_ID and Avg_Variance



Sum of Units Sold and Sum of Avg Variance by SKU_ID



Sum of Avg Variance and Sum of Defect Rate Pct by SKU_ID



Most defects and inaccuracies occur within items that sell more units. A likely cause could be from counting errors when inventory is moving too quickly through the warehouse, or inventory counters rush through large quantities of repeated items. Therefore, large volumes of items likely lead to missed scans, delayed system updates, and misplaced items.

To mitigate this issue, improve counting accuracy and system synchronization during fast paced inventory cycles. Implement, more frequent cycle counts for high volume SKUs in sections to avoid rushed counting. Adding counting lanes dedicated for high volume items can reduce pressure on inventory counters and reduce entry/scanning errors.