

MIGRATION ANALYSIS · TELL ME A STORY MOM

Vue 2 → Vue 3 Migration Guide

Complete file-by-file analysis and update plan for the `d:\app\story` project

 4 Blockers

 12+ Code Changes

 20 Files Affected

 6-Step Validation

Generated 29 Sep 2026



Table of Contents

The project has already been **partially migrated** toward Vue 3:

- `package.json` targets **Vue 3.5.43**, **vue-router 4.6.4**, **Vite 6**, and includes `@vitejs/plugin-vue` (the Vue 3 Vite plugin). **DONE**
- `src/main.js` already uses the Vue 3 `createApp(...).mount(...)` API. **DONE**
- `src/App.vue` already uses `<script setup>`. **DONE**

WARNING The migration is **incomplete** — the app **cannot currently build or run** because of **4 blockers** (missing `index.html`, wrong Vite plugin, broken router, dead Vue CLI config). After those are fixed, ~12 more Vue 2 patterns must be updated (filters, undeclared `$emit` events, `v-html` on components, dead files, ESLint stack, etc.).

**GOOD
NEWS**

The components use **Options API**, which is fully supported in Vue 3 — no rewrite of `data` / `computed` / `watch` / `methods` is needed. The migration is **mostly mechanical**.

Area	Status
Vue runtime	✓ Vue 3.5.43 in <code>package.json</code>
Router	⚠ vue-router 4.6.4 installed, but <code>router/index.js</code> has bugs
Build tool	⚠ Vite 6 installed, but <code>vite.config.js</code> loads the Vue 2 plugin
Entry HTML	✗ <code>index.html</code> missing — Vite requires it
Entry JS	⚠ <code>main.js</code> is Vue 3; <code>main-new.js</code> is still Vue 2 (dead code)
Components	⚠ Options API (fine) but Vue 2 filters, undeclared emits, <code>v-html</code> on components
Config files	✗ <code>vue.config.js</code> (Vue CLI) + <code>babel.config.js</code> (CLI preset) are dead
Lint stack	✗ ESLint 5 + eslint-plugin-vue 5 — cannot parse Vue 3 SFCs
Deployment	PhoneGap / Cordova (<code>config.xml</code>) — affects router history + global functions

1 Missing `index.html` (Vite entry)

Affects: project root · build · `npm run dev` / `npm run build`

Vite needs `index.html` at the project root as the entry point. Without it, the dev server and build fail with *"Could not resolve entry module"*.

Action: create `index.html` with:

```
index.html

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Tell Me A Story Mom</title>
  </head>
  <body>
    <div id="app"></div>
    <script type="module" src="/src/main.js"></script>
  </body>
</html>
```

NOTE

The old Vue CLI `index.html` also contained the Cordova / PhoneGap scripts that define `exitApp()` and `shareTo()` (called in `Header.vue` / `Post.vue`). Re-add those `<script>` blocks (see §4.10).

2 vite.config.js loads the Vue 2 plugin

Affects: vite.config.js · plugin resolution

It imports `createVuePlugin` from `vite-plugin-vue2` — a **Vue 2** plugin that is **not installed** (`node_modules/vite-plugin-vue2` does not exist). The correct Vue 3 plugin, `@vitejs/plugin-vue`, is installed but unused.

Action: replace with:

▣ vite.config.js

```
import { defineConfig } from "vite";
import vue from "@vitejs/plugin-vue";

export default defineConfig({
  plugins: [vue()],
  resolve: {
    extensions: [".mjs", ".js", ".ts", ".jsx", ".tsx", ".json", ".vue"],
  },
});
```

3 src/router/index.js is broken

Affects: all 8 routes · app bootstrap

Three bugs:

1. **Wrong import paths** — the file lives in `src/router/`, so `../views/Home.vue` resolves to `src/router/views/Home.vue` (doesn't exist). All 8 route imports fail. Correct paths: `../views/Home.vue` and `../components/X.vue`.
2. **Named export vs default import** — router exports `export const router`, but `main.js` does `import router from "../router/index.js"` (default). `app.use(undefined)` would crash.
3. `createMemoryHistory` — designed for SSR/tests; the URL never changes and browser back/forward is broken. Use `createWebHistory(base)` for web hosting, or `createWebHashHistory()` for Cordova / `file://` loads (recommended here — see §4.12).

Action: see the fixed file in §7.

4

vue.config.js forces Vue 2 compat mode

Affects: vue.config.js · @vue/compat dependency

This Vue CLI / webpack config aliases `vue` → `@vue/compat` with `compatConfig: { MODE: 2 }`. Vite ignores it, but it is misleading and keeps `@vue/compat` in dependencies.

Action: delete `vue.config.js` and remove `@vue/compat` from `package.json`.

4.1 Filters removed — `{{ item.date | datestring }}`

Affects: Home.vue · Diary.vue · Post.vue · Search.vue · Story.vue · Women.vue

Vue 3 deleted `Vue.filter()`. The `datestring` filter is used in **6 files**. In pure Vue 3 this compiles to `datestring is not defined`.

Action: add a method to each component and update the template:

```
▣ methods: { ... }
```

```
methods: {  
  formatDate(value) {  
    return new Date(value).toString();  
  }  
}
```

```
▣ template
```

```
{{ formatDate(item.date) }}
```

ALT

Alternatively register once as `app.config.globalProperties.datestring` — but methods are simpler and type-safe.

4.2 Undeclared `$emit` events through `<router-view>`

Affects: Contact · Diary · Page · Post · Search · Story · Women · Home

Routed components emit `'loading'` / `'back'`; `App.vue` listens via `v-on:loading` / `v-on:back` on `<router-view>`. In Vue 3, listeners for events **not declared in** `emits` fall through to the component's root element and are **never triggered by** `$emit`.

Action: add to each emitting component:

```
component export

export default {
  emits: ['back', 'loading'],
  // ...
};
```

4.3 `App.vue` — empty `<script setup>`

Affects: `App.vue` · transition CSS

The template references `loading` and `back` (via `v-on:loading="loading = $event"`), but the `<script setup>` block is empty. The transition CSS also uses the Vue 2 class name `.slide-enter`.

Action:

- Either define `const loading = ref(false)` / `const back = ref(false)` in `<script setup>` (import `ref` from `vue`), or remove those bindings if `Header` / `Loader` stay commented out.
- Rename `.slide-enter` → `.slide-enter-from` in the `<style>` block.

4.4 `Home.vue` — commented-out methods

Affects: `Home.vue` · runtime error

The template calls `featuredMedia(item._embedded)` **12 times**, but the entire `methods:` block is commented out → runtime `TypeError: featuredMedia is not a function`.

Action: restore the `featuredMedia` method (un-comment the methods block in `Home.vue`).

4.5 `v-html` on `<router-link>`

Affects: Home · Diary · Post · Search · Story · Women

`v-html` on a component relies on fragile `attrs-fallthrough` in Vue 3 and can be overridden.

Action: wrap the HTML in a `<span>`:

▣ `template`

```
<router-link :to="'/post/' + item.id" class="blue-text text-darken-4">
  <span v-html="item.title.rendered"></span>
</router-link>
```

4.6 Dead Vue 2 entry — `src/main-new.js`

Affects: `src/main-new.js`

Still uses `import Vue from 'vue', new Vue({...}).$mount('#app'), Vue.config.productionTip`.
Nothing references it.

Action: delete the file.

4.7 Dead Babel config — `babel.config.js`

Affects: `babel.config.js`

References `@vue/cli-plugin-babel/preset`, which is not installed and unused by Vite.

Action: delete the file.

4.8 `Loader.vue` / `Error.vue` — custom element roots

Affects: `Loader.vue` · `Error.vue`

Use self-closing HTML tags `<loader>` / `<error>` as their own root — Vue 3 warns about unknown custom elements.

Action: change root tags to `<div class="loader">` / `<div class="error">`.

4.9 package.json cleanup

Affects: package.json · dependencies

- Remove bogus dependency `"16": "^0.0.2"`.
- Remove Vue 2-era deps: `@vue/compat`, `@vue/compiler-sfc` (bundled with `vue`), `core-js`.
- Upgrade lint stack: `eslint@^9`, `eslint-plugin-vue@^9` (or `^10`), replace `babel-eslint` with `@babel/eslint-parser`.
- Optional: `axios@^1` (currently `0.19`, from 2019).

4.10 Cordova globals — `exitApp()` / `shareTo()`

Affects: index.html · Header.vue · Post.vue

`Header.vue` calls `exitApp()`; `Post.vue` calls `shareTo()`. These were defined by inline scripts in the old `index.html` (or Cordova plugins).

Action: re-add the defining `<script>` blocks to the new `index.html`.

4.11 Header.vue — boolean prop binding

Affects: Header.vue

`<header class="top" back="false">` passes the **string** `"false"` (truthy) to the `back` prop.

Action: use `:back="false"` (or remove the attribute entirely).

4.12 Router history mode

Affects: src/router/index.js

`createMemoryHistory` is wrong for this app. Because `config.xml` indicates a PhoneGap / Cordova deployment (often loaded from `file://`), `createWebHashHistory()` is the safe choice; use `createWebHistory()` only if the app is served from a real web host.

- **Keep Options API** — fully supported in Vue 3; lowest-risk path.
- Extract the copy-pasted `featuredMedia()` + date formatting into a shared composable (`src/composables/useWordPress.js`).
- Consider `provide` / `inject` (or Pinia) instead of the `$emit` -through- `<router-view>` pattern for `loading` / `back` state.
- Lazy-load route components with `() => import(...)` to shrink the initial bundle.

File	Action
index.html	Create — Vite entry + Cordova scripts
vite.config.js	Rewrite — use <code>@vitejs/plugin-vue</code>
vue.config.js	Delete
babel.config.js	Delete
src/main-new.js	Delete
src/main.js	Fix router import; remove Vue 2 comments
src/router/index.js	Fix paths, export, history mode
src/App.vue	Add refs / simplify; fix transition CSS
src/views/Home.vue	Restore methods; <code>formatDate</code> ; <code>emits</code> ; v-html span
src/components/Diary.vue	<code>formatDate</code> ; <code>emits</code> ; v-html span
src/components/Post.vue	<code>formatDate</code> ; <code>emits</code> ; v-html span
src/components/Search.vue	<code>formatDate</code> ; <code>emits</code> ; v-html span
src/components/Story.vue	<code>formatDate</code> ; <code>emits</code> ; v-html span
src/components/Women.vue	<code>formatDate</code> ; <code>emits</code> ; v-html span
src/components/Page.vue	<code>emits</code>
src/components/Contact.vue	<code>emits</code>
src/components/Header.vue	<code>:back="false"</code>
src/components/Loader.vue	Root tag → <code><div></code>
src/components/Error.vue	Root tag → <code><div></code>

File	Action
package.json	Clean deps; upgrade ESLint stack

Fixed vite.config.js

vite.config.js

```
import { defineConfig } from "vite";
import vue from "@vitejs/plugin-vue";

export default defineConfig({
  plugins: [vue()],
  resolve: {
    extensions: [".mjs", ".js", ".ts", ".jsx", ".tsx", ".json", ".vue"],
  },
});
```

Fixed src/router/index.js

src/router/index.js

```
import { createRouter, createWebHashHistory } from "vue-router";
import Home from "../views/Home.vue";
import Search from "../components/Search.vue";
import Story from "../components/Story.vue";
import Women from "../components/Women.vue";
import Diary from "../components/Diary.vue";
import Post from "../components/Post.vue";
import Page from "../components/Page.vue";
import Contact from "../components/Contact.vue";

export default createRouter({
  history: createWebHashHistory(import.meta.env.BASE_URL),
  routes: [
    { path: "/search", name: "Search", component: Search },
    { path: "/story/:id", name: "Story", component: Story },
    { path: "/women", name: "Women", component: Women },
    { path: "/diary", name: "Diary", component: Diary },
    { path: "/contact", name: "Contact", component: Contact },
    { path: "/", name: "Home", component: Home },
    { path: "/post/:id", name: "Post", component: Post },
    { path: "/page/:id", name: "Page", component: Page },
  ],
});
```

Fixed src/main.js

src/main.js

```
import { createApp } from "vue";
import App from "./App.vue";
import "materialize-css/dist/css/materialize.min.css";
import "./font/flaticon.css";
import "./font/socicon.css";
import router from "./router/index.js";

const app = createApp(App);
app.use(router);
app.mount("#app");
```

✿ Component change example (`Contact.vue`)

src/components/Contact.vue (script)

```
export default {
  name: "Contact",
  emits: ["back", "loading"],
  data() { /* unchanged */ },
  // ...
};
```

1. `npm install` (after `package.json` cleanup)
2. `npm run dev` → app loads at `http://localhost:5173`, no console errors
3. `npm run build` → succeeds, `dist/` produced
4. `npm run lint` → passes with the upgraded ESLint stack
5. Manual smoke test: Home tabs, Search, Story list + pagination, Post detail, Page, Contact, Diary, Women
6. If deploying to PhoneGap / Cordova: test with `createWebHashHistory` (deep links / refresh must work)

DONE?

When all 4 blockers are fixed and the 12+ code changes applied, this checklist should pass end-to-end. Keep the Options API as-is; only `formatDate`, `emits`, and the template fixes are required.