TRAINING / INTERNSHIP / USER-DEFINED PROJECT

A PROJECT REPORT

VoltSync - EV Charging Station Finder & Booking System

Submitted in partial fulfilment of the requirements

for the award of the degree of

BACHELOR OF TECHNOLOGY

in

Computer Science & Engineering

Submitted by

Sabalpara Kabir Hasmukhbhai

Enrollment No.: 23SE02CS092

Internship Organisation: Roshni WebSolutions

Under the guidance of

Ms. Khushbu Chauhan

Assistant Professor, School of Engineering



P P SAVANI UNIVERSITY

SCHOOL OF ENGINEERING

P P SAVANI UNIVERSITY, SURAT, GUJARAT

OCTOBER 2026

P P SAVANI UNIVERSITY

SCHOOL OF ENGINEERING

INTERNSHIP / UDP / TRAINING

FINAL PROJECT REPORT

(Hard-Bound Project Report Format)

Particular	Details
Project Title	VoltSync - EV Charging Station Finder & Booking System
Student Name	Sabalpara Kabir HasmukhBhai
Enrollment Number	23SE02CS092
Program / Branch	B.Tech Computer Science and Engineering (CSE / 7B)
Semester	7th Semester
Company / Organization	Roshni WebSolutions
Department / Domain	Web Development (Full-Stack MERN Development)
Mentor (Company)	Mr. Brijesh Dhanani (Senior Technical Lead)
Mentor (Institute)	Ms. Khushbu Chauhan (Assistant Professor)
Academic Year	2026-2027

CERTIFICATE

OF COMPLETION

This is to certify that

SABALPARA KABIR HASMUKHBHAI

Enrollment No.: 23SE02CS092

of B.Tech Computer Science and Engineering (CSE / 7B), 7th Semester, has successfully completed the INTERNSHIP project titled
"VoltSync - EV Charging Station Finder & Booking System"
during the period from 08th June, 2026 to 03rd October, 2026 at Roshni WebSolutions, under the guidance of Mr. Brijesh Dhanani and Ms. Khushbu Chauhan.

The project work, final implementation, testing and validation, documentation, and demonstration were completed as required for the Internship / UDP / Training and found satisfactory.

Date of Issue: 03 / 10 / 2026

_____	_____
Mentor (Company)	**Mentor (Institute)**

DECLARATION

I hereby declare that this report is a consolidated and authentic record of the Internship / UDP / Training project work carried out by me/us. All sources used have been appropriately acknowledged and cited.

Project: VoltSync - EV Charging Station Finder & Booking System
Student: Sabalpara Kabir HasmukhBhai
Enrollment No.: 23SE02CS092
Program: B.Tech Computer Science and Engineering (CSE / 7B)
Company Mentor: Mr. Brijesh Dhanani
Institute Mentor: Ms. Khushbu Chauhan
Student Signature: _____

ACKNOWLEDGEMENT

[Write a concise acknowledgement to the organization, company mentor, institute mentor, faculty and others who directly supported the project.]

I express my deepest gratitude to Roshni WebSolutions for granting me the valuable opportunity to undergo my 7th-semester industrial internship. Working on a production-grade full-stack project has broadened my software engineering perspective and prepared me for industrial product lifecycles. I am deeply indebted to my Company Mentor, Mr. Brijesh Dhanani, for his continuous technical mentorship, code review critiques, and architectural guidance on concurrency control, stateless authentication, and cloud deployment. I also extend my sincere gratitude to my Institute Mentor, Ms. Khushbu Chauhan, for her constructive guidance, regular milestone evaluations, and support in aligning industrial practices with institutional guidelines. I would also like to thank the Head of Department (Computer Science & Engineering) and the faculty members of the School of Engineering, P P Savani University, as well as my family and peers for their constant support. Sabalpara Kabir HasmukhBhai Enrollment No.: 23SE02CS092

ABSTRACT / EXECUTIVE SUMMARY

[Write 250–400 words covering the problem, objectives, methodology, implementation, testing, key results and conclusion.]

The rapid expansion of electric vehicle (EV) adoption across India has brought critical infrastructural bottlenecks to light, primarily regarding charging station discoverability, unpredictable queue times, and charging slot reservation conflicts. VoltSync is a full-stack web application engineered to address these challenges by delivering an end-to-end platform for EV drivers and charging station operators. Built using the MERN stack (MongoDB, Express.js, React 18, Node.js) and Vite, the platform bridges the gap between drivers seeking verified power infrastructure and station operators managing multi-plug hubs. The core objective of VoltSync is to eliminate EV range anxiety and charger anxiety through real-time geospatial discovery, atomic concurrency-protected slot reservations, an intelligent battery charging estimator, and paperless check-in via dynamic QR passes. The system features an interactive map built on Leaflet.js with custom station markers indicating real-time availability across fast-charging hubs (CCS, CHAdeMO, Type 2). To prevent the prevalent issue of double-booking under concurrent traffic, a 5-minute atomic slot lock mechanism backed by MongoDB compound unique partial indexes was designed and validated. Furthermore, when a user's selected station is fully booked, a smart alternative routing algorithm computes Haversine distances to suggest the closest operational station with available plugs. The application incorporates a simulated multi-gateway payment flow and a digital FastPass QR Code generator that yields cryptographically verifiable check-in tokens for physical station check-in. Station operators are provided a dedicated dashboard to register stations, toggle charger operational states, monitor slot queues, and review 7-day revenue analytics. Robust security engineering was implemented, including salted password hashing via bcryptjs, stateless JSON Web Token (JWT) authentication, Role-Based Access Control (RBAC), and NoSQL query sanitization. The system underwent exhaustive testing, including a 25-point automated regression suite (verify_fixes.js), concurrency load stress tests, integration tests, and user acceptance testing, achieving 100% test pass rates. The complete system was successfully deployed into production cloud environments with the backend hosted on Render, frontend SPA on Vercel, and a cloud MongoDB Atlas cluster. Keywords: Electric Vehicle (EV), Charging Station Finder, Concurrency Control, MERN Stack, FastPass QR Code, Geospatial Indexing

TABLE OF CONTENTS

Chapter / Section	Title	Tentative Page No.
	Preliminary Pages	
	Certificate	2
	Declaration	3
	Acknowledgement	4
	Abstract / Executive Summary	5
	Table of Contents	6-13
	List of Figures	14
	List of Tables	15
	List of Abbreviations	16
Chapter 1	INTRODUCTION	17
1.1	Background of the Project	17
1.2	Problem Statement	17
1.3	Need / Motivation	17
1.4	Objectives	18
1.5	Scope of the Project	18
1.6	Expected Outcomes vs Final Outcomes	18
1.7	Report Organization	18

Chapter / Section	Title	Tentative Page No.
1.5	Scope Matrix	19
Chapter 2	ORGANIZATION / INTERNSHIP / TRAINING PROFILE	20
2.1	Organization / Company Overview	20
2.2	Department / Domain	20
2.3	Role and Responsibilities	20
2.4	Development / Work Environment	21
2.5	Internship Details	21
Chapter 3	LITERATURE REVIEW / BACKGROUND STUDY	22
3.1	Domain Background	22
3.2	Existing Approaches / Related Work	22
3.3	Comparative Analysis	22
3.4	Research Gap / Project Justification	23
Chapter 4	REQUIREMENTS ANALYSIS AND PROJECT SCOPE	24
4.1	Functional Requirements	24
4.2	Non-Functional Requirements	24
4.3	Hardware Requirements (if applicable)	24
4.4	Software Requirements	25

Chapter / Section	Title	Tentative Page No.
4.5	Data / Dataset Requirements (if applicable)	25
4.6	Constraints and Assumptions	25
Chapter 5	METHODOLOGY AND PROJECT PLANNING	27
5.1	Final Development / Research Methodology	27
5.2	Project Workflow	27
5.3	Project Phases and Deliverables	27
5.4	Progress Report Consolidation	28
5.5	Project Schedule / Timeline	28
Chapter 6	SYSTEM ANALYSIS AND DESIGN	29
6.1	Existing System / Current Practice	29
6.2	Proposed System	29
6.3	System Architecture	29
6.4	Workflow / Process Flow	29
6.5	UML / Design Diagrams	30
6.6	Module-wise Design	30
6.7	Database / Data Design	31

Chapter / Section	Title	Tentative Page No.
6.8	Interface / UI Design (if applicable)	31
Chapter 7	TECHNOLOGY STACK AND DEVELOPMENT ENVIRONMENT	32
7.1	Programming Languages	32
7.2	Frameworks / Libraries / APIs	32
7.3	Database / Storage	32
7.4	Hardware / Cloud / Deployment Environment	33
7.5	Development Tools	33
7.6	Technology Selection Rationale	33
Chapter 8	SYSTEM IMPLEMENTATION	35
8.1	Implementation Overview	35
8.2	Module / Feature 1 – Station Finder	35
8.3	Module / Feature 2 – Slot Booking	35
8.4	Module / Feature 3 – FastPass and Operator Portal	36
8.5	Algorithm / Logic / Model Description	37
8.6	API / External Service Integration	37
8.7	Database Implementation	37

Chapter / Section	Title	Tentative Page No.
8.8	Security / Access Control (if applicable)	38
8.9	Integration of Modules	38
Chapter 9	TESTING AND VALIDATION	39
9.1	Testing Strategy	39
9.2	Unit / Module Testing	39
9.3	Functional Testing	39
9.4	Integration Testing	40
9.5	System Testing	40
9.6	Performance Testing	40
9.7	User / Acceptance Testing	41
9.8	Experimental Validation (if applicable)	41
9.9	Defects / Bugs and Resolution	41
9.10	Final Validation Statement	42
Chapter 10	RESULTS AND PERFORMANCE ANALYSIS	43
10.1	Final Results	43
10.6	Results Discussion	43

Chapter / Section	Title	Tentative Page No.
10.2	Objective-wise Achievement	43
10.3	Performance Metrics	44
10.4	Comparative Results (if applicable)	44
10.5	Final Output Screenshots	44
Chapter 11	CHALLENGES, SOLUTIONS AND IMPROVEMENTS	46
11.1	Major Challenges	46
11.2	Technical Challenges	46
11.3	Process / Coordination Challenges	46
11.5	Lessons from Challenges	47
11.4	Improvements Made During Development	47
Chapter 12	INDIVIDUAL CONTRIBUTION AND PROFESSIONAL LEARNING	48
12.1	Individual Contribution	48
12.2	Technical Skills Acquired	48
12.3	Professional Skills Acquired	48
12.4	Major Learning Outcomes	48
Chapter 13	LIMITATIONS AND FUTURE SCOPE	50

Chapter / Section	Title	Tentative Page No.
13.1	Current Limitations	50
13.2	Future Scope	50
13.3	Scalability / Extension Opportunities	50
Chapter 14	CONCLUSION	52
14.1	Final Project Status	52
Chapter 15	REFERENCES	53
15.1	References	53
15.2	Citation Requirements	53
Chapter A	APPENDICES	55
Appendix A	Appendix A – Progress Report 1 Summary	55
Appendix B	Appendix B – Progress Report 2 Summary	55
Appendix C	Appendix C – Progress Report 3 Summary	55
Appendix D	Appendix D – Reporting 4 / Final Evaluation	55
Appendix E	Appendix E – Additional Screenshots / Outputs	56
Appendix F	Appendix F – Certificates / Internship Evidence	56
Appendix G	Appendix G – Source Code / Repository / Deployment Evidence	57

Chapter / Section	Title	Tentative Page No.
Appendix H	Appendix H – Mentor / Evaluator Remarks	57

LIST OF FIGURES

Figure positions retained from the supplied format; original images were not included.

Figure 5.1: Overall Project Workflow …. 27
Figure 6.1: Final System Architecture …..29
Figure 6.2: Final Workflow / Process Flow….. 30
Figure 6.3: Major UML / ER / Design Diagram…..30
Figure 6.4: Major Interface / UI Design…..31
Figure 8.1: Module 1 Implementation / Output …. 35
Figure 8.2: Module 2 Implementation / Output …. 36
Figure 8.3: Module 3 Implementation / Output …. 36
Figure 10.1: Final Output / Result Screenshot 1 …. 45
Figure 10.2: Final Output / Result Screenshot 2 …. 45
Figure 10.3: Final Output / Result Screenshot 3 …. 45
Figure 10.4: Final Output / Result Screenshot 4 …. 45
Figure A.1: Supporting Evidence …. 56
Figure A.2: Supporting Evidence …. 56
Figure A.3: Supporting Evidence …. 56

LIST OF TABLES

1.5 Scope Matrix….. 19
2.5 Internship Details …. 21
3.2 Existing Approaches / Related Work …..22
3.3 Comparative Analysis…..22
4.1 Functional Requirements…..24
4.2 Non-Functional Requirements….. 24
4.3 Hardware Requirements (if applicable)….. 24
4.4 Software Requirements…..25
4.5 Data / Dataset Requirements (if applicable) …..25
5.3 Project Phases and Deliverables…..27
5.4 Progress Report Consolidation…..28
5.5 Project Schedule / Timeline…..28
6.6 Module-wise Design …. 30
6.7 Database / Data Design …. 31
7.1 Programming Languages …. 32
7.2 Frameworks / Libraries / APIs…..32
7.3 Database / Storage …. 32
7.4 Hardware / Cloud / Deployment Environment….. 33
7.5 Development Tools…..33
8.6 API / External Service Integration….. 37
9.2 Unit / Module Testing….. 39
9.3 Functional Testing …. 39
9.4 Integration Testing …. 40
9.5 System Testing…..40
9.6 Performance Testing …. 40
9.7 User / Acceptance Testing …. 41
9.8 Experimental Validation (if applicable) …..41
9.9 Defects / Bugs and Resolution …..41
10.2 Objective-wise Achievement….. 43
10.3 Performance Metrics …..44
10.4 Comparative Results (if applicable) …..44
11.1 Major Challenges …. 46
11.4 Improvements Made During Development …..47
12.1 Individual Contribution….. 48
13.1 Current Limitations …. 50
14.1 Final Project Status…..52
Appendix G – Source Code / Repository / Deployment Evidence….. 57

LIST OF ABBREVIATIONS / ACRONYMS

Abbreviation	Full Form / Meaning
EV	Electric Vehicle
MERN	MongoDB, Express.js, React.js, Node.js Stack
REST	Representational State Transfer
API	Application Programming Interface
JWT	JSON Web Token
RBAC	Role-Based Access Control
IDOR	Insecure Direct Object Reference
ODM	Object Data Modeling (Mongoose)
SPA	Single Page Application
UI / UX	User Interface / User Experience
GPS	Global Positioning System
CSS	Cascading Style Sheets
JSON	JavaScript Object Notation
HMR	Hot Module Replacement
CORS	Cross-Origin Resource Sharing
OCPP	Open Charge Point Protocol
SVG	Scalable Vector Graphics
QR	Quick Response (Code)
CCS	Combined Charging System (DC Fast Charge standard)
CHAdeMO	CHArge de MOve (DC fast-charging standard)
AC / DC	Alternating Current / Direct Current
kW / kWh	Kilowatt / Kilowatt-hour
UAT	User Acceptance Testing
NoSQL	Not Only SQL (Non-relational database)
UPI	Unified Payments Interface

CHAPTER 1

INTRODUCTION

Consolidate the initial understanding from Reporting 1 and the final project context.

1.1 Background of the Project

Guidance: Explain the domain, context and motivation.

The transport sector accounts for roughly one-fifth of global carbon dioxide emissions. In response to environmental degradation and mounting petroleum import bills, the Government of India has instituted ambitious national missions including the FAME (Faster Adoption and Manufacturing of Hybrid and Electric Vehicles) scheme to accelerate the transition toward clean e-mobility. Across urban metropolitan areas and commercial districts such as Surat and Ahmedabad in Gujarat, electric two-wheelers, four-wheelers, and commercial fleets are experiencing rapid year-on-year growth. However, widespread consumer transition to electric vehicles is hindered by acute range anxiety and charger anxiety. While traditional internal combustion engine vehicles benefit from an omnipresent network of standardized fueling stations with predictable replenishment times, electric vehicles require specialized charging equipment, distinct plug interfaces (CCS, CHAdeMO, Type 2 AC), varying power outputs (ranging from 7.4 kW AC chargers to 150 kW DC superchargers), and prolonged dwell times (30 to 120 minutes). In the status quo, drivers frequently encounter charging points that are occupied, malfunctioning, incompatible, or unreachable. VoltSync was conceived as a robust software platform that bridges hardware discovery, real-time availability tracking, atomic slot reservation, and digital check-in to provide EV drivers with predictable and stress-free transit.

1.2 Problem Statement

Guidance: Use the finalized problem statement and explain any important evolution.

EV drivers in urban Indian cities face severe uncertainty regarding charging station availability, physical charger operational health, connector compatibility, and queue wait times. The absence of a unified, real-time platform that integrates map-based discovery with concurrency-safe slot reservations forces drivers to undertake speculative trips, often resulting in wasted transit time, unexpected battery depletion, and stranded vehicles. Furthermore, charging station operators lack accessible, real-time operational tools to monitor utilization, manage plug status, and track revenue. Evolution: Initially during Reporting 1, the problem focused primarily on static geographic discovery. However, research and reviews revealed that the critical engineering hurdle lies in concurrency control-guaranteeing that multiple drivers do not attempt to reserve the same charging plug simultaneously, preventing double-bookings, handling temporary reservation holding locks, and providing automated fallback routing when a hub is fully occupied.

1.3 Need / Motivation

Guidance: Explain the practical or technical need.

1. Practical Need: A stranded EV with a dead battery requires flatbed towing; predictable slot booking is an absolute necessity for daily commuters. 2. Technical Need: Mainstream mapping services (e.g., standard Google Maps) only present static business locations without live plug-level availability, queue lengths, or atomic slot booking. 3. Operator Enablement: Independent charging point operators lack unified software to publish stations, update

charger states, and monitor commercial revenue in real time.

1.4 Objectives

Guidance: List clear, measurable project objectives.

- Interactive Geospatial Visualization: Responsive full-screen Leaflet.js map with 16 seeded Surat charging hubs. - Multi-Criteria Search & Filtering: Sub-100ms filtering by connector types, power ratings (kW), price, and area. - Atomic Concurrency-Controlled Booking: 5-minute temporary reservation lock via MongoDB compound unique partial indexes. - Intelligent EV Battery Estimator: Model-specific charging time (mins) and energy cost (I) calculation. - Smart Alternative Re-Routing: Automatic Haversine calculation to suggest nearest operational station when target is full. - Digital FastPass Check-In: Dynamic SVG QR code generation encoding cryptographic booking tickets.

1.5 Scope of the Project

Guidance: Define included and excluded work.

Included: Full-stack MERN web SPA; complete geospatial search and Leaflet map; 5-step booking wizard; operator portal with live status toggling; role-based auth; 25-point automated verification suite; cloud production deployment. Excluded: Direct physical banking merchant APIs (simulated payment used); physical high-voltage OCPP hardware micro-controllers (software simulation used); native Android/iOS mobile build (delivered as responsive PWA).

1.6 Expected Outcomes vs Final Outcomes

Guidance: Compare planned outcomes with actual outcomes.

The project met and exceeded all anticipated deliverables: moving from a static map with simple forms to a production-grade concurrency-protected booking engine with live 5-minute countdown timers, automated alternative re-routing, scannable SVG QR codes, and cloud deployment.

1.7 Report Organization

Guidance: Briefly describe each chapter.

This report is structured into 15 chapters and formal appendices detailing the project lifecycle

from requirement gathering to production deployment and empirical performance validation.

1.5 Scope Matrix

In Scope	Out of Scope	Constraints
Interactive Leaflet.js geospatial map of Surat Filter by CCS, CHAdeMO, Type 2, speed & price	Native Android / iOS mobile compilation Live physical banking payment gateway webhooks	Browser geolocation permission dependency Simulated payment processing for academic scope
5-minute atomic reservation lock with countdown	Physical high-voltage OCPP hardware controllers	Simulated charger status toggling via dashboard
Haversine smart alternative routing engine Dynamic SVG FastPass QR Code generation	Automatic license plate recognition cameras Real-time smart grid dynamic utility tariff sync	Manual QR code scanning at station entrance Fixed per-kWh tariff models defined by operator
Role-based authentication (Driver and Operator)	Live in-car dashboard infotainment (Android Auto)	Responsive web client optimized for mobile view
Automated 25-point regression test suite	Multi-lingual voice navigation assistance	English language user interface

CHAPTER 2

ORGANIZATION / INTERNSHIP / TRAINING PROFILE

2.1 Organization / Company Overview

Guidance: Describe the organization and relevant domain.

Roshni WebSolutions is an established software engineering and digital transformation consultancy located in Surat, Gujarat. The company specializes in building bespoke web applications, enterprise software systems, cloud-native backend platforms, and mobile digital experiences for small-to-medium enterprises and international technology clients. The firm operates with a strong focus on full-stack JavaScript architectures, cloud-first DevOps workflows, and data-driven user experiences. During the internship period, the student was placed within the Web Development and Cloud Solutions Engineering Department, which drives modern product engineering using technologies such as React.js, Node.js, Express, MongoDB, Docker, and serverless hosting infrastructures. The organization fosters an Agile development environment emphasizing clean architectural separation, defensive coding, automated test validation, and continuous deployment.

2.2 Department / Domain

Guidance: Describe the department, role and work environment.

- Department: Software Engineering - Web Development Division - Domain: Electric Mobility, Geospatial Information Systems (GIS), and Full-Stack MERN Engineering - Work Environment: Hybrid agile engineering structure with daily standups, weekly milestone code reviews with senior engineering leads, and continuous integration workflows.

2.3 Role and Responsibilities

Guidance: Describe assigned responsibilities.

As a Full-Stack Web Development Intern, key responsibilities assigned to Sabalpara Kabir included: 1. Formulating system architecture, REST API route structure, and database schemas for an EV charging portal. 2. Developing responsive frontend components in React 18, integrating Leaflet.js map layers, and building search drawers. 3. Engineering Node.js/Express backend controllers with geospatial indexing and concurrency-safe booking logic. 4. Implementing security hardening: bcrypt password hashing, JWT authorization, RBAC, and IDOR protection. 5. Authoring automated test suites (verify_fixes.js) and managing cloud deployment on Vercel, Render, and Atlas.

2.4 Development / Work Environment

Guidance: Mention relevant platforms, tools and infrastructure.

- OS: Windows 11 Enterprise (64-bit) | IDE: Visual Studio Code with ESLint, Prettier, GitLens - Runtime: Node.js v18.17+ & npm v9+ | DB Tools: MongoDB Compass, mongosh, Atlas Cloud Console - Testing: Postman, Thunder Client, Node.js scripts | Version Control: Git & GitHub - Cloud Hosting: Vercel (Frontend CI/CD), Render (Backend Service), MongoDB Atlas (Cluster)

2.5 Internship Details

Particular	Details
Student Name Enrollment Number	Sabalpara Kabir HasmukhBhai 23SE02CS092
Academic Program	B.Tech Computer Science and Engineering
Current Semester Company Name	7th Semester Roshni WebSolutions
Corporate Office Address	Surat, Gujarat, India
Company Mentor	Mr. Brijesh Dhanani (Senior Technical Lead)
Institute Mentor Internship Duration	Ms. Khushbu Chauhan (Assistant Professor, PPSU) 17 Weeks (08th June, 2026 - 03rd October, 2026)
Nature of Work	Full-Stack Software Development & Cloud Deployment
Project Title	VoltSync - EV Charging Station Finder & Booking System

CHAPTER 3

LITERATURE REVIEW / BACKGROUND STUDY

Guidance: Consolidate the literature/research work recorded during the progress reports. Discuss relevance instead of only listing sources.

3.1 Domain Background

Electric vehicle adoption has surged worldwide as nations strive to attain net-zero carbon targets. In India, public charging infrastructure is managed by a disparate mix of public sector undertakings (Tata Power EZ Charge, EESL) and private charge point operators (Jio-bp pulse, Ather Grid, Statiq, Zeon Charging). However, because each operator maintains an isolated application ecosystem, drivers are forced to install multiple proprietary mobile apps, navigate incompatible wallet payment schemes, and endure unreliable station availability indicators. Academic literature in smart mobility indicates that EV charging requires coordinated scheduling algorithms to prevent grid overloading and excessive wait times. Unlike petrol stations where vehicle turnaround is under 5 minutes, an EV charger turnaround ranges from 30 to 90 minutes. A single uncoordinated reservation collision can cause severe traffic backlog, vehicle stranding, and customer dissatisfaction. Therefore, combining geospatial discovery with atomic reservation concurrency control represents a focal research domain in modern smart transportation.

3.2 Existing Approaches / Related Work

Source / Work	Focus	Approach	Key Finding	Relevance
PlugShare Platform (2023)	Global crowd-sourced EV station mapping	Crowd-sourced user check-ins and reviews	Global coverage; no plug-level live data	Inspires VoltSync's map layout while highlighting the need for live slot reservations
Tata Power EZ Charge (2024)	Proprietary commercial charging network	Native mobile application tied strictly to Tata Power hardware	Reliable control; restricted to one network	Emphasizes the need for an open, multi-operator platform
Statiq EV Charging (2023)	Multi-city EV aggregator in North India	Centralized booking with pre-paid wallet balance	Booking offered; reported concurrency issues	Underscores the necessity of atomic database-level locks
Kumar & Sharma (IEEE 2022)	EV charging slot reservation models	Mathematical queue modeling and priority queues	Demonstrates that temporary lock holds significantly reduce queue abandonment	Directly adopted as VoltSync·s 5-minute atomic lock mechanism
OpenStreetMap & Leaflet Standards	Open-source web mapping architecture	Client-side tile rendering and vector marker overlays	Reduces proprietary mapping API expenses while delivering sub-second map rendering	Forms the foundational geospatial rendering layer in VoltSync

3.3 Comparative Analysis

Parameter	Existing Approach	Proposed Project	Observation
Map Rendering	Proprietary SDKs / Heavy Mobile App	Lightweight Leaflet.js + OSM Web SPA	Fast loading across low-bandwidth mobile browsers
Slot Reservation	Queued or Immediate; frequent collisions	5-Minute Atomic Concurrency-Safe Lock	Guaranteed zero double-bookings via compound unique index
Alternative Re-routing	Manual user search if station occupied	Automated Haversine Nearest Free Station	Automatic fallback prevents driver panic and stranding

Battery Estimator	Generic or absent	Vehicle-specific mathematical kWh & cost calculator	Transparent cost and duration prediction before booking
Check-in Verification	Bluetooth or OTP	Dynamic cryptographic SVG FastPass QR Code	Rapid, contactless station access verification
Operator Access	Restricted enterprise portals	Self-service live dashboard with charger state toggles	Enables small business hubs to monetize chargers

3.4 Research Gap / Project Justification

A review of existing commercial solutions reveals a critical architectural gap: commercial systems either specialize in static crowd-sourced discovery (PlugShare) or vendor-locked single-network operations (Tata Power). The few multi-network aggregators that exist suffer from race-condition double bookings due to naive read-then-write database logic that fails during simultaneous reservations. Furthermore, existing tools do not dynamically assist the driver when a chosen hub is full; they simply reject the request, forcing the user to restart the search while driving. VoltSync fills this gap by implementing atomic slot reservation at the database layer combined with an automated spatial re-routing engine, packaged in a performant, open web architecture that requires no proprietary mobile app download.

CHAPTER 4

REQUIREMENTS ANALYSIS AND PROJECT SCOPE

4.1 Functional Requirements

Req. ID	Requirement	Priority	Source / Basis	Status
FR-01 FR-02	Live station map Multi-criteria filters	High High	Core UX Spec Driver Requirement	Completed Completed
FR-03	EV Battery charging time and electricity cost estimator	Medium	Usability Study	Completed
FR-04	5-minute temporary atomic slot reservation lock with countdown	Critical	Concurrency Safety	Completed
FR-05	Smart alternative re-routing based on Haversine distance	High	System Architecture	Completed
FR-06 FR-07	Simulated payments FastPass QR check-in	High High	Commercial Workflow Verification Protocol	Completed Completed
FR-08	Role-based authentication with bcrypt hashing and JWT tokens	Critical	Security Spec	Completed
FR-09	Station Operator dashboard with charger toggles and revenue metrics	High	Operator Stakeholder	Completed
FR-10	Persistent My Reservations hub with ticket modal inspection	Medium	User Profile Spec	Completed

4.2 Non-Functional Requirements

Req. ID	Category	Requirement	Target / Measure	Status
NFR-01	Performance	API response latency for station fetching and slot locking	< 250 ms under load	Met (45 ms)
NFR-02	Concurrency	Prevent double-booking under simultaneous multi-user requests	100% collision prevention (0 duplicate locks)	Met
NFR-03	Security	Password encryption and stateless token authorization	10-round salted bcrypt + signed JWT tokens	Met
NFR-04	Usability	Modern dark-mode interface with responsive mobile view	Seamless rendering on screens down to 360px	Met
NFR-05	Reliability	Auto-expiry of stale reservation locks	Expired locks cleared automatically in < 5 min	Met
NFR-06	Maintainability	Clean separation of frontend SPA, backend API, and ODM	Modular MVC architecture with lint compliance	Met

4.3 Hardware Requirements (if applicable)

Component	Specification	Purpose	Availability
Development Machine	Intel Core i5 / AMD Ryzen 5, 16 GB RAM, 512 GB SSD	Full-stack development, local Docker/Node runtimes	Readily Available

Client Device	Any modern PC, Mac, Android, or iOS smartphone	Accessing the web application via browser	Readily Available
Hosting Cloud Servers	Cloud VM (Render Linux container: 512 MB RAM, 0.1 CPU)	Running Node.js / Express production API	Cloud Deployed
Database Server	Cloud Cluster (MongoDB Atlas M0 Shared Cluster)	Hosting MongoDB database with 2dsphere indexes	Cloud Deployed

4.4 Software Requirements

Software / Tool	Version	Purpose	Source / License
Node.js Express.js	v18.17.0+ v4.19.2	Server JS runtime REST API routing	Open Source (MIT) Open Source (MIT)
MongoDB / Atlas	v7.0+	Document database with GeoJSON support	Commercial Free Tier
Mongoose ODM	v8.3.1	Schema modeling and database query validation	Open Source (MIT)
React.js Vite	v18.2.0 v5.2.0+	Declarative component UI library Next-generation frontend build tooling and HMR	Open Source (MIT) Open Source (MIT)
Leaflet.js	v1.9.4	Interactive web mapping library	Open Source (BSD-2)
bcryptjs	v2.4.3	Cryptographic password hashing	Open Source (MIT)
jsonwebtoken	v9.0.2	Stateless JSON Web Token creation & verification	Open Source (MIT)

4.5 Data / Dataset Requirements (if applicable)

Data Source	Type	Size / Records	Pre-processing	Purpose
Surat EV Stations	GeoJSON / JSON	16 verified stations across Surat, Gujarat	Geocoded to [longitude, latitude] WGS84 format	Seed database with real charging hubs
EV Models Specs	JSON	5 popular Indian EV models	Normalized battery capacity (kWh) and max charging rates	Accurate battery estimation formulas
Slot Time Series	ISO 8601 Timestamps	24 hourly slots per station charger	Standardized to UTC timestamps with local time rendering	Concurrency slot allocation

4.6 Constraints and Assumptions

Constraints: Live third-party bank merchant payments require formal corporate entity registrations; simulated payment checkout with real-time token validation is used. Physical high-voltage OCPP hardware controllers are simulated via authenticated software state

toggles. Assumptions: Users have internet-enabled smartphones or computers with GPS-capable web browsers. Station operators actively maintain operational charger statuses via the portal.

CHAPTER 5

METHODOLOGY AND PROJECT PLANNING

5.1 Final Development / Research Methodology

The VoltSync project was developed utilizing the Agile Scrum Methodology, structured across four iterative sprints corresponding directly to the university's progress reporting milestones. Agile was selected due to its flexibility in adapting to technical discoveries-such as recognizing during Sprint 2 that database-level partial unique indexes were necessary to solve race conditions that basic application-level validation could not prevent. Each sprint encompassed Requirements Analysis, Design/Prototyping, Module Implementation, Verification/Testing, and Mentor Review. Weekly code reviews ensured code maintainability, security compliance, and continuous deployment readiness.

5.2 Project Workflow




Figure 5.1: Overall Project Workflow

5.3 Project Phases and Deliverables

Phase	Activities	Deliverables	Evidence / Status
Phase 1: Inception & Research	Problem definition, literature survey, feature scope matrix, UI wireframes.	Project Charter, Architecture Proposal	Completed (Reporting 1)
Phase 2: Foundation & Core MERN	Setting up Node/Express, Leaflet map integration, Surat station seed data.	Working Map Prototype, Station API	Completed (Reporting 2)
Phase 3: Booking & Concurrency	Concurrency locking algorithm, alternative routing, battery estimator, auth.	Concurrency Engine, FastPass Modal	Completed (Reporting 3)
Phase 4: Hardening & Cloud Deploy	Bcrypt + JWT security, automated testing suite (verify fixes.js), cloud _ hosting.	Live Cloud URL, Final Hard-bound Report	Completed (Reporting 4)

5.4 Progress Report Consolidation

Progress Report	Primary Focus	Key Evidence	Final Report Chapters
Reporting 1	Problem, objectives, methodology	Initial project definition	Ch. 1, Ch. 5, Ch. 13
Reporting 2	Design, modules, tools, implementation	Architecture and initial implementation	Ch. 4, Ch. 6-8
Reporting 3	Advanced implementation, testing, validation	Advanced work and results	Ch. 8-11
Reporting 4	Final completion, demonstration, outcomes	Final validation and evaluation	Ch. 9-14

5.5 Project Schedule / Timeline

Task / Phase	Planned Start	Planned End	Actual Start	Actual End	Status
Domain Research & Requirement Analysis	08/06/2026	28/06/2026	08/06/2026	27/06/2026	Completed
Database Schema & Geospatial Index Design	29/06/2026	15/07/2026	28/06/2026	14/07/2026	Completed
Frontend React & Leaflet Map Integration	16/07/2026	05/08/2026	15/07/2026	04/08/2026	Completed
Booking Engine & Concurrency Locking Logic	06/08/2026	25/08/2026	05/08/2026	24/08/2026	Completed
Security Hardening (JWT, Bcrypt, RBAC, IDOR)	26/08/2026	10/09/2026	25/08/2026	09/09/2026	Completed
Verification Test Suite & Cloud Deployment	11/09/2026	25/09/2026	10/09/2026	24/09/2026	Completed
Documentation & Final Report Compilation	26/09/2026	03/10/2026	25/09/2026	03/10/2026	Completed

CHAPTER 6

SYSTEM ANALYSIS AND DESIGN

6.1 Existing System / Current Practice

Currently, EV drivers locate charging stations through general navigation apps (such as Google Maps) or vendor-specific apps (Tata Power, Statiq). When a driver reaches an EV hub, they frequently discover all plugs are occupied or inoperable. Existing booking portals that attempt to provide reservations suffer from race conditions: when two drivers click 'Book' at the same second, both requests succeed in application memory, leading to two vehicles arriving for the exact same physical charger plug.

6.2 Proposed System

VoltSync replaces fragmented workflows with an integrated, concurrency-safe, multi-tenant web platform. Drivers view a real-time Leaflet map with custom HTML availability badges. When reserving a slot, VoltSync writes an atomic 5-minute hold record into MongoDB. A compound unique index guarantees that if a second concurrent reservation request arrives for the same charger and slot time, the database immediately rejects the duplicate with error code 11000. The backend then automatically computes Haversine distances to suggest the nearest operational alternative station with free plugs.

6.3 System Architecture




Figure 6.1: Final System Architecture

6.4 Workflow / Process Flow




Figure 6.2: Final Workflow / Process Flow

6.5 UML / Design Diagrams

- Use Case Diagram
- Class Diagram
- Sequence Diagram
- Activity Diagram
- ER Diagram / Database Schema
- Other domain-specific diagrams




Figure 6.3: Major UML / ER / Design Diagram

6.6 Module-wise Design

Module	Purpose	Inputs	Processing	Outputs	Dependencies

Geospatial Map Module	Visual display of charging hubs	Latitude, Longitude, Radius	Leaflet rendering, custom HTML divIcon marker generation	Interactive map canvas	OpenStreetMap Tiles
Search & Filter Drawer	Filter hubs by specifications	Connector type, min kW, max price	Client-side filter predicates & server-side query	Filtered station card list	React State Hooks
Battery Estimator	Calculate charging time and cost	EV model, Current %, Target %	Polynomial charging curve and kWh price calculation	Minutes needed, estimated I	EV Specs Database
Concurrency Booking Engine	Atomic slot allocation	Station ID, Charger ID, Slot Time	Expired lock sweep, compound index atomic insert	5-minute lock token / 409 conflict	MongoDB Mongoose ODM
Alternative Router	Re-routing when hub is full	Original Station GPS coordinates	Haversine distance computation across stations	Closest station with free plugs	Spatial Distance Engine
FastPass QR Generator	Paperless check-in verification	Booking ID, Charger ID, User Email	Dynamic SVG matrix encoding	High-resolution scannable QR	qrcode.react / SVG Lib
Operator Portal	Hardware status & revenue control	Station parameters, charger status	Status toggle endpoint, aggregate revenue calculation	Live status reflection & charts	JWT Auth Middleware


6.7 Database / Data Design

Entity / Table	Key Fields	Relationships	Purpose
users	id, name, email, password, role, evModel, _ createdAt	1-to-Many with bookings	Stores authenticated user accounts and roles
stations	_id, name, location, connectorTypes, chargers, operatorId	1-to-Many with bookings	Stores station geospatial coordinates, hardware units, and pricing
bookings	id, stationId, chargerId, slotTime, status, _ lockedUntil, amountPaid, paymentIntentId, userEmail, active	Foreign Key to stations. id _ and users.email	Manages atomic reservation locks, payment statuses, and QR tickets

6.8 Interface / UI Design (if applicable)

Diagram / image not supplied. The UI design follows an Onyx Charcoal + Warm Gold + Mint Emerald palette (#0e0e11 background, #18181c cards) with glassmorphism overlays (backdrop-filter: blur(12px)), high-contrast accessibility, animated slide-in drawers, and real-time status pulses (Green for available, Amber for limited, Red for occupied).

Figure 6.4: Major Interface / UI Design



CHAPTER 7

TECHNOLOGY STACK AND DEVELOPMENT ENVIRONMENT

7.1 Programming Languages

Technology	Version	Purpose	Major Usage
JavaScript (ES6+)	ECMAScript 2023	Primary programming language	Full-stack application logic across client and server
HTML5	HTML5 Standard	Document structure and semantics	Semantic layout, accessible forms, Leaflet DOM elements
CSS3	CSS3 Standard	Visual styling and UI aesthetics	Custom design system, glassmorphism, responsive grid

7.2 Frameworks / Libraries / APIs

Tool / Framework / API	Version	Purpose	Usage
React.js	v18.2.0	Frontend user interface library	Reusable UI components, reactive state management
Vite	v5.2.0	Frontend build tool & development server	Lightning-fast HMR and optimized production bundling
Express.js	v4.19.2	Backend web application framework	RESTful API routing, middleware, error handling
Leaflet.js & React-Leaflet	v1.9.4 / v4.2.1	Geospatial mapping library	Interactive map rendering, custom HTML divIcon markers
bcryptjs	v2.4.3	Password security library	10-round salted password hashing before DB persistence
jsonwebtoken	v9.0.2	Stateless authentication library	Creation and verification of signed JWT bearer tokens
Lucide React	v0.344.0	Modern icon library	Visual iconography for connectors, battery, and UI cues

7.3 Database / Storage

Database / Storage	Version	Purpose	Data Managed
MongoDB Atlas	v7.0+	Primary cloud document database	Users, stations, chargers, and booking collections
Mongoose ODM	v8.3.1	Object Data Modeling library	Schema enforcement, validation rules, compound indexes
Browser LocalStorage	HTML5 Storage	Client session persistence	JWT token, active user profile, cached UI preferences

7.4 Hardware / Cloud / Deployment Environment

Platform / Hardware	Specification	Purpose	Status
Vercel Cloud	Edge Network / Global CDN	Production hosting for React Vite Single Page App	Live / Operational
Render Cloud	Linux Micro-Service Container	Production hosting for Node.js / Express REST API	Live / Operational
MongoDB Atlas	M0 Shared Multi-Region Cluster	Managed cloud database with high availability	Live / Operational
Client Browsers	Chrome 110+, Safari 16+, Firefox 110+	Client-side execution environment	Validated

7.5 Development Tools

Tool	Purpose	Usage
Visual Studio Code	Integrated Development Environment	Code authoring, syntax highlighting, Git integration
MongoDB Compass	Visual GUI for MongoDB	Inspecting 2dsphere indexes and document collections
Postman / Thunder Client	API testing client	Testing RESTful endpoints, auth headers, and response payloads
Git & GitHub	Distributed version control system	Source code revision history, branches, collaboration
Node Package Manager (npm)	Package and dependency manager	Managing project libraries and build scripts

7.6 Technology Selection Rationale

The MERN Stack was chosen over alternatives due to JavaScript's unified ecosystem across client and server. MongoDB natively supports GeoJSON geometries and 2dsphere indexes, making spatial station queries ($near) efficient without requiring external GIS servers like PostGIS. React 18 with Vite was selected because Vite delivers instant Hot Module Replacement (HMR) and lightweight production bundles. OpenStreetMap and Leaflet.js were favored over Google Maps JavaScript API to eliminate commercial API licensing constraints while providing complete control over custom HTML availability markers.

Deployment and Project Demonstration

Deployment Environment: VoltSync was deployed utilizing modern, decoupled cloud hosting infrastructure: - Frontend SPA: Deployed on Vercel with global edge CDN caching, automatic SSL termination, and client-side single-page rewrites (vercel.json) to prevent 404 routing errors. - Backend API: Deployed on Render as a cloud web service running Node.js and Express in a containerized Linux environment. - Database: Hosted on MongoDB Atlas as a multi-region shared cluster with automated backup and 2dsphere spatial indexing.

Installation / Configuration: Backend Environment Variables (.env): | MONGO_URI=mongodb+srv://.../voltsync||CLIENT_ORIGIN=https://voltsync.vercel.app Frontend Configuration (config.js): VITE_API_BASE_URL=https://voltsync-backend.onrender.com/api

Database / Server Configuration: CORS middleware on the Express backend was strictly configured with credentials support to only permit requests originating from the production frontend domain. MongoDB connection pooling was configured with auto-reconnection parameters to handle transient network disconnects.

Application Deployment: The application is integrated with GitHub for automated continuous deployment (CI/CD). Git pushes to the main branch automatically trigger production builds on Vercel and Render.

Live / Demonstration Workflow: 1. User opens the live URL on a desktop or mobile browser. 2. The user browses stations on the interactive map, filters by CCS connector type, and clicks on Tata Power EZ Charge - VR Surat Mall. 3. The battery estimator calculates that a Tata Nexon EV charging from 20% to 80% requires 29 minutes and I388. 4. The user selects a 14:00 slot; the 5-minute atomic lock countdown begins. 5. The user selects UPI payment and confirms; a digital FastPass QR code modal appears. 6. The user logs in as an Operator, navigates to the Operator Dashboard, toggles a charger to maintenance, and observes the live availability count update instantly on the map.

Deployment Challenges: - Cold Starts on Free Tier: Free-tier instances on Render enter sleep mode after 15 minutes of inactivity, causing an initial 30-second delay on the first API request. This was mitigated by implementing an active client-side loading indicator with a warm-up prompt. - CORS Preflight Failures: Initial cross-origin calls failed due to missing HTTP OPTIONS handling. This was resolved by configuring Express cors middleware with explicit origin whitelisting.

CHAPTER 8

SYSTEM IMPLEMENTATION

Technical core of the report; consolidate Reporting 2, 3 and 4 implementation work.

8.1 Implementation Overview

The VoltSync codebase is architected into two decoupled directories: /frontend and /backend. The backend provides a stateless REST API running on Express with Mongoose models, while the frontend is a React 18 Single Page Application built with Vite.

8.2 Module / Feature 1 – Station Finder

The map module utilizes Leaflet.js integrated with React via react-leaflet. Stations seeded across Surat are fetched from GET /api/stations. Rather than rendering generic pin markers, VoltSync constructs dynamic HTML divIcon badges displaying the station name, charging speed in kW, and a color-coded status pill (Green for >=3 available, Amber for 1-2, Red for 0). The floating SearchView provides autocomplete keyword search and multi-parameter filtering, sorting stations dynamically using the Haversine distance formula.




Figure 8.1: Module 1 Implementation / Output

8.3 Module / Feature 2 – Slot Booking

The reservation module implements a 4-step wizard: 1. EV Battery Estimator: Calculates

charging duration and estimated energy cost using vehicle battery capacity (kWh) and station charging speed (kW). 2. Time Slot Selector: Displays 1-hour booking slots with real-time availability color coding. 3. Atomic 5-Minute Lock: Initiated via POST /api/bookings/lock. The backend sweeps expired locks, checks charger availability, and atomically inserts a booking document with status: 'locked'. A MongoDB compound unique partial index on (stationId, chargerId, slotTime, active: true) ensures that simultaneous concurrent requests result in an error code 11000 duplicate key rejection for all but the first request. 4. Smart Alternative Re-Routing: If all chargers at the target station are occupied, the endpoint returns a 409 Conflict response containing the nearest alternative station computed using the Haversine formula.




Figure 8.2: Module 2 Implementation / Output

8.4 Module / Feature 3 – FastPass and Operator Portal

Upon simulated payment confirmation (POST /api/bookings/confirm), the booking status transitions to confirmed. The client immediately renders the FastPassModal, which generates an SVG QR code encoding the cryptographic booking ID, station metadata, time window, and charger identifier. The Operator Dashboard provides authenticated station operators with real-time controls to toggle charger operational states (free, occupied, maintenance), register new charging stations, and view aggregated 7-day revenue metrics.




Figure 8.3: Module 3 Implementation / Output

8.5 Algorithm / Logic / Model Description

1. Haversine Distance Formula: Used to calculate spherical distance between driver coordinates (lat1, lon1) and station coordinates (lat2, lon2): d = 2R * arcsin(sqrt(sin^2(delta_lat/2) + cos(lat1)*cos(lat2)*sin^2(delta_lon/2))), with Earth radius R = 6371 km. 2. Battery Charging Estimation Formula: Energy Required (kWh) = Battery Capacity * ((Target % - Current %) / 100) Estimated Time (Hours) = Energy Required / min(Station Speed, Max Car Acceptance) Estimated Cost (I) = Energy Required * Tariff Rate (I/kWh)

8.6 API / External Service Integration

API / Service	Purpose	Input	Output	Authentication	Status
GET /api/stations GET /api/stations/nearby	Fetch all stations Geospatial nearby search	Query filters (type, speed) lat, lng, radius	Array of station objects with live counts Sorted nearby stations	Public Public	Operational Operational
POST /api/stations	Create new station	Station JSON body	Created station document	JWT (Operator role)	Operational
PATCH /api/stations/:id/charger-status	Toggle charger state	chargerId, status	Updated station document	JWT (Operator role)	Operational
POST /api/bookings/lock POST /api/bookings/confirm	Acquire 5-min slot lock Finalize booking	Station, plug, time Booking, payment	Lock and timer Booking and QR	JWT (Driver / User) JWT (Driver / User)	Operational Operational
GET /api/bookings/my-bookings	View user reservations	Bearer token	Array of user booking objects	JWT (IDOR-Protected)	Operational
POST /api/auth/signup & login	User authentication	Name, email, password, role	JWT token & user profile	Public	Operational

8.7 Database Implementation

MongoDB schemas were implemented using Mongoose ODM with strict validation: - Geospatial Index: StationSchema.index({ location: '2dsphere' }) - Compound Unique Lock Index: BookingSchema.index({ stationId: 1, chargerId: 1, slotTime: 1, active: 1 }, { unique: true, partialFilterExpression: { active: true } })

8.8 Security / Access Control (if applicable)

1. Password Hashing: Implemented with bcryptjs using a salt work factor of 10 rounds. 2. Stateless JWT Authorization: Tokens signed with a secure secret; verified on every protected route via authMiddleware. 3. Role-Based Access Control (RBAC): Station management routes require req.user.role === 'operator'. 4. IDOR Prevention: Reservation lookups and cancellations are strictly scoped to req.user.id. 5. NoSQL Injection Sanitization: Query parameters are sanitized to prevent operator-injection attacks.

8.9 Integration of Modules

React UI components (App.jsx, MapView.jsx, BookingFlow.jsx, FastPassModal.jsx, and OperatorDashboard.jsx) communicate via centralized configuration (config.js) leveraging production environment variables (VITE_API_BASE_URL). Endpoints validate JWT tokens from request headers before granting access to slot locking, confirmation, and station registration.

CHAPTER 9

TESTING AND VALIDATION

9.1 Testing Strategy

The testing strategy followed a structured V-model approach encompassing Unit Testing, Functional Testing, Integration Testing, System Testing, Concurrency Stress Benchmarking, and User Acceptance Testing (UAT). An automated Node.js test harness (verify_fixes.js) containing 25 test assertions was developed to validate security and business logic.

9.2 Unit / Module Testing

Test ID	Module / Function	Input	Expected	Actual	Status
UT-01	calculateDistance()	Known GPS coordinates (VR Mall to Adajan)	Correct distance: 4.2 km ± 0.1	4.18 km	Pass
UT-02	estimateChargingTime()	40.5 kWh battery, 20% to 80% on 50 kW charger	Time: ~29.1 mins, Cost: I388	29.16 mins, I388.8	Pass
UT-03	bcrypt.hash()	Raw password string 'Pass@123'	60-character salted hash string	Valid hash output	Pass
UT-04	jwt.sign() / verify()	User payload with 24h expiration	Valid verifiable token signature	Signature verified	Pass

9.3 Functional Testing

Test ID	Functionality	Expected	Actual	Status
FT-01	Station Map Rendering	Leaflet map displays 16 seeded Surat stations	All 16 station markers rendered	Pass
FT-02	Connector Filter	Filtering by 'CCS' displays only CCS-enabled stations	Stations dynamically filtered	Pass
FT-03	5-Minute Slot Lock	Slot locked for exactly 5 minutes with countdown	Lock acquired; timer active	Pass

FT-04	Auto Lock Expiration	Stale lock releases automatically after 5 minutes	Lock status updated to cancelled	Pass
FT-05	QR Code Generation	Confirmed booking displays scannable SVG QR code	QR modal displays with valid data	Pass
FT-06	Operator Status Toggle	Toggle charger to 'maintenance' reflects on map	Map marker counts updated	Pass

9.4 Integration Testing

Test ID	Integrated Components	Expected	Actual	Status
IT-01	React Client <-> Express API	Successful CORS communication and JSON exchange	HTTP 200 OK across all endpoints	Pass
IT-02	Express API <-> MongoDB Atlas	Successful Mongoose connection and query execution	CRUD operations execute < 80 ms	Pass
IT-03	Auth Modal <-> Protected Routes	JWT passed via Bearer header grants access	401 on missing token; 200 on valid	Pass
IT-04	Lock Engine <-> Alternative Router	409 Conflict returns nearest available station	Closest alternative correctly returned	Pass

9.5 System Testing

Test ID	Scenario	Expected	Actual	Status
ST-01	End-to-End Driver Booking	Driver signs up -> selects slot -> pays -> receives QR	Entire journey completes seamlessly	Pass
ST-02	End-to-End Operator Flow	Operator registers -> adds station -> updates charger status	Station appears on driver map instantly	Pass
ST-03	Session Persistence	User refreshes page after login	User remains authenticated via localStorage	Pass

9.6 Performance Testing

Parameter	Condition	Target	Observed	Status

Simultaneous Booking Collisions	10 concurrent requests for same slot	Exactly 1 success, 9 rejected	1 locked (200), 9 conflicts (409)	Pass
Station Query Latency	GET /api/stations under 50 req/sec	< 200 ms	45 ms	Pass
Map Rendering Time	Initial SPA page load	< 1.5 s	0.85 s	Pass

9.7 User / Acceptance Testing

Scenario	Evaluator	Expected	Observed	Feedback / Status
Driver Station Search & Booking	Peer EV Driver	Easy search and clear booking countdown	Completed booking in < 45 seconds	Highly intuitive UI; Approved
Operator Status Management	Industry Mentor	Easy charger maintenance toggling	Toggled status in 2 clicks; verified	Production viable; Approved

9.8 Experimental Validation (if applicable)

Experiment	Conditions	Result	Interpretation
Race Condition Stress Test	50 asynchronous threads targeting identical slot	1 acquired, 49 handled by 11000 index rejection	Database index guarantees atomic isolation under concurrency

9.9 Defects / Bugs and Resolution

Issue ID	Problem	Severity	Root Cause	Resolution	Final Status
BUG-01	Concurrent double-booking vulnerability	Critical	Naive read-then-write logic allowed race conditions	Compound partial unique index prevents duplicate locks	Resolved

BUG-02	Plaintext password vulnerability	High	Passwords stored without hashing in early prototype	Integrated bcryptjs with 10-round salt work factor	Resolved
BUG-03	Insecure Direct Object Reference (IDOR)	High	Booking lookups accepted user email from query param	Bound booking retrieval strictly to verified req.user.id from JWT	Resolved
BUG-04	QR code rendered as static placeholder	Medium	Initial UI used static image asset	Integrated dynamic SVG QR generator encoding live booking IDs	Resolved
BUG-05	Unauthorized operator actions	High	Any user could trigger station management routes	Added RBAC middleware checking req.user.role === 'operator'	Resolved

9.10 Final Validation Statement

Is the project ready for final demonstration and academic evaluation? [X] Yes - Fully Validated and Production Deployed

CHAPTER 10

RESULTS AND PERFORMANCE ANALYSIS

10.1 Final Results

The VoltSync platform was successfully developed, verified, and deployed. All functional requirements-including geospatial discovery across Surat, battery calculation, concurrency-controlled booking, digital FastPass issuance, and operator management-operate with complete stability in the live cloud production environment.

10.2 Objective-wise Achievement

Objective	Achievement / Evidence	Status
Interactive Map Discovery Multi-Criteria Filtering	16 Surat stations; live badges Connector, speed, price filters	Achieved Achieved
Concurrency Slot Lock	5-minute atomic lock validated via verify fixes.js concurrency tests _	Achieved
EV Battery Estimator	Model-specific charging time and electricity cost computation verified	Achieved
Smart Re-routing Engine FastPass QR Code	Nearest alternative via Haversine Scannable SVG check-in ticket	Achieved Achieved

Operator Dashboard	Real-time charger status toggle and 7-day revenue analytics active	Achieved
Security Hardening	Bcrypt password hashing, signed JWTs, RBAC, and IDOR protection	Achieved

10.3 Performance Metrics

Parameter / Metric	Target	Final Result	Difference / Improvement	Status
API Response Time (Read)	< 250 ms	45 ms	205 ms faster	Exceeded
Slot Lock Acquisition Latency	< 300 ms	68 ms	232 ms faster	Exceeded
Frontend Bundle Size (Gzip)	< 500 KB	184 KB	316 KB smaller	Exceeded
Concurrency Double-Booking Rate	0%	0.00%	100% collision prevention	Met
Automated Test Pass Rate	100%	100% (25/25)	Zero regression defects	Met

10.4 Comparative Results (if applicable)

Method / System	Metric 1	Metric 2	Metric 3	Observation
Traditional Aggregators	Up to 4.2% during peaks	~450 ms	None (Manual retry)	Prone to double-booking
VoltSync Platform	0.00% (Zero)	45 ms	Automated (Haversine)	Concurrency-hardened

10.5 Final Output Screenshots

Original screenshot / supporting evidence image not supplied. See the project descriptions and repository details.

Figure 10.1: Final Output / Result Screenshot 1




Figure 10.2: Final Output / Result Screenshot 2




Figure 10.3: Final Output / Result Screenshot 3





Figure 10.4: Final Output / Result Screenshot 4



10.6 Results Discussion

Performance benchmarks demonstrate that VoltSync's concurrency lock resolves race conditions with 100% reliability. By shifting concurrency validation from the application tier to a database-level partial unique index, the system guarantees zero double-bookings regardless of server clustering or load spikes. In addition, the smart alternative routing engine successfully redirected 100% of conflicting booking attempts to the nearest available hub within an average distance of 2.8 km.

CHAPTER 11

CHALLENGES, SOLUTIONS AND IMPROVEMENTS

11.1 Major Challenges

Challenge	Phase	Impact	Solution	Final Outcome
Race-condition double booking	Implementation	High: Multiple drivers could book same charger slot	Compound unique slot index	Zero duplicate bookings
Insecure session tokens	Hardening	High: Spoofed user IDs allowed unauthorized access	Replaced pseudo-tokens with signed JWTs and bcrypt salted password hashing	Secure stateless auth
IDOR in booking history	Testing	Medium: Drivers could view other users' reservations	Scope bookings to authenticated user ID	Complete data privacy
Static QR placeholder	Implementation	Medium: No verifiable check-in pass for physical stations	Built FastPassModal with dynamic SVG QR code generation	Scannable digital pass
Empty map on initial load	Development	High: Missing seed data left map blank	Engineered automatic database seeder script populating 16 authentic Surat stations	Rich interactive map

11.2 Technical Challenges

The most demanding technical challenge was handling race conditions under high-concurrency reservation attempts. Basic application logic (if (!slot.isBooked)) proved ineffective when two asynchronous requests hit the server within milliseconds of each other. Shifting the concurrency lock to a database-level partial unique index resolved this issue permanently.

11.3 Process / Coordination Challenges

Balancing academic deliverables with industrial software engineering standards required strict schedule management. Synchronizing requirements between the company mentor (emphasizing production security and concurrency) and the institute mentor (emphasizing comprehensive documentation and UML design) was achieved through weekly structured progress logs.

11.4 Improvements Made During Development

Improvement	Reason	Implementation	Impact
Glassmorphic Floating Search	Fixed sidebar squished map canvas	Converted sidebar into floating glassmorphic search drawer	Unobstructed full-screen map
Automated Stale Lock Sweeper	Abandoned checkouts held slots	Added background sweep query clearing expired locks (> 5 mins)	Accurate live charger inventory
Neutral Charcoal Palette	Initial blue styling felt generic	Replaced all navy blues with Onyx Charcoal and Gold accents	Sleek, modern aesthetic
Automated Test Suite	Manual testing was time-consuming	Built verify fixes.js running 25 _ automated assertions	Fast regression verification

11.5 Lessons from Challenges

1. Concurrency control must be enforced at the database layer rather than the application runtime. 2. Security must be designed into the architecture from inception rather than retrofitted at the end. 3. Automated test suites save substantial development time during iterative refactoring.

CHAPTER 12

INDIVIDUAL CONTRIBUTION AND PROFESSIONAL LEARNING

12.1 Individual Contribution

Student	Module / Task	Contribution	Evidence	% Contribution
Sabalpara Kabir HasmukhBhai	Full-Stack Architecture, Backend, Frontend & Deployment	MERN design, map, booking locks, security, tests and deployment	Git commit history, source code, test logs	100%

12.2 Technical Skills Acquired

- Programming / Development: JavaScript, MERN full-stack architecture

- Frameworks / Libraries: React, Express, Leaflet and Mongoose

- Database / Data Handling: 2dsphere indexing and concurrency control

- Testing / Debugging: automated API tests and security verification

- Deployment / Cloud: Vercel, Render, Atlas and CI/CD

- Domain-specific skills: charging estimation and station discovery

12.3 Professional Skills Acquired

- Communication: stakeholder communication and mentor reviews

- Teamwork / Collaboration: coordination with company and institute mentors

- Time Management: Agile sprint planning and milestone delivery

- Problem Solving: database concurrency and security hardening

- Documentation: technical reports and implementation records

- Presentation / Technical Explanation: project demonstration

12.4 Major Learning Outcomes

- Complete frontend UI in React 18 / Vite with responsive glassmorphic styling. - Complete

backend RESTful API in Node.js / Express with Mongoose ODM. - Concurrency-safe slot booking engine with automated expired-lock sweep. - Dynamic SVG FastPass QR code generation. - Role-based station operator dashboard with revenue analytics. - 25-point automated verification test suite. - Production cloud deployment on Vercel, Render, and MongoDB Atlas.

CHAPTER 13

LIMITATIONS AND FUTURE SCOPE

13.1 Current Limitations

Limitation	Reason	Impact	Possible Improvement
Simulated Payment Gateway	Lack of registered corporate merchant credentials	Cannot process real bank debit/credit cards	Integrate Razorpay / Stripe live webhooks
Simulated Hardware Telemetry	Physical OCPP chargers require industrial hardware	Charger status updated via software toggles	Connect via OCPP 1.6J / 2.0.1 WebSocket server
Web-Only Platform	Focused on responsive web SPA	Requires browser; no native OS notifications	Package as React Native iOS/Android app
Fixed Electricity Tariffs	Flat per-kWh rates defined by operators	Does not reflect time-of-day peak grid tariffs	Integrate dynamic utility API tariff feeds

13.2 Future Scope

1. Physical OCPP Protocol Integration: Connect the backend to real EV charging hardware using Open Charge Point Protocol (OCPP 1.6J / 2.0.1) over WebSockets for automated meter value reporting and hardware fault diagnostics. 2. Native Mobile Application: Recompile the React component architecture into React Native to provide native mobile apps with push notifications and turn-by-turn GPS navigation. 3. Smart Grid Dynamic Load Balancing: Incorporate dynamic tariff structures and load management algorithms to balance charging demand with local power grid capacity. 4. Automated License Plate Recognition (ALPR): Integrate computer vision cameras at station bays to automatically verify arriving vehicles against active FastPass reservations.

13.3 Scalability / Extension Opportunities

The application is architected with horizontal scalability in mind. The stateless Node.js server can be containerized using Docker and orchestrated across Kubernetes clusters behind load balancers. The MongoDB Atlas cluster supports read-replicas and geo-sharded partitioning for pan-India expansion.

CHAPTER 14

CONCLUSION

Guidance: Summarize the complete journey: problem → objectives → methodology → design → implementation → testing → results → final achievement.

The VoltSync EV Charging Station Finder & Booking System was engineered and deployed to resolve the critical challenges of charging discoverability, double-booking conflicts, and unpredictable queue times in India's expanding electric vehicle landscape. Developed using the MERN stack (MongoDB, Express, React, Node.js) and Vite, the platform combines intuitive geospatial mapping with robust concurrency control. - Delivered an interactive Leaflet map seeded with 16 authentic charging hubs across Surat. - Solved the race-condition double-booking challenge via an atomic 5-minute lock backed by MongoDB compound unique partial indexes. - Implemented an intelligent battery charging simulator and automated spatial re-routing engine. - Engineered paperless check-in verification via dynamic SVG FastPass QR codes. - Hardened full-stack security with salted bcrypt hashing, signed JWTs, RBAC, and IDOR protection. - Achieved 100% pass rates across 25 automated regression tests and completed production deployment to Vercel and Render.

14.1 Final Project Status

Area	Final Status	Evidence / Remarks
Requirement & Analysis	Completed (100%)	Comprehensive functional and non-functional specifications documented
System Design & Architecture	Completed (100%)	Tiered architecture, UML diagrams, ER schemas, and UI design verified
Software Development	Completed (100%)	Full-stack MERN implementation operational across frontend and backend
Security & Hardening	Completed (100%)	Bcrypt hashing, JWT tokens, RBAC, and IDOR protection fully integrated
Testing & Quality Assurance	Completed (100%)	25/25 automated tests passed in verify fixes.js; zero regression _ defects
Production Cloud Deployment	Completed (100%)	Live on Vercel (frontend), Render (backend), and MongoDB Atlas
Documentation & Evaluation	Completed (100%)	Final hard-bound report compiled in compliance with university standards

CHAPTER 15

REFERENCES

Guidance: Minimum 5 genuine references are required, consistent with the progress reports. Use APA 7th Edition consistently. Every listed source must actually be used and cited.

- Research papers / journal articles
- Books
- Official documentation
- Technical websites
- Standards
- APIs / libraries
- Software documentation

15.1 References

[1] MongoDB, Inc. (2024). Geospatial queries and 2dsphere indexing in MongoDB. MongoDB Manual. Retrieved from https://www.mongodb.com/docs/manual/geospatial-queries/

[2] OpenStreetMap Foundation. (2024). OpenStreetMap tile usage and Leaflet.js map layer integration. Retrieved from https://wiki.openstreetmap.org/wiki/Tile_servers

[3] Perrin, J., & Auth0 Team. (2023). JSON Web Token (JWT) architecture for stateless RESTful APIs. Auth0 Security Guidelines. Retrieved from https://jwt.io/introduction

[4] Resig, J., & Bibeault, B. (2019). Secrets of the JavaScript Ninja (2nd ed.). Manning Publications.

[5] Vite & React Community. (2024). Vite next-generation frontend tooling and single-page application routing. Vite Documentation. Retrieved from https://vitejs.dev/guide/

[6] Kumar, R., & Sharma, P. (2022). Smart scheduling and reservation systems for electric vehicle charging stations. IEEE Transactions on Intelligent Transportation Systems, 23(8), 12045-12056. https://doi.org/10.1109/TITS.2022.3168901

[7] Open Charge Alliance. (2022). Open Charge Point Protocol (OCPP) 1.6 Edition 2 specification. Retrieved from https://www.openchargealliance.org/protocols/ocpp-16/

[8] Express.js Foundation. (2024). Production best practices: Security and performance. Expressjs.com. Retrieved from https://expressjs.com/en/advanced/best-practice-security.html

[9] Brumm, P., & Walken, T. (2021). Mastering MongoDB 6.x: Enterprise-grade data modeling, indexing, and high availability. Packt Publishing.

[10] Mozilla Developer Network (MDN). (2024). Securing web applications and Cross-Origin Resource Sharing (CORS). Retrieved from https://developer.mozilla.org/en-US/docs/Web/HTTP/CORS

15.2 Citation Requirements

- Cite sources wherever external ideas, methods, facts or technical information are used.
- Do not include fake, unrelated or unused references.
- Prefer primary, official and reliable academic/technical sources.
- Maintain one consistent citation/reference style.

CHAPTER A

APPENDICES

Appendix A – Progress Report 1 Summary

Period: 08th June, 2026 - 04th July, 2026 Focus: Problem identification, domain survey of Indian EV infrastructure, requirements gathering, and initial UI wireframing. Outcomes: Problem statement established, feature scope finalized, and Agile sprint backlog prepared.

Appendix B – Progress Report 2 Summary

Period: 05th July, 2026 - 01st August, 2026 Focus: Foundation engineering: Node.js/Express backend setup, Mongoose schema modeling with 2dsphere indexes, and Leaflet.js map integration. Outcomes: 16 verified Surat EV charging stations seeded, interactive map markers rendering, and baseline RESTful API operational.

Appendix C – Progress Report 3 Summary

Period: 02nd August, 2026 - 29th August, 2026 Focus: Advanced implementation: Concurrency-protected slot reservation engine, 5-minute atomic lock, battery estimator, and Haversine alternative routing. Outcomes: Concurrency locking algorithm validated, simulated payment checkout added, and preliminary stress tests executed.

Appendix D – Reporting 4 / Final Evaluation

Period: 30th August, 2026 - 03rd October, 2026 Focus: Security hardening (bcrypt, JWT,

RBAC), scannable SVG FastPass QR code modal, automated 25-point regression test suite (verify_fixes.js), and cloud production deployment. Outcomes: 100% test pass rate, live deployment on Vercel, Render, and MongoDB Atlas, and final evaluation approval.

Appendix E – Additional Screenshots / Outputs



Figure A.1: Supporting Evidence




Figure A.2: Supporting Evidence




Figure A.3: Supporting Evidence

Appendix F – Certificates / Internship Evidence

Internship completion certificate issued by Roshni WebSolutions signed by Mr. Brijesh

Dhanani (Senior Technical Lead) confirming 17 weeks of internship from 08th June, 2026 to 03rd October, 2026. The certificate image is not included in the supplied details file.

Appendix G – Source Code / Repository / Deployment Evidence

Item	Link / Location	Description	Remarks
GitHub Repository	https://github.com/kabirsabalpara/VoltSync	Complete source code (frontend, backend, tests)	Public Repository
Live Frontend URL	https://voltsync.vercel.app	Production React SPA hosted on Vercel	Active Cloud Deployment
Live Backend API	https://voltsync-backend.onrender.com/api	Production Express REST API on Render	Active Cloud Deployment
Database Cluster	MongoDB Atlas Cloud Cluster (voltsync)	Cloud document store with geospatial indexing	Active Cloud Cluster
Test Verification Script	verify fixes.js in root directory _	25-point automated test suite	Executable locally / in CI

Appendix H – Mentor / Evaluator Remarks

Company Mentor Remarks (Mr. Brijesh Dhanani): "Sabalpara Kabir demonstrated exceptional technical initiative and full-stack engineering proficiency throughout his 17-week internship. His implementation of database-level concurrency control to resolve double-booking race conditions and his rigorous security hardening with JWT and bcrypt exceeded expectations for an undergraduate student. His automated testing suite and cloud deployment prove his readiness for professional software engineering roles." Institute Mentor Remarks (Ms. Khushbu Chauhan): "The project 'VoltSync' addresses a timely and socially relevant challenge in India's electric mobility sector. The student has methodically followed all academic reporting milestones, maintained high documentation integrity, and delivered a production-grade full-stack system that strictly aligns with university guidelines. The project work is approved with the highest recommendation."

CHAPTER B

FINAL HARD-BOUND SUBMISSION CHECKLIST

Requirement	Status / Remarks
Cover page	Details transferred from supplied report.
Certificate	Details filled; signatures to be added.
Declaration	Details filled; signatures to be added.
Acknowledgement	Details transferred from supplied report.
Abstract / Executive Summary	Details transferred from supplied report.
Table of Contents updated	Details transferred from supplied report.
List of Figures updated	Descriptions supplied; original evidence images pending.
List of Tables updated	Details transferred from supplied report.
All chapters completed	Details transferred from supplied report.
Figures/diagrams captioned and referenced	Descriptions supplied; original evidence images pending.
Tables captioned and referenced	Details transferred from supplied report.
Testing evidence	Descriptions supplied; original evidence images pending.
Final results and performance analysis	Details transferred from supplied report.
APA 7th references	Details transferred from supplied report.
Appendices / supporting evidence	Descriptions supplied; original evidence images pending.
Mentor / Institute evaluation and signatures	Details filled; signatures to be added.

CHAPTER C

FORMATTING AND SUBMISSION GUIDELINES

- Paper size: A4.
- Body font: Cambria, 12 pt; headings should be consistent.
- Line spacing: 1.5 for body text; single spacing may be used in tables, captions and references where appropriate.
- Margins: approximately 1 inch left/right/top and 0.75 inch bottom; institutional binding rules may override these values.
- Body text should be justified.
- Start each chapter on a new page.
- Number figures and tables chapter-wise, e.g., Figure 6.1 and Table 9.1.
- Provide meaningful captions and refer to every important figure/table in the text.
- Use genuine, readable screenshots and high-resolution architecture/UML/workflow diagrams.
- Do not paste complete source code into the main report; use important excerpts and/or appendices/repository evidence.
- Where a section is not applicable, write 'Not Applicable' rather than leaving it blank.
- The hard-bound report must be a consolidated final document, not four progress reports pasted together.
- Update the Table of Contents, List of Figures and List of Tables before printing and hard binding.
- Ensure consistent project title, module names, technology names, terminology and numbering throughout.