



### Using Internal CSS

You can also include CSS rules within an HTML page by placing them inside a **<style>** element, which usually sits inside the **<head>** element of the page.

Internal CSS

```
1 <html>
2 <head>
3   <title>Web Development Class</title>
4   <link rel="Icon" type="image/ico" href="./images/favicon.ico" />
5   <link rel="stylesheet" type="text/css" href="./css/style.css" />
6   <style type="text/css">
7     #copyright{
8       width:100%;
9       float:left;
10      background:#fff;
11      color:#000;
12    }
13
14    #copyright a{
15      color:#000;
16      text-decoration:underline;
17    }
18  </style>
19 </head>
20 <body>
21   <div id="container">
22     <div class="banner">
23       
24     </div><!--End of Banner-->
25     <div class="row">
26       <div class="logo">
27         
28       </div><!--End of Logo-->
29     </div>
30     <div class="row">
31       <div class="title">
```

### HTML ELEMENTS LEARNT

<style>	<footer>	<hr />	<b>	<p>
 	<center>	<h1>	<h2>	<h3>
<h4>	<h5>	<h6>	<a>	<dd>
<dt>	<dl>	<ul>	<li>	<ol>
<nav>	<marquee>	<span>	<img>	<div>
<html>	<head>	<title>	<link>	<body>

### CSS PROPERTIES LEARNT

list-style-type	text-transform	font-style
font-weight	font-family	border
border-top-color	border-right-color	border-left-color
border-bottom-color	border-top-style	border-right-style
border-left-style	border-bottom-style	border-top-width
border-right-width	border-left-width	border-bottom-width
font-size	height	border-radius
border-bottom-left-radius	border-bottom-right-radius	border-top-left-radius
border-top-right-radius	text-decoration	display
color	padding-left	padding-bottom
padding-right	padding-top	text-align
float	margin-right	margin-left
margin-bottom	margin-top	margin
width	background	