


## The position property

The position property allows you to control the layout of a page.



a) normal (static): in normal flow, each block-level element sits on top of the next one. Since this is the default way in which browsers treat HTML elements, you do not need a CSS property to indicate that elements should appear in normal flow, but the syntax would be:

```
input[type="radio"]{
     position:static;
}
```

b) relative: relative positioning moves an element in relation to where it would have been in normal flow. For example, you can move it 20px lower than it would have been in normal flow or 50px to the right. Example:

```
input[type="radio"]{
          position:relative;
          bottom:20px;
          right:50px;
}
```

www.teampiccolo.com Page 1

## 047- The position property

- c) absolute: when the position property is given a value of absolute, the box is taken out of normal flow and no longer affects the position of other elements on the page. (They act like it is not there). The box offset properties (top or bottom and left or right) specify where the element should appear in relation to its containing element.
- d) fixed: fixed positioning is a type of absolute positioning that requires the position property to have a value of fixed. It positions the element in relation to the browser window. Therefore, when a user scrolls down the page, it stays in the exact same place.

www.teampiccolo.com Page 2

## **HTML ELEMENTS LEARNT**

<strong></strong>	<form></form>	<input/>	>	
		<iframe></iframe>	<style></td><td><footer></td></tr><tr><td><hr /></td><td><b></td><td></td><td> </td><td><center></td></tr><tr><td><h1></td><td><h2></td><td><h3></td><td><h4></td><td><h5></td></tr><tr><td><h6></td><td><a></td><td><dd></td><td><dt></td><td><dl></td></tr><tr><td><ul><li><ul></li></ul></td><td><li><li><</td><td><ol></td><td><nav></td><td><marquee></td></tr><tr><td><span></td><td><img></td><td><div></td><td><html></td><td><head></td></tr><tr><td><title></td><td><li>k></td><td><body></td><td></td><td></td></tr></tbody></table></style>	

## **CSS PROPERTIES LEARNT**

background

position	background-size	background-attachment
background-repeat	background-image	list-style-type
text-transform	font-style	font-weight
font-family	border	border-top-color
border-right-color	border-left-color	border-bottom-color
border-top-style	border-right-style	border-left-style
border-bottom-style	border-top-width	border-right-width
border-left-width	border-bottom-width	font-size
height	border-radius	border-bottom-left-radius
border-bottom-right-radius	border-top-left-radius	border-top-right-radius
text-decoration	display	color
padding-left	padding-bottom	padding-right
padding-top	text-align	float
margin-right	margin-left	margin-bottom
margin-top	margin	width

www.teampiccolo.com Page 3