

cpanm (App::cpanminus) 1.7042 on perl 5.025009 built for x86_64-linux
Work directory is /home/jkeenan/.cpanm/work/1483531856.25160
You have make /usr/bin/make
You have LWP 6.15
You have /bin/tar: tar (GNU tar) 1.28
Copyright (C) 2014 Free Software Foundation, Inc.
License GPLv3+: GNU GPL version 3 or later <<http://gnu.org/licenses/gpl.html>>.
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.

Written by John Gilmore and Jay Fenlason.
You have /usr/bin/unzip
Searching Vim::Debug () on cpanmetadb ...
--> Working on Vim::Debug
Fetching <http://www.cpan.org/authors/id/K/KA/KABLAMO/Vim-Debug-0.904.tar.gz>
-> OK
Unpacking Vim-Debug-0.904.tar.gz
Entering Vim-Debug-0.904
Checking configure dependencies from META.json
Checking if you have ExtUtils::MakeMaker 6.58 ... Yes (7.24)
Configuring Vim-Debug-0.904
Running Makefile.PL
Warning: prerequisite File::Copy::Recursive 0 not found.
Warning: prerequisite IO::Pty 0 not found.
Warning: prerequisite IPC::Run 0 not found.
Warning: prerequisite MooseX::ClassAttribute 0 not found.
Warning: prerequisite Net::Telnet 0 not found.
Warning: prerequisite POE 0 not found.
Warning: prerequisite POE::Component::Server::TCP 0 not found.
Checking if your kit is complete...
Looks good
Generating a Unix-style Makefile
Writing Makefile for Vim::Debug
Writing MYMETA.yml and MYMETA.json
-> OK
Checking dependencies from MYMETA.json ...
Checking if you have Moose::Role 0 ... Yes (2.1807)
Checking if you have warnings 0 ... Yes (1.37)
Checking if you have Net::Telnet 0 ... No
Checking if you have IO::Pty 0 ... No
Checking if you have File::Temp 0 ... Yes (0.2304)
Checking if you have POE 0 ... No
Checking if you have File::Copy::Recursive 0 ... No
Checking if you have ExtUtils::MakeMaker 0 ... Yes (7.24)
Checking if you have Moose::Util 0 ... Yes (2.1807)
Checking if you have MooseX::ClassAttribute 0 ... No
Checking if you have File::Basename 0 ... Yes (2.85)
Checking if you have IPC::Run 0 ... No
Checking if you have strict 0 ... Yes (1.11)
Checking if you have File::Path 0 ... Yes (2.12_01)
Checking if you have Dir::Self 0 ... Yes (0.11)
Checking if you have Test::More 0 ... Yes (1.302073)
Checking if you have File::Spec::Functions 0 ... Yes (3.66)
Checking if you have POE::Component::Server::TCP 0 ... No
Checking if you have Try::Tiny 0 ... Yes (0.27)
Checking if you have File::Find 0 ... Yes (1.34)
Checking if you have Getopt::Long 0 ... Yes (2.49)
Checking if you have Carp 0 ... Yes (1.42)
Checking if you have List::Util 0 ... Yes (1.46_02)

```

Checking if you have Moose 0 ... Yes (2.1807)
==> Found dependencies: Net::Telnet, IO::Pty, POE, File::Copy::Recursive,
MooseX::ClassAttribute, IPC::Run, POE::Component::Server::TCP
Searching Net::Telnet (0) on cpanmetadb ...
--> Working on Net::Telnet
Fetching http://www.cpan.org/authors/id/J/JR/JROGERS/Net-Telnet-3.04.tar.gz
-> OK
Unpacking Net-Telnet-3.04.tar.gz
Entering Net-Telnet-3.04
Checking configure dependencies from META.yml
Checking if you have ExtUtils::MakeMaker 6.58 ... Yes (7.24)
Configuring Net-Telnet-3.04
Running Makefile.PL
Checking if your kit is complete...
Looks good
Generating a Unix-style Makefile
Writing Makefile for Net::Telnet
Writing MYMETA.yml and MYMETA.json
-> OK
Checking dependencies from MYMETA.json ...
Checking if you have ExtUtils::MakeMaker 0 ... Yes (7.24)
Building and testing Net-Telnet-3.04
cp lib/Net/Telnet.pm blib/lib/Net/Telnet.pm
PERL_DL_NONLAZY=1 "/home/jkeenan/testing/blead/bin/perl" "-MExtUtils::Command::MM"
"-MTest::Harness" "-e" "undef *Test::Harness::Switches; test_harness(0, 'blib/lib',
'blib/arch')" t/*.t
t/select.t .. ok
All tests successful.
Files=1, Tests=3,  0 wallclock secs ( 0.01 usr +  0.01 sys =  0.02 CPU)
Result: PASS
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/Net/Telnet.pm
Appending installation info to /home/jkeenan/testing/blead/lib/perl5/5.25.9/x86_64-
linux/perllocal.pod
-> OK
Successfully installed Net-Telnet-3.04
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/Net-Telnet-3.04/install.json
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/Net-Telnet-3.04/MYMETA.json
Searching IO::Pty (0) on cpanmetadb ...
--> Working on IO::Pty
Fetching http://www.cpan.org/authors/id/T/T0/TODDR/IO-Tty-1.12.tar.gz
-> OK
Unpacking IO-Tty-1.12.tar.gz
Entering IO-Tty-1.12
Checking configure dependencies from META.json
Checking if you have ExtUtils::MakeMaker 6.58 ... Yes (7.24)
Configuring IO-Tty-1.12
Running Makefile.PL
Now let's see what we can find out about your system
(logfiles of failing tests are available in the conf/ dir)...
Looking for _getpty()..... not found.
Looking for getpt()..... FOUND.
Looking for grantpt()..... FOUND.
Looking for openpty()..... not found.
Looking for posix_openpt(). FOUND.
Looking for ptsname()..... FOUND.
Looking for ptsname_r().... FOUND.
Looking for sigaction().... FOUND.

```

```

Looking for strlcpy()..... not found.
Looking for ttyname()..... FOUND.
Looking for unlockpt()..... FOUND.
Looking for libutil.h..... not found.
Looking for pty.h..... FOUND.
Looking for sys/pty.h..... not found.
Looking for sys/ptyio.h.... not found.
Looking for sys/stropts.h.. FOUND.
Looking for termio.h..... FOUND.
Looking for termios.h..... FOUND.
Looking for util.h..... not found.
Checking which symbols compile OK...
(sorry for the tedious check, but some systems have not too clean
 header files, to say the least; '+' means OK, '-' means not defined
 and '*' has compile problems...)
+B0 +B110 +B115200 +B1200 +B134 +B150 -B153600 +B1800 +B19200 +B200 +B230400 +B2400
+B300 -B307200 +B38400 +B460800 +B4800 +B50 +B57600 +B600 +B75 -B76800 +B9600
+BRKINT +BS0 +BS1 +BSDLY +CBAUD -CBAUDEXT +CBRK -CCTS_OFLOW -CDEL +CDSUSP +CEOF
+CEOL -CEOL2 +CEOT +CERASE -CESC +CFLUSH +CIBAUD -CIBAUDEXT +CINTR +CKILL +CLNEXT
+CLOCAL -CNSWCH -CNUL +CQUIT +CR0 +CR1 +CR2 +CR3 +CRDLY +CREAD +CRPRNT +CRTSCTS
-CRTSXOFF -CRTS_IFLOW +CS5 +CS6 +CS7 +CS8 +CSIZE +CSTART +CSTOP +CSTOPB +CSUSP
-CSWCH +CWERASE -DEFECHO -DIOC -DIOCGETP -DIOCSETP -DOSMODE +ECHO +ECHOCTL +ECHOE
+ECHOK +ECHOKE +ECHONL +ECHOPRT +EXTA +EXTB +FF0 +FF1 +FFDLY -FIORDCHK +FLUSHO
+HUPCL +ICANON +ICRNL +IEXTEN +IGNBRK +IGNCR +IGNPAR +IMAXBEL +INLCR +INPCK +ISIG
+ISTRIP +IUCLC +IXANY +IXOFF +IXON -KBENABLED -LDCHG -LDCLOSE -LDDMAP -LDEMAP
-LDGETT -LDGMAP -LDIOC -LDNMAP -LDOPEN -LDSETT -LDSMAP -LOBLK +NCCS +NL0 +NL1
+NLDLY +NOFLSH +OCRNL +OFDEL +OFILL +OLCUC +ONLCR +ONLRET +ONOCR +OPOST -PAGEOUT
+PARENB -PAREXT +PARMRK +PARODD +PENDIN -RCV1EN -RTS_TOG +TAB0 +TAB1 +TAB2 +TAB3
+TABDLY -TCDSET +TCFLSH +TCGETA +TCGETS +TCIFLUSH +TCIOFF +TCIOFLUSH +TCION
+TCOFLUSH +TCOOFF +TCOON +TCSADRAIN +TCSAFLUSH +TCSANOW +TCSBRK +TCSETA +TCSETAF
+TCSETAW -TCSETCTTY +TCSETS +TCSETSF +TCSETSW +TCXONC -TERM_D40 -TERM_D42 -TERM_H45
-TERM_NONE -TERM_TEC -TERM_TEX -TERM_V10 -TERM_V61 +TIOCCBRK -TIOCCDTR +TIOCCONS
+TIOCEXCL -TIOCFLUSH -TIOCGETC +TIOCGETD -TIOCGETP -TIOCGLTTC +TIOCGPGRP +TIOCGSID
+TIOCGSOFTCAR +TIOCGWINSZ -TIOCHPCL -TIOCKBOF -TIOCKBON -TIOCLBIC -TIOCLBIS
-TIOCLGET -TIOCLSET +TIOCMBIC +TIOCMBIS +TIOCMGET +TIOCMSET +TIOCM_CAR +TIOCM_CD
+TIOCM_CTS +TIOCM_DSR +TIOCM_DTR +TIOCM_LE +TIOCM_RI +TIOCM_RNG +TIOCM_RTS
+TIOCM_SR +TIOCM_ST +TIOCNOTTY +TIOCNXCL +TIOCOUTQ -TIOCREMOTE +TIOCSBRK +TIOCSCTTY
-TIOCS DTR -TIOCSETC +TIOCSETD -TIOCSETN -TIOCSETP -TIOCSIGNAL -TIOCSLTC +TIOCSPPGRP
-TIOCSSID +TIOCSSOFTCAR -TIOCSTART +TIOCSTI -TIOCSTOP +TIOCSWINSZ -TM_ANL -TM_CCHO
-TM_CINVIS -TM_LCF -TM_NONE -TM_SET -TM_SNL +TOSTOP -VCEOF -VCEOL +VDISCARD -VDSUSP
+VEOF +VEOL +VEOL2 +VERASE +VINTR +VKILL +VLNEXT +VMIN +VQUIT +VREPRINT +VSTART
+VSTOP +VSUSP -VSWCH +VT0 +VT1 +VTDLY +VTIME +VWERASE -WRAP +XCASE -XCLUDE -XMT1EN
+XTABS

```

>>> Configuration looks good! <<<

```

Writing IO::Tty::Constant.pm...
DEFINE = -DHAVE_DEV_PTMX -DHAVE_GETPT -DHAVE_GRANTPT -DHAVE_POSIX_OPENPT
-DHAVE_PTSNAME -DHAVE_PTSNAME_R -DHAVE_PTY_H -DHAVE_SIGACTION -DHAVE_SYS_STROPTS_H
-DHAVE_TERMIOS_H -DHAVE_TERMIO_H -DHAVE_TTYNAME -DHAVE_UNLOCKPT
Checking if your kit is complete...
Looks good
Generating a Unix-style Makefile
Writing Makefile for IO::Tty
Writing MYMETA.yml and MYMETA.json
-> OK
Checking dependencies from MYMETA.json ...
Checking if you have Test::More 0 ... Yes (1.302073)
Building and testing IO-Tty-1.12

```

```

cp Tty.pm blib/lib/IO/Tty.pm
cp Pty.pm blib/lib/IO/Pty.pm
cp Tty/Constant.pm blib/lib/IO/Tty/Constant.pm
Running Mkbootstrap for Tty (
chmod 644 "Tty.bs"
"/home/jkeenan/testing/blead/bin/perl" -MExtUtils::Command::MM -e 'cp_nonempty' --
Tty.bs blib/arch/auto/IO/Tty/Tty.bs 644
"/home/jkeenan/testing/blead/bin/perl"
"/home/jkeenan/testing/blead/lib/perl5/5.25.9/ExtUtils/xsubpp" -typemap
'/home/jkeenan/testing/blead/lib/perl5/5.25.9/ExtUtils/typemap' Tty.xs > Tty.xsc
mv Tty.xsc Tty.c
cc -c -fwrapv -fno-strict-aliasing -pipe -fstack-protector-strong
-I/usr/local/include -D_LARGEFILE_SOURCE -D_FILE_OFFSET_BITS=64 -O2
-DVERSION=\"1.12\" -DXS_VERSION=\"1.12\" -fPIC "-
I/home/jkeenan/testing/blead/lib/perl5/5.25.9/x86_64-linux/CORE" -DHAVE_DEV_PTMX
-DHAVE_GETPT -DHAVE_GRANTPT -DHAVE_POSIX_OPENPT -DHAVE_PTSNAME -DHAVE_PTSNAME_R
-DHAVE_PTY_H -DHAVE_SIGACTION -DHAVE_SYS_STROPTS_H -DHAVE_TERMIOS_H -DHAVE_TERMIO_H
-DHAVE_TTYNAME -DHAVE_UNLOCKPT Tty.c
rm -f blib/arch/auto/IO/Tty/Tty.so
cc -shared -O2 -L/usr/local/lib -fstack-protector-strong Tty.o -o
blib/arch/auto/IO/Tty/Tty.so \
\

```

```

chmod 755 blib/arch/auto/IO/Tty/Tty.so
"/home/jkeenan/testing/blead/bin/perl" -MExtUtils::Command::MM -e 'cp_nonempty' --
Tty.bs blib/arch/auto/IO/Tty/Tty.bs 644
PERL_DL_NONLAZY=1 "/home/jkeenan/testing/blead/bin/perl" "-MExtUtils::Command::MM"
"-MTest::Harness" "-e" "undef *Test::Harness::Switches; test_harness(0, 'blib/lib',
'blib/arch')" t/*.t
# Configuration: -DHAVE_DEV_PTMX -DHAVE_GETPT -DHAVE_GRANTPT -DHAVE_POSIX_OPENPT
-DHAVE_PTSNAME -DHAVE_PTSNAME_R -DHAVE_PTY_H -DHAVE_SIGACTION -DHAVE_SYS_STROPTS_H
-DHAVE_TERMIOS_H -DHAVE_TERMIO_H -DHAVE_TTYNAME -DHAVE_UNLOCKPT
# Checking for appropriate ioctls:
# TIOCNOTTY
# TIOCSCTTY
trying posix_openpt()...
trying grantpt()...
trying unlockpt()...
trying ptsname_r()...
trying to open /dev/pts/19...
trying to I_PUSH ptem...
trying to I_PUSH ldterm...
trying to I_PUSH ttcompat...
# === Checking if child gets pty as controlling terminal
trying posix_openpt()...
trying grantpt()...
trying unlockpt()...
trying ptsname_r()...
trying to open /dev/pts/19...
trying to I_PUSH ptem...
trying to I_PUSH ldterm...
trying to I_PUSH ttcompat...

```

WARNING: when the client closes the slave pty, the master gets an error
(undef return value and \$! eq "Input/output error")
instead of EOF (0 return value). Please be sure to handle this
in your application (Expect already does).

```
# Checking basic functionality and how your ptys handle large strings...
```

```

# This test may hang on certain systems, even though it is protected
# by alarm(). If the counter stops, try Ctrl-C, the test should continue.
trying posix_openpt()...
trying grantpt()...
trying unlockpt()...
trying ptsname_r()...
trying to open /dev/pts/19...
trying to I_PUSH ptem...
trying to I_PUSH ldterm...
trying to I_PUSH ttcompat...
# isatty($master): YES
# isatty($slave): YES
# Child PID = 26923
12345678910111213141516171819202122232425262728293031323334353637383940414243444546
4748495051525354555657585960616263646566676869707172737475767778798081828384858687
888990919293949596979899100101102103104105106107108109110111112113114115116117118
119120121122123124125126127128129130131132133134135136137138139140141142143144145
146147148149150151152153154155156157158159160161162163164165166167168169170171172
173174175176177178179180181182183184185186187188189190191192193194195196197198199
200201202203204205206207208209210211212213214215216217218219220221222223224225226
227228229230231232233234235236237238239240241242243244245246247248249250251252253
254255256257258259260261262263264265266267268269270271272273274275276277278279280
281282283284285286287288289290291292293294295296297298299300301302303304305306307
3083093103113123133143153163173183193203213223233234325326327328329330331332333334
335336337338339340341342343344345346347348349350351352353354355356357358359360361
362363364365366367368369370371372373374375376377378379380381382383384385386387388
389390391392393394395396397398399400401402403404405406407408409410411412413414415
416417418419420421422423424425426427428429430431432433434435436437438439440441442
443444445446447448449450451452453454455456457458459460461462463464465466467468469
470471472473474475476477478479480481482483484485486487488489490491492493494495496
497498499500501502503504505506507508509510511512513514515516517518519520521522523
524525526527528529530# Good, your raw ptys can handle at least 530 bytes at once.
sysread(): Input/output error at t/test.t line 151.
Slave got EOF at line 530, byte 0.
t/test.t .. ok
All tests successful.
Files=1, Tests=5, 2 wallclock secs ( 0.02 usr 0.00 sys + 0.14 cusr 0.22 csys =
0.38 CPU)
Result: PASS
"/home/jkeenan/testing/blead/bin/perl" -MExtUtils::Command::MM -e 'cp_nonempty' --
Tty.bs blib/arch/auto/IO/Tty/Tty.bs 644
Files found in blib/arch: installing files in blib/lib into architecture dependent
library tree
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/auto/IO/Tty/Tty.so
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/IO/Pty.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/IO/Tty.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/IO/Tty/Constant.pm
Appending installation info to /home/jkeenan/testing/blead/lib/perl5/5.25.9/x86_64-
linux/perllocal.pod
-> OK
Successfully installed IO-Tty-1.12
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/IO-Tty-1.12/install.json
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/IO-Tty-1.12/MYMETA.json

```

```
Searching POE (0) on cpanmetadb ...
--> Working on POE
Fetching http://www.cpan.org/authors/id/R/RC/RCAPUTO/POE-1.367.tar.gz
-> OK
Unpacking POE-1.367.tar.gz
Entering POE-1.367
Checking configure dependencies from META.json
Checking if you have POE::Test::Loops 1.360 ... No
==> Found dependencies: POE::Test::Loops
Searching POE::Test::Loops (1.360) on cpanmetadb ...
--> Working on POE::Test::Loops
Fetching http://www.cpan.org/authors/id/R/RC/RCAPUTO/POE-Test-Loops-1.360.tar.gz
-> OK
Unpacking POE-Test-Loops-1.360.tar.gz
Entering POE-Test-Loops-1.360
Checking configure dependencies from META.json
Checking if you have ExtUtils::MakeMaker 6.58 ... Yes (7.24)
Configuring POE-Test-Loops-1.360
Running Makefile.PL
Checking if your kit is complete...
Looks good
Generating a Unix-style Makefile
Writing Makefile for POE::Test::Loops
Writing MYMETA.yml and MYMETA.json
-> OK
Checking dependencies from MYMETA.json ...
Checking if you have ExtUtils::MakeMaker 0 ... Yes (7.24)
Checking if you have Test::More 1.001002 ... Yes (1.302073)
Building and testing POE-Test-Loops-1.360
cp lib/POE/Test/Loops/ses_session.pm blib/lib/POE/Test/Loops/ses_session.pm
cp lib/POE/Test/Loops/z_kogman_sig_order.pm
blib/lib/POE/Test/Loops/z_kogman_sig_order.pm
cp lib/POE/Test/Loops.pm blib/lib/POE/Test/Loops.pm
cp lib/POE/Test/Loops/comp_tcp.pm blib/lib/POE/Test/Loops/comp_tcp.pm
cp lib/POE/Test/Loops/wheel_curses.pm blib/lib/POE/Test/Loops/wheel_curses.pm
cp lib/POE/Test/Loops/wheel_tail.pm blib/lib/POE/Test/Loops/wheel_tail.pm
cp lib/POE/Test/Loops/wheel_sf_ipv6.pm blib/lib/POE/Test/Loops/wheel_sf_ipv6.pm
cp lib/POE/Test/Loops/ses_nfa.pm blib/lib/POE/Test/Loops/ses_nfa.pm
cp lib/POE/Test/Loops/k_detach.pm blib/lib/POE/Test/Loops/k_detach.pm
cp lib/POE/Test/Loops/wheel_readwrite.pm blib/lib/POE/Test/Loops/wheel_readwrite.pm
cp lib/POE/Test/Loops/wheel_sf_unix.pm blib/lib/POE/Test/Loops/wheel_sf_unix.pm
cp lib/POE/Test/Loops/wheel_sf_udp.pm blib/lib/POE/Test/Loops/wheel_sf_udp.pm
cp lib/POE/Test/Loops/k_run_returns.pm blib/lib/POE/Test/Loops/k_run_returns.pm
cp lib/POE/Test/Loops/wheel_run_size.pm blib/lib/POE/Test/Loops/wheel_run_size.pm
cp lib/POE/Test/Loops/k_alarms.pm blib/lib/POE/Test/Loops/k_alarms.pm
cp lib/POE/Test/Loops/comp_tcp_concurrent.pm
blib/lib/POE/Test/Loops/comp_tcp_concurrent.pm
cp lib/POE/Test/Loops/k_signals.pm blib/lib/POE/Test/Loops/k_signals.pm
cp lib/POE/Test/Loops/k_sig_child.pm blib/lib/POE/Test/Loops/k_sig_child.pm
cp lib/POE/Test/Loops/wheel_accept.pm blib/lib/POE/Test/Loops/wheel_accept.pm
cp lib/POE/Test/DondeEstan.pm blib/lib/POE/Test/DondeEstan.pm
cp lib/POE/Test/Loops/z_leolo_wheel_run.pm
blib/lib/POE/Test/Loops/z_leolo_wheel_run.pm
cp lib/POE/Test/Loops/connect_errors.pm blib/lib/POE/Test/Loops/connect_errors.pm
cp lib/POE/Test/Loops/z_merijn_sigchld_system.pm
blib/lib/POE/Test/Loops/z_merijn_sigchld_system.pm
cp lib/POE/Test/Loops/wheel_run.pm blib/lib/POE/Test/Loops/wheel_run.pm
cp lib/POE/Test/Loops/wheel_sf_tcp.pm blib/lib/POE/Test/Loops/wheel_sf_tcp.pm
cp lib/POE/Test/Loops/k_signals_rerun.pm blib/lib/POE/Test/Loops/k_signals_rerun.pm
```

```

cp lib/POE/Test/Loops/sbk_signal_init.pm blib/lib/POE/Test/Loops/sbk_signal_init.pm
cp lib/POE/Test/Loops/k_selects.pm blib/lib/POE/Test/Loops/k_selects.pm
cp lib/POE/Test/Loops/z_rt39872_sigchld.pm
blib/lib/POE/Test/Loops/z_rt39872_sigchld.pm
cp lib/POE/Test/Loops/00_info.pm blib/lib/POE/Test/Loops/00_info.pm
cp lib/POE/Test/Loops/wheel_readline.pm blib/lib/POE/Test/Loops/wheel_readline.pm
cp lib/POE/Test/Loops/k_aliases.pm blib/lib/POE/Test/Loops/k_aliases.pm
cp lib/POE/Test/Loops/all_errors.pm blib/lib/POE/Test/Loops/all_errors.pm
cp lib/POE/Test/Loops/z_steinert_signal_integrity.pm
blib/lib/POE/Test/Loops/z_steinert_signal_integrity.pm
cp lib/POE/Test/Loops/z_rt53302_fh_watchers.pm
blib/lib/POE/Test/Loops/z_rt53302_fh_watchers.pm
cp lib/POE/Test/Loops/z_rt39872_sigchld_stop.pm
blib/lib/POE/Test/Loops/z_rt39872_sigchld_stop.pm
cp lib/POE/Test/Loops/z_rt54319_bazerka_followtail.pm
blib/lib/POE/Test/Loops/z_rt54319_bazerka_followtail.pm
cp bin/poe-gen-tests blib/script/poe-gen-tests
"/home/jkeenan/testing/blead/bin/perl" -MExtUtils::MY -e 'MY->fixin(shift)' --
blib/script/poe-gen-tests
PERL_DL_NONLAZY=1 "/home/jkeenan/testing/blead/bin/perl" "-MExtUtils::Command::MM"
"-MTest::Harness" "-e" "undef *Test::Harness::Switches; test_harness(0, 'blib/lib',
'blib/arch')" t/*.t
# Testing with Perl 5.025009, /home/jkeenan/testing/blead/bin/perl
#   ExtUtils::MakeMaker version is 7.24
#   Test::More version is 1.302073
t/000-report-versions.t .. ok
t/01_no_tests.t ..... ok
All tests successful.
Files=2, Tests=3,  0 wallclock secs ( 0.02 usr  0.00 sys +  0.11 cusr  0.00 csys =
0.13 CPU)
Result: PASS
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/DondeEstan.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/wheel_run.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/wheel_tail.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/connect_error
s.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/comp_tcp_conc
urrent.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/wheel_sf_ipv6
.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/z_rt54319_baz
erka_followtail.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/k_selects.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/z_rt39872_sig
chld.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/z_kogman_sig_
order.pm
Installing

```

/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/z_rt39872_sig
chld_stop.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/comp_tcp.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/k_alarms.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/z_leolo_wheel
_run.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/ses_nfa.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/wheel_sf_udp.
pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/z_rt53302_fh_
watchers.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/k_detach.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/wheel_accept.
pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/wheel_curses.
pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/wheel_readwri
te.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/00_info.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/all_errors.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/ses_session.p
m
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/wheel_readlin
e.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/k_run_returns
.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/wheel_run_siz
e.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/z_steinert_si
gnal_integrity.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/k_signals_rer
un.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/wheel_sf_unix
.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/z_merijn_sigc
hld_system.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/wheel_sf_tcp.
pm


```
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/k_aliases.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/k_signals.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/k_sig_child.p
m
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/sbk_signal_in
it.pm
Installing /home/jkeenan/testing/blead/bin/poe-gen-tests
Appending installation info to /home/jkeenan/testing/blead/lib/perl5/5.25.9/x86_64-
linux/perllocal.pod
-> OK
Successfully installed POE-Test-Loops-1.360
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/POE-Test-Loops-1.360/install.json
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/POE-Test-Loops-1.360/MYMETA.json
Configuring POE-1.367
Running Makefile.PL
```

```
=====

Prompts may be bypassed by running:
/home/jkeenan/testing/blead/bin/perl Makefile.PL --default
```

```
=====

Some of POE's tests require a functional network.
You can skip these tests if you'd like.
```

```
Would you like to skip the network tests? [n] n
*** Some required features may not be available:
*** IO::Pipely 0.005 could not be loaded.
*** Some optional features may not be available:
*** Curses 1.08 could not be loaded.
*** Term::ReadKey 2.21 could not be loaded.
Warning: prerequisite IO::Pipely 0.005 not found.
```

```
Checking if your kit is complete...
Looks good
```

```
Generating a Unix-style Makefile
Writing Makefile for POE
Writing MYMETA.yml and MYMETA.json
-> OK
```

```
Checking dependencies from MYMETA.json ...
Checking if you have Carp 0 ... Yes (1.42)
Checking if you have Test::Harness 2.26 ... Yes (3.36_01)
Checking if you have Exporter 0 ... Yes (5.72)
Checking if you have POE::Test::Loops 1.360 ... Yes (1.360)
Checking if you have IO 1.24 ... Yes (1.38)
Checking if you have IO::Pipely 0.005 ... No
Checking if you have IO::Tty 1.08 ... Yes (1.12)
Checking if you have POSIX 1.02 ... Yes (1.76)
Checking if you have Errno 1.09 ... Yes (1.28)
Checking if you have Storable 2.16 ... Yes (2.61)
Checking if you have IO::Handle 1.27 ... Yes (1.36)
Checking if you have Socket 1.7 ... Yes (2.020_03)
```

```

Checking if you have Time::HiRes 1.59 ... Yes (1.9741)
Checking if you have File::Spec 0.87 ... Yes (3.66)
==> Found dependencies: IO::Pipely
Searching IO::Pipely (0.005) on cpanmetadb ...
--> Working on IO::Pipely
Fetching http://www.cpan.org/authors/id/R/RC/RCAPUTO/IO-Pipely-0.005.tar.gz
-> OK
Unpacking IO-Pipely-0.005.tar.gz
Entering IO-Pipely-0.005
Checking configure dependencies from META.json
Checking if you have ExtUtils::MakeMaker 6.58 ... Yes (7.24)
Configuring IO-Pipely-0.005
Running Makefile.PL
Checking if your kit is complete...
Looks good
Generating a Unix-style Makefile
Writing Makefile for IO::Pipely
Writing MYMETA.yml and MYMETA.json
-> OK
Checking dependencies from MYMETA.json ...
Checking if you have Scalar::Util 1.29 ... Yes (1.46_02)
Checking if you have Test::More 0.98 ... Yes (1.302073)
Checking if you have Symbol 1.06 ... Yes (1.08)
Checking if you have Fcntl 1.06 ... Yes (1.13)
Checking if you have base 2.18 ... Yes (2.24)
Checking if you have warnings 0 ... Yes (1.37)
Checking if you have strict 0 ... Yes (1.11)
Checking if you have Carp 1.26 ... Yes (1.42)
Checking if you have Exporter 5.68 ... Yes (5.72)
Checking if you have IO::Socket 1.31 ... Yes (1.38)
Building and testing IO-Pipely-0.005
cp lib/IO/Pipely.pm blib/lib/IO/Pipely.pm
PERL_DL_NONLAZY=1 "/home/jkeenan/testing/blead/bin/perl" "-MExtUtils::Command::MM"
"-MTest::Harness" "-e" "undef *Test::Harness::Switches; test_harness(0, 'blib/lib',
'blib/arch')" t/*.t
# Perl 5.025009, /home/jkeenan/testing/blead/bin/perl on linux
t/00-info-perl.t ..... ok
# Testing with Perl 5.025009, /home/jkeenan/testing/blead/bin/perl
#   Carp version is 1.42
#   Exporter version is 5.72
#   ExtUtils::MakeMaker version is 7.24
#   Fcntl version is 1.13
#   IO::Socket version is 1.38
#   Scalar::Util version is 1.4602
#   Symbol version is 1.08
#   Test::More version is 1.302073
#   base version is 2.24
#   strict version is 1.11
#   warnings version is 1.37
t/000-report-versions.t ... ok
t/01-test-pod.t ..... skipped: RELEASE_TESTING environment variable is not
true.
t/02-pod-no404s.t ..... skipped: RUN_NETWORK_TESTS environment variable is not
true.
t/11-pipely-base.t ..... skipped: not implemented yet
t/12-pipely-oneway.t ..... ok
t/13-pipely-twoway.t ..... ok
t/release-pod-coverage.t .. skipped: these tests are for release candidate testing
t/release-pod-syntax.t .... skipped: these tests are for release candidate testing

```

All tests successful.
Files=9, Tests=23, 0 wallclock secs (0.03 usr 0.00 sys + 0.30 cusr 0.03 csys = 0.36 CPU)
Result: PASS
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/IO/Pipely.pm
Appending installation info to /home/jkeenan/testing/blead/lib/perl5/5.25.9/x86_64-linux/perllocal.pod
-> OK
Successfully installed IO-Pipely-0.005
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-linux/.meta/IO-Pipely-0.005/install.json
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-linux/.meta/IO-Pipely-0.005/MYMETA.json
Building and testing POE-1.367
"/home/jkeenan/testing/blead/bin/perl" mylib/gen-tests.perl lib/POE.pm
cp lib/POE/Queue/Array.pm blib/lib/POE/Queue/Array.pm
cp lib/POE/Resource.pm blib/lib/POE/Resource.pm
cp lib/POE/Filter/HTTPD.pm blib/lib/POE/Filter/HTTPD.pm
cp lib/POE/Filter.pm blib/lib/POE/Filter.pm
cp lib/POE/Kernel.pm blib/lib/POE/Kernel.pm
cp lib/POE/Loop.pm blib/lib/POE/Loop.pm
cp lib/POE/Filter/Line.pm blib/lib/POE/Filter/Line.pm
cp lib/POE/Component/Server/TCP.pm blib/lib/POE/Component/Server/TCP.pm
cp lib/POE/Resources.pm blib/lib/POE/Resources.pm
cp lib/POE/Filter/Grep.pm blib/lib/POE/Filter/Grep.pm
cp lib/POE/Component.pm blib/lib/POE/Component.pm
cp lib/POE/Wheel/Curses.pm blib/lib/POE/Wheel/Curses.pm
cp lib/POE/Loop/PerlSignals.pm blib/lib/POE/Loop/PerlSignals.pm
cp lib/POE/Filter/Block.pm blib/lib/POE/Filter/Block.pm
cp lib/POE/Pipe/OneWay.pm blib/lib/POE/Pipe/OneWay.pm
cp lib/POE/Pipe.pm blib/lib/POE/Pipe.pm
cp lib/POE/Filter/Stream.pm blib/lib/POE/Filter/Stream.pm
cp lib/POE/Loop/Select.pm blib/lib/POE/Loop/Select.pm
cp lib/POE/Resource/Signals.pm blib/lib/POE/Resource/Signals.pm
cp lib/POE/Filter/Map.pm blib/lib/POE/Filter/Map.pm
cp lib/POE/Resource/FileHandles.pm blib/lib/POE/Resource/FileHandles.pm
cp lib/POE/Pipe/TwoWay.pm blib/lib/POE/Pipe/TwoWay.pm
cp lib/POE/Loop/IO_Poll.pm blib/lib/POE/Loop/IO_Poll.pm
cp lib/POE/Filter/Reference.pm blib/lib/POE/Filter/Reference.pm
cp lib/POE/Driver.pm blib/lib/POE/Driver.pm
cp lib/POE/Queue.pm blib/lib/POE/Queue.pm
cp lib/POE/Component/Client/TCP.pm blib/lib/POE/Component/Client/TCP.pm
cp lib/POE/Resource/Events.pm blib/lib/POE/Resource/Events.pm
cp lib/POE/Filter/RecordBlock.pm blib/lib/POE/Filter/RecordBlock.pm
cp lib/POE/NFA.pm blib/lib/POE/NFA.pm
cp lib/POE/Resource/Aliases.pm blib/lib/POE/Resource/Aliases.pm
cp lib/POE/Wheel.pm blib/lib/POE/Wheel.pm
cp lib/POE/Resource/Clock.pm blib/lib/POE/Resource/Clock.pm
cp lib/POE/Wheel/FollowTail.pm blib/lib/POE/Wheel/FollowTail.pm
cp lib/POE/Resource/Extrefs.pm blib/lib/POE/Resource/Extrefs.pm
cp lib/POE/Wheel/ListenAccept.pm blib/lib/POE/Wheel/ListenAccept.pm
cp lib/POE/Filter/Stackable.pm blib/lib/POE/Filter/Stackable.pm
cp lib/POE/Wheel/ReadWrite.pm blib/lib/POE/Wheel/ReadWrite.pm
cp lib/POE/Resource/Sessions.pm blib/lib/POE/Resource/Sessions.pm
cp lib/POE/Test/Sequence.pm blib/lib/POE/Test/Sequence.pm
cp lib/POE/Resource/SIDs.pm blib/lib/POE/Resource/SIDs.pm
cp lib/POE/Driver/SysRW.pm blib/lib/POE/Driver/SysRW.pm
cp lib/POE.pm blib/lib/POE.pm
cp lib/POE/Wheel/ReadLine.pm blib/lib/POE/Wheel/ReadLine.pm

```

cp lib/POE/Session.pm blib/lib/POE/Session.pm
cp lib/POE/Wheel/Run.pm blib/lib/POE/Wheel/Run.pm
cp lib/POE/Wheel/SocketFactory.pm blib/lib/POE/Wheel/SocketFactory.pm
"/home/jkeenan/testing/blead/bin/perl" mylib/gen-tests.perl lib/POE.pm
PERL_DL_NONLAZY=1 "/home/jkeenan/testing/blead/bin/perl" "-MExtUtils::Command::MM"
"-MTest::Harness" "-e" "undef *Test::Harness::Switches; test_harness(0, 'blib/lib',
'blib/arch')" t/*.t t/*/*.t t/*/*/*.t
# Testing POE 1.367, POE::Test::Loops 1.360, Perl 5.025009,
/home/jkeenan/testing/blead/bin/perl on linux
# pogomips: 52763620
t/00_info.t ..... ok
t/10_units/01_pod/01_pod.t ..... skipped: enable by setting
RELEASE_TESTING
t/10_units/01_pod/02_pod_coverage.t ..... skipped: enable by setting
RELEASE_TESTING
t/10_units/01_pod/03_pod_no404s.t ..... skipped: enable by setting
RELEASE_TESTING
t/10_units/01_pod/04_pod_linkcheck.t ..... skipped: enable by setting
RELEASE_TESTING
t/10_units/02_pipes/01_base.t ..... skipped: not implemented yet
t/10_units/02_pipes/02_oneway.t ..... ok
t/10_units/02_pipes/03_twoway.t ..... ok
t/10_units/03_base/01_poe.t ..... ok
t/10_units/03_base/03_component.t ..... ok
t/10_units/03_base/04_driver.t ..... ok
t/10_units/03_base/05_filter.t ..... ok
t/10_units/03_base/06_loop.t ..... ok
t/10_units/03_base/07_queue.t ..... ok
t/10_units/03_base/08_resource.t ..... ok
t/10_units/03_base/09_resources.t ..... ok
t/10_units/03_base/10_wheel.t ..... ok
t/10_units/03_base/11_assert_usage.t ..... ok
t/10_units/03_base/12_assert_retval.t ..... ok
t/10_units/03_base/13_assert_data.t ..... ok
t/10_units/03_base/14_kernel.t ..... ok
t/10_units/03_base/15_kernel_internal.t ..... ok
t/10_units/03_base/16_nfa_usage.t ..... ok
t/10_units/03_base/17_detach_start.t ..... ok
t/10_units/04_drivers/01_sysrw.t ..... ok
t/10_units/05_filters/01_block.t ..... ok
t/10_units/05_filters/02_grep.t ..... ok
Downgrading wide characters in HTTP header. Consider installing
Email::MIME::RFC2047::Encoder at /home/jkeenan/.cpanm/work/1483531856.25160/POE-
1.367/blib/lib/POE/Filter/HTTPD.pm line 73.
    POE::Filter::HTTPD::__ANON__("En \x{e9}t\x{e9}") called at
/home/jkeenan/.cpanm/work/1483531856.25160/POE-1.367/blib/lib/POE/Filter/HTTPD.pm
line 449
    POE::Filter::HTTPD::headers_as_strings(POE::Filter::HTTPD=ARRAY(0x2677e70),
HTTP::Headers=HASH(0x265a3d0), "\x{d}\x{a}") called at
/home/jkeenan/.cpanm/work/1483531856.25160/POE-1.367/blib/lib/POE/Filter/HTTPD.pm
line 411
    POE::Filter::HTTPD::put(POE::Filter::HTTPD=ARRAY(0x2677e70),
ARRAY(0x2678860)) called at t/10_units/05_filters/03_http.t line 426
t/10_units/05_filters/03_http.t ..... ok
t/10_units/05_filters/04_line.t ..... ok
t/10_units/05_filters/05_map.t ..... ok
t/10_units/05_filters/06_recordblock.t ..... ok
t/10_units/05_filters/07_reference.t ..... ok
t/10_units/05_filters/08_stream.t ..... ok

```

```

t/10_units/05_filters/50_stackable.t ..... ok
t/10_units/05_filters/51_reference_die.t ..... skipped: YAML module not
available
t/10_units/05_filters/99_filterchange.t ..... ok
t/10_units/06_queues/01_array.t ..... ok
t/10_units/07_exceptions/01_normal.t ..... ok
t/10_units/07_exceptions/02_turn_off.t ..... ok
t/10_units/07_exceptions/03_not_handled.t ..... ok
t/10_units/08_loops/01_explicit_loop.t ..... ok
t/10_units/08_loops/02_explicit_loop_fail.t ..... ok
t/10_units/08_loops/03_explicit_loop_poll.t ..... ok
t/10_units/08_loops/04_explicit_loop_envvar.t ..... ok
t/10_units/08_loops/05_kernel_loop.t ..... ok
t/10_units/08_loops/06_kernel_loop_poll.t ..... ok
t/10_units/08_loops/07_kernel_loop_fail.t ..... ok
t/10_units/08_loops/08_kernel_loop_search_poll.t ... ok
t/10_units/08_loops/09_naive_loop_load.t ..... ok
t/10_units/08_loops/10_naive_loop_load_poll.t ..... ok
t/10_units/08_loops/11_double_loop.t ..... ok
t/20_resources/10_perl/aliases.t ..... ok
t/20_resources/10_perl/caller_state.t ..... ok
t/20_resources/10_perl/events.t ..... ok
t/20_resources/10_perl/extrefs.t ..... ok
t/20_resources/10_perl/extrefs_gc.t ..... ok
t/20_resources/10_perl/filehandles.t ..... ok
t/20_resources/10_perl/sessions.t ..... ok
t/20_resources/10_perl/sids.t ..... ok
t/20_resources/10_perl/signals.t ..... ok
# Testing POE 1.367, POE::Test::Loops 1.360, Using Loop(POE::Loop::IO_Poll), Perl
5.025009, /home/jkeenan/testing/blead/bin/perl on linux
t/30_loops/io_poll/00_info.t ..... ok
t/30_loops/io_poll/all_errors.t ..... skipped: most of these should
move into other test files
t/30_loops/io_poll/comp_tcp.t ..... ok
# You might see a 'disconnect' error during this test.
# It may be ignored.
t/30_loops/io_poll/comp_tcp_concurrent.t ..... ok
t/30_loops/io_poll/connect_errors.t ..... ok
t/30_loops/io_poll/k_alarms.t ..... ok
t/30_loops/io_poll/k_aliases.t ..... ok
t/30_loops/io_poll/k_detach.t ..... ok
t/30_loops/io_poll/k_run_returns.t ..... ok
t/30_loops/io_poll/k_selects.t ..... ok
t/30_loops/io_poll/k_sig_child.t ..... ok
t/30_loops/io_poll/k_signals.t ..... ok
t/30_loops/io_poll/k_signals_rerun.t ..... ok
t/30_loops/io_poll/sbk_signal_init.t ..... ok
t/30_loops/io_poll/ses_nfa.t ..... ok
# This test generates some STDERR during trace testing.
=== 27411 === 23 -> _start (from /home/jkeenan/.cpanm/work/1483531856.25160/POE-
1.367/blib/lib/POE/Kernel.pm at 1497)
=== 27411 === 23 -> woot (from
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/ses_session.p
m at 691)
=== 27411 === 23 -> narf (from
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/ses_session.p
m at 692)
=== 27411 === 23 -> _stop (from /home/jkeenan/.cpanm/work/1483531856.25160/POE-
1.367/blib/lib/POE/Resource/Sessions.pm at 571)

```

```

t/30_loops/io_poll/ses_session.t ..... ok
t/30_loops/io_poll/wheel_accept.t ..... ok
t/30_loops/io_poll/wheel_curses.t ..... skipped: Curses not available
t/30_loops/io_poll/wheel_readline.t ..... skipped: This test requires
Term::ReadKey
t/30_loops/io_poll/wheel_readwrite.t ..... ok
t/30_loops/io_poll/wheel_run.t ..... ok
t/30_loops/io_poll/wheel_run_size.t ..... skipped: This test requires
Term::Size
t/30_loops/io_poll/wheel_sf_ipv6.t ..... skipped: Socket::GetAddrInfo
is needed for IPv6 tests
t/30_loops/io_poll/wheel_sf_tcp.t ..... ok
t/30_loops/io_poll/wheel_sf_udp.t ..... ok
t/30_loops/io_poll/wheel_sf_unix.t ..... ok
t/30_loops/io_poll/wheel_tail.t ..... ok
t/30_loops/io_poll/z_kogman_sig_order.t ..... ok
t/30_loops/io_poll/z_leolo_wheel_run.t ..... ok
# Using '/bin/true' as our thing to run under system()
t/30_loops/io_poll/z_merijn_sigchld_system.t ..... ok
t/30_loops/io_poll/z_rt39872_sigchld.t ..... ok
# Parent 27451 waiting 3sec for slow systems to settle.
# sending sigusr1
# sent sigusr1
t/30_loops/io_poll/z_rt39872_sigchld_stop.t ..... ok
t/30_loops/io_poll/z_rt53302_fh_watchers.t ..... ok
t/30_loops/io_poll/z_rt54319_bazerka_followtail.t .. ok
t/30_loops/io_poll/z_steinert_signal_integrity.t ... ok
# Testing POE 1.367, POE::Test::Loops 1.360, Using Loop(POE::Loop::Select), Perl
5.025009, /home/jkeenan/testing/blead/bin/perl on linux
t/30_loops/select/00_info.t ..... ok
t/30_loops/select/all_errors.t ..... skipped: most of these should
move into other test files
t/30_loops/select/comp_tcp.t ..... ok
# You might see a 'disconnect' error during this test.
# It may be ignored.
t/30_loops/select/comp_tcp_concurrent.t ..... ok
t/30_loops/select/connect_errors.t ..... ok
t/30_loops/select/k_alarms.t ..... ok
t/30_loops/select/k_aliases.t ..... ok
t/30_loops/select/k_detach.t ..... ok
t/30_loops/select/k_run_returns.t ..... ok
t/30_loops/select/k_selects.t ..... ok
t/30_loops/select/k_sig_child.t ..... ok
t/30_loops/select/k_signals.t ..... ok
t/30_loops/select/k_signals_rerun.t ..... ok
t/30_loops/select/sbk_signal_init.t ..... ok
t/30_loops/select/ses_nfa.t ..... ok
# This test generates some STDERR during trace testing.
=== 27496 === 23 -> _start (from /home/jkeenan/.cpanm/work/1483531856.25160/POE-
1.367/blib/lib/POE/Kernel.pm at 1497)
=== 27496 === 23 -> woot (from
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/ses_session.p
m at 691)
=== 27496 === 23 -> narf (from
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Loops/ses_session.p
m at 692)
=== 27496 === 23 -> _stop (from /home/jkeenan/.cpanm/work/1483531856.25160/POE-
1.367/blib/lib/POE/Resource/Sessions.pm at 571)
t/30_loops/select/ses_session.t ..... ok

```

```

t/30_loops/select/wheel_accept.t ..... ok
t/30_loops/select/wheel_curses.t ..... skipped: Curses not available
t/30_loops/select/wheel_readline.t ..... skipped: This test requires
Term::ReadKey
t/30_loops/select/wheel_readwrite.t ..... ok
t/30_loops/select/wheel_run.t ..... ok
t/30_loops/select/wheel_run_size.t ..... skipped: This test requires
Term::Size
t/30_loops/select/wheel_sf_ipv6.t ..... skipped: Socket::GetAddrInfo
is needed for IPv6 tests
t/30_loops/select/wheel_sf_tcp.t ..... ok
t/30_loops/select/wheel_sf_udp.t ..... ok
t/30_loops/select/wheel_sf_unix.t ..... ok
t/30_loops/select/wheel_tail.t ..... ok
t/30_loops/select/z_kogman_sig_order.t ..... ok
t/30_loops/select/z_leolo_wheel_run.t ..... ok
# Using '/bin/true' as our thing to run under system()
t/30_loops/select/z_merijn_sigchld_system.t ..... ok
t/30_loops/select/z_rt39872_sigchld.t ..... ok
# Parent 27537 waiting 3sec for slow systems to settle.
# sending sigusr1
# sent sigusr1
t/30_loops/select/z_rt39872_sigchld_stop.t ..... ok
t/30_loops/select/z_rt53302_fh_watchers.t ..... ok
t/30_loops/select/z_rt54319_bazerka_followtail.t ... ok
t/30_loops/select/z_steinert_signal_integrity.t .... ok
t/90_regression/agaran-filter-httpd.t ..... ok
t/90_regression/averell-callback-ret.t ..... ok
t/90_regression/bingos-followtail.t ..... ok
t/90_regression/broeren-win32-nbio.t ..... skipped: This test examines
ActiveState Perl behavior.
t/90_regression/cfedde-filter-httpd.t ..... ok
t/90_regression/ferrari-server-unix.t ..... ok
t/90_regression/grinnz-die-in-die.t ..... ok
Died at t/90_regression/hinrik-wheel-run-die.t line 21.
t/90_regression/hinrik-wheel-run-die.t ..... ok
# This test can take up to 10 seconds
t/90_regression/kjeldahl-stop-start-polling.t ..... ok
# This test can take up to 10 seconds
t/90_regression/kjeldahl-stop-start-sig-nopipe.t ... ok
# This test can take up to 10 seconds
t/90_regression/kjeldahl-stop-start-sig-pipe.t ..... ok
t/90_regression/leolo-sig-die.t ..... ok
t/90_regression/meh-startstop-return.t ..... ok
t/90_regression/neyuki_detach.t ..... ok
t/90_regression/pipe-followtail.t ..... ok
t/90_regression/prumike-win32-stat.t ..... skipped: This test examines
Strawberry/ActiveState Perl behavior.
t/90_regression/rt14444-arg1.t ..... ok
t/90_regression/rt1648-tied-stderr.t ..... ok
t/90_regression/rt19908-merlyn-stop.t ..... ok
t/90_regression/rt23181-sigchld-rc.t ..... ok
t/90_regression/rt47966-sigchld.t ..... skipped: enable by setting
RELEASE_TESTING
t/90_regression/rt56417-wheel-run.t ..... ok
t/90_regression/rt65460-forking.t ..... skipped: enable by setting
(AUTOMATED|RELEASE)_TESTING
t/90_regression/socketfactory-timeout.t ..... ok
t/90_regression/somni-poco-server-tcp.t ..... ok

```

```
t/90_regression/steinert-passed-wheel.t ..... ok
t/90_regression/suzman_windows.t ..... ok
t/90_regression/ton-stop-corruption.t ..... ok
t/90_regression/tracing-sane-exit.t ..... ok
t/90_regression/whelan-dieprop.t ..... ok
t/90_regression/whjackson-followtail.t ..... ok
All tests successful.
```

Test Summary Report

```
-----
t/10_units/05_filters/03_http.t (Wstat: 0 Tests: 137 Failed: 0)
```

```
  TODO passed: 85
```

```
Files=161, Tests=4204, 72 wallclock secs ( 0.71 usr 0.11 sys + 12.85 cusr 1.01
csys = 14.68 CPU)
```

```
Result: PASS
```

```
"/home/jkeenan/testing/blead/bin/perl" mylib/gen-tests.perl lib/POE.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Pipe.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Kernel.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Driver.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Resource.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/NFA.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Component.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Session.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Resources.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Queue.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Filter.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Loop.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Wheel.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Queue/Array.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Loop/PerlSignals.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Loop/IO_Poll.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Loop/Select.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Component/Client/TCP.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Component/Server/TCP.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Driver/SysRW.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Filter/RecordBlock.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Filter/Grep.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Filter/HTTPD.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Filter/Stream.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Filter/Map.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Filter/Block.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Filter/Reference.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Filter/Line.pm
Installing
```



```
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Filter/Stackable.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Wheel/ListenAccept.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Wheel/Run.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Wheel/ReadLine.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Wheel/SocketFactory.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Wheel/FollowTail.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Wheel/Curses.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Wheel/ReadWrite.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Resource/FileHandles.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Resource/SIDs.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Resource/Aliases.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Resource/Clock.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Resource/Events.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Resource/Signals.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Resource/Sessions.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Resource/Extrefs.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Test/Sequence.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Pipe/TwoWay.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/POE/Pipe/OneWay.pm
Appending installation info to /home/jkeenan/testing/blead/lib/perl5/5.25.9/x86_64-
linux/perllocal.pod
-> OK
Successfully installed POE-1.367
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/POE-1.367/install.json
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/POE-1.367/MYMETA.json
Searching File::Copy::Recursive (0) on cpanmetadb ...
--> Working on File::Copy::Recursive
Fetching http://www.cpan.org/authors/id/D/DM/DMUEY/File-Copy-Recursive-0.38.tar.gz
-> OK
Unpacking File-Copy-Recursive-0.38.tar.gz
Entering File-Copy-Recursive-0.38
Checking configure dependencies from META.yml
Configuring File-Copy-Recursive-0.38
Running Makefile.PL
Checking if your kit is complete...
Looks good
Generating a Unix-style Makefile
Writing Makefile for File::Copy::Recursive
Writing MYMETA.yml and MYMETA.json
-> OK
```

```

Checking dependencies from MYMETA.json ...
Checking if you have File::Copy 0 ... Yes (2.32)
Checking if you have File::Spec 0 ... Yes (3.66)
Checking if you have ExtUtils::MakeMaker 0 ... Yes (7.24)
Building and testing File-Copy-Recursive-0.38
cp Recursive.pm blib/lib/File/Copy/Recursive.pm
PERL_DL_NONLAZY=1 "/home/jkeenan/testing/blead/bin/perl" "-MExtUtils::Command::MM"
"-MTest::Harness" "-e" "undef *Test::Harness::Switches; test_harness(0, 'blib/lib',
'blib/arch')" t/*.t
t/1.t .. ok
All tests successful.
Files=1, Tests=1, 0 wallclock secs ( 0.01 usr 0.00 sys + 0.03 cusr 0.00 csys =
0.04 CPU)
Result: PASS
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/File/Copy/Recursive.pm
Appending installation info to /home/jkeenan/testing/blead/lib/perl5/5.25.9/x86_64-
linux/perllocal.pod
-> OK
Successfully installed File-Copy-Recursive-0.38
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/File-Copy-Recursive-0.38/install.json
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/File-Copy-Recursive-0.38/MYMETA.json
Searching MooseX::ClassAttribute (0) on cpanmetadb ...
--> Working on MooseX::ClassAttribute
Fetching http://www.cpan.org/authors/id/D/DR/DROLSKY/MooseX-ClassAttribute-
0.29.tar.gz
-> OK
Unpacking MooseX-ClassAttribute-0.29.tar.gz
Entering MooseX-ClassAttribute-0.29
Checking configure dependencies from META.json
Checking if you have ExtUtils::MakeMaker 6.58 ... Yes (7.24)
Configuring MooseX-ClassAttribute-0.29
Running Makefile.PL
Checking if your kit is complete...
Looks good
Generating a Unix-style Makefile
Writing Makefile for MooseX::ClassAttribute
Writing MYMETA.yml and MYMETA.json
-> OK
Checking dependencies from MYMETA.json ...
Checking if you have Moose::Exporter 0 ... Yes (2.1807)
Checking if you have namespace::autoclean 0.11 ... Yes (0.28)
Checking if you have Moose 2.00 ... Yes (2.1807)
Checking if you have List::Util 1.45 ... Yes (1.46_02)
Checking if you have Test::More 0.96 ... Yes (1.302073)
Checking if you have Moose::Util::MetaRole 0 ... Yes (2.1807)
Checking if you have namespace::clean 0.20 ... Yes (0.27)
Checking if you have Scalar::Util 0 ... Yes (1.46_02)
Checking if you have strict 0 ... Yes (1.11)
Checking if you have Moose::Meta::Role::Attribute 0 ... Yes (2.1807)
Checking if you have Test::Fatal 0 ... Yes (0.014)
Checking if you have Moose::Util 0 ... Yes (2.1807)
Checking if you have ExtUtils::MakeMaker 0 ... Yes (7.24)
Checking if you have lib 0 ... Yes (0.64)
Checking if you have vars 0 ... Yes (1.03)
Checking if you have Test::Requires 0.05 ... Yes (0.10)
Checking if you have File::Spec 0 ... Yes (3.66)

```

```

Checking if you have warnings 0 ... Yes (1.37)
Checking if you have Moose::Role 0 ... Yes (2.1807)
Building and testing MooseX-ClassAttribute-0.29
cp lib/MooseX/ClassAttribute/Trait/Role/Composite.pm
blib/lib/MooseX/ClassAttribute/Trait/Role/Composite.pm
cp lib/MooseX/ClassAttribute/Trait/Application.pm
blib/lib/MooseX/ClassAttribute/Trait/Application.pm
cp lib/MooseX/ClassAttribute/Trait/Role.pm
blib/lib/MooseX/ClassAttribute/Trait/Role.pm
cp lib/MooseX/ClassAttribute/Trait/Application/ToRole.pm
blib/lib/MooseX/ClassAttribute/Trait/Application/ToRole.pm
cp lib/MooseX/ClassAttribute/Meta/Role/Attribute.pm
blib/lib/MooseX/ClassAttribute/Meta/Role/Attribute.pm
cp lib/MooseX/ClassAttribute/Trait/Mixin/HasClassAttributes.pm
blib/lib/MooseX/ClassAttribute/Trait/Mixin/HasClassAttributes.pm
cp lib/MooseX/ClassAttribute.pm blib/lib/MooseX/ClassAttribute.pm
cp lib/MooseX/ClassAttribute/Trait/Class.pm
blib/lib/MooseX/ClassAttribute/Trait/Class.pm
cp lib/MooseX/ClassAttribute/Trait/Attribute.pm
blib/lib/MooseX/ClassAttribute/Trait/Attribute.pm
cp lib/MooseX/ClassAttribute/Trait/Application/ToClass.pm
blib/lib/MooseX/ClassAttribute/Trait/Application/ToClass.pm
PERL_DL_NONLAZY=1 "/home/jkeenan/testing/blead/bin/perl" "-MExtUtils::Command::MM"
"-MTest::Harness" "-e" "undef *Test::Harness::Switches; test_harness(0, 'blib/lib',
'blib/arch')" t/*.t
#
# Versions for all modules listed in MYMETA.json (including optional ones):
#
# === Configure Requires ===
#
#      Module                Want Have
#      -----
#      ExtUtils::MakeMaker    any 7.24
#
# === Build Requires ===
#
#      Module                Want Have
#      -----
#      ExtUtils::MakeMaker    any 7.24
#
# === Test Requires ===
#
#      Module                Want   Have
#      -----
#      ExtUtils::MakeMaker    any    7.24
#      File::Spec             any    3.66
#      Test::Fatal            any    0.014
#      Test::More             0.96  1.302073
#      Test::Requires         0.05   0.10
#      lib                    any    0.64
#      vars                   any    1.03
#
# === Test Recommends ===
#
#      Module                Want   Have
#      -----
#      CPAN::Meta 2.120900 2.150010
#
# === Runtime Requires ===

```

```

#
# Module                                Want    Have
# -----
# List::Util                            1.45    1.46_02
# Moose                                 2.00    2.1807
# Moose::Exporter                       any     2.1807
# Moose::Meta::Role::Attribute          any     2.1807
# Moose::Role                           any     2.1807
# Moose::Util                           any     2.1807
# Moose::Util::MetaRole                 any     2.1807
# Scalar::Util                          any     1.46_02
# namespace::autoclean                  0.11    0.28
# namespace::clean                      0.20    0.27
# strict                                any     1.11
# warnings                              any     1.37
#
t/00-report-prereqs.t ..... ok
t/01-basic.t ..... ok
t/02-immutable.t ..... ok
t/03-introspection.t ..... ok
t/04-with-native-traits.t ..... ok
t/05-with-attribute-helpers-backcompat.t .. skipped: Test requires module
'MooseX::AttributeHelpers' but it's not found
t/06-role.t ..... ok
t/07-parameterized-role.t ..... skipped: This test will not pass
without changes to MooseX::Role::Parameterized
t/08-role-composition.t ..... ok
t/09-bare-native-traits.t ..... ok
t/10-strict-role-composition.t ..... skipped: Test requires module
'MooseX::Role::Strict' but it's not found
t/11-moose-exporter.t ..... skipped: This test fails with a syntax
error
t/12-with-initializer.t ..... ok
All tests successful.
Files=13, Tests=178,  3 wallclock secs ( 0.05 usr  0.00 sys +  2.16 cusr  0.08 csys
=  2.29 CPU)
Result: PASS
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/MooseX/ClassAttribute.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/MooseX/ClassAttribute/Meta/R
ole/Attribute.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/MooseX/ClassAttribute/Trait/
Attribute.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/MooseX/ClassAttribute/Trait/
Role.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/MooseX/ClassAttribute/Trait/
Class.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/MooseX/ClassAttribute/Trait/
Application.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/MooseX/ClassAttribute/Trait/
Application/ToRole.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/MooseX/ClassAttribute/Trait/

```

```

Application/ToClass.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/MooseX/ClassAttribute/Trait/
Mixin/HasClassAttributes.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/MooseX/ClassAttribute/Trait/
Role/Composite.pm
Appending installation info to /home/jkeenan/testing/blead/lib/perl5/5.25.9/x86_64-
linux/perllocal.pod
-> OK
Successfully installed MooseX-ClassAttribute-0.29
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/MooseX-ClassAttribute-0.29/install.json
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/MooseX-ClassAttribute-0.29/MYMETA.json
Searching IPC::Run (0) on cpanmetadb ...
--> Working on IPC::Run
Fetching http://www.cpan.org/authors/id/T/TO/TODDR/IPC-Run-0.94.tar.gz
-> OK
Unpacking IPC-Run-0.94.tar.gz
Entering IPC-Run-0.94
Checking configure dependencies from META.json
Checking if you have ExtUtils::MakeMaker 6.58 ... Yes (7.24)
Configuring IPC-Run-0.94
Running Makefile.PL
Checking if your kit is complete...
Looks good
Generating a Unix-style Makefile
Writing Makefile for IPC::Run
Writing MYMETA.yml and MYMETA.json
-> OK
Checking dependencies from MYMETA.json ...
Checking if you have ExtUtils::MakeMaker 0 ... Yes (7.24)
Checking if you have Test::More 0.47 ... Yes (1.302073)
Checking if you have IO::Pty 1.08 ... Yes (1.12)
Building and testing IPC-Run-0.94
cp lib/IPC/Run/Debug.pm blib/lib/IPC/Run/Debug.pm
cp lib/IPC/Run/IO.pm blib/lib/IPC/Run/IO.pm
cp lib/IPC/Run/Timer.pm blib/lib/IPC/Run/Timer.pm
cp lib/IPC/Run/Win32IO.pm blib/lib/IPC/Run/Win32IO.pm
cp lib/IPC/Run.pm blib/lib/IPC/Run.pm
cp lib/IPC/Run/Win32Pump.pm blib/lib/IPC/Run/Win32Pump.pm
cp lib/IPC/Run/Win32Helper.pm blib/lib/IPC/Run/Win32Helper.pm
PERL_DL_NONLAZY=1 "/home/jkeenan/testing/blead/bin/perl" "-MExtUtils::Command::MM"
"-MTest::Harness" "-e" "undef *Test::Harness::Switches; test_harness(0, 'blib/lib',
'blib/arch')" t/*.t
t/97_meta.t ..... skipped: Author tests not required for installation
t/98_pod.t ..... skipped: Author tests not required for installation
t/98_pod_coverage.t ..... skipped: Author tests not required for installation
t/99_perl_minimum_version.t .. skipped: Author tests not required for installation
t/adopt.t ..... skipped: adopt not implemented yet
t/binmode.t ..... ok
t/bogus.t ..... ok
t/filter.t ..... ok
t/harness.t ..... ok
t/io.t ..... ok
t/kill_kill.t ..... ok
t/parallel.t ..... ok
# IO::Pty 1.12, IO::Pty 1.12

```

```

t/pty.t ..... ok
t/pump.t ..... ok
t/run.t ..... ok
t/signal.t ..... ok
t/timeout.t ..... ok
t/timer.t ..... ok
Constant subroutine IPPROTO_TCP redefined at
/home/jkeenan/testing/blead/lib/perl5/5.25.9/x86_64-linux/Socket.pm line
4294967295.
t/win32_compile.t ..... ok
t/windows_search_path.t ..... ok
All tests successful.
Files=20, Tests=688, 11 wallclock secs ( 0.10 usr 0.02 sys + 1.06 cusr 0.11 csys
= 1.29 CPU)
Result: PASS
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/IPC/Run.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/IPC/Run/Timer.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/IPC/Run/Win32IO.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/IPC/Run/IO.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/IPC/Run/Win32Helper.pm
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/IPC/Run/Debug.pm
Installing
/home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/IPC/Run/Win32Pump.pm
Appending installation info to /home/jkeenan/testing/blead/lib/perl5/5.25.9/x86_64-
linux/perllocal.pod
-> OK
Successfully installed IPC-Run-0.94
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/IPC-Run-0.94/install.json
Installing /home/jkeenan/testing/blead/lib/perl5/site_perl/5.25.9/x86_64-
linux/.meta/IPC-Run-0.94/MYMETA.json
Searching POE::Component::Server::TCP (0) on cpanmetadb ...
Already tried POE-1.367. Skipping.
Building and testing Vim-Debug-0.904
cp lib/Vim/Debug.pm blib/lib/Vim/Debug.pm
cp lib/Vim/Debug/_vim/doc/savemap.txt blib/lib/Vim/Debug/_vim/doc/savemap.txt
cp lib/Vim/Debug/Daemon.pm blib/lib/Vim/Debug/Daemon.pm
cp lib/Vim/Debug/Manual.pm blib/lib/Vim/Debug/Manual.pm
cp lib/Vim/Debug/_vim/doc/VimDebug.txt blib/lib/Vim/Debug/_vim/doc/VimDebug.txt
cp lib/Vim/Debug/Perl.pm blib/lib/Vim/Debug/Perl.pm
cp lib/Vim/Debug/_vim/autoload/savemap.vim
blib/lib/Vim/Debug/_vim/autoload/savemap.vim
cp lib/Vim/Debug/Protocol.pm blib/lib/Vim/Debug/Protocol.pm
cp lib/Vim/Debug/_vim/plugin/VimDebug.vim
blib/lib/Vim/Debug/_vim/plugin/VimDebug.vim
cp bin/vdd blib/script/vdd
"/home/jkeenan/testing/blead/bin/perl" -MExtUtils::MY -e 'MY->fixin(shift)' --
blib/script/vdd
cp bin/vimdebug-install blib/script/vimdebug-install
"/home/jkeenan/testing/blead/bin/perl" -MExtUtils::MY -e 'MY->fixin(shift)' --
blib/script/vimdebug-install
PERL_DL_NONLAZY=1 "/home/jkeenan/testing/blead/bin/perl" "-MExtUtils::Command::MM"
"-MTest::Harness" "-e" "undef *Test::Harness::Switches; test_harness(0, 'blib/lib',
'blib/arch')" t/*.t
t/00-compile.t ..... ok
# Prerequisite Report:
#   Version Module

```

```

# -----
#      1.42 Carp
#      0.11 Dir::Self
#      7.24 ExtUtils::MakeMaker
#      2.85 File::Basename
#      0.38 File::Copy::Recursive
#      1.34 File::Find
#      2.12_01 File::Path
#      3.66 File::Spec::Functions
#      0.2304 File::Temp
#      2.49 Getopt::Long
#      1.12 IO::Pty
#      0.94 IPC::Run
#      1.46_02 List::Util
#      2.1807 Moose
#      2.1807 Moose::Role
#      2.1807 Moose::Util
#      0.29 MooseX::ClassAttribute
#      3.04 Net::Telnet
#      1.367 POE
#      1.367 POE::Component::Server::TCP
#      1.302073 Test::More
#      0.27 Try::Tiny
#      1.11 strict
#      1.37 warnings
t/00-report-prereqs.t .. ok
t/perl.parseOutput.t ... ok
Unescaped left brace in regex is illegal here in regex; marked by <-- HERE in m/
{ <-- HERE -VDEOR-} / at t/lib/Vim/Debug/Client.pm line 68.
ClientError: 2
Unescaped left brace in regex is illegal here in regex; marked by <-- HERE in m/
{ <-- HERE -VDEOR-} / at t/lib/Vim/Debug/Client.pm line 68.
ClientError: 3
Makefile:916: recipe for target 'test_dynamic' failed
make: *** [test_dynamic] Interrupt

```