1P notrigger (400 < sT < 500 GeV)

	IF	ποιπί	gger (	400 <	.51 <	500 (	3ev)											
TTBarSF_1PLE35	1.000	0.937	0.912	0.848	0.814	0.826	0.751	0.515	0.963	0.866	0.753	0.630	0.650	0.805	0.571	0.815		]1
TTBarSF_1P3540	0.937	1.000	0.897	0.800	0.802	0.832	0.769	0.516	0.923	0.831	0.709	0.599	0.622	0.795	0.586	0.689	_	0.8
TTBarSF_1P4045	0.912	0.897	1.000	0.825	0.789	0.836	0.755	0.541	0.916	0.820	0.747	0.654	0.662	0.784	0.586	0.711		
TTBarSF_1P4550	0.848	0.800	0.825	1.000	0.690	0.754	0.626	0.513	0.854	0.802	0.773	0.711	0.658	0.713	0.483	0.746		0.6
TTBarSF_1P5055	0.814	0.802	0.789	0.690	1.000	0.767	0.664	0.445	0.791	0.688	0.562	0.440	0.567	0.758	0.503	0.618		0.4
TTBarSF_1P5570	0.826	0.832	0.836	0.754	0.767	1.000	0.783	0.580	0.838	0.751	0.698	0.629	0.706	0.817	0.599	0.565		
TTBarSF_1P70100	0.751	0.769	0.755	0.626	0.664	0.783	1.000	0.609	0.748	0.645	0.563	0.482	0.517	0.669	0.666	0.411		0.2
TTBarSF_1PGE100	0.515	0.516	0.541	0.513	0.445	0.580	0.609	1.000	0.535	0.496	0.494	0.472	0.412	0.447	0.527	0.359		
TTBarSF_3PLE35	0.963	0.923	0.916	0.854	0.791	0.838	0.748	0.535	1.000	0.870	0.787	0.686	0.678	0.815	0.590	0.790		0
TTBarSF_3P3540	0.866	0.831	0.820	0.802	0.688	0.751	0.645	0.496	0.870	1.000	0.760	0.682	0.648	0.727	0.524	0.726	_	-0.2
TTBarSF_3P4045	0.753	0.709	0.747	0.773	0.562	0.698	0.563	0.494	0.787	0.760	1.000	0.775	0.685	0.657	0.490	0.673		
TTBarSF_3P4550	0.630	0.599	0.654	0.711	0.440	0.629	0.482	0.472	0.686	0.682	0.775	1.000	0.656	0.572	0.424	0.562		-0.4
TTBarSF_3P5055	0.650	0.622	0.662	0.658	0.567	0.706	0.517	0.412	0.678	0.648	0.685	0.656	1.000	0.676	0.446	0.546	_	-0.6
TTBarSF_3P5570	0.805	0.795	0.784	0.713	0.758	0.817	0.669	0.447	0.815	0.727	0.657	0.572	0.676	1.000	0.562	0.583		
TTBarSF_3PGE70	0.571	0.586	0.586	0.483	0.503	0.599	0.666	0.527	0.590	0.524	0.490	0.424	0.446	0.562	1.000	0.337	_	-0.8
TTBar norm	0.815	0.689	0.711	0.746	0.618	0.565	0.411	0.359	0.790	0.726	0.673	0.562	0.546	0.583	0.337	1.000		,
	-E35	_1P3540	4045	1550	5055	5570	P70100	PGE100	3PLE35	3P3540	3P4045	3P4550	3P5055	3P5570	3PGE70	TTBar norm		<b>'</b> –1
	TBarSF_1PLE35	1P.	TBarSF_1P4045	TBarSF_1P4550	TBarSF_1P5055	BarSF_1P5570	1P7(	IPGE								Barı		
	arSF	BarSF_	arSF	arSF	arSF	arSF	BarSF_	SF_1	TBarSF_	TBarSF	TBarSF	TBarSF	TBarSF_	TBarSF	BarSF_	F		
	Ä	Ë	Ë	Ë	Ë	Ë	ГВа	BarSF	Ä	Ë	Ë	Ë	Ë	Ë	TBa			