3P notrigger (sT < 600 GeV)

	٥.	110111	990. (	O	000 0	,												
TTBarSF_1PLE35	1.000	0.723	0.465	0.459	0.365	0.298	0.134	0.089	0.632	0.415	0.326	0.290	0.212	0.206	0.033	-0.077		1
TTBarSF_1P3540	0.723	1.000	0.620	0.626	0.582	0.578	0.445	0.308	0.738	0.609	0.557	0.537	0.474	0.504	0.330	-0.069		0.8
TTBarSF_1P4045	0.465	0.620	1.000	0.664	0.659	0.700	0.639	0.440	0.640	0.597	0.605	0.595	0.566	0.603	0.495	-0.080		
TTBarSF_1P4550	0.459	0.626	0.664	1.000	0.682	0.718	0.617	0.419	0.683	0.623	0.641	0.627	0.588	0.622	0.460	-0.090		0.6
TTBarSF_1P5055	0.365	0.582	0.659	0.682	1.000	0.747	0.673	0.467	0.669	0.648	0.667	0.661	0.630	0.679	0.540	-0.050		0.4
TTBarSF_1P5570	0.298	0.578	0.700	0.718	0.747	1.000	0.779	0.559	0.699	0.714	0.736	0.738	0.713	0.779	0.657	-0.020		
TTBarSF_1P70100	0.134	0.445	0.639	0.617	0.673	0.779	1.000	0.625	0.554	0.625	0.652	0.669	0.665	0.743	0.713	0.051	_	0.2
TTBarSF_1PGE100	0.089	0.308	0.440	0.419	0.467	0.559	0.625	1.000	0.378	0.437	0.437	0.465	0.460	0.541	0.588	0.204		_
TTBarSF_3PLE35	0.632	0.738	0.640	0.683	0.669	0.699	0.554	0.378	1.000	0.790	0.743	0.716	0.639	0.695	0.479	0.009		0
TTBarSF_3P3540	0.415	0.609	0.597	0.623	0.648	0.714	0.625	0.437	0.790	1.000	0.738	0.724	0.670	0.745	0.592	0.030		-0
TTBarSF_3P4045	0.326	0.557	0.605	0.641	0.667	0.736	0.652	0.437	0.743	0.738	1.000	0.722	0.676	0.740	0.592	0.004		
TTBarSF_3P4550	0.290	0.537	0.595	0.627	0.661	0.738	0.669	0.465	0.716	0.724	0.722	1.000	0.678	0.748	0.607	0.012		<b>–</b> C
TTBarSF_3P5055	0.212	0.474	0.566	0.588	0.630	0.713	0.665	0.460	0.639	0.670	0.676	0.678	1.000	0.721	0.603	0.003		<b>–</b> 0
TTBarSF_3P5570	0.206	0.504	0.603	0.622	0.679	0.779	0.743	0.541	0.695	0.745	0.740	0.748	0.721	1.000	0.700	0.040		
TTBarSF_3PGE70	0.033	0.330	0.495	0.460	0.540	0.657	0.713	0.588	0.479	0.592	0.592	0.607	0.603	0.700	1.000	0.126		<b>–</b> C
TTBar norm	-0.077	-0.069	-0.080	-0.090	-0.050	-0.020	0.051	0.204	0.009	0.030	0.004	0.012	0.003	0.040	0.126	1.000		
	BarSF_1PLE35	TBarSF_1P3540	arSF_1P4045	TBarSF_1P4550	arSF_1P5055	TBarSF_1P5570	SF_1P70100	SF_1PGE100	BarSF_3PLE35	TBarSF_3P3540	TBarSF_3P4045	arSF_3P4550	TBarSF_3P5055	arSF_3P5570	BarSF_3PGE70	TTBar norm		<b>–</b> 1
	ТВя	Ě	ΓTBar	Ě	ΓTBar	Ĕ	BarS	BarSF	TBs	Ĕ	Ě	ПВаг	Ě	ПВаг	TBa			