



```
package com.example.affirmations.model

data class Affirmation(
    val stringResourceId: Int,
    val imageResourceId: Int
)

import com.example.affirmations.R
import com.example.affirmations.model.Affirmation

class Datasource() {
    fun loadAffirmations(): List<Affirmation> {
        return listOf<Affirmation>(
            Affirmation( stringResourceId = R.string.affirmation1, imageResourceId = R.drawable.image1),
            Affirmation( stringResourceId = R.string.affirmation2, imageResourceId = R.drawable.image2),
            Affirmation( stringResourceId = R.string.affirmation3, imageResourceId = R.drawable.image3),
            Affirmation( stringResourceId = R.string.affirmation4, imageResourceId = R.drawable.image4),
            Affirmation( stringResourceId = R.string.affirmation5, imageResourceId = R.drawable.image5),
            Affirmation( stringResourceId = R.string.affirmation6, imageResourceId = R.drawable.image6),
            Affirmation( stringResourceId = R.string.affirmation7, imageResourceId = R.drawable.image7),
            Affirmation( stringResourceId = R.string.affirmation8, imageResourceId = R.drawable.image8),
            Affirmation( stringResourceId = R.string.affirmation9, imageResourceId = R.drawable.image9),
            Affirmation( stringResourceId = R.string.affirmation10, imageResourceId = R.drawable.image10))
    }
}
```



```
Vers...  app  [Run] [Debug] [More]  [Undo] [Redo] [Zoom In] [Zoom Out] [Close]

MainActivity.kt  Affirmation.kt  Data:  Notifications

1  > / Copyright (C) 2023 The Android Open Source Project  2  2  ^  v
16  package com.example.affirmations
17
18  import android.os.Bundle
19  import androidx.activity.ComponentActivity
20  import androidx.activity.compose.setContent
21  import androidx.compose.foundation.layout.fillMaxSize
22  import androidx.compose.material3.MaterialTheme
23  import androidx.compose.material3.Surface
24  import androidx.compose.runtime.Composable
25  import androidx.compose.ui.Modifier
26  import com.example.affirmations.ui.theme.AffirmationsTheme
27  import com.example.affirmations.model.Affirmation
28
29  1 Usage
30  class MainActivity : ComponentActivity() {
31      override fun onCreate(savedInstanceState: Bundle?) {
32          super.onCreate(savedInstanceState)
33          setContent {
34              AffirmationsTheme {
35                  // A surface container using the 'background'
36                  Surface(
37                      modifier = Modifier.fillMaxSize(),
38                      color = MaterialTheme.colorScheme.backgro
39                  ) {
40                      AffirmationsApp()
41                  }
42              }
43          }
44      }
45  }
```



The screenshot displays the Android Studio IDE with two Kotlin files open: MainActivity.kt and Datasource.kt. The MainActivity.kt file shows a Composable function AffirmationCard that takes an Affirmation object and a Modifier. It uses an Image and a Text composable to display the affirmation. The Datasource.kt file shows a List of Affirmation objects, each with a string resource and a drawable resource. The bottom panel shows error messages for unresolved references to 'Affirmation'.

```
class MainActivity : ComponentActivity() {  
    // ...  
    @Composable  
    fun AffirmationsApp() {  
        // ...  
    }  
    @Composable  
    fun AffirmationCard(affirmation: Affirmation, modifier: Modifier = Modifier) {  
        Card(modifier = modifier) {  
            Column {  
                Image(  
                    painter = painterResource(affirmation.imageResourceId),  
                    contentDescription = stringResource(affirmation.stringResourceId),  
                    modifier = Modifier  
                        .fillMaxWidth()  
                        .height(height = 194.dp),  
                    contentScale = ContentScale.Crop  
                )  
                Text(  
                    text = stringResource(affirmation.stringResourceId),  
                    modifier = Modifier.padding(all = 16.dp),  
                    style = MaterialTheme.typography.headlineSmall  
                )  
            }  
        }  
    }  
}
```

```
package com.example.affirmations.model  
import Affirmation  
import com.example.affirmations.R  
class Datasource() {  
    fun loadAffirmations(): List<Affirmation> {  
        return listOf<Affirmation>(  
            Affirmation(R.string.affirmation1, R.drawable.image1),  
            Affirmation(R.string.affirmation2, R.drawable.image2),  
            Affirmation(R.string.affirmation3, R.drawable.image3),  
            Affirmation(R.string.affirmation4, R.drawable.image4),  
            Affirmation(R.string.affirmation5, R.drawable.image5),  
            Affirmation(R.string.affirmation6, R.drawable.image6),  
            Affirmation(R.string.affirmation7, R.drawable.image7),  
            Affirmation(R.string.affirmation8, R.drawable.image8),  
            Affirmation(R.string.affirmation9, R.drawable.image9),  
            Affirmation(R.string.affirmation10, R.drawable.image10)  
        )  
    }  
}
```

Unresolved reference 'Affirmation'. :17
Unresolved reference 'Affirmation'. :20
Inapplicable candidate(s): fun <T> listOf(vararg elements: T): List<T>
Unresolved reference 'Affirmation'. :21
Unresolved reference 'Affirmation'. :22
Cannot infer type for this parameter. Please specify it explicitly. :22

e: file:///C:/Users/USER/AndroidStudioProjects/basic-android-kotlin-compose-training-affirmations-starter/app/src/main/java/com/example/affirmations/data/Datasource.kt:17:8 Unresolved reference 'Affirmation'.
[Fix with AI](#)



The screenshot displays the Android Studio IDE with the following components:

- Project View:** Shows the project structure with folders like `idea`, `.kotlin`, `app`, `build`, `src`, `main`, `java`, `com.example.aff`, `data`, `Datasource`, `model`, `Affirmatio`, `ui.theme`, `MainActivity`, `res`, `AndroidManifest.xml`, `.gitignore`, and `build.gradle.kts`.
- Main Activity Code:** The code for `MainActivity.kt` is shown, featuring a `ComponentActivity` with an `onCreate` method that sets the content to `AffirmationsApp`. The `AffirmationsApp` is a `ComposeView` that displays a list of affirmations from a `Datasource`.
- Build Output:** The bottom panel shows the build output, indicating a successful build. The output includes the following tasks:
 - `> Task :app:mergeProjectDexDebug`
 - `> Task :app:packageDebug`
 - `> Task :app:createDebugApkListingFileRedirect UP-TO-DATE`
 - `> Task :app:assembleDebug`The build was successful in 1s, with 34 actionable tasks: 4 executed, 30 up-to-date.
- Preview:** A preview of the app is shown on the right, displaying a list of affirmations on a mobile device screen.