

ЦИКЪЛ С ФИКСИРАНА СТЪПКА FOR.


ФУНКЦИИ – ДЕФИНИРАНЕ, ПАРАМЕТРИ, ОСОБЕНОСТИ.

ПСЕВДОНИМИ



OПЕРАТОР FOR

- Общ вид на оператора
 - for(<инициализация>; <условие>; <стъпка>)<тяло>
- Пример със сума на числа



ФУНКЦИИ - ДЕФИНИРАНЕ

- Дефиниране
 - <тип> <име>(<списък от аргументи>)
- Декларация vs. Дефиниция
- Обръщение

ФУНКЦИИ - ПАРАМЕТРИ

- Формални и фактически параметри
- Параметри по подразбиране
- Локални променливи
- Връщане на стойност
 - Пример за четене на число с ограничение

ФУНКЦИИ - ПРИМЕРИ

- Четене на брой
- Проверка за просто
- По-малко от две числа
- Размяна на две числа ?!?

ПСЕВДОНИМИ

- Дефиниране
- Псевдоними и константност
- Псевдоними и функции
 - Пример размяната отново



ПОЛЕЗНИ ВРЪЗКИ

- https://www.tutorialspoint.com/cplusplus/cpp for loop.htm
- http://www.geeksforgeeks.org/loops-in-c/
- http://www.cplusplus.com/doc/tutorial/functions/
- https://msdn.microsoft.com/en-us/library/0e5kx78b.aspx?f=255&MSPPError=-2147217396
- https://www.geeksforgeeks.org/references-in-c/
- https://www.tutorialspoint.com/cplusplus/cpp_references.htm
- https://scc.ustc.edu.cn/zlsc/sugon/intel/compiler c/main cls/bldaps cls/common/bldaps calling conv.htm
- https://en.wikipedia.org/wiki/X86 calling conventions