




Step 1: Open PowerShell as Administrator

1. Press **Windows**.
2. Search for **PowerShell**.



3. Right-click **Windows PowerShell**.



A screenshot of a Windows PowerShell terminal window. The title bar shows 'Windows PowerShell' with standard window controls. The terminal text reads: 'Windows PowerShell', 'Copyright (C) Microsoft Corporation. All rights reserved.', and 'PS C:\windows\system32> wsl --install'. The 'wsl' command is highlighted in yellow.

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\windows\system32> wsl --install
```

Step 3: Restart Your Computer

After installation, restart your PC when prompted.

Step 4: Complete Ubuntu Setup

After restarting:

1. Ubuntu opens automatically (or search for **Ubuntu** in the Start menu).
2. Wait for the installation to finish.
3. Create a Linux username.

Example:

Enter new UNIX username: anusha

Step 5: Create a Password

You'll then be prompted to create a password.

New password: ****

Retype new password:****

Step 6: Update Ubuntu

```

mahima@Mahima:~$ sudo apt update
[sudo: authenticate] Password:
Get:1 http://security.ubuntu.com/ubuntu resolute-security InRelease [137 kB]
Hit:2 http://archive.ubuntu.com/ubuntu resolute InRelease
Get:3 http://archive.ubuntu.com/ubuntu resolute-updates InRelease [137 kB]
Get:4 http://archive.ubuntu.com/ubuntu resolute-backports InRelease [137 kB]
Get:5 http://security.ubuntu.com/ubuntu resolute-security/main amd64 Packages [424 kB]
Get:6 http://archive.ubuntu.com/ubuntu resolute-updates/main amd64 Packages [548 kB]
Get:7 http://security.ubuntu.com/ubuntu resolute-security/main Translation-en [97.9 kB]
Get:8 http://security.ubuntu.com/ubuntu resolute-security/main amd64 Components [46.7 kB]
Get:9 http://security.ubuntu.com/ubuntu resolute-security/universe amd64 Packages [159 kB]
Get:10 http://archive.ubuntu.com/ubuntu resolute-updates/main Translation-en [127 kB]
Get:11 http://security.ubuntu.com/ubuntu resolute-security/universe Translation-en [51.2 kB]
Get:12 http://security.ubuntu.com/ubuntu resolute-security/universe amd64 Components [43.2 kB]
Get:13 http://security.ubuntu.com/ubuntu resolute-security/restricted amd64 Packages [361 kB]
Get:14 http://archive.ubuntu.com/ubuntu resolute-updates/main amd64 Components [98.0 kB]
Get:15 http://archive.ubuntu.com/ubuntu resolute-updates/universe amd64 Packages [251 kB]
Get:16 http://security.ubuntu.com/ubuntu resolute-security/restricted Translation-en [70.0 kB]
Get:17 http://archive.ubuntu.com/ubuntu resolute-updates/universe Translation-en [83.6 kB]
Get:18 http://archive.ubuntu.com/ubuntu resolute-updates/universe amd64 Components [188 kB]
Get:19 http://archive.ubuntu.com/ubuntu resolute-updates/restricted amd64 Packages [371 kB]
Get:20 http://archive.ubuntu.com/ubuntu resolute-updates/restricted Translation-en [71.7 kB]
Get:21 http://archive.ubuntu.com/ubuntu resolute-updates/multiverse amd64 Packages [11.3 kB]
Get:22 http://archive.ubuntu.com/ubuntu resolute-updates/multiverse Translation-en [3032 B]
Get:23 http://archive.ubuntu.com/ubuntu resolute-backports/universe amd64 Packages [3132 B]
Get:24 http://archive.ubuntu.com/ubuntu resolute-backports/universe Translation-en [7988 B]
Get:25 http://archive.ubuntu.com/ubuntu resolute-backports/universe amd64 Components [1056 B]
Fetched 3430 kB in 9s (363 kB/s)
117 packages can be upgraded. Run 'apt list --upgradable' to see them.

```

Step 7: Install GCC (C Compiler)

```

mahima@Mahima:~$ sudo apt install build-essential
build-essential is already the newest version (12.12ubuntu2.26.04.2).
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 117

```

Step 8: Verify the Installation

```

mahima@Mahima:~$ gcc --version
gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
Copyright (C) 2025 Free Software Foundation, Inc.
This is free software; see the source for copying conditions. There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

```


Step 9: Create Your C Program

Example: nano process.c

Step 10: Compile the Program

```
mahima@Mahima: ~  
GNU nano 8.7.1  
#include<stdio.h>  
#include<unistd.h>  
int main()  
{  
printf("Process ID = %d\n",getpid());  
return 0;  
}
```

```
mahima@Mahima:~$ nano proid.c  
mahima@Mahima:~$ gcc proid.c -o proid  
mahima@Mahima:~$ ./proid  
Process ID = 497
```



Fork() :

```
mahima@Mahima: ~  
GNU nano 8.7.1  
#include<stdio.h>  
#include<unistd.h>  
int main()  
{  
fork();  
printf("Hello\n");  
return 0;  
}
```

```
mahima@Mahima:~$ nano proid.c  
mahima@Mahima:~$ nano forkk.c  
mahima@Mahima:~$ gcc forkk.c -o forkk  
mahima@Mahima:~$ ./forkk  
Hello  
Hello
```

```
mahima@Mahima: ~  
GNU nano 8.7.1 parentchild.c  
#include<stdio.h>  
#include<unistd.h>  
int main()  
{  
    pid_t pid;  
    pid=fork();  
    if(pid==0)  
    {  
        printf("I am Child Process\n");  
    }  
    else  
    {  
        printf("I am Parent Process\n");  
    }  
    return 0;  
}
```

```
mahima@Mahima:~$ nano parentchild.c
mahima@Mahima:~$ gcc parentchild.c -o parentchild
mahima@Mahima:~$ ./parentchild
I am Parent Process
I am Child Process
```