

CRUZ, KRISTA MARI EMILIA
AN41

CSV FILE:

Local - DemoEarlyWarningTool

Upload

CSV Reader

File

Mode: File Files in folders

Source: c:\Machine Problem 1\student_performance_knime.csv

File Format

Skip first lines of file: 0

Comment line character: #

Row delimiter: Line break Custom

Column delimiter: ,

☐ Quoted strings contain no row delimiters

Quote character: " Quote escape character: \"

Discard Apply Apply and Execute

1: File Table Flow Variables

Rows: 30 | Columns: 6 | Sorting | Filter

Table Statistics

#	RowID	student_id	attendance	quiz_score	assignment_score	exam_score	risk_status
1	Row0	S001	95	90	92	88	Not At Risk

ALL NODES EXECUTED:

Home DemoEarlyWarningTool × + ? Preferences Menu kacruz

Save Execute all Cancel all Reset all Local - DemoEarlyWarningTool Upload

Nodes

Search: norm

Manipulation Column Transform +11

Nodes List:

- Normalizer
- Denormalizer
- Normalizer (PMML)
- Normalizer (Apply)
- Denormalizer (PMML)
- Normalizer Apply (PMML)
- Number to String
- Date&Time to String
- Duration Format Manager
- String Manipulation
- Rule Engine
- String Format Manager
- Date&Time Format Manager
- Math Formula
- Top k Row Filter
- DB Sorter

Workflow Diagram:

```
graph LR; CSVReader[CSV Reader] --> ColumnFilter[Column Filter]; ColumnFilter --> Normalizer[Normalizer]; Normalizer --> TablePartitioner[Table Partitioner]; TablePartitioner --> DTL[Decision Tree Learner]; TablePartitioner --> LRL[Logistic Regression Learner]; TablePartitioner --> RFL[Random Forest Learner]; DTL --> DTP[Decision Tree Predictor]; LRL --> LRP[Logistic Regression Predictor]; RFL --> RFP[Random Forest Predictor]; DTP --> Scorer1[Scorer]; LRP --> Scorer2[Scorer]; RFP --> Scorer3[Scorer];
```

Select a node to configure

Select a configured or executed node to show the node output.

RESULTS:

? ⚙️ Preferences ⋮ Menu 👤 kacruz

Local - DemoEarlyWarningTool ▾
📁 Upload

100% ▾ +

Scorer ✕

First column

Second column

Sorting strategy



☐ Reverse order
☐ Use name prefix

Missing values

► 1: Confusion matrix ► 2: Accuracy statistics 📄 Flow Variables

Rows: 2 | Columns: 2 🔍 Sorting ▾ Filter
Table 📄 Statistics 📄

	#	RowID	At Risk 📄 Number (Integer)	Not At Risk 📄 Number (Integer)
☐	1	At Risk	3	0
☐	2	Not A...	0	3



Scorer

First column
Prediction (risk_status)

Second column
risk_status

Sorting strategy
Insertion order

☐ Reverse order

☐ Use name prefix

Missing values
Ignore Fail

Discard

Apply

Apply and Execute

► 1: Confusion matrix

► 2: Accuracy statistics

☑ Flow Variables

Rows: 2 | Columns: 2

Sorting



Filter

Table

Statistics

Search

#	RowID	Not At Risk Number (Integer)	At Risk Number (Integer)
1	Not A...	3	2
2	At Risk	0	1



Scorer

First column

Prediction (risk_status)

Second column

risk_status

Sorting strategy

Insertion order

☐ Reverse order
 ☐ Use name prefix

Missing values

Ignore Fail

Discard

Apply

Apply and Execute

1: Confusion matrix

2: Accuracy statistics

Flow Variables

Rows: 2 | Columns: 2

Sorting

Filter

Table

Statistics

Search

#	RowID	At Risk	Not At Risk
		Number (Integer)	Number (Integer)
1	At Risk	3	0
2	Not A...	0	3